




Spare parts for:

Cooking equipment



Suitable for:

MBM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

MBM



Suitable for:

Air regulators

3025103 AERATION REGULATOR
internal \varnothing 14 mm - external \varnothing 17 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



MBM PACU700029

3025107 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700160


3025185 AERATION REGULATOR
internal \varnothing 22 mm - external \varnothing 24 mm
height 66 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700199

Alarms

3397302 ALARM BELL 220V



MBM RTFOC00046

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



MBM RGFOC00254

MBM RTFOC00254

MBM 013480-01R

3240519 AXIAL MOTOR FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



MBM




Ball valves and accessories

3526703 BALLCOCK VALVE \varnothing 1/2"FF



MBM RTFOC00136

5033496 DRAIN TAP \varnothing 18 mm
 upper lever connection
 for Pasta cooker electric (MBM) EC66
 for Pasta cooker gas (MBM) GC66




MBM RTCU600076

5033104 LEVER FOR DRAIN TAP 76 mm
 thread M6x1 mm
 for Bain-marie electric (MBM) EBM47 - EBM77
 for Bain-marie gas (MBM) GBM47 - GBM77 - GBM777
 for Fryer electric (MBM) EF47T - EF472VT - EF477T
 EF4772VT - EF77T - EF777T
 for Fryer gas (MBM) GF47T - GF477TS - GF77T
 GF777TS
 for Pasta cooker electric (MBM) EC66
 for Pasta cooker gas (MBM) GC66



MBM RTCU700412

3356054 DRAIN TAP \varnothing 3/4" F
 superior lever connection
 internal exit \varnothing 22 mm
 for Bain-marie electric (MBM) EBM46 - EBM66
 for Bain-marie gas (MBM) GBM46 - GBM66
 for Fryer electric (MBM) EF46 - EF66
 for Fryer gas (MBM) GF46 - GF66



MBM RTCU600012

3241247 BLACK KNOB
 round hole \varnothing 6 mm



MBM RTCU700413

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet joint
 for TECNOINOX BAIN-MARIE-FRYER
 for Bain-marie electric (MBM) EBM46 - EBM47
 EBM66 - EBM77
 for Bain-marie gas (MBM) GBM46 - GBM47 - GBM66
 GBM77
 for Fryer electric (MBM) EF46 - EF47T - EF472VT
 EF66 - EF77T
 for Fryer gas (MBM) GF46 - GF66



MBM RTCU700318



Suitable for:

3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



MBM 720010

5033104 LEVER FOR DRAIN TAP 76 mm
thread M6x1 mm
for Bain-marie electric (MBM) EBM47 - EBM77
for Bain-marie gas (MBM) GBM47 - GBM77 - GBM777
for Fryer electric (MBM) EF47T - EF472VT - EF477T
EF4772VT - EF77T - EF777T
for Fryer gas (MBM) GF47T - GF477TS - GF77T
GF777TS
for Pasta cooker electric (MBM) EC66
for Pasta cooker gas (MBM) GC66



MBM RTCU700412

3526693 WATER VALVE \varnothing 1"MF
ball valve
heavy series with PN 25 total passage
aluminium lever



MBM 160596

MBM



Suitable for:

3526673 GAS/WATER VALVE \varnothing 1"FF
ball valve
heavy series with PN 40 total passage
aluminum lever



MBM RTBF800073

3359131 WATER INLET TAP \varnothing 3/8"MM
D-shaft \varnothing 10x8 mm
for Bain-marie (MBM) - Series DOMINA
Series MAGIS MAGISTRA
for Boiling pan (MBM) - Series DOMINA
Series OMNIA
for Fryer (MBM) - Series DOMINA
for Pasta cooker (MBM) - Series DOMINA
Series MAGIS MAGISTRA




MBM RTCP700003

MBM 168006

Bearings

9063012 BEARING 6004 DDU NSK
external \varnothing 42mm - internal \varnothing 20mm - thickness 12mm



MBM RTBF800094

1063911 BEARING 6202 ZZ NSK
external \varnothing 35 mm - internal \varnothing 15 mm - thickness 11 mm



MBM REB314002

MBM 314002

Suitable for:

1063906 BEARING 6203 ZZ NSK
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



MBM 314003

Suitable for:

1063901 BEARING 6204 DDU NSK
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



MBM 314005

3063026 SLIDING DOOR ROLLER RH-LH
 \varnothing bearing 22 mm - plate size 64x30 mm
for TABLE - CUPBOARD



MBM 0855309701

Burners, flame spreaders and accessories

3025111 BURNER \varnothing 100 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRUCU700022

MBM RTCU700010

3025329 BURNER \varnothing 115 mm 6KW
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700079

3025404 BURNER \varnothing 115 mm 6KW
for Pot stove gas (MBM) - Series DOMINA
Series OMNIA



MBM RTCU700382

3025182 BURNER \varnothing 125 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRUCU700023

MBM RTCU700011

3025328 BURNER \varnothing 130 mm 3.6KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600042

3025324 BURNER \varnothing 140 mm 8KW
for Pot stove gas (MBM) - Series DOMINA



MBM 160296



Suitable for:

MBM



3025325 BURNER ø 140 mm 8KW
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM 163254

Suitable for:
3025108 BURNER ø 70 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700018
MBM RTCU700009

MBM GRCU700021
MBM RTCU700124

MBM GRCU700058

3025337 BURNER ø 75 mm 3.5KW
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700748

3025321 BURNER ø 90 mm 3KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600043

3025402 BURNER BODY ø 75 mm 3.5KW
for Pot stove gas (MBM) - Series DOMINA
Series OMNIA



MBM RTCU700380

3025113 BURNER SUPPORT 100 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700007

3025184 BURNER SUPPORT 125 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700008

3025110 BURNER SUPPORT 70 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700006

3025112 FLAME SPREADER ø 100 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700002

MBM GRCU800003

MBM RTCU700013

3025107 AERATION REGULATOR
internal ø 18 mm - external ø 20 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700160



Suitable for:

3025111 BURNER \varnothing 100 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700022

MBM RTCU700010

MBM




Suitable for:

3025113 BURNER SUPPORT 100 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700007

3025330 FLAME SPREADER \varnothing 100 mm 3KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600044

3025321 BURNER \varnothing 90 mm 3KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600043

3025338 VENTURI F/FLAME SPREADER 100 mm 3KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600017

3025403 FLAME SPREADER \varnothing 115 mm 6KW
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700376

3025329 BURNER \varnothing 115 mm 6KW
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700749

3025404 BURNER \varnothing 115 mm 6KW
for Pot stove gas (MBM) - Series DOMINA
Series OMNIA



MBM RTCU700382

3025311 FRONT VENTURI 6KW
plate \varnothing 145 mm - hole \varnothing 35 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160142

MBM 164556



Suitable for:

3025319 FRONT VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700136

MBM 173321

3025309 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700138

MBM 173322

3025183 FLAME SPREADER ø 125 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700003

MBM RTCU800051

3025182 BURNER ø 125 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700023

MBM RTCU700011

3025326 FLAME SPREADER ø 130 mm 3.6KW
for Pot stove gas (MBM) - Series MINIMA




MBM RTCU600040

MBM



Suitable for:

3186698 GASKET FOR BURNER 6KW
size ø 145x120x1.6 mm



MBM RTCU700400

3025317 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate the plate
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160144

MBM 164557

3025185 AERATION REGULATOR
internal ø 22 mm - external ø 24 mm
height 66 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700199

3025184 BURNER SUPPORT 125 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700008

3025328 BURNER ø 130 mm 3.6KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600042



Suitable for:

3025327 FLAME SPREADER ø 60 mm
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600041

3025322 FLAME SPREADER ø 140 mm 7KW
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA




MBM 160294

3025325 BURNER ø 140 mm 8KW
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM 163254

3186699 GASKET FOR BURNER 8KW



MBM 160329

3025323 FLAME SPREADER ø 50 mm 1KW
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160295

MBM



Suitable for:

3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600018

3025324 BURNER ø 140 mm 8KW
for Pot stove gas (MBM) - Series DOMINA



MBM 160296

3025323 FLAME SPREADER ø 50 mm 1KW
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160295

3025318 REAR VENTURI 8KW
plate ø 145 mm - hole ø 40 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160318

MBM 164558

3025327 FLAME SPREADER ø 60 mm
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600041



Suitable for:

MBM



3025109 FLAME SPREADER ø 70 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700001
MBM RTCU700132

MBM GRCU800001

MBM RTCU700012

3025108 BURNER ø 70 mm
with air regulator
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM GRCU700018
MBM RTCU700009

MBM GRCU700021
MBM RTCU700124

MBM GRCU700058

3025103 AERATION REGULATOR
internal ø 14 mm - external ø 17 mm
height 60 mm
for Pot stove (MBM) - Series CLASSICA
Series MAGISTRA



MBM PACU700029

3025110 BURNER SUPPORT 70 mm
for Pot stove gas (MBM) - Series CLASSICA
Series MAGISTRA



MBM RTCU700006

3025401 FLAME SPREADER ø 75 mm 3.5KW
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700375

3025402 BURNER BODY ø 75 mm 3.5KW
for Pot stove gas (MBM) - Series DOMINA
Series OMNIA



MBM RTCU700380

3025337 BURNER ø 75 mm 3.5KW
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700748

3025310 FRONT VENTURI 3.5KW
plate ø 110 mm - hole ø 32 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700135

MBM 173323



Suitable for:

3025320 FRONT VENTURI 3.5KW

plate ø 110 mm - hole ø 32 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160141

MBM 164555

3025316 REAR VENTURI 3.5KW

plate ø 110 mm - hole ø 32 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700137

MBM 173324

3025310 FRONT VENTURI 3.5KW

plate ø 110 mm - hole ø 32 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700135

MBM 173323

3025311 FRONT VENTURI 6KW

plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160142

MBM 164556

MBM



Suitable for:

3186740 GASKET FOR BURNER 3.5KW

size ø 110x80x1.6 mm



MBM RTCU700399

3025320 FRONT VENTURI 3.5KW

plate ø 110 mm - hole ø 32 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160141

MBM 164555

3025319 FRONT VENTURI 6KW

plate ø 145 mm - hole ø 35 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700136

MBM 173321



Suitable for:

MBM



3025316 REAR VENTURI 3.5KW
plate ø 110 mm - hole ø 32 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700137

MBM 173324

3025309 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700138

MBM 173322

3025317 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate the plate
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160144

MBM 164557

3025318 REAR VENTURI 8KW
plate ø 145 mm - hole ø 40 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat
for Pot stove gas (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160318

MBM 164558

3025338 VENTURI F/FLAME SPREADER 100 mm 3KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600017

3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600018

Cables for piezo igniters

3001034 IGNITION CABLE 1400 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal ø 2,4 mm for plug
for Bratt pan gas (MBM) GBR - GBRA



MBM RTCU700005

MBM RTFOC00128

3001027 IGNITION CABLE 500 mm
with faston terminal ø 2 mm for ignition
with faston terminal ø 2 mm for plug
for Pot stove gas (MBM) - Series MINIMA
Series OMNIA



MBM RTCU700361



Suitable for:

3001036 IGNITION CABLE 700 mm
 with faston terminal 3x0.8 mm for ignition
 with faston terminal \varnothing 2.4 mm for plug
 for Bain-marie gas (MBM) - Series MAGISTRA
 for Boiling pan gas (MBM) - Series DOMINA 700
 Series MAGIS MAGISTRA
 for Bratt pan gas (MBM) - Series DOMINA 700
 for Fry top gas (MBM) - Series MAGISTRA
 for Fryer gas (MBM) - Series DOMINA 1100
 Series OMNIA
 for Solid top range gas (MBM) - Series MAGISTRA



MBM RTBF700038

3001016 IGNITION LEAD 1000 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 4 mm for electrode



MBM RIC000285

5025615 IGNITION LEAD 1950 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 2.4 mm for sparking plug
 for Fry top gas (MBM) - Series DOMINA 900
 Series MAGIS MAGISTRA
 for Pot stove gas (MBM) - Series DOMINA 700
 Series DOMINA 900 - Series MAGIS MAGISTRA



MBM RTBF800308

MBM RTCU700410

Suitable for:

3001002 IGNITION LEAD 1000 mm
 with faston 6.35x0.8 mm for ignition
 with faston \varnothing 4 mm for electrode



MBM RTCU900384

MBM RTCU900385

3001019 IGNITION LEAD 1000 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 2.4 mm for electrode



MBM RTCU800144

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
 operating temperature -25+85°C
 in compliance with EEC 93/68 and 92/31 regulations



MBM REB206002

MBM 206002

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
 operating temperature -25+85°C
 in compliance with EEC 93/68 and 92/31 regulations



MBM 206003



Suitable for:

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



MBM REB206004

MBM RTFOC00700

MBM 206004

MBM



Suitable for:

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



MBM DEC220L

MBM 206005

MBM REB206005

MBM RTFOC00053

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



MBM 206008

MBM 206010

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



MBM 206009

3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



MBM REB206001

MBM 206001

Cast iron hot plates

3312115 COOKING PLATE SMOOTH 365x355 mm
made of cast iron
for Pot stove (MBM) - Series 900 MAGISTRA



MBM A800011

MBM RTCU900035

3312031 RIBBED PLATE 425x375 mm
made of cast iron
for Pot stove (MBM) - Series 900 CLASSICA



MBM RTCU900042

Circlips

1250023 RADIAL SEEGER RING \varnothing 5 mm
stainless steel - external \varnothing 11.3 - thickness 0.7
UNI 7434 - DIN 6799



MBM CWA5D5I

MBM 929017

3250139 SEEGER RING E-60
in steel for springs C75
internal \varnothing 55.8 mm - thickness 2 mm
UNI 7435 - DIN 471



MBM RTMIN00283



Clamps

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



MBM RTBF800171

3449472 HOSE CLAMP 40-60
for pipes \varnothing 40÷60 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



MBM CFS1A

Contact thermostats

3444610 CONTACT THERMOSTAT 90°C 10A 250V
with automatic reset
for BOILER



MBM 236052

Contactors

3454012 CONTACTOR ABB A30-30-10
32A 400V 15Kw - coil 230V 50/60Hz
3 contacts NO
complete with 2 auxiliary contacts NO



MBM

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



MBM DTC12
MBM 229011
MBM 926040

MBM REB229032
MBM 229019
MBM 929122

MBM 229010
MBM 229032

3351202 CONTACTOR AEG LS07 7A 230V 3Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



MBM 926147

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact



MBM RTCU600371



Suitable for:

MBM



3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



MBM RTBF800153

MBM RTFOC00466

3446587 CONTACTOR LOVATO BF2600A
 coil 26A 230V 50/60Hz 13Kw
 3 normally open contacts
 no auxiliary contact



MBM RTFOC00598

MBM 177040

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact
 for Fryer (MBM) EF25F



MBM RTCU600233

5011182 CONTACTOR LOVATO BG1201A
 12A 400V 5.7Kw coil 230V 50/60Hz
 3 contacts NO
 1 auxiliary contact NC
 for Fryer electric (MBM) EFT45L - EFT45R - EF46
 EF66
 for Grill electric (MBM) EPL46 - EPL66



MBM RTFOC00465

MBM RTFOC00786

MBM 164608

3454060 CONTACTOR SCHNEIDER LC1D09B7
 9A 400V 4Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact



MBM /ELF060670

3454072 CONTACTOR SIEMENS 3RT1017-1AB01
 12A 400V 5.5Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



MBM DTC250

MBM 927051

MBM 927160

3351049 CONTACTOR SIEMENS 3RT2016-1AP01
 9A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



MBM 229037

MBM 73350

MBM 80350

3454030 CONTACTOR SIEMENS 3RT2024-1AL20
 12A 400V 5.5Kw - coil 230V 50/60Hz
 3 contacts NO
 1 auxiliary contact NO
 1 auxiliary contact NC



MBM C.80351

MBM 80351



Cooking baskets and accessories

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



MBM RTBF800322

5025485 FALSE BOTTOM 495x290x70 mm
made of STAINLESS STEEL
for Pasta cooker electric (MBM) EC45 - EC49
EC49T - EC902V - EC992VT
for Pasta cooker gas (MBM) GC45 - GC49 - GC49T
GC902V - GC992V - GC992VT



MBM RIC0004782

MBM RTCU800343

3055244 PASTA COOKER BASKET LH 160x145x215 mm
made of STAINLESS steel
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A80000790

MBM B800004

3055243 PASTA COOKER BASKET RH 160x145x215 mm
made of STAINLESS steel
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A80000780

MBM B800003

3055350 PASTA COOKER BASKET 285x160x215 mm
made of stainless steel
for Pasta cooker (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM A800001260

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



MBM RTBF800322

3055245 PASTA COOKER BASKET 290x145x215 mm
made of STAINLESS steel
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A77000120

MBM A770049

3055218 PASTA COOKER BASKET 290x160x215 mm
made of STAINLESS steel
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A80000810

MBM B00006

MBM B800006

3055147 PASTA COOKER BASKET 290x98x215 mm
made of stainless steel
for Pasta cooker (MBM) - Series MAGISTRA



MBM A800000800

MBM B800005



Suitable for:

MBM



Suitable for:

Drain assembly

- 3316011 BRASS DRAIN ASSEMBLY \varnothing 2"**
external \varnothing 80 mm - internal \varnothing 50 mm
connection \varnothing 59 mm



MBM C.43145

MBM 43145

Drain hoses

- 3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**
 \varnothing 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER
for Bain-marie electric (MBM) EBM46 - EBM47
EBM66 - EBM77
for Bain-marie gas (MBM) GBM46 - GBM47 - GBM66
GBM77
for Fryer electric (MBM) EF46 - EF47T - EF472VT
EF66 - EF77T
for Fryer gas (MBM) GF46 - GF66



MBM RTCU700318

Drain taps and accessories

- 3356100 DRAIN TAP \varnothing 2" F TECNO**
GASKET SEAL - with swivel nut \varnothing 2" F



MBM RTCP900004

MBM 30200198

Drip trays for kitchens and ovens

- 3015018 BURNER DRIP TRAY**
external size 360x445 mm
internal hole \varnothing 70 mm
for Pot stove gas (MBM) - Series MAGISTRA



MBM PACU800004



Electric hot plates

3311092 ELECTRIC HOT PLATE \varnothing 145 mm 1500W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MBM RTCU700087

3311166 ELECTRIC HOT PLATE \varnothing 200 mm 1800W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top



MBM RIC0001040

MBM RIC0001295

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V


terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MBM RTCU700086

3311101 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 400V


terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MBM RTCU700127

3311089 ELECTRIC HOT PLATE \varnothing 300 mm 3500W 230V

terminal block electric connections
with STAINLESS steel edge
for Pot stove (MBM) - Series DOMINA900



MBM 160369

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MBM RTCU700248

3311062 ELECTRIC HOT PLATE 3000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MBM RTCU800115

3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (MBM) E4F



MBM RTCU800118



Suitable for:

MBM



Suitable for:

Electrical gas valves and accessories

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MBM RTFOC00462

3526089 ELETTROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



MBM RTBF800077

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



MBM RTFOC00095

3523084 VALVE 826 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
outlet pressure range setting
2÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



MBM RTFOC00577

3020083 NUT & OLIVE \varnothing 4 mm



MBM RTCU700141

3020084 NUT & OLIVE \varnothing 6 mm



MBM RTCU900217



Electronic controllers

- 3445399 CONTROLLER ELIWELL ID PLUS 902**
 12Vac/dc
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32x59 mm
 mounting hole 71x29 mm



MBM /ALP082396

- 3445073 THERMOSTAT EVK411 TCJ**
 power supply 12Vca/dc 1.5VA
 thermostat setting range 0+600°C
 ON-OFF control with one actuation point only
 1 changeover relay output 16A
 alarm buzzer
 access to configuration parameters through password - TTL serial port
 room temperature 0+60°C
 thermocouple TCJ type probe (not included)
 connections by screw terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29mm



MBM RTFOC00029

- 3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK**
 power supply 12V
 thermostat setting range -150+1350°C
 ON-OFF control with two actuation points
 2 exchange relay outputs 8(4)A 250V
 room temperature -5+55°C
 probe type PT100-TCJ-TCK (not included)
 connections by screwed terminal block
 front dimension 78x37x64 mm
 mounting hole 71x29 mm



MBM RIC0003634


- 3446209 TIMER EWTS950 LX 12Vac**
 1 exchange relay outlet 8(3)A 250V
 thermostat display range:
 9999h. 99h and 59'. 99' and 59". 99" and 99 cents
 operating range 0÷55°C
 voltage 12Vca/dc
 connections with screw terminal
 dimensions 74x32x60 mm
 mounting hole 71x29 mm



MBM RIC0000368

Energy regulators

- 3350024 ENERGY ADJUSTER**
 contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction



MBM RIC0001299

MBM RTCU800066

- 2111902 ENERGY REGULATOR**
 contacts 240V 13A
 temperature max 125°C
 D-shaft ø 6x4.6 mm
 for Oven under cooktop electric (MBM)
 Series DOMINA 700
 for Pot stove electric (MBM) - Series DOMINA 700
 EVC26 - EVC46



MBM RIC0001010



Suitable for:

MBM



Suitable for:

Feet

3313005 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with fixed screw M12x25 mm



MBM DWP128U

MBM 926117

Fittings

5030514 FITTING OLIVE-SEAL PIPE \varnothing 14 mm
thread \varnothing 1/2"
for Bratt pan gas (MBM) - Series DOMINA 900
Series MAGISTRA
for Fryer gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA - Series OMNIA



MBM RTBF800015

5030515 OLIVE FOR PIPE \varnothing 14 mm
external \varnothing 16.5 mm - height 6.5 mm
for Bratt pan gas (MBM) - Series DOMINA 900
Series MAGISTRA
for Fryer gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA - Series OMNIA



MBM RTBF800137

3349347 NICHEL-PL.HOSE-END FITTING \varnothing 3/8" M \varnothing 12



MBM DZR263

MBM 927015

3349334 NICHEL-PLATED FITTING \varnothing 1/2" M-3/8" F



MBM DZR550

MBM 927234

5030515 OLIVE FOR PIPE \varnothing 14 mm
external \varnothing 16.5 mm - height 6.5 mm
for Bratt pan gas (MBM) - Series DOMINA 900
Series MAGISTRA
for Fryer gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA - Series OMNIA



MBM RTBF800137



Fryer baskets and accessories

3055186 FRYER BASKET 290x110x120 mm
made of chrome-plated iron



MBM /ELF03058A

3055197 FRYER BASKET 290x165x120 mm
in chromium plated iron
for Fryer (MBM) - Series 900



MBM A80000200

5035769 FRYER BASKET 295x120x120 mm
made of chrome-plated iron
for Fryer electric (MBM) EF472V - EF472VT
EF4772V - EF4772VT
for Fryer gas (MBM) GF47T - GF472V - GF4772VB
GF4772VS - GF77T




MBM A770000140

3055269 FRYER BASKET 295x200x110 mm
in chrome-plated iron



MBM 706089

5011057 FRYER BASKET 295x260x120 mm
made of chrome-plated iron
for Fryer electric (MBM) EF47 - EF47T - EF477
EF477T - EF77 - EF77T - EF777 - EF777T
for Fryer gas (MBM) GF47 - GF47T - GF477B - GF477S
GF477TS - GF77 - GF77T - GF777B - GF777S
for Fryer gas (MBM) GF777TS - G77/F28-A7



MBM A770000150

3055195 FRYER BASKET 330x290x120 mm
in chromium plated iron



MBM A800000210

MBM A800003

MBM RTBF800009

3055348 FRYER BASKET 360x270x140 mm
made of chrome-plated iron
for Fryer (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160038

5020645 MESH FALSE BOTTOM COMPLETE 325x270 mm
height 105 mm
chrome-plated iron
for Fryer electric (MBM) EF47T - EF477 - EF477T
EF77 - EF77T - EF777 - EF777T
for Fryer gas (MBM) GF47 - GF47T - GF477B - GF477S
GF477TS - GF77 - GF77T - GF777B - GF777S
GF777TS



MBM RTCU700448



Suitable for:

MBM



Suitable for:

5055594 MESH FALSE BOTTOM COMPLETE 330x240 mm

height 110 mm
chrome-plated iron
for Fryer electric (MBM) EF46 - EF66
for Fryer gas (MBM) GF46 - GF477TS - GF66
GF777TS



MBM RTCU600080

Fuses

3049019 DELAY FUSE \varnothing 5x20 mm - 10 PCS 250V 4A



MBM 228010

3049021 DELAY FUSE \varnothing 5x20 mm - 10 PCS 250V 8A



MBM RTFOC00284

MBM RTFOC00734

3049036 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS 250V 100mA



MBM RTFOC00047

3049041 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS 250V 315mA



MBM DEF72

MBM 926283

3049045 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS 250V 800mA



MBM DEF71

MBM 926284

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS 250V 4A



MBM 228004

Gas burners

5029681 BURNER \varnothing 40x400 mm overall length 455 mm made of STAINLESS steel for Bain-marie gas (MBM) GBM99T



MBM 160238

5009178 BURNER \varnothing 50x370 mm overall length 460 mm made of STAINLESS STEEL for Pasta cooker gas (MBM) GC47 - GC477



MBM RTBF800048




3023234 BURNER \varnothing 50x470 mm
 overall length 565 mm
 made of STAINLESS steel
 for Pasta cooker gas (MBM) - Series DOMINA
 Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700285

Suitable for:

3023233 BURNER \varnothing 60x240 mm
 overall length 305 mm
 made of STAINLESS steel
 for Boiling pan gas (MBM) - Series DOMINA 900
 Series MAGIS MAGISTRA



MBM RTCU800335

5030138 BURNER VERTICAL 295x60 mm
 for Fryer gas (MBM) GF45 - GF49 - GF49T - GF90
 GF90/1 - GF99 - GF99T



MBM 161820

3023161 BURNER 445x200 mm
 made of stainless steel
 for Lava rock grill gas (MBM) - Series DOMINA 700
 Series OMNIA



MBM RTCU700483

5022030 BURNER 470x200 mm
 made of STAINLESS STEEL
 for Lava rock grill (MBM) GPL46P - GPL86P



MBM RTCU600070

5023011 BURNER 485x250 mm
 made of STAINLESS STEEL
 for Fry top gas (MBM) GFT117L - GFT117LC
 GFT117LR - GFT117LRC - GFT47L - GFT47LC
 GFT47R - GFT47RC - GFT77L - GFT77LC - GFT77LR
 GFT77LRC - GFT77R - GFT77RC



MBM RTCU700279

MBM RTCU700744

3023231 BURNER 495x460 mm
 made of STAINLESS steel
 for Oven under cooktop gas (MBM)
 Series DOMINA 700 - Series DOMINA 900
 Series MAGIS MAGISTRA



MBM 162696

3023148 BURNER 535x240 mm
 made of chrome-plated iron
 for Fry top gas (MBM) - Series MAGISTRA



MBM RTBF800031



Suitable for:

MBM



3023232 BURNER 540x290 mm
made of chrome-plated iron
for Fry top gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA - Series OMNIA



MBM 160165

3023144 BURNER 575x225 mm
made of stainless steel
for Lava rock grill gas (MBM) - Series DOMINA 900
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RIC0002519

5011088 BURNER 630x515 mm
made of chrome-plated iron
for Bratt pan gas (MBM) GBR - GBRA - GBR9T



MBM RTBF900098

5052722 BURNER 715x555 mm
chrome-plated iron
for Bratt pan gas (MBM) - Series DOMINA 900



MBM 166220

Gas taps and accessories

3348089 BRACKET FOR TAP



MBM RTCU600054

3348096 GAS TAP SABAF
without pilot flame
flange connection pipe \varnothing 16 mm
outlet connection \varnothing 1/4"
eye thermocouple fitting
D-shaped pin \varnothing 8x6.5 mm
for Pot stove (MBM) - Series MINIMA



MBM RTCU600016

MBM 170414

3348089 BRACKET FOR TAP



MBM RTCU600054



- 3348016 GAS TAP 21S**
 with pilot flame
 fittings \varnothing M16x1.5mm
 with flow regulator
 thermocouple connection M9x1 mm
 D-shaped pin \varnothing 8x6.5 mm



MBM RTCU700259

- 3020078 PIPE FITTING \varnothing 6 mm**
 thread M10x1



MBM RTCU900019


MBM 468098

- 5064538 GAS TAP 21S**
 with pilot flame
 flange connection pipe \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 8x6.5 mm
 for Lava rock grill gas (MBM) - Series DOMINA 700
 for Pasta cooker gas (MBM) - Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 700
 for Solid top range gas (MBM) - Series DOMINA 700



MBM 167997

- 3348010 GAS TAP 22N/0**
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 D-shaped pin \varnothing 10x8 mm



MBM RTCU900020

Suitable for:

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



MBM

- 3182009 MAGNETIC UNIT PEL BIG HEADED**
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
 for PEL tap model 22-24



MBM RTCU900075



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



MBM RTCU900014

3348002 GAS TAP 22S/0
with pilot flame
with horizontal flange
fittings ø M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin ø 10x8 mm



MBM RTCU900011

3020082 OLIVE FOR 12 mm ø PIPE



MBM RTCU900014

3348090 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings M20x1.5 mm
thermocouple connection M9x1
D-shaped pin ø 10x8 mm
for Pot stove (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 160344

MBM 168001

3020082 OLIVE FOR 12 mm ø PIPE



MBM RTCU900014

MBM



Suitable for:

**3020078 PIPE FITTING ø 6 mm
thread M10x1**



MBM RTCU900019


MBM 468098

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



MBM RTCU900075

**3020078 PIPE FITTING ø 6 mm
thread M10x1**



MBM RTCU900019

MBM 468098

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



MBM RTCU900075

**3020078 PIPE FITTING ø 6 mm
thread M10x1**




MBM RTCU900019

MBM 468098



Suitable for:

3348012 GAS TAP 23S/0
 with pilot flame
 with horizontal flange
 inlet fitting M28x1.5mm
 outlet connection M24x1.5mm
 with flow regulator
 thermocouple connection M10x1
 D-shaped pin \varnothing 10x8 mm



MBM RTCP800019

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



MBM RTCU900019

MBM 468098


3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
 for model PEL 21-22-25



MBM RTCU900018


MBM 455001

3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5
 for model PEL 22



MBM RTCU900017


3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5
 for model PEL 20-21



MBM RTCU700297


MBM RTCU900013

3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5
 for model PEL 22



MBM RTCU900015

3348034 PIPE FITTING \varnothing 16 mm
 thread M24x1.5
 for model PEL 23



MBM RTCP800022

3348038 PIPE OLIVE \varnothing 10 mm
 for model PEL 22



MBM RTCU900016

3348044 PIPE OLIVE \varnothing 10 mm
 for model PEL 20 - 21



MBM RTCU900012

3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



MBM RTCP800023



Suitable for:

MBM



Suitable for:

Gas valves and accessories

3523035 KNOB MINISIT BLACK ø 37 mm



MBM 447060

3523918 MANUAL MINISIT VALVE FOR PASTA COOKER

inlet outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷60°C
supplied without cover, knob and flanges



MBM RTCU900062

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



MBM 611002

3523047 MINISIT COVER



MBM RTCU900221

MBM 611002

3523039 MINISIT SENSING ELEMENT 30÷100°C

capillary length 1050 mm
bulb ø 5x125 mm



MBM RTBF900066

3523019 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb ø 5x125 mm
with an elbow flange ø 3/8"F



MBM RTBF900003

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



MBM 611002

Suitable for:

3523919 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x125 mm
 without cover. knob and flanges



MBM RTBF900003

3523949 MINISIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 supplied without lid knob and flanges



MBM RTCU700574

MBM RTCU700642

3523023 MINISIT VALVE FOR FRYER 50÷190°C

inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 length capillary 1200 mm
 bulb \varnothing 5x95 mm
 with an elbow flange \varnothing 3/8"F




MBM GRUC900012

MBM 611001

Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



MBM 611002

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



MBM 611002

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



MBM 611002



Suitable for:

MBM



3523020 **MINISIT VALVE FOR OVEN 100÷340°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8"F



MBM GRUC900015

Suitable for:

3001071 **MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm




MBM 611002

3523920 **MINISIT VALVE FOR OVEN 100÷340°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges



MBM RTCU900064

3001071 **MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm




MBM 611002

3523922 **MINISIT VALVE FOR OVEN 100÷340°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1800 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges



MBM RTCU900063

3001071 **MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm



MBM 611002

Gaskets and seals

3186010 **ASBESTOS FREE FLAT GASKET \varnothing 54x42x2 mm**



MBM 437028

3186242 **ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm**
 for drain tap \varnothing 2" old model




MBM RTCP900025



Suitable for:

3186479 FIBERGLASS GASKET
 profile dimensions 12x12 mm
 max temperature 600°C
 COLOUR WHITE
 SOLD PER METRE



MBM 163292

Suitable for:

3186011 FLAT CARBO GASKET \varnothing 63x48x2 mm
 universal carbo
 for heating element



MBM 437029

5010462 GASKET FLAT ASBESTOS FREE \varnothing 24x17x2 mm




MBM CGF17

MBM REB437042


MBM 437042

3186740 GASKET FOR BURNER 3.5KW
 size \varnothing 110x80x1.6 mm




MBM RTCU700399

3186698 GASKET FOR BURNER 6KW
 size \varnothing 145x120x1.6 mm



MBM RTCU700400

3186699 GASKET FOR BURNER 8KW



MBM 160329


5025472 GASKET PIN SELECTOR SWITCH \varnothing 24 mm
 D-shaped hole 6x4.6 mm



MBM RTCU800185

Gaskets for oven door

5025707 GASKET DOOR UPPER 600 mm
 silicone elastomer
 profile dimensions 15x10 mm
 COLOUR: BLACK
 for Oven under cooktop (MBM) - Series DOMINA 700



MBM 164738

5066511 GASKET PROFILE DOOR UPPER
 length 593 mm
 for Oven under cooktop (MBM) - Series DOMINA 700



MBM 164736

MBM 184110



Suitable for:

MBM



5035571 GASKET PROFILE DOOR SIDE
 length 305 mm
 for Oven under cooktop (MBM) - Series DOMINA 700
 Series DOMINA 900 - Series MAGIS MAGISTRA



MBM 163886

5035572 GASKET PROFILE DOOR UPPER
 length 575 mm
 for Oven under cooktop (MBM) - Series DOMINA 700
 Series DOMINA 900 - Series MAGIS MAGISTRA



MBM 163885


5066511 GASKET PROFILE DOOR UPPER
 length 593 mm
 for Oven under cooktop (MBM) - Series DOMINA 700



MBM 164736

MBM 184110

3786585 OVEN DOOR GASKET KIT
 made of silicone elastomer
 profile dimensions 15x10 mm
 1 piece length 865 mm - 2 pcs length 325 mm
 1 piece frame length 515 mm
 2 pieces frame length 320 mm
 BLACK COLOUR
 for Oven under cooktop (MBM) - Series MEDIUM 70




MBM MPGOM00P00
MBM PACU700011

MBM MPGOM01P00
MBM RIC0004760

MBM MPGOM01900
MBM 167479

3186403 OVEN DOOR GASKET 1400 mm
 made of silicone elastomer
 profile dimensions 21x12 mm
 COLOUR BLACK
 for Oven under cooktop (MBM) - Series MINIMA




MBM RIC0002340

3186103 OVEN DOOR GASKET 540x320 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 9.2x8.5 mm
 COLOUR BLACK
 for Oven under cooktop (MBM)
 Series CLASSICA - Series MAGISTRA - Series MEDIUM



MBM RTCU800097

3186750 SIDE DOOR GASKET 300 mm
 made of silicone elastomer
 profile dimensions 15x10 mm
 COLOUR BLACK
 for Oven under cooktop (MBM) - Series DOMINA
 Series MAGIS MAGISTRA



MBM 163888

5035571 GASKET PROFILE DOOR SIDE
 length 305 mm
 for Oven under cooktop (MBM) - Series DOMINA 700
 Series DOMINA 900 - Series MAGIS MAGISTRA




MBM 163886



Suitable for:

3186758 UPPER DOOR GASKET 570 mm
made of silicone elastomer
profile dimensions 15x10 mm
COLOUR BLACK
for Oven under cooktop (MBM) - Series DOMINA
Series MAGIS MAGISTRA



MBM 163889

Suitable for:

5035572 GASKET PROFILE DOOR UPPER
length 575 mm
for Oven under cooktop (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA



MBM 163885

Grids for kitchen

3185069 PAN SUPPORT GRID 300x335 mm
for Pot stove (MBM) - Series OMNIA



MBM RTCU700274

3185113 PAN SUPPORT GRID 415x365 mm
for Pot stove (MBM) - Series DOMINA



MBM 160031

MBM 162954

MBM 174189

3185068 PAN SUPPORT GRID 445x355 mm
for Pot stove (MBM) - Series MAGISTRA



MBM RTCU800002

3354015 GRID REDUCER FOR MOKA 180x180 mm
made of chrome plated iron
for Pot stove (MBM) - Series MAGISTRA
for Pot stove gas (MBM) GFB1S - GFB2S - GFB3S



MBM RTCU800038

3185112 PAN SUPPORT GRID 510x290 mm
for Pot stove (MBM) - Series MINIMA



MBM RTCU600019

Handles

3242729 BLUE PLASTIC HANDLE TERMINAL
for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700291

5016707 HANDLE PLASTIC HEAD BLACK
for Oven under cooktop (MBM) - Series CLASSICA



MBM RTCU900413



Suitable for:

MBM



Suitable for:

5060923 HANDLE STAINLESS STEEL \varnothing 30x655 mm



MBM RTCU800435

5014792 HANDLE STAINLESS STEEL 456x45 mm
for Oven under cooktop (MBM) - Series OMNIA



3242729 BLUE PLASTIC HANDLE TERMINAL
for Oven under cooktop gas (MBM) - Series OMNIA




MBM PACU700447

3242288 HANDLE 160x60 mm
for Oven under cooktop (MBM) - Series MAGISTRA
for Oven under cooktop gas (MBM)
Series MAGIS MAGISTRA



MBM RTCU700291

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA
for Oven under cooktop (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA



MBM PACU800122

MBM 168204

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA
for Oven under cooktop (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RTCU800001

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm



MBM RTCU800001


MBM RTBF800229

MBM RTBF900242

3242034 STAINLESS STEEL HANDLE 620x60 mm
for Oven under cooktop (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA
Series OMNIA



3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA
for Oven under cooktop (MBM)
Series MAGIS MAGISTRA - Series MAGISTRA



MBM PACU800131

MBM 168205

MBM RTCU800001



Heating elements

3355243 HEATING ELEMENT 1000W 230V BOTTOM

length 180 mm - width 195 mm
complete with cables



MBM B.30023500

MBM 921008

MBM 921038

3355309 HEATING ELEMENT 1000W 230V BOTTOM

length 185 mm - width 180 mm
complete with cables



MBM B.30023500

3355310 HEATING ELEMENT 1000W 230V TOP

length 185 mm - width 320 mm
complete with cables



MBM B.30024100

5016771 HEATING ELEMENT 1200W 240V

length 400 mm - width 200 mm
height 24 mm



MBM RTBF900217

MBM 3710003

3755663 HEATING ELEMENT 1250W 240V

length 415 mm - width 85 mm
height 70 mm
for Fry top electric (MBM) EFT106 - EFT46 - EFT66



MBM RTCU600183

3755235 HEATING ELEMENT 1350W 230V

length 450 mm - width 75 mm
height 80 mm
for Fry top electric (MBM) - Series OMNIA



MBM RTCU700278

3355541 HEATING ELEMENT 1500W 220V

length 320 mm - width 55 mm
height 215 mm - fittings \varnothing 1/4"



MBM /ELF003313

3755653 HEATING ELEMENT 1500W 230V

length 455 mm - width 195 mm
for Fry top electric (MBM) ECFT66



MBM RIC0002068

3755654 HEATING ELEMENT 1500W 230V

length 355 mm - width 525 mm
flange 100x20 mm
for Oven under cooktop electric (MBM) E6F6
G6SFE6



MBM RIC0002548

3355311 HEATING ELEMENT 1500W 230V BOTTOM

length 185 mm - width 320 mm
complete with cables



MBM B.30024300



Suitable for:

MBM



Suitable for:

3755006 HEATING ELEMENT 1500W 240V
 length 500 mm - width 110 mm
 height 75 mm
 for Bratt pan electric (MBM) - Series 900 MAGISTRA



MBM RTBF800026

3755661 HEATING ELEMENT 15000W 230V
 length 300 mm - width 285 mm
 connection M54x1.5 mm - complete with cables
 complete with OR gaskets
 with two holes per bulb
 for Fryer electric (MBM) EF45 - EF90



MBM RTBF800318

3186697 O-RING 0159 EPDM



MBM RTBF800321

MBM RTCU700565

3186601 O-RING 04200 EPDM



MBM RTBF800320

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



MBM RTBF800319

3755201 HEATING ELEMENT 1530W 240V
 length 360 mm - width 200 mm
 flange 70x22 mm
 operating ambient: dry
 for Bain-marie electric (MBM) - Series MINIMA
 Series OMNIA



MBM RTCU700280

5023644 HEATING ELEMENT 16000W 230V
 length 335 mm - width 250 mm
 with two holes for bulb - complete with cables
 for Fryer electric (MBM) EF45 - EF49 - EF49T
 EF90 - EF99 - EF99T



MBM RIC0003816
MBM 180953

MBM 160035

MBM 166412




3355212 HEATING ELEMENT 1800W 230V
length 255 mm - width 270 mm
height 90 mm - fittings \varnothing 1/4"
for Boiling pan electric (MBM) E100 - E100A - E150
E150A



MBM RTCP900002

MBM RTCP900050

5038142 HEATING ELEMENT 1800W 230V
length 325 mm - width 285 mm
flange 100x22 mm
for Oven under cooktop electric (MBM)
Series MINIMA



MBM RIC0001836

3755658 HEATING ELEMENT 1850W 240V
length 285 mm - width 45 mm
fittings M16x1.5 mm
for Pasta cooker electric (MBM) EC47



MBM RTCU700283

3355148 HEATING ELEMENT 2000W 240V
length 280 mm - width 60 mm
fittings \varnothing 3/8"
for Boiling pan electric (MBM)
Series 900 MAGISTRA



MBM RTBF800168

3755668 HEATING ELEMENT 2000W 240V
length 570 mm - width 100 mm
h 70 mm
for Fry top electric (MBM) EFT45L - EFT45LC
EFT45R - EFT45RC - EFT49L - EFT49LC - EFT49R
EFT49RC - EFT90L - EFT90LC - EFT90LR
EFT90LRC - EFT90R - EFT90RC



MBM RTBE800038

MBM RTBF800038

MBM RTBF900068

3355214 HEATING ELEMENT 2500W 220V
length 530 mm - width 615 mm
flange 70x22 mm
for Oven under cooktop electric (MBM) E4F



MBM RTCU900067

MBM RTCU900186

3355889 HEATING ELEMENT 2500W 230V
external \varnothing 190 mm - total height 70 mm
flange 70x22 mm
for Kitchen electric (MBM) E4F6



MBM RIC0001835

3355057 HEATING ELEMENT 2500W 240V
external \varnothing 200 mm - total height 64 mm
flange 100x22 mm



MBM RTCU700451

MBM RTTAV00105



Suitable for:

MBM



5016738 HEATING ELEMENT 2500W 240V
 length 470 mm - width 600 mm
 flange 70x22 mm
 for Oven under cooktop electric (MBM)
 Series MAGISTRA



MBM RTCU900435

3755664 HEATING ELEMENT 2600W 230V
 external ø 190 mm - overall height 81 mm
 flange 70x22 mm
 for Oven under cooktop electric (MBM) EF0V7
 for Hot cupboard (MBM) TE127



MBM RTCU700650


3455456 HEATING ELEMENT 3000W 230V
 length 360 mm - width 65 mm
 height 240 mm - fittings ø 1/4"
 for Fryer electric (MBM) EF12B



MBM 161879

MBM 180580

3755655 HEATING ELEMENT 3000W 230V
 length 505 mm - width 645 mm
 flange 100x22 mm
 for Oven under cooktop electric (MBM)
 Series DOMINA - Series MAGIS MAGISTRA



MBM 161662

3755662 HEATING ELEMENT 3000W 230V
 length 255 mm - width 55 mm
 height 25 mm - fittings M16x1.5 mm
 for Pasta cooker electric (MBM) EC77



MBM RTCU700284

3755667 HEATING ELEMENT 3000W 230V
 length 445 mm - width 50 mm
 fittings M16x1.5 mm
 for Pasta cooker electric (MBM) EC45 - EC49
 EC49T - EC902V - EC992V - EC992VT




MBM RTCU800342

5016765 HEATING ELEMENT 3000W 240V
 length 400 mm - width 210 mm
 height 75 mm
 for Bratt pan electric (MBM) EBRI7 - EBR7 - EBR77



MBM RTCU700646


3755185 HEATING ELEMENT 3200W 240V
 length 570 mm - width 520 mm
 flange 70x22 mm
 for Oven under cooktop electric (MBM) EF07
 Series OMNIA



MBM RTCU700281



5030236 HEATING ELEMENT 3200W 380V
length 505 mm - width 525 mm
flange 70x22 mm
for Oven under cooktop electric (MBM)



MBM RTCU700683

Suitable for:
3355612 HEATING ELEMENT 3300W 230V
length 250 mm - width 135 mm
height 220 mm - flange 160x22 mm



MBM RTCU600250

MBM 230069


3355613 HEATING ELEMENT 3300W 230V
length 320 mm - width 135 mm
height 220 mm - flange 160x22 mm



MBM RTCU600249


MBM 230070

3755657 HEATING ELEMENT 3750W 230V
length 510 mm - width 640 mm
flange 70x20 mm
for Oven under cooktop electric (MBM)
Series DOMINA - Series MAGIS MAGISTRA



MBM 161661

3755656 HEATING ELEMENT 3950W 230V
length 510 mm - width 545 mm
flange 160x22 mm
for Oven under cooktop electric (MBM) EF07



MBM RTCU700282

5037194 HEATING ELEMENT 4000W 240V
length 600 mm - width 200 mm
height 65 mm
for Bratt pan electric (MBM) - Series DOMINA 900



MBM 166219

3355105 HEATING ELEMENT 4200W 230/380V
for wash tank and boiler
immersed length 340 mm
flange external \varnothing 72 mm
with thermostat probe receptacle
with O-ring



MBM /COM110331

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MBM /COM200815

MBM 929046

MBM CGG55

MBM 167956



Suitable for:

MBM



3755669 HEATING ELEMENT 5250W 230V
 length 290 mm - width 115 mm
 with two holes for bulb - complete with cables
 for Fryer electric (MBM) EF472VT



MBM RIC0003796

MBM RTCU700592

MBM 180952

Suitable for:
3186697 O-RING 0159 EPDM



MBM RTBF800321

MBM RTCU700565

3755666 HEATING ELEMENT 6000/7200W 220/240V
 immersed depth 495 mm
 flange \varnothing external 72 mm
 with bulb sheath
 complete with OR gaskets
 for Boiling pan electric (MBM) E100I - E100IT9
 E100I9 - E150IA - E150IT9 - E150I9



MBM RTCP800008

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MBM /COM200815
MBM 929046

MBM CGG55

MBM 167956

3355616 HEATING ELEMENT 6600W 230V
 length 350 mm - width 130 mm
 height 230 mm - flange 160x22 mm



MBM REB230072

MBM RTCU600235

MBM 230072

3355308 HEATING ELEMENT 700W 230V TOP
 length 185 mm - width 180 mm
 complete with cables



MBM B.30022500

3355406 HEATING ELEMENT 750W 230V TOP
 length 170 mm - width 145 mm
 complete with cables




MBM B.30022500

MBM 921017

MBM 921037

3755237 HEATING ELEMENT 7500W 230V
 external \varnothing 260 mm - overall height 165 mm
 flange 142x25 mm



MBM RTFOC00013

MBM RTFOC00433

3755659 HEATING ELEMENT 9000W 230V
 length 330 mm - width 200 mm
 with two holes for bulb
 complete with cables
 for Fryer electric (MBM)
 EF46
 for Fryer electric (MBM) EF66



MBM RIC0003794

MBM RTCU600122

MBM 180951

3186697 O-RING 0159 EPDM



MBM RTBF800321

MBM RTCU700565

Suitable for:

5030040 EXTENSION BULB COUPLING 75 mm
 thread M10x1 mm
 for Fryer gas (MBM) FG15M - FG20M - GF15+15S
 GF15S - GF25+25S - GF25S - GF4772VB - GF4772VS



MBM 165587

3250139 SEEGER RING E-60
 in steel for springs C75
 internal \varnothing 55.8 mm - thickness 2 mm
 UNI 7435 - DIN 471



MBM RTMIN00283

3755660 HEATING ELEMENT 9000W 230V
 length 290 mm - width 205 mm
 with two holes for thermostat probe - with cables
 for Fryer electric (MBM) EF47 - EF47T - EF77
 EF77T - EF777



MBM RIC0003795

MBM RTCU700570

MBM 166410

MBM 180950

2111161 GASKET STUFFING GLAND \varnothing 7.5 mm
 height 7 mm
 for THERMOSTAT EGO



MBM RTFOC00751

3440012 SLOTTED FITTING M10x1



MBM RTCP900058

5030040 EXTENSION BULB COUPLING 75 mm
 thread M10x1 mm
 for Fryer gas (MBM) FG15M - FG20M - GF15+15S
 GF15S - GF25+25S - GF25S - GF4772VB - GF4772VS



MBM 165587

3186697 O-RING 0159 EPDM



MBM RTBF800321

MBM RTCU700565



Suitable for:

Suitable for:

3355349 QUARTZ HEATING ELEMENT 1000W 230V
length 390 mm - flange 130x11 mm

3355299 QUARTZ TUBE ø 10x390 mm



MBM 923003

MBM 923004

MBM 484001

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT

7103888 SET HEATING ELEMENT 12000W 230V
this set includes 3 pieces
length 440 mm - width 60 mm
height 245 mm - fittings ø 1/4"
for Fryer electric (MBM) EF25+25S - EF25S



MBM RTBF800319

MBM 164247

MBM 164718

MBM 180587

3355343 WIRE HEATING ELEMENT 500W 110V
length 390 mm

3355299 QUARTZ TUBE ø 10x390 mm



MBM 230031

MBM 484001

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



MBM RTCU900004

MBM C0002482

MBM RIC0002482

MBM 01980059512

5022826 HINGE DOOR LOWER
distance between holes 42 mm - overall length 93 mm
height 43 mm - thread M6
for Boiling pan gas (MBM) DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA
Series OMNIA



MBM RTBF900013

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



MBM RTCU900027

MBM RTCU900397

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



MBM RTCU900004

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



MBM RTCU900026

MBM RTCU900396

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



MBM RTCU900004

3053115 SPRING LH \varnothing 6 mm
for hinges with radius 500-545 mm
for Boiling pan (MBM) GT30IC



MBM 20500050

3053114 SPRING RH \varnothing 6 mm
for hinges with radius 500-545 mm
for Boiling pan (MBM) GT30IC



MBM 20500048

Hydraulic piping

5047231 HOSE RUBBER CANVASSED \varnothing 25x35x1040 mm
internal \varnothing 25 mm - external \varnothing 35 mm
for Boiling pan electric (MBM) E100I - E100I9
E150I9
for Boiling pan gas (MBM) G100 - G100I - G150I
G1509
for Pasta cooker electric (MBM) EC45 - EC49
EC49T - EC902V - EC992VT
for Pasta cooker gas (MBM) GC45 - GC49 - GC902V
GC992V - GC992VT - G1009 - G150



MBM MPGOM27T00

3450152 HOSE RUBBER REINFORCED \varnothing 13/19 mm
internal \varnothing 13 mm - external \varnothing 19 mm
SOLD PER METER



MBM SPG17

MBM SPG61

MBM 143010



Suitable for:

MBM



5060549 HOSE WATER OUTLET 815 mm
 external \varnothing 10 mm - internal \varnothing 8 mm - pipe \varnothing 21 mm
 thread \varnothing 1/2"
 for Pasta cooker electric (MBM) EC49T
 for Pasta cooker gas (MBM) GC45 - GC49 - GC49T



MBM 160653

Suitable for:

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
 operating temperature -40+100°C



MBM /COM200113


1449681 SILICONE HOSE \varnothing 4x7 SHORE 60 - 5 m
 alimentary



MBM /ELF000375

Ignitors

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



MBM 611002

3001007 PIEZO IGNITER
 a \varnothing 22 mm hole is needed for the assembly
 2.4 mm \varnothing male faston connector




MBM RIC0000225

MBM RTCU700020

MBM 6010047

3001009 PIEZO IGNITER JUNKERS
 with faston 6.35x0.8 mm



MBM RTCU900056

5053290 SET PIEZO INGNITION WITH CABLE
 with watertight cap
 with silicone cover
 a \varnothing 22 mm hole is required for installation
 ignition lead 1550 mm
 with faston \varnothing 2.4 mm for ignition
 with faston \varnothing 2.4 mm for sparking plug
 for Bratt pan gas (MBM) - Series DOMINA 700
 for Fry top gas (MBM) - Series DOMINA 700
 for Lava rock grill gas (MBM) - Series DOMINA 700
 for Pasta cooker gas (MBM) - Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 700
 for Solid top range gas (MBM) - Series DOMINA 700



MBM RIC0004096



Incandescent lamps and neon lamps

3221263 HALOGEN LAMP R7s 200W 230V
length 117 mm



MBM

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V



MBM 177059

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



MBM RTFOC00658

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



MBM LAR65270120

MBM RTFOC00037

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



MBM /CB0000014

3221259 OVEN NEON LAMP Ba9s 0.9mA 400V
dimensions \varnothing 10x28 mm



MBM

3221258 OVEN NEON LAMP Ba9s 1.5mA 230V
dimensions \varnothing 10x28 mm



MBM

Indicator lights

3221552 GREEN INDICATOR LAMP 12V
head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 200 mm



MBM

3221101 GREEN INDICATOR LAMP 230V
head \varnothing 15 mm - \varnothing hole 13 mm - 120°C
M faston 6.3x0.8 mm
universal application



MBM RTCU900290



Suitable for:

MBM



3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MBM REB216019

MBM 216019

3221164 GREEN INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting



MBM DEL15

MBM REB216022

MBM 216022

3221329 GREEN INDICATOR LAMP 230V
 \varnothing head 16 mm - \varnothing hole 10 mm - 150°C
for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



MBM 160505

MBM 161792

MBM 166465

3221262 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 12 mm



MBM DEP142

MBM 926114

3319219 GREY SUPPORT
dima di foratura 16x16 mm - per tasto \varnothing 12 mm



MBM 226096

3221153 INDICATOR LAMP GREEN 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



MBM /ELF00320

3221025 INDICATOR LAMP ORANGE 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MBM RTCU900072

MBM RTCU900488

3221154 INDICATOR LAMP ORANGE 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



MBM /ELF00321

3221024 INDICATOR LAMP RED 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MBM RTCU900071

MBM RTCU900291

3221025 INDICATOR LAMP ORANGE 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MBM RTCU900072

MBM RTCU900488



3221192 LAMP SUPPORT



MBM REB299035

MBM 299035

Suitable for:

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



MBM DEL25
MBM 216006

MBM DEL31
MBM 926113

MBM REB216006

3221553 ORANGE INDICATOR LAMP 12V
head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 200 mm



MBM

3221112 ORANGE INDICATOR LAMP 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



MBM DEL14

MBM 926287

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MBM /ELF281007
MBM REB216020

MBM B.30168500
MBM 216018

MBM DEL10
MBM 216020

3221325 ORANGE INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 10 mm - 150°C
for Bain-marie (MBM)
Series MAGIS MAGISTRA
for Fry top (MBM)
Series MAGIS MAGISTRA
for Fryer (MBM) EF99
for Kitchen electric (MBM) E4F



MBM 160506
MBM 166466

MBM 161793

MBM 161794

3221329 GREEN INDICATOR LAMP 230V
 \varnothing head 16 mm - \varnothing hole 10 mm - 150°C
for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



MBM 160505

MBM 161792

MBM 166465

3221137 ORANGE INDICATOR LAMP 250V
 \varnothing head 14 mm - \varnothing hole 12 mm - 120°C



MBM 216012

3221297 ORANGE INDICATOR LIGHT 230V
head \varnothing 14 mm - hole \varnothing 13 mm



MBM



Suitable for:

MBM



3221551 RED INDICATOR LAMP 12V
head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 200 mm



MBM

3221342 RED INDICATOR LAMP 400V
head \varnothing 16 mm - hole \varnothing 12 mm - 120°C



MBM 7/OL0038900

Suitable for:

3221111 RED INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



MBM DEL13

3221139 RED INDICATOR LIGHT 230V
head \varnothing 14 mm - hole \varnothing 12 mm - 120°C



MBM 216016

Injectors

3500020 GAS JET M10x1 \varnothing 0.80 mm



MBM RTCU900241

3500021 GAS JET M10x1 \varnothing 0.95 mm



MBM RTCU700032

MBM RTCU900045

3500024 GAS JET M10x1 \varnothing 1.15 mm



MBM RTCU700048

MBM RTCU900246

3500025 GAS JET M10x1 \varnothing 1.20 mm



MBM RTCU900236

3500027 GAS JET M10x1 \varnothing 1.30 mm



MBM RTCU700034

MBM RTCU700035

3500028 GAS JET M10x1 \varnothing 1.45 mm



MBM RTCU900235

3500032 GAS JET M10x1 \varnothing 2.00 mm



MBM RTCU900038

3500060 GAS JET M7x1 \varnothing 0.55 mm



MBM SN53301280

Suitable for:

3500061 GAS JET M7x1 \varnothing 0.80 mm



MBM 1260

Suitable for:

3500062 GAS JET M7x1 \varnothing 0.85 mm



MBM SN53301220

MBM SN53301221

3500064 GAS JET M7x1 \varnothing 1.20 mm



MBM 1230

3500065 GAS JET M7x1 \varnothing 1.30 mm



MBM 1410

3500069 GAS JET M7x1 \varnothing 1.60 mm



MBM 1250

3500042 GAS JET M9x1 \varnothing 1.00 mm



MBM RTCU800105

3500043 GAS JET M9x1 \varnothing 1.10 mm



MBM RTCU700226

3500070 GAS NOZZLE M10x1 \varnothing 1.70 mm



MBM RTCU700036

5028638 NOZZLE GAS M10x1 \varnothing 0.30 mm



MBM RTCU800337

MBM 172474

5026894 NOZZLE GAS M10x1 \varnothing 0.50 mm



MBM RTCU800338

MBM 172473

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F




MBM DEC50

MBM RTFOC00312

MBM 926144

3160383 INTERFERENCE SUPPRESSION FILTER
OHM 100 mF 0.1 VAC 250



MBM RTFOC00023



Suitable for:

MBM



Suitable for:

Ironmongery (screws,nuts,washers)

1241513 BLIND HEXAGONAL NUT M8 UNI 5721
inox - altezza 16 mm - UNI 5721 - DIN 1587



MBM REB417049

MBM 417049

5002614 COUNTERNUT M16x1
height 4.5 mm



MBM RTCU900005

3528122 COUNTERSUNK FLAT HEAD SCREWS M4x30
slotted - stainless steel
UNI 6109 - DIN 963 - ISO 2009



MBM CV1155

3528010 FLAT WASHER M6
ø internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



MBM CR106

MBM 472019

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



MBM CD1208AU

MBM 926087

3528243 SPRING WASHER ø 12 mm



MBM 176318

Knobs

3241247 BLACK KNOB
round hole ø 6 mm



MBM RTCU700413

3241402 BLACK KNOB ø 70 mm
D shaft hole 6x4.6 mm
for thermostat. selector switch. timer.
program switch. energy regulator




MBM

3241092 BLACK KNOB ø 55 mm
D shaft hole 6x4.6 mm



MBM /ELF033250

3241044 BLACK KNOB ø 55 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



MBM /ALP0A2260



Suitable for:

3241040 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for valve equipped gas COOK TOP tap




MBM RTCU900028

MBM 168345

MBM 168868

Suitable for:

3241863 BLACK KNOB \varnothing 70 mm
D shaft hole 6x4.6 mm



MBM

3241864 BLACK KNOB \varnothing 70 mm MIN-MAX
D shaft hole 6x4.6 mm



MBM

3241042 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaft hole 8x6.5 mm
for Pot stove (MBM) - Series MAGISTRA



MBM 169337

MBM 169355

MBM 172032

3241187 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (MBM) - Series OMNIA




MBM RTCU700308

MBM RTCU700309

MBM 168861

MBM 168867

3241334 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shape hole 10x8 mm



MBM

3241527 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaped hole 10x8 mm
for Pot stove (MBM) - Series MAGIS MAGISTRA



MBM 164360

MBM 168852

MBM 169336

MBM 169336+169369

MBM 169336+172032

MBM 169369

MBM 172032

3241528 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (MBM) - Series MINIMA



MBM RTCU600063

MBM RTCU600064

MBM 168861

MBM 168867

3241530 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Pot stove gas (MBM) - Series DOMINA



MBM 164581

MBM 165927

MBM 168848

3241860 BLACK KNOB \varnothing 70 mm 0-1-0-1
D shaft hole 6x4.6 mm



MBM



Suitable for:

MBM




3241525 BLACK KNOB ø 70 mm 0-1-2-3
 D shape hole 6x4.6 mm
 for Boiling pan (MBM) E150A
 for Boiling pan electric (MBM) E150IA
 for Pasta cooker electric (MBM) EC45



MBM RTCP800104

3241861 BLACK KNOB ø 70 mm 0-1-2-3
 D shaft hole 6x4.6 mm



MBM

3241523 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6
 D shaft hole 6x4.6 mm
 for Kitchen electric (MBM) E4F
 for Pot stove electric (MBM) E2AR - E6AR



MBM RTCU800059

MBM 169340

MBM 169363

3241531 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6
 D shaft hole 6x4.6 mm
 for Pot stove electric (MBM) - Series DOMINA



MBM 164577

MBM 169912

MBM 165926

MBM 168847

3241862 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6
 D shaft hole 6x4.6 mm



MBM

3241188 BLACK KNOB ø 70 mm 1-2-3-4-5-6-7-8
 D shaft hole 8x6.5 mm
 for Pot stove (MBM) - Series OMNIA



MBM RTCU700343

MBM 168867

MBM RTCU700344

MBM 168861

3241126 BLACK KNOB ø 70 mm 170-300°C
 D shaft hole 10x8 mm
 for Oven under cooktop (MBM) MAGISTRA



MBM RTCU800019

3241855 BLACK KNOB ø 70 mm 30-110°C
 D shaft hole 6x4.6 mm




MBM

3241853 BLACK KNOB ø 70 mm 30-90°C
 D shaft hole 6x4.6 mm



MBM

3241854 BLACK KNOB ø 70 mm 30-90°C
 D shaft hole 6x4.6 mm



MBM



Suitable for:

3241529 BLUE KNOB ø 70 mm 0-1-2-3-4-5-6
 D shaft hole 6x4.6 mm
 for Kitchen electric (MBM) E4F6
 for Pot stove electric (MBM) E26 - E27 - E27Q
 E4F7 - E4F7Q - E46 - E47 - E47Q - E6FA7
 E6FA7Q - E66 - E67 - E67Q



MBM RTCU700346
 MBM 168878

MBM RTCU700403

MBM 168877

Suitable for:

5029484 DISK STICKER BLACK 0-1-2-3-4-5-6
 external ø 62 mm




MBM 163782

5057315 DISK STICKER BLACK 100-300°C
 external ø 62 mm



MBM 163781

3241996 DISK STICKER BLUE 0-90-I-MIN
 external ø 50 mm
 for Bain-marie electric (MBM) - Series DOMINA 700
 for Bain-marie gas (MBM) - Series DOMINA 700



MBM 169257


5030137 DISK STICKER BLUE 145-310°C
 external ø 50 mm



MBM 164582

MBM 169908

3241995 DISK STICKER BLUE 150-290°C
 external ø 50 mm
 for Oven under cooktop gas (MBM)
 Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 700
 for Solid top range gas (MBM) - Series DOMINA 700




MBM 169898

5053949 DISK STICKER BLUE 155-300°C
 external ø 50 mm
 for Fry top gas (MBM) - Series DOMINA 700



MBM 169897

3541003 DISK STICKER COLD WATER
 external ø 50 mm
 for Boiling pan electric (MBM) - Series DOMINA
 for Boiling pan gas (MBM) - Series DOMINA



MBM 164586




Suitable for:

MBM



5029684 DISK STICKER COLD WATER
 external ø 50 mm
 for Bain-marie electric (MBM) - Series DOMINA
 for Bain-marie gas (MBM) - Series DOMINA
 for Boiling pan electric (MBM) - Series DOMINA
 for Boiling pan gas (MBM) - Series DOMINA
 for Pasta cooker electric (MBM) - Series DOMINA
 for Pasta cooker gas (MBM) - Series DOMINA



MBM 164580

7107468 DISK STICKER WITH PILOT BURNER SYMBOL
 external ø 62 mm
 for Pasta cooker gas (MBM) - Series DOMINA 1100
 Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 1100
 Series DOMINA 700
 for Solid top range gas (MBM) - Series DOMINA 1100
 Series DOMINA 700



MBM 174332

3241994 DISK STICKER 1-2-3-4-5-6-7-8
 external ø 50 mm
 for Pot stove gas (MBM) - Series DOMINA 700



MBM 170411

3241990 DISK STICKER 135-285°C
 external ø 62 mm
 for Pot stove gas (MBM) - Series DOMINA 700



MBM 171451

3541002 DISK STICKER 145-310°C
 external ø 62 mm
 for Solid top range gas (MBM) - Series DOMINA 1100




MBM 174324

3241992 DISK STICKER 150-280°C
 external ø 62 mm
 for Fry top gas (MBM) - Series DOMINA 700



MBM 174323

3241993 DISK STICKER 150-290°C
 external ø 62 mm
 for Solid top range gas (MBM) - Series DOMINA 700



MBM 174322

3241991 DISK STICKER 155-300°C
 external ø 62 mm
 for Fry top gas (MBM) - Series DOMINA 700



MBM 174325

3241721 KNOB BLACK ø 50 mm 30°-90°C
 D-shaped hole 6x4.6 mm
 for thermostat EGO



MBM RIC0004456

5002601 KNOB BLACK ø 65 mm 0-1-2-3-4-5-6
 D-shaped hole 6x4.6 mm
 for Pot stove electric (MBM) - Series CLASSICA



MBM RTCU700075

5023990 KNOB BLACK ø 70 mm
 D-shaped hole 10x8 mm
 for Bain-marie electric (MBM) - Series DOMINA
 for Bain-marie gas (MBM) - Series DOMINA
 for Boiling pan electric (MBM) - Series DOMINA
 for Boiling pan gas (MBM) - Series DOMINA
 for Pasta cooker electric (MBM) - Series DOMINA
 for Pasta cooker gas (MBM) - Series DOMINA



MBM 160472
 MBM 170150

MBM 165925


MBM 168846

5029483 KNOB BLACK ø 70 mm
 D-shaped hole 6x4.6 mm



MBM 168879

5057315 DISK STICKER BLACK 100-300°C
 external ø 62 mm



MBM 163781

5037162 KNOB BLACK ø 70 mm
 D-shaped hole 10x8 mm
 for Pasta cooker (MBM)



MBM RTCU700754


MBM 168865

5053289 KNOB BLACK ø 70 mm
 D-shaped hole 8x6.5 mm
 for Bain-marie gas (MBM) - Series DOMINA 700
 for Fry top gas (MBM) - Series DOMINA 700
 for Lava rock grill gas (MBM) - Series DOMINA 700
 for Pasta cooker gas (MBM) - Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 700
 for Solid top range gas (MBM) - Series DOMINA 700



MBM 168851

3241996 DISK STICKER BLUE 0-90-I-MIN
 external ø 50 mm
 for Bain-marie electric (MBM) - Series DOMINA 700
 for Bain-marie gas (MBM) - Series DOMINA 700




MBM 169257



Suitable for:

3241995 DISK STICKER BLUE 150-290°C
external ø 50 mm
for Oven under cooktop gas (MBM)
Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 700
for Solid top range gas (MBM) - Series DOMINA 700



MBM 169898

3241994 DISK STICKER 1-2-3-4-5-6-7-8
external ø 50 mm
for Pot stove gas (MBM) - Series DOMINA 700



MBM 170411

5011176 KNOB BLACK ø 70 mm 50-300°C
D-shaped hole 6x4.6 mm
for Bratt pan electric (MBM) - Series MINIMA
Series OMNIA
for Fry top electric (MBM) - Series MINIMA
Series OMNIA



MBM RTCU700434

MBM 168877+RTCU700349

MBM 168878+RTCU700349

5009132 KNOB BLACK ø 76 mm 0-1
D-shaped hole 6x4.6 mm
for Bain-marie electric (MBM) EBM45 - EBM90
for Bratt pan electric (MBM) EBR - EBRA
for Bratt pan gas (MBM) GBR - GBRA
for Fryer electric (MBM) EF45



MBM RTCU800062

5049161 KNOB GRAY ø 56 mm
with BLUE index
D-shaped hole 6x4.6 mm



MBM 170955

5011174 KNOB LIGHT BLUE ø 70 mm 150-300°C
D-shaped hole 6x4.6 mm
for Oven under cooktop electric (MBM)
Series OMNIA



MBM RTCU700347

MBM RTCU700437

MBM RTCU700347+168877

MBM 168877


MBM RTCU700347+168878

MBM



Suitable for:

5053949 DISK STICKER BLUE 155-300°C
external ø 50 mm
for Fry top gas (MBM) - Series DOMINA 700



MBM 169897



Suitable for:

5011181 KNOB LIGHT BLUE ø 70 mm 60-200°C
 D-shaped hole 6x4.6 mm
 for Fryer electric (MBM) EF46 - EF47 - EF47T
 EF472V - EF472VT - EF66 - EF77 - EF77T



MBM RTCU700594
 MBM 168878

MBM RTCU700595

MBM 168877

Suitable for:

3241185 KNOB RED ø 76 mm 0-1-2-3-4-5-6-7-8
 D-shaped hole 10x8 mm
 for Fry top (MBM)
 for Oven under cooktop (MBM)



MBM RTCU800018

3241524 KNOB RED ø 76 mm 0-1-2-3-4-5-6-7-8
 D-shaped hole 10x8 mm
 for Oven under cooktop (MBM)
 Series MAGIS MAGISTRA



MBM 164392

MBM 168855

3241821 KNOB RED ø 76 mm 1-2-3-4-5-6-7-8
 D-shaped hole 6x4.6 mm
 for Bratt pan (MBM) MAGISTRA GBR - MAGISTRA GBRA



MBM RTBF800085

3241127 KNOB RED ø 76 mm 50-300°C
 D-shaped hole 6x4.6 mm
 for Oven under cooktop (MBM) MAGISTRA



MBM RTCU700076

MBM RTCU800103

3241526 KNOB RED ø 76 mm 50-300°C
 D-shaped hole 6x4.6 mm
 for Fry top electric (MBM) EFT45L - EFT45LC
 EFT45R - EFT45RC - EFT90L - EFT90LC - EFT90LR
 EFT90LRC - EFT90R - EFT90RC
 for Kitchen electric (MBM) E4F
 for Kitchen gas (MBM) G4SFE - G6SFEA



MBM 164389

7107469 KNOB SILVER ø 72 mm
 D-shaped hole 8x6.5 mm
 for Fry top gas (MBM) - Series DOMINA 700
 for Pasta cooker gas (MBM) - Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 700



MBM 171437

7107468 DISK STICKER WITH PILOT BURNER SYMBOL
 external ø 62 mm
 for Pasta cooker gas (MBM) - Series DOMINA 1100
 Series DOMINA 700
 for Pot stove gas (MBM) - Series DOMINA 1100
 Series DOMINA 700
 for Solid top range gas (MBM) - Series DOMINA 1100
 Series DOMINA 700



MBM 174332



Suitable for:

3241990 DISK STICKER 135-285°C
external ø 62 mm
for Pot stove gas (MBM) - Series DOMINA 700




MBM 171451

3241993 DISK STICKER 150-290°C
external ø 62 mm
for Solid top range gas (MBM) - Series DOMINA 700



MBM 174322

3241989 RING NUT SILVER FOR KNOB ø 92 mm
for Fry top gas (MBM) - Series DOMINA 700
for Fryer gas (MBM) DOMINA 1100
for Lava rock grill gas (MBM) - Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Solid top range gas (MBM) DOMINA 1100
Series DOMINA 700



MBM 171439

3541001 KNOB SILVER PLATED ø 72 mm
D-shaped hole 10x8 mm
for Fry top gas (MBM) - Series DOMINA 1100
for Pasta cooker gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100



MBM 171433

MBM



Suitable for:

3241992 DISK STICKER 150-280°C
external ø 62 mm
for Fry top gas (MBM) - Series DOMINA 700



MBM 174323

3241991 DISK STICKER 155-300°C
external ø 62 mm
for Fry top gas (MBM) - Series DOMINA 700



MBM 174325

3528243 SPRING WASHER ø 12 mm



MBM 176318

7107468 DISK STICKER WITH PILOT BURNER SYMBOL
external ø 62 mm
for Pasta cooker gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Solid top range gas (MBM) - Series DOMINA 1100
Series DOMINA 700



MBM 174332



Suitable for:

3541002 DISK STICKER 145-310°C
external \varnothing 62 mm
for Solid top range gas (MBM) - Series DOMINA 1100



MBM 174324

3241039 RED KNOB \varnothing 65 mm 0-1-2-3-4-5-6-7-8
D shaft hole 8x7 mm
for EGA COOKTOP OVEN valve




MBM RTCU700031

5028932 RING NUT BLACK KNOB \varnothing 91 mm
for Pot stove (MBM)



MBM 163658

3241460 SELF-STICK DISK 50-300°C
external \varnothing 63 mm




MBM

MBM



Suitable for:

3241989 RING NUT SILVER FOR KNOB \varnothing 92 mm
for Fry top gas (MBM) - Series DOMINA 700
for Fryer gas (MBM) DOMINA 1100
for Lava rock grill gas (MBM) - Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Solid top range gas (MBM) DOMINA 1100
Series DOMINA 700




MBM 171439

3241344 RED KNOB \varnothing 72 mm 50-300°C
D shape hole 8x6.5 mm



MBM B.30654500

3241989 RING NUT SILVER FOR KNOB \varnothing 92 mm
for Fry top gas (MBM) - Series DOMINA 700
for Fryer gas (MBM) DOMINA 1100
for Lava rock grill gas (MBM) - Series DOMINA 700
for Pot stove gas (MBM) - Series DOMINA 1100
Series DOMINA 700
for Solid top range gas (MBM) DOMINA 1100
Series DOMINA 700



MBM 171439



Suitable for:

MBM



Suitable for:

Lamp receptacles and spare parts

2110636 OVEN LAMP RECEPTACLE GLASS \varnothing 41 mm
thread \varnothing 34 mm - overall height 36 mm



MBM RIC0003672

Lava rock grids

3185132 S/STEEL PAN SUPPORT GRID 540x340x20 mm
for Lava rock grill gas (MBM) GLP45 - GLP45-P
GLP90 - GLP90-P



MBM RIC0002637

3185114 STAINLESS STEEL GRILL 465x315x20 mm
for Lava rock grill gas (MBM) GLP47 - GLP77



MBM GACU700256

3185059 STAINLESS STEEL GRILL 600x345x20 mm
for new series



MBM

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



MBM RTCU900075

3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



MBM



Magnets

3242354 DOOR LOCK MAGNET

distance between magnetic part holes 74 mm
distance between holes of strike plate 54 mm
for Fryer (MBM) - Series MAGISTRA



MBM RIC0001384

MBM RTBF800233

5009179

MAGNET DOOR LOCKING ø 32 mm

thread M5x15 mm
for Bain-marie electric (MBM)
for Fryer electric (MBM)
for Fryer gas (MBM)
for Kitchen electric (MBM)
for Kitchen gas (MBM)
for Lava rock grill (MBM)
for Pasta cooker electric (MBM)
for Pasta cooker gas (MBM)
for Solid top range gas (MBM)



MBM RTBF800016

MBM 181529

Microswitches


3803027 CHANGE OVER MICROSWITCH 16A 250V



MBM /ELF251903

3240605

DOOR MICROSWITCH M1AX20 10A 250V



MBM 218011

3240204 MAGNETIC MICROSWITCH E5301C

0.4A 250V - contact NO - head 65x20x9 mm
with magnet 63x19x11 mm
with cable length 1900 mm



MBM 927017

3240181

PROTECTED MAGNET 62x18x10 mm



MBM CWM8

MBM 926014

1240120 MICROSWITCH MKV11D15 16A 250V

for Bratt pan (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGISTRA



MBM RTBF800113

3240410

MICROSWITCH 16(4)A 250V



MBM RTFOC00035



Suitable for:

MBM



3240123 MICROSWITCH 16A 250V



MBM RTFOC00198

MBM 218009

Suitable for:

3240181 PROTECTED MAGNET 62x18x10 mm




MBM CWM8

MBM 926014

Motors


5048015 MOTOR WITH FAN 30W 220V 50Hz
fan \varnothing 155 mm



MBM RIC0000331

MBM 3740035

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



MBM RIC0002339
MBM RTFOC00623

MBM RTCU700450
MBM 0682300800

MBM RTCU800153

OR and ORM gaskets

6456037 GASKET O-RING 02237 EPDM



MBM 456037

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



MBM REB456002

MBM 456002

MBM 456079

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MBM /COM200815
MBM 929046

MBM CGG55

MBM 167956

3243069 O-RING OR 02068 EPDM



MBM RIC0004173

MBM 3600072

MBM 456013

3060608 O-RING 03050 EPDM



MBM 456020

3186434 O-RING 0121 EPDM



MBM CGR121

MBM 456026



Suitable for:

Suitable for:

1186503 O-RING 0155 RED SILICONE
for exchanger

3186697 O-RING 0159 EPDM



MBM CGR155 MBM 927097

MBM RTBF800321 MBM RTCU700565

1186411 O-RING 02031 EPDM

3243142 O-RING 04118 EPDM



MBM CGR2031

MBM CGR4118 MBM 929055

3186290 O-RING 04187 EPDM

3186601 O-RING 04200 EPDM



MBM

MBM RTBF800320

3186340 OR GASKET 03037 EPDM

3186580 OR GASKET 04131 VITON



MBM 456011

MBM CGR4131 MBM CGR4131NT MBM 927010
MBM 927337

Pilot burners and accessories

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



MBM RTCU800182

MBM RTCU900215

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



MBM RTCP800038



Suitable for:

MBM



3020280 FIXED PILOT BURNER SIT 1 FLAME
 vertical connection \varnothing 6 mm
 with nozzle \varnothing 0.35 mm
 for Kitchen gas (MBM) - Series DOMINA
 Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700372

Suitable for:

3020058 NOZZLE FOR PILOT BURNER \varnothing 0.35 mm
 thread M4x0.75
 for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700647

3020254 INJECTOR ASSEMBLY FOR BURNER \varnothing 10 mm
 internal thread M10x1 - external thread M16x1
 for Pot stove gas (MBM) - Series DOMINA 700
 Series DOMINA 900 - Series MAGIS MAGISTRA
 for Solid top range (MBM) - Series DOMINA 900
 Series MAGIS MAGISTRA



MBM 160324

3500027 GAS JET M10x1 \varnothing 1.30 mm



MBM RTCU700034


MBM RTCU700035

3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM RTCU900014

3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5
 for model PEL 22



MBM RTCU900015

3020058 NOZZLE FOR PILOT BURNER \varnothing 0.35 mm
 thread M4x0.75
 for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700647

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



MBM

3020083 NUT & OLIVE \varnothing 4 mm



MBM RTCU700141


3020084 NUT & OLIVE \varnothing 6 mm



MBM RTCU900217

Suitable for:

5009011 NUT OLIVE-LOCKING \varnothing 6x9 mm
thread M10x1 mm



MBM RTCU800339

Suitable for:

3020114 OLIVE FOR PIPE \varnothing 6 mm



MBM RTCU800183

3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM RTCU900014

3020111 OLIVE FOR 4 mm \varnothing PIPE



MBM RTCU900134

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



MBM LF-3020434

3020054 PILOT JET \varnothing 0.20 mm



MBM RTCU700228

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020033 ONE-FLAME PILOT BURNER SIT
multigas nozzle
external regulation with 7 mm nut
for Oven under cooktop gas (MBM) - Series CLASSICA
Series MAGISTRA - Series MEDIUM 70



MBM RTCU900025

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1




MBM RTCP800037

MBM RTCU900133



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



MBM RTCU900019

MBM 468098

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F




MBM RIC0003189

MBM RTCU900010

MBM 611006

3020454 PILOT BURNER ASSEMBLY KIT
with piezo igniter, thermocouple
with ignition cable
for Boiling pan gas (MBM) G100 - G100I - G100IT9
G100IT9N - G100I9 - G100T9 - G1009 - G150
G150I - G150IT9 - G150IT9N - G150I9 - G150T9
G1509



MBM GACP800065

MBM RIC0004528

5028638 NOZZLE GAS M10x1 \varnothing 0.30 mm



MBM RTCU800337

MBM 172474

5009011 NUT OLIVE-LOCKING \varnothing 6x9 mm
thread M10x1 mm



MBM RTCU800339

MBM



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3001036 IGNITION CABLE 700 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2.4 mm for plug
for Bain-marie gas (MBM) - Series MAGISTRA
for Boiling pan gas (MBM) - Series DOMINA 700
Series MAGIS MAGISTRA
for Bratt pan gas (MBM) - Series DOMINA 700
for Fry top gas (MBM) - Series MAGISTRA
for Fryer gas (MBM) - Series DOMINA 1100
Series OMNIA
for Solid top range gas (MBM) - Series MAGISTRA



MBM RTBF700038

5026894 NOZZLE GAS M10x1 \varnothing 0.50 mm



MBM RTCU800338

MBM 172473

3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



MBM RTCU900018

MBM 455001



Suitable for:

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector



MBM RIC0000225

MBM RTCU700020

MBM 6010047

MBM



Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3020201 PILOT GAS JET \varnothing 0.14 mm



MBM RTCP800058

3020042 PILOT GAS JET \varnothing 0.19 mm



MBM RTCP800041

3020279 PILOT GAS JET \varnothing 0.21 mm
for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700389

3020202 PILOT GAS JET \varnothing 0.27 mm



MBM RTCP800059

3020043 PILOT GAS JET \varnothing 0.36 mm



MBM RTCP800040

MBM RTCP800042

3020054 PILOT JET \varnothing 0.20 mm



MBM RTCU700228

3020040 PILOT JET \varnothing 0.30 mm



MBM RTCU900216

3020142 PILOT LOCKING PLATE
for Pot stove gas (MBM) - Series DOMINA 700
Series DOMINA 900 - Series MAGIS MAGISTRA



MBM RTCU700407

MBM 172882

MBM 172883




Suitable for:

MBM



3020187 PILOT NOZZLE \varnothing 0.51 mm



MBM RTCU900008

Suitable for:

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



MBM RTCP800035


**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



MBM RTCP800037

MBM RTCU900133

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



MBM RTCU900019

MBM 468098

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Boiling pan gas (MBM) - Series MAGISTRA
for Bratt pan gas (MBM) - Series MAGISTRA



MBM RTCP800034

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



MBM RTCU900215

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**




MBM RTCP800038

3020114 OLIVE FOR PIPE \varnothing 6 mm




MBM RTCU800183

3020201 PILOT GAS JET \varnothing 0.14 mm



MBM RTCP800058

3020042 PILOT GAS JET \varnothing 0.19 mm




MBM RTCP800041

3020202 PILOT GAS JET \varnothing 0.27 mm



MBM RTCP800059

3020043 PILOT GAS JET \varnothing 0.36 mm



MBM RTCP800040

MBM RTCP800042



Suitable for:

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



MBM RTCP800035

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



MBM RTCU900019

MBM 468098

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



MBM RIC0003049

MBM 7090028

3020042 PILOT GAS JET \varnothing 0.19 mm



MBM RTCP800041

MBM

Suitable for:

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



MBM RTCP800037

MBM RTCU900133

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



MBM RTCU900215

3020043 PILOT GAS JET \varnothing 0.36 mm



MBM RTCP800040

MBM RTCP800042





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



MBM RTCP800037

MBM RTCU900133

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020401 THREE-FLAME PILOT BURNER
supplied without sparking plug
with LPG and NATURAL GAS nozzle
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



MBM

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



MBM RTCU900074

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481


MBM RTCU900073

MBM



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



MBM RTCU900019

MBM 468098

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020054 PILOT JET \varnothing 0.20 mm



MBM RTCU700228



Suitable for:

Suitable for:

3020037 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included

3020040 PILOT JET \varnothing 0.30 mm



MBM RTBF700032

MBM RTCU900216

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included

3020040 PILOT JET \varnothing 0.30 mm



MBM RTCU700464

MBM RTCU900216

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020014 TWO-FLAME PILOT BURNER LH
without sparking plug, gas jet and gasket
with thermocouple fitting

3020040 PILOT JET \varnothing 0.30 mm



MBM 611003

MBM RTCU900216



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM



Suitable for:

MBM RIC0003481

MBM RTCU900073

3020013 TWO-FLAME PILOT BURNER RH
without sparking plug, gas jet and gasket
with thermocouple fitting



3020040 PILOT JET \varnothing 0.30 mm



MBM 611004

MBM RTCU900216

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



3020054 PILOT JET \varnothing 0.20 mm



MBM

MBM RTCU700228

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481


MBM RTCU900073

Suitable for:

Suitable for:

3020009 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket

3020040 PILOT JET \varnothing 0.30 mm



MBM /ELF003279

MBM GRCU900011

MBM RTCU900007

MBM RTCU900216

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Bain-marie gas (MBM) GBM45 - GMB90

3020040 PILOT JET \varnothing 0.30 mm



MBM RTBF800034

MBM RTCU900216

Pliers for sandwiches und toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm



MBM 433004

Pressure switches

3320134 STEAM PRESSURE SWITCH 0.2-0.9 BAR
connection 1/4" M - 15A 250V
for Boiling pan electric (MBM) E100I - E100IT9
E100I9 - E150IA - E150IT9 - E150I9 - E50I7



MBM RTCP800143

MBM 170843



Suitable for:

MBM



Suitable for:

Probes

3445398 SILICONE PROBE NTC 1500 mm
2-wire probe temperature range -50+120°C
bulb ø 6x50 mm




MBM DWS96

MBM 927335

Relays

3351154 BASE OCTAL ES8 10A 400V
8 poles



MBM DEZ3

MBM 927045

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



MBM DER11
MBM 229023

MBM RTFOC00144

MBM 229021

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



MBM DER1106

MBM DER1108

MBM 929115

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



MBM 229036

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A




MBM DER100

MBM RTFOC00144

MBM 229024

3351602 RELAY POWER FINDER 65.31.8.230.0300
230V 50/60Hz
1 switch contact 30A



MBM DER111

MBM 229025

MBM 229029

3351041 TIME LIMIT RELAY E21 5A 240V 50/60Hz
1 switching contact
slow release on excitation
timer 60" ÷ 3'



MBM REB238064

MBM 238064



Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
for the connection between selector switch and the



MBM RTBF900037


MBM RTCU900112

5034631 EXTENSION SELECTOR SWITCH PIN \varnothing 6x4.6 mm
length 45 mm
for Pot stove electric (MBM)




MBM 163796

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



MBM RTBF900007

3057027 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
rear hole for thermostat



MBM RTCU900110

3057190 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 600V - max 75°C
rectangular shaft 4x5 mm




MBM RTBF800161

3057083 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Oven under cooktop (MBM)




MBM RTCU700079

3057151 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max temperature 150°C
D spindle \varnothing 6x4.6 mm




MBM 923011

7100585 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Oven under cooktop electric (MBM)
Series DOMINA 700



MBM 167516

3057002 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



MBM RTCP900036

3057139 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



MBM RTFOC00694




Suitable for:

MBM




5050233 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Boiling pan electric (MBM) - Series DOMINA 900
 for Boiling pan gas (MBM) - Series DOMINA 900
 for Oven under cooktop electric (MBM)
 Series MINIMA




MBM RTCU600185

3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Kitchen electric (MBM) E4F



MBM RTCU800151

3057024 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



MBM RTCU700078

3059011 3-POLE SELECTOR SWITCH
 contact capacity 16A 380V - max 60/75°C
 square shaft 5x5 mm



MBM /ELF000598

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



MBM RTCP900063

3184043 SAFETY GROUP \varnothing 3/4"
 vertical connection \varnothing 3/4"
 complete with safety valve, vacuum relief valve
 and pressure gauge
 for Boiling pan steam (MBM)



MBM RIC0004558

MBM RTCP800064

MBM 176874

Solenoid valves

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
 for solenoid valve ELBI
 rated value +/- 25%



MBM 133009

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
 for solenoid valve ELBI
 rated value +/- 25%



MBM RTFOC00145

MBM 172833



Suitable for:

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

Suitable for:

3120261 SOLENOID VALVE MULLER 180°

inlet 3/4" - outlet \varnothing 12 mm
coil 230V 50/60Hz - max. temperature 90°C



MBM DEV1

3120414 SOLENOID VALVE 230V \varnothing 10.5 mm

solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 3 outlets \varnothing 10.5 mm



MBM /ELF12003

MBM DEV37

MBM VEV3T

3120408 SOLENOID VALVE 230V \varnothing 13.5 mm

solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - 1 outlet \varnothing 13.5 mm



MBM

3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet \varnothing 10 mm



MBM DEV3T

MBM RTFOC00520

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



MBM DEV3S

MBM 240006

3120504 SOLENOID VALVE 319 24V \varnothing 10 mm

solenoid valve 90° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



MBM

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



MBM /ELF120021

MBM RTFOC00022

MBM 240016

MBM DEV3S16

MBM 240005

MBM 240018

MBM REB240011

MBM 240011

3120505 SOLENOID VALVE 329 24V \varnothing 10 mm

solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



MBM DEV34S

MBM DEV34S16

MBM 927242

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



MBM DEV3D

MBM 929172

MBM RTFOC00203

MBM 240003




Suitable for:

MBM



3120507 SOLENOID VALVE 349 24V \varnothing 10 mm
solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - 2 outlets \varnothing 10 mm



MBM DEV32416

MBM 927001

Suitable for:

3120511 SOLENOID VALVE 350 24V \varnothing 14 mm
solenoid valve 90° - 24V 50/60Hz- max 90°C
inlet 3/4" - outlet \varnothing 14 mm



MBM

3120512 SOLENOID VALVE 351 24V \varnothing 14 mm
solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 14 mm



MBM

3120517 SOLENOID-VALVE L140B5 1/2"FF 24V
for water - normally closed
max temperature 100°C
coil z615A 24V 50Hz



MBM /ELF231402

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



MBM RTBF800129

MBM RTCU700096

Sparking and detection plugs

3020252 ROUND IGNITION ELECTRODE \varnothing 5x35 mm
F connection 2.8x0.8 mm
with silicone lead length 590 mm
overall length with cable 620 mm
for COOKTOP series MINIMA



MBM RTCU600045

3020253 ROUND IGNITION ELECTRODE \varnothing 5x37 mm
F connection 2.8x0.8 mm
with silicone lead length 730 mm
overall length with cable 770 mm
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600046

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

Suitable for:

3020230 ROUND SPARKING PLUG \varnothing 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



MBM RTBF800362

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033

Springs

3053297 LID SPRING \varnothing 38x330 mm
for BOILING PAN series MAGIS MAGISTRA-DOMINA



MBM RTCP800026

3250003 SPRING \varnothing 20x115 mm
for ELECTRIC GRIDDLE PS-PM-PD/ST



MBM B.30613100

3250146 SPRING \varnothing 21.5x117 mm



MBM 921005

3053296 SPRING FOR HINGE \varnothing 39x340 mm
for BRASIERA EBR9T-EBRV19T-EBRA9T-EBRAVI9T-GBR9T
GBRV19-GBRA9T-GBRAVI9T-EBRA-GBRA



MBM RTBF800103

5028933 SPRING FOR KNOB \varnothing 46x40 mm
for Pot stove (MBM)



MBM 163659

MBM 169045



Suitable for:

MBM




Suitable for:

Switches

3319622 CHANGEOVER SWITCH 2 POLE WHITE 16A 250V

16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole 22x30 mm




MBM REB226059

MBM 226059

5014426 CONTACT CEMA P9B10VN 10A

1 contact NO
for COMENDA DISHWASHER ACRS145-ACRS205-ACRS225-
ACRS245-ACRS260-ACRS265-ACRS305-GMC2702-GMC3502-
GMC4502-GMC5502-LAV1001-LAV1501-NE3002-NE4002-
NE5002-NE5502-NE7002-NE7502-NE9002-NE9502-NG1202-
NG1202E-NG602-NG602E-NG902-NG902E-NL302-NL302E-
NL402-NL402E-NL502-NL502E-NL552-NL552E



MBM DEB6

MBM 927035

1319614 RED BIPOLAR PUSH BUTTON 16A 250V

with indicator lamp
mounting hole \varnothing 25 mm



MBM 999082

3319151 SWITCH PROTECTION CAP

\varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm




MBM CGP5

MBM 410005

3319947 RED BIPOLAR SWITCH 16A 250V

16(4)A 250V
with indicator light and push-button cap
max temperature 100°C
mounting hole 22x30 mm



MBM RTTAV00039

3319948 RED BIPOLAR SWITCH 16A 250V

16(4)A 250V - with indicator light
max temperature 120°C
mounting hole \varnothing 25 mm



MBM RTFOC00585

3319151 SWITCH PROTECTION CAP

\varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



MBM CGP5

MBM 410005

3319151 SWITCH PROTECTION CAP
 ø external 34 mm
 for push-buttons with mounting hole ø 25 mm



MBM CGP5

MBM 410005

Tangential and radial fans

3526165 TANGENTIAL FAN 180x180 mm
 45W 230V 50/60Hz - ø 60 mm DOUBLE
 operating temperature -30°+100°C



MBM RTTAV00032

Taps for tank refilling

5010966 KNOB BLACK ø 70 mm SILK-SCREEN PRINT.
 D-shaped hole 10x8 mm
 for Bain-marie electric (MBM) EBM45 - EBM90
 for Bain-marie gas (MBM) GBM45
 for Boiling pan electric (MBM) E100I
 for Boiling pan gas (MBM) G100 - G100I - G150
 G150I
 for Pasta cooker electric (MBM) EC45 - EC902V
 for Pasta cooker gas (MBM) GC45 - GC902V



MBM 164362

MBM 168853

MBM 169338

MBM 169338+169366

MBM 169366

3183014 SPOUT - CONNECTION 1/2" M
 swivel spout out of chrome plated brass
 spout ø 18 mm
 for Boiling pan (MBM) - Series MAGIS MAGISTRA
 for Boiling pan electric (MBM) E100I - E150I
 for Boiling pan gas (MBM) G100 - G150



MBM RTCP800024

5030949 SPOUT FITTING ø 3/8" M
 chrome-plated brass
 fixing 'ø 1/2" M
 outlet pipe ø 16 mm
 for Bratt pan electric (MBM) EBR - EBRA
 for Bratt pan gas (MBM) GBR - GBRA
 for Pasta cooker electric (MBM) EC45 - EC49
 EC49T - EC902V - EC992V - EC992VT
 for Pasta cooker gas (MBM) GC45 - GC49 - GC49T
 GC90 - GC902V - GC992V - GC992VT



MBM RTBF800041

3358006 WATER INLET TAP ø 1/2" FF
 for Boiling pan (MBM) - Series DOMINA
 Series MAGIS MAGISTRA
 for Bratt pan (MBM) - Series OMNIA
 for Fryer (MBM) - Series MINIMA



MBM RTCU600075



Suitable for:

MBM



3358003 WATER INLET TAP \varnothing 1/2"MM
square shaft 7x7 mm



MBM /DES00001

Suitable for:

3358005 WATER INLET TAP \varnothing 1/2"MM
outlet internal \varnothing 10 mm
for Bain-marie (MBM) - Series MAGISTRA
for Boiling pan (MBM) - Series MAGISTRA
for Bratt pan (MBM) - Series MAGISTRA
for Pasta cooker (MBM) - Series MAGISTRA



MBM RTCP800018

3356139 WATER INLET TAP \varnothing 3/8"F
intenal output \varnothing 7.5 mm



MBM RTCP800065

Telethermometers

5033193 TELETHERMOMETER WHITE \varnothing 52 mm 0-120°C
casing out of plastic material
capillary length covered PVC 1500 mm
bulb \varnothing 6x35 mm



MBM RIC0003065

3441008 TELETHERMOMETER BLACK \varnothing 52 mm 0-120°C
plastic case
PVC covered capillary 1500 mm
bulb \varnothing 6.5x2.6 mm



MBM /ELF000601

3441083 TELETHERMOMETER WHITE \varnothing 52 mm 0-250°C
metal body
capillary length 1310 mm
bulb \varnothing 4x75 mm



MBM /ELF0003063

3441020 TELETHERMOMETER WHITE \varnothing 52 mm 50-250°C
metal body
capillary length 1500 mm
bulb \varnothing 6x43 mm



MBM 161827

MBM 483004

Suitable for:

Suitable for:

3441007 TELETHERMOMETER WHITE ø 60 mm 0-120°C

metal case
PVC covered capillary 3000 mm
spring bulb ø 8x32 mm
bulb fitting M10x1



MBM DET1

MBM DET1L

Terminal blocks

3247025 TERMINAL BLOCK 12-POLE PLASTIC

for cable max 2.5 mm²
operating temperature 150°C
nominal voltage 450V



MBM RTBF900045

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921045

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921044

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V


for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 220010

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM REB220011

MBM 220011

MBM 3720150

MBM 921057



Suitable for:

MBM



Suitable for:

Thermocouples and accessories

3440015 INTERRUPTION CONNECTOR M9x1



MBM RTCP800073

3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75



MBM RTCU700391

3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75



MBM RTCU600052

3440012 SLOTTED FITTING M10x1



MBM RTCP900058

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



MBM RTCP800131

3440050 THERMOCOUPLE FASTON CONN.70 cm
threaded coupling M6x0.75
for Pot stove (MBM) - Series MINIMA



MBM RTCU600039

3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75



MBM RTCU600052

3440087 THERMOCOUPLE M9x1 60 cm COUPLING M6x0.75
complete with nut M6x0.75
for Kitchen (MBM) - Series OMNIA



MBM RTCU700373

MBM RTCU700374

3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75



MBM RTCU700391



MBM



Suitable for:

3440126 THERMOCOUPLE SIT M10x1 75 cm



MBM

Suitable for:

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MBM RTCU900023

3440037 THERMOCOUPLE SIT M9x1 100 cm.



MBM RTCU900023

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



3440038 THERMOCOUPLE SIT M9x1 120 cm



MBM RTCU900061

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



MBM RTCU900061

MBM RTCU900061

3440039 THERMOCOUPLE SIT M9x1 150 cm



MBM RTCU900024

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MBM RTCU900024

MBM RTCU900024



Suitable for:

MBM



3440033 THERMOCOUPLE SIT M9x1 32 cm



MBM RTCU900021

Suitable for:

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



MBM RTCU900021

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



MBM RTCU900021

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



MBM RTCU900034

3440080 THERMOCOUPLE SIT M9x1 40 cm .



MBM RTCU900034

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



MBM RTCU900034

3440034 THERMOCOUPLE SIT M9x1 50 cm



MBM RTCU700148

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MBM RTCU700148

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MBM RTCU700148

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



MBM RIC0003190

MBM RTCU900022

3440035 THERMOCOUPLE SIT M9x1 60 cm .



MBM RIC0003190

MBM RTCU900022

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



MBM RIC0003190

MBM RTCU900022



Suitable for:

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MBM RTCU900060

MBM 611005

3440836 THERMOCOUPLE SIT M9x1 85 cm .

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MBM RTCU900060

MBM 611005

MBM RTCU900060

MBM 611005

3440144 THERMOCOUPLE SIT QUICK M9x1 40 cm

5025483 THERMOCOUPLE SIT QUICK M9x1 75 cm



MBM RTCU700296

MBM RTCU900474

3440127 THERMOCOUPLE TARGET M9x1 60 cm
with fixing connection M10x1 - model T46 48"
for pilot burner Robertshaw model 9B
for gas valve Unitrol 7000



MBM RTCU900477

3440105 THERMOCOUPLE WITH FASTON CONN.55 cm
threaded coupling M6x0.75
for Pot stove (MBM) - Series MINIMA

3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75



MBM RTCU600021

MBM RTCU600052



Suitable for:

MBM




Suitable for:

Thermostatic gas valves

5016758 THERMOSTATIC TAP SABAF

operating temperature 300°C
 flange connection pipe \varnothing 15 mm
 outlet fitting M13x1.5 mm
 thermocouple connection M8x1
 bulb \varnothing 4x140 mm
 length capillary 850 mm
 D-shaped pin \varnothing 8x6.5 mm
 for Oven under cooktop gas (MBM) - Series MINIMA



MBM RTCU600180

MBM 170413

3345006 THERMOSTATIC TAP 24ST


Adjustment temperature 120-320°C
 connections M20x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x100 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 10x8 mm



MBM RTCU800011

MBM 168002

3020078 PIPE FITTING \varnothing 6 mm thread M10x1




MBM RTCU900019

MBM 468098

3345010 THERMOSTATIC TAP 24ST

Adjustment temperature 55-110°C
 connections M20x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x160 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 10x8 mm



MBM RTBF800033

3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM RTCU900014

3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM RTCU900014



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



MBM RTCU900019

MBM 468098


MBM



Suitable for:

3345037 THERMOSTATIC TAP 24STS


operating temperature 100-300°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm
for Fry top gas (MBM) GFT49L - GFT49LC - GFT49R
GFT99L - GFT99LC - GFT99LR - GFT99LRC - GFT99R
GFT99RC



MBM 160225

MBM 168003

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



MBM RTCU900019

MBM 468098


3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM RTCU900014

3345013 THERMOSTATIC TAP 25ST

adjustment temperature 30-90°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x160 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



MBM RTCU700363

MBM 168008

3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM RTCU900014



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



MBM RTCU900017


3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



MBM RTCP800037


MBM RTCU900133

3345018 THERMOSTATIC TAP 25ST
operating temperature 100-300°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



MBM RTCU700289

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



MBM RTCU900019

MBM 468098

MBM



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



MBM RTCU900015

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



MBM RTCU900019

MBM 468098

3020082 OLIVE FOR 12 mm \varnothing PIPE




MBM RTCU900014

Suitable for:

Suitable for:

5051226 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 flange connection pipe \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x100 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm
 for Fry top gas (MBM) - Series DOMINA 700
 for Oven under cooktop gas (MBM)
 Series DOMINA 700


3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM 168005

MBM RTCU900014

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



MBM RTCU900019

MBM 468098

Thermostats

5030040 EXTENSION BULB COUPLING 75 mm
 thread M10x1 mm
 for Fryer gas (MBM) FG15M - FG20M - GF15+15S
 GF15S - GF25+25S - GF25S - GF4772VB - GF4772VS

2111161 GASKET STUFFING GLAND \varnothing 7.5 mm
 height 7 mm
 for THERMOSTAT EGO



MBM 165587

MBM RTFOC00751

5057560 KIT THERMOSTAT SINGLE-PHASE 225°C
 complete with rod and washer
 with manual reset
 capillary length covered 900 mm - 16A 250V
 bulb \varnothing 5x80 mm - with stuffing gland fitting M10x1
 for Fryer (MBM) - Series DOMINA 700
 for Fryer electric (MBM) EF6+6BM - EF6BM - EF8BM
 for Fryer gas (MBM) GF15+15S - GF15S - GF25+25S
 GF25S

3444008 KNOB BLACK \varnothing 41 mm 0-90°C
 D-shaped hole 6x4.6 mm
 for thermostat IMIT



MBM RIC0004363

MBM 180499

MBM CWM11

MBM 929042



Suitable for:

MBM




3444124 PROTECTION CAP
for safety thermostat
for THERMOSTAT EGO



MBM 410006

Suitable for:


5038124 SET THERMOSTAT SINGLE-PHASE 101-187°C
complete with bracket and stuffing gland fitting M
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 520 mm - 16A 250V
bulb \varnothing 6x133 mm - with stuffing gland fitting M10x
for Fryer (MBM) EF8BM



MBM 173501

MBM 180500

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x130 mm - with adapter nipple bland M10x1
for Fryer (MBM)
Series MAGIS MAGISTRA
for Fryer (MBM) EF12S




MBM RTCU700609

MBM 161791

MBM 166488

MBM 180498

3444564 SINGLE-PHASE THERMOSTAT 140°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 3.1x226 mm
for Boiling pan (MBM) - Series DOMINA
Series MAGIS MAGISTRA - Series MAGISTRA




MBM RTCP800067

3444476 SINGLE-PHASE THERMOSTAT 170°C
2 contacts
covered capillary length 560 mm - 16A 250V
bulb \varnothing 3x160 mm



MBM 3700014

3444107 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 6x142 mm - with adapter nipple bland M9x1
for Boiling pan (MBM)
for Fryer (MBM)
for Fryer (MBM) GF25+25S



MBM RTBF900094


3444389 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 600 mm - 16A 250V
bulb \varnothing 6x83 mm



MBM /ELF003227

MBM /ELF130001

3444651 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 950 mm - 16A 250V
bulb \varnothing 3x190 mm



MBM REB236045

MBM 236034

MBM 236045

3444019 SINGLE-PHASE THERMOSTAT 30-90°C


D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 16A 250V
bulb \varnothing 6x130 mm



MBM 023168-00

3744099 SINGLE-PHASE THERMOSTAT 50-270°C


D-shaped pin \varnothing 6x4.6 mm
covered capillary length 800 mm
bulb \varnothing 3x230 mm
for Oven under cooktop (MBM) - Series MINIMA



MBM RTCU600186

3444062 SINGLE-PHASE THERMOSTAT 50-320°C


complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm
for Fry top (MBM)
for Oven under cooktop (MBM)



MBM

3444369 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm
for Bratt pan (MBM)
for Oven under cooktop (MBM)




MBM RTCU700085



3444278 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 890 mm - 16A 230V
bulb \varnothing 3x200 mm
for Bratt pan (MBM) - Series DOMINA
Series MAGISTRA - Series OMNIA



MBM RTBF800076

3444648 SINGLE-PHASE THERMOSTAT 50-295°C


D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm
bulb \varnothing 3x220 mm



MBM *OL0049200

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm




MBM RTCU700455

MBM 924024

3444384 SINGLE-PHASE THERMOSTAT 90-180°C

D shaft \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 4x95 mm



MBM /ELF003323



Suitable for:

MBM



3444376 SINGLE-PHASE THERMOSTAT 95-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1
 for Fryer electric (MBM)
 EF45 - EF90



MBM RTBF800163

3444006 THERMOSTAT SINGLE-PHASE TR2 0-210°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 15A 250V
 bulb \varnothing 5x140 mm




MBM

3444335 THERMOSTAT SINGLE-PHASE TR2 0-250°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3x190 mm




MBM 921014

3444336 THERMOSTAT SINGLE-PHASE TR2 0-270°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3.5x190 mm



MBM 921046

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 6.5x95 mm



MBM DAT11
MBM 929044

MBM DRT13

MBM DRT13L

3444169 THERMOSTAT SINGLE-PHASE TR2 220°C
 with manual reset
 complete with wiring
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 5x125 mm
 for Fryer gas (MBM) GM20



MBM /ELF003261

5016737 THERMOSTAT THREE-PHASE 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 900 mm - 10A 400V
 bulb \varnothing 3x225 mm
 for Oven under cooktop electric (MBM)
 Series MAGISTRA



MBM RTCU900213

3444086 THREE-PHASE THERMOSTAT 108-192°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x200 mm




MBM /ELF003324

3444618 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 890 mm - 20A 380V
 bulb \varnothing 3x225 mm
 for Bain-marie electric (MBM) EC66 - EC922V
 EC922VT
 for Boiling pan electric (MBM) E100I - E100IT9
 E100I9 - E150IA - E150IT9 - E150I9 - E50I7
 for Pasta cooker electric (MBM) EC45 - EC49
 EC49T - EC902V




MBM RTCP900074

3444375 THREE-PHASE THERMOSTAT 225°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x90 mm - with adapter nipple band M10x1
 for Fryer electric (MBM) EF45 - EF46 - EF47
 EF472 - EF49 - EF66 - EF77 - EF90 - EF99




MBM RTBF800164

3444307 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1




MBM RTBF900081

3444390 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary 900 mm - 10A 400V
 bulb \varnothing 6x230 mm




MBM /ELF003228

3444143 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 1600 mm - 10A 400V
 bulb \varnothing 6x85 mm




MBM

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x130 mm



MBM /ALP0A2237

3444812 THREE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 870 mm - 16A 380V
 bulb \varnothing 6x129 mm
 for Bain-marie (MBM) - Series DOMINA
 Series MAGIS MAGISTRA



MBM 160561

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length coated 950 mm - 10A 400V
 bulb \varnothing 3x190 mm



MBM RTCU800152



Suitable for:

MBM




3444363 THREE-PHASE THERMOSTAT 420°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x310 mm
 for Bratt pan electric (MBM) EBRA - EBRAVI9T
 EBRA9T - EBRI7 - EBRVI9T - EBR7 - EBR9T



MBM RTBF800192

Suitable for:


3444251 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 3x220 mm
 for Oven under cooktop (MBM)
 Series DOMINA - Series MAGIS MAGISTRA



MBM RTBF600067

MBM 164332

3444619 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x219 mm
 for Fry top (MBM) - Series DOMINA
 Series MAGIS MAGISTRA - Series MINIMA



MBM RTCU600067

3444168 THREE-PHASE THERMOSTAT 50-310°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x220 mm
 for Fry top (MBM) - Series CLASSICA



MBM RTCU900257

Timers

3446138 TIMER 15 MINUTES M2
 mechanical movement with balance wheel
 manually set mechanical timer
 manually set cycle 15 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 125°C
 square pin 3x3 mm



MBM 222001

Transformers

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



MBM /ALP0A2269

MBM RTFOC00039

Wheels and accessories

3522022 WHEEL ø 175 mm
 central hole ø 20 mm
 complete with folding handle
 for Bratt pan (MBM) - Series MAGISTRA
 Series OMNIA



MBM RTBF800093

MBM 165900

5005466 WHEEL ø 200 mm
 central hole ø 20 mm
 complete with folding handle



MBM *OL0039700

Wire pan supports

3354011 GRID REDUCER FOR MOKA 145x170 mm
 in chrome plated iron



MBM RTCU900055

3354015 GRID REDUCER FOR MOKA 180x180 mm
 made of chrome plated iron
 for Pot stove (MBM) - Series MAGISTRA
 for Pot stove gas (MBM) GFB1S - GFB2S - GFB3S



MBM RTCU800038

3354001 GRID REDUCER FOR MOKA 265x265 mm
 in stainless steel




















MBM RTCU700028

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us