



Spare parts for:

Cooking equipment



Suitable for:

METALCARRELLI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

Suitable for:

Ball valves and accessories

3526705 BALLCOCK VALVE \varnothing 1/2"MF



METALCARRELLI R1611

METALCARRELLI 002001020001

3526704 BALLCOCK VALVE \varnothing 3/8"MF



METALCARRELLI R1612

METALCARRELLI 002001020002

Bumpers

3346107 BUMPER FOR WHEEL GRAY
external \varnothing 90 mm
square hole 26x26 mm



METALCARRELLI A00332

METALCARRELLI 233004680011

3346105 GREY BUMPER FOR WHEEL
external \varnothing 90 mm
hole \varnothing 26 mm



METALCARRELLI A0033

METALCARRELLI 233004680005


3346106 GREY BUMPER FOR WHEEL
external \varnothing 90 mm
square hole 21x21 mm



METALCARRELLI A00331

METALCARRELLI 233004680003

3346108 UPPER GREY BUMPER
side 140 mm - width 32 mm



METALCARRELLI A0034

METALCARRELLI 233004680002

3346109 UPPER GREY BUMPER
side 127 mm - width 32 mm



METALCARRELLI A0034P

METALCARRELLI 233004680001

Castors, rollers and accessories

3346110 PIN SWIVELLING WHEEL
with STAINLESS STEEL supports
dimension \varnothing 100x25 mm
threaded pin M10 - height 28 mm



METALCARRELLI R3220

METALCARRELLI 005101000001

3346114 PIN SWIVELLING WHEEL
made of POLYPROPYLENE
dimension \varnothing 125x30 mm
threaded pin M10 - height 25 mm



METALCARRELLI R3206

METALCARRELLI 005101250001

METALCARRELLI 005101250008



METALCARRELLI



Suitable for:

3346116 PIN SWIVELLING WHEEL
with STAINLESS STEEL supports
dimension \varnothing 125x25 mm
knurled elbow fixing \varnothing 10x37 mm



METALCARRELLI R3205

METALCARRELLI 00515125001

Suitable for:

3346111 PIN SWIVELLING WHEEL WITH BRAKE
with STAINLESS STEEL supports
dimension \varnothing 100x25 mm
threaded pin M10 - height 28 mm



METALCARRELLI R3220F

METALCARRELLI 00510100004

3346115 PIN SWIVELLING WHEEL WITH BRAKE
made of POLYPROPYLENE
dimension \varnothing 125x30 mm
threaded pin M10 - height 25 mm



METALCARRELLI R3206F

METALCARRELLI 00510125002

METALCARRELLI 00510125007

3346117 PIN SWIVELLING WHEEL WITH BRAKE
with STAINLESS STEEL supports
dimension \varnothing 125x25 mm
knurled elbow fixing \varnothing 10x37 mm



METALCARRELLI R3205F

METALCARRELLI 00515125002

5039025 WHEEL PLUG F/SQUARE PIPE 20x20 mm
central hole \varnothing 10 mm
for Food-service trolley (METALCARRELLI)



METALCARRELLI 001603520009

5039025 WHEEL PLUG F/SQUARE PIPE 20x20 mm
central hole \varnothing 10 mm
for Food-service trolley (METALCARRELLI)



METALCARRELLI 001603520009



Dispenser taps and accessories

3357019 TAP PCD \varnothing 3/4"
 connection \varnothing 3/4" M
 ABS body
 without jet swirl
 seal in Silopren Bayer



METALCARRELLI R1610

METALCARRELLI 00253100002

Electronic controllers

3445375 CONTROLLER ELIWELL ID PLUS 902
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



METALCARRELLI R0092

METALCARRELLI 003201840004

METALCARRELLI 003201860004

METALCARRELLI 003201860005

Heating elements

3755389 ALUMINIUM BAND
 width 500 mm - length 1000 mm



METALCARRELLI R1501

METALCARRELLI 021200750003

3755400 HEATING ELEMENT 1400W 230V
 length 550 mm - width 270 mm



METALCARRELLI R1515

METALCARRELLI 003001040005

3755396 HEATING ELEMENT 1600W 230V
 external \varnothing 190 mm - total height 75 mm
 flange 70x22 mm



METALCARRELLI R1537

METALCARRELLI 003001040017

3755399 HEATING ELEMENT 1800W 230V
 length 650 mm - width 280 mm



METALCARRELLI R1530

METALCARRELLI 003001040004

Suitable for:

Suitable for:

3755398 HEATING ELEMENT 1950W 230V
 immersed depth 245 mm - width 70 mm
 flange 80x28 mm



METALCARRELLI R1535 METALCARRELLI 003001020002

3755395 HEATING ELEMENT 2050W 220V
 ø external 200 mm - total height 60 mm
 flange 100x22 mm



METALCARRELLI R1538 METALCARRELLI 003001040016

3755397 HEATING ELEMENT 2200W 220V
 length 370 mm - width 300 mm
 flange 50x28 mm



METALCARRELLI R1549 METALCARRELLI 003001020001

3755404 HEATING ELEMENT 400W 220V
 length 200 mm - width 200 mm
 fittings ø 1/4"



METALCARRELLI R1540 METALCARRELLI 003001040002

3755403 HEATING ELEMENT 500W 220V
 length 440 mm - width 250 mm



METALCARRELLI R1545 METALCARRELLI 003001040010

3755394 WIRE-WOUND HEATING ELEMENT 1000W 240V
 length 12000 mm - cable ø 3.5 mm
 max temperature 250°C



METALCARRELLI R1512 METALCARRELLI 003001040015 METALCARRELLI 003001040025

3755390 WIRE-WOUND HEATING ELEMENT 250W 240V
 length 3900 mm - ø cable 3.5 mm



METALCARRELLI R1504 METALCARRELLI 003001040011 METALCARRELLI 003001040018

3755391 WIRE-WOUND HEATING ELEMENT 250W 240V
 Length 5800 mm - ø cable 3.5 mm



METALCARRELLI R1506 METALCARRELLI 003001040012 METALCARRELLI 003001040019

3755392 WIRE-WOUND HEATING ELEMENT 450W 240V
 length 8000 mm - cable ø 3.5 mm



METALCARRELLI R1508 METALCARRELLI 003001040013 METALCARRELLI 003001040020

3755393 WIRE-WOUND HEATING ELEMENT 600W 240V
 length 9500 mm - ø cable 3.5 mm



METALCARRELLI R1510 METALCARRELLI 003001040014 METALCARRELLI 003001040021



Incandescent lamps and neon lamps

3221287 INFRARED LAMP OSRAM E27 250W 240V
max temperature 200°C
HIGH EFFICIENCY AND LONG LASTING OF THE LAMP



METALCARRELLI A9560

METALCARRELLI 003151620002

3221288 LAMP INFRARED PHILIPS E27 150W 240V
max temperature 200°C



METALCARRELLI A9561

METALCARRELLI 003151620003

Indicator lights

3221291 RED INDICATOR LAMP 230V
ø head 13 mm - ø hole 10 mm
wire connection length 200 mm




METALCARRELLI R0095

METALCARRELLI 003302260001

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



METALCARRELLI R1536

METALCARRELLI 003653640001

Probes

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



METALCARRELLI R0098

Switches


3319361 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V
with indicator light and button cap
mounting hole \varnothing 25 mm



METALCARRELLI R0097

METALCARRELLI 003252040002

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V
with indicator lamp and switch cover
screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



METALCARRELLI R0056

METALCARRELLI 003252060002

METALCARRELLI R0096

METALCARRELLI 003252060001

Telethermometers

3441062 TELETHERMOMETER WHITE \varnothing 37 mm 0-120°C
plastic body
covered capillary length 1000 mm
bulb \varnothing 6x35 mm




METALCARRELLI R0094

METALCARRELLI 003703820001

Thermostats

3444005 THERMOSTAT SINGLE-PHASE TR2 0-120°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm




















METALCARRELLI R0090

METALCARRELLI 003201820001

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz