




Spare parts for:

Cooking equipment

Suitable for:

MKN



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

MKN



Suitable for:

Air regulators

3025818 AERATION REGULATOR

internal $\varnothing$ 18 mm - external $\varnothing$ 20 mm
height 90 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201863

3025821 AIR REGULATOR

$\varnothing$ internal 18 mm - $\varnothing$ external 20 mm
height 90 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201864

3025825 AIR REGULATOR

internal $\varnothing$ 23 mm - external $\varnothing$ 25 mm
height 100 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201767

Axial motors

5035166 AXIAL FAN 180x180x40 mm

230V 50/60Hz 20W



MKN 203926

Burners, flame spreaders and accessories

3025822 BURNER $\varnothing$ 114 mm

for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA DAL 11/1990



MKN 201768

3025813 BURNER $\varnothing$ 78 mm

for Pot stove (MKN)
Series COUNTER 90 DAL 05/1985
Series OPTIMA FINO AL 11/1990
Series TOP 700/850 DAL 04/1983



MKN 201855

MKN 550069



Suitable for:

MKN



5061350 BURNER ø 78 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA DAL 11/1990



MKN 201102

Suitable for:

5026562 BURNER ø 87 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA DAL 11/1990



MKN 201104

3025816 DOSER SPACER VENTURI
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850 - Series TOP 850



MKN 204457

5051870 FLAME SPREADER ø 114 mm
for Pot stove (MKN)
Series COUNTER SL - Series HOT LINE
Series OPTIMA DAL 11/1990



MKN 201769

3025825 AIR REGULATOR
internal ø 23 mm - external ø 25 mm
height 100 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201767

3025822 BURNER ø 114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA DAL 11/1990



MKN 201768

3025820 BURNER GASKET 127x107 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA FINO AL 11/1990
Series TOP 700/850 DAL 04/1983



MKN 211021

3025823 VENTURI LONG PIPE FLAME SPREADER 114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201766



Suitable for:

MKN



- 5022685 FLAME SPREADER ø 78 mm**
for Pot stove (MKN) - Series COUNTER SL
Series COUNTER 68 - Series COUNTER 80
Series COUNTER 90 - Series HOT LINE
Series OPTIMA - Series TOP 700/800



MKN 201618

- 3025813 BURNER ø 78 mm**
for Pot stove (MKN)
Series COUNTER 90 DAL 05/1985
Series OPTIMA FINO AL 11/1990
Series TOP 700/850 DAL 04/1983



MKN 201855

MKN 550069

- 3025814 BURNER GASKET 127x108 mm**
for Pot stove (MKN) - Series COUNTER SL
Series COUNTER 90 DAL 05/1985 - Series HOT LINE
Series OPTIMA FINO AL 11/1990
Series TOP 700/850 DAL 04/1983



MKN 211020

- 3186265 GASKET ORM 0320-30 EPDM**
for Pot stove (MKN) - Series COUNTER SL
Series COUNTER 90 - Series HOT LINE
Series OPTIMA 700 - Series OPTIMA 850
Series TOP 700/850



MKN 211018

Suitable for:

- 3025818 AERATION REGULATOR**
internal ø 18 mm - external ø 20 mm
height 90 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201863

- 5061350 BURNER ø 78 mm**
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA DAL 11/1990



MKN 201102

- 3025816 DOSER SPACER VENTURI**
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850 - Series TOP 850



MKN 204457

- 3025815 VENTURI FOR BURNER 78-87-94-114 mm**
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850 - Series TOP 700



MKN 201842



Suitable for:

3025817 VENTURI PIPE 78-87-94-114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201845

5008767 FLAME SPREADER ø 87 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA DAL 11/1990



MKN 201661

5026562 BURNER ø 87 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA DAL 11/1990



MKN 201104

3186265 GASKET ORM 0320-30 EPDM
for Pot stove (MKN) - Series COUNTER SL
Series COUNTER 90 - Series HOT LINE
Series OPTIMA 700 - Series OPTIMA 850
Series TOP 700/850



MKN 211018

MKN

Suitable for:



3025821 AIR REGULATOR
ø internal 18 mm - ø external 20 mm
height 90 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201864

3025814 BURNER GASKET 127x108 mm
for Pot stove (MKN) - Series COUNTER SL
Series COUNTER 90 DAL 05/1985 - Series HOT LINE
Series OPTIMA FINO AL 11/1990
Series TOP 700/850 DAL 04/1983



MKN 211020

3025815 VENTURI FOR BURNER 78-87-94-114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850 - Series TOP 700



MKN 201842



Suitable for:

3025817 VENTURI PIPE 78-87-94-114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201845

5019547 FLAME SPREADER ø 94 mm
for Pot stove (MKN) - Series OPTIMA
Series TOP 700/850



MKN 201619

3025820 BURNER GASKET 127x107 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA FINO AL 11/1990
Series TOP 700/850 DAL 04/1983



MKN 211021

3186265 GASKET ORM 0320-30 EPDM
for Pot stove (MKN) - Series COUNTER SL
Series COUNTER 90 - Series HOT LINE
Series OPTIMA 700 - Series OPTIMA 850
Series TOP 700/850



MKN 211018

MKN

Suitable for:



3025821 AIR REGULATOR
ø internal 18 mm - ø external 20 mm
height 90 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201864

3025816 DOSER SPACER VENTURI
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850 - Series TOP 850



MKN 204457

3025815 VENTURI FOR BURNER 78-87-94-114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850 - Series TOP 700



MKN 201842



Suitable for:

3025817 VENTURI PIPE 78-87-94-114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201845

3025815 VENTURI FOR BURNER 78-87-94-114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850 - Series TOP 700



MKN 201842

3025817 VENTURI PIPE 78-87-94-114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201845

MKN

Suitable for:



3025823 VENTURI LONG PIPE FLAME SPREADER 114 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700
Series OPTIMA 850



MKN 201766

Contact thermostats

3443084 CONTACT THERMOSTAT 90°C 10A 250V
with automatic reset
for Boiling pan electric (MKN)
for Boiling pan gas (MKN) EA-G



MKN 203255



Suitable for:

MKN



Suitable for:

Drain taps and accessories

3356155 DRAIN TAP ø 2"F
with fixed connection ø 2"F



MKN 201048

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3356165 TAP HANDLE ø 1"1/4-1"1/2-2"F
for drain tap



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3356166 PIN WITH LOCK FOR DRAIN TAP



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



- 3356159 DRAIN TAP Ø 2" F**
flanged connection with screw fastening Ø 2" F
for Boiling pan (MKN)



MKN 201794

- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



- 3356163 TAP REPAIR KIT Ø 2" F**
for drain tap



- 3356152 DRAIN TAP Ø 1" F**
with fixed connection Ø 1" F



MKN 201047

Suitable for:

- 3356161 COVER WITH HANDLE F/DRAIN TAP**



- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



- 3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150**
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



- 3356164 DRAIN TAP HANDLE Ø 1" F**





Suitable for:

- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



- 3356166 PIN WITH LOCK FOR DRAIN TAP**



- 3356171 DRAIN TAP ø 1"1/2F**
complete with food grease tube
GASKET SEAL
flanged connection with screw fastening ø 1"1/2F
made of STAINLESS steel
COMPLIANT WITH THE EUROPEAN REGULATION 1935/2004
SUITABLE FOR USE IN CONTACT WITH FOOD
for Boiling pan (MKN)



MKN 10014006

MKN 201733

MKN



Suitable for:

- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



- 3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150**
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



MKN



Suitable for:

3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150

length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356173 DRAIN TAP ø 1"1/2F

complete with food grease tube
GASKET SEAL
fixed connection ø 1"1/2F
made of STAINLESS steel
IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
FOODSAFE



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m

length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



MKN 201111

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150

length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved





Suitable for:

MKN



3356153 DRAIN TAP ø 1"1/4F
with fixed connection ø 1"1/4F



MKN 201009

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3356165 TAP HANDLE ø 1"1/4-1"1/2-2"F
for drain tap



Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3356166 PIN WITH LOCK FOR DRAIN TAP



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356172 DRAIN TAP ø 2"F
complete with food grease tube
GASKET SEAL
flanged connection with screw fastening ø 2"F
made of STAINLESS steel
IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
FOODSAFE



MKN 201725

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3356166 PIN WITH LOCK FOR DRAIN TAP





Suitable for:

MKN



3356168 S/STEEL DRAIN TAP ø 1"1/2 F
flanged connection with screw fastening



MKN 201880

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved




Electric hot plates

3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V
MODEL "ECODESIGN"
terminal block electric connections
with stainless steel edge
for electrical cooking top



MKN 203064

3311095 ELECTRIC HOT PLATE ø 180 mm 1500W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MKN 203058




Suitable for:

MKN




- 3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V**
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MKN 203062


Suitable for:

- 3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V**
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
per piano di cottura elettrico




MKN 203066

- 3311099 ELECTRIC HOT PLATE ø 220 mm 2000W 400V**
MODEL "ECODESIGN"
terminal block electric connections
with stainless steel edge
for electrical cooking top



MKN 203059

- 3311167 ELECTRIC HOT PLATE ø 230 mm 2300W 230V**
faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



MKN 202799

- 3311071 ELECTRIC HOT PLATE 2500W 400V**
dimensions 300x300 mm
tilting plate
electric screw couplings
for electric cooking top



MKN 203075

- 3311054 ELECTRIC HOT PLATE 2600W 400V**
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MKN 203071

- 3311063 ELECTRIC HOT PLATE 3000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MKN 203065

- 3311065 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MKN 203054



Suitable for:

MKN



- 3311075 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
tilting plate
terminal block electric connections
for electric cooking top



MKN 203108


- 5056226 ELECTRIC PLATE ø 145 mm 1000W 230V**
complete with cables length 300 mm
for Fry top electric (MKN)
for Pot stove electric (MKN)



MKN 203061

Suitable for:

- 3311103 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
radiant size 270x270 mm
terminal block screw connections
for glass-ceramic cooking top
WITH PAN DETECTOR



MKN 203037


- 2102077 ELECTRIC PLATE 2000W 230V**
dimensions 220x220 mm
terminal block electric connections
with stainless STEEL edge
for pot stove electric
for Pot stove electric (MKN) - Series COUNTER SL
Series COUNTER 68 - Series COUNTER 80
Series HOT LINE - Series OPTIMA 700
Series TOP 700



MKN 203068

Electrical gas valves and accessories

- 3526361 VALVE 822 NOVA ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz



MKN 201717

- 3526099 COIL 24V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



- 3526098 COIL 220V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



- 3526077 ELBOW FLANGE ø 1/2"F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

- 3526078 ELBOW FLANGE $\varnothing$ 3/4" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



- 3020083 NUT & OLIVE $\varnothing$ 4 mm**



- 3526103 PROTECTING COVER**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



- 3526076 STRAIGHT FLANGE $\varnothing$ 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MKN



Suitable for:

- 3526102 ELECTRIC COUPLING WITH CABLE**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



- 3020084 NUT & OLIVE $\varnothing$ 6 mm**



- 3526075 STRAIGHT FLANGE $\varnothing$ 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P




Electronic printed-circuit boards

- 3390400 ELECTRONIC BOARD 230V 123x65 mm**
for Pot stove electric (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700



MKN 203306

- 3390399 ELECTRONIC BOARD 400V 123x65 mm**
for Pot stove electric (MKN) - Series OPTIMA 850



MKN 203911



Suitable for:

MKN



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER


contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



MKN 203160

3350031 ENERGY ADJUSTER

contact capacity 400V 7A
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



MKN 203161

2110077 ENERGY REGULATOR

contacts capacity 230V/240V 16A
max temperature 120°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Bratt pan electric (MKN)
Series COUNTER 68/80
for Grill electric (MKN) - Series COUNTER 68
C9-E - EA-E - HL-E - Series OPTIMA E - SL-E
for Salamander electric (MKN)



MKN 203559

Fryer baskets and accessories

3255001 FRYER BASKET 240x205x115 mm

made of chrome-plated iron
for Fryer (MKN)



MKN 206000

3055323 FRYER BASKET 310x160x115 mm

in chrome-plated iron



MKN 206129

3055745 FRYER BASKET 350x380x100 mm

made of chrome-plated iron
for Fryer (MKN)



MKN 206020



Gas taps and accessories

2110297 GAS TAP 21S

complete with connections and olives
with pilot flame
inlet connection M17x1 mm
outlet connection M15x1 mm
thermocouple connection M8x1
D-shaft $\varnothing$ 6x4.6 mm
for Pot stove gas (MKN) - Series OPTIMA 700
Series OPTIMA 850 - Series TOP 700 DAL 04/1983
Series TOP 850 DAL 04/1983



MKN 201148

MKN 201830

MKN 201742


MKN 201835

MKN 201743

**5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm**

**3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22**

**3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25**

**3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S**

**3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22**

**3182011 MAGNETIC UNIT PEL SMALL HEADED
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110**


MKN 201527

**3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22**




Suitable for:

3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



5037930 GAS TAP 21S
complete with connections and olives
with pilot flame
inlet connection M15x1 mm
outlet coupling M17x1 mm
thermocouple fittings M8x1
D-shaped pin $\varnothing$ 6x4.6 mm
for Fry top gas (MKN)



MKN 201136

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



MKN

Suitable for:

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22




MKN 201561

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEADED
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



MKN 201527





Suitable for:

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



5051880 GAS TAP 21S
complete with connections and olives
with pilot flame
inlet connection M16x1.5 mm
outlet coupling with nozzle $\varnothing$ 1.55 mm
thermocouple fittings M8x1
D-shaped pin $\varnothing$ 6x4.6 mm - long pin



MKN 201137

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



MKN

Suitable for:

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



MKN 201561

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22





Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



3348043 **PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



3020078 **PIPE FITTING ø 6 mm**
thread M10x1



3348200 **GAS TAP 22S/V**
with pilot flame
with vertical flange
connections ø M20x1.5 mm
with flow rate adjuster
thermocouple connection M8x1
pin ø 10 mm
for Bain-marie gas (MKN) - Series COUNTER 68/80/90
for Bratt pan gas (MKN)
for Fry top gas (MKN) - Series COUNTER 68/80/90
Series OPTIMA 700/850
for Pot stove gas (MKN) - Series OPTIMA 850



MKN 201515

MKN

Suitable for:

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



MKN 201527

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



MKN 201561

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21




3348017 **CAP WITH PIN ø 10x8 mm**
pin length 26 mm
for model PEL 22





Suitable for:

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



MKN

Suitable for:

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24




MKN 201526

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



MKN

Suitable for:

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



MKN 201561

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22




5050274 GAS TAP 22S/V
with pilot flame
with vertical flange
connections $\varnothing$ M20x1.5 mm
with flow rate adjuster
thermocouple connection M8x1
D-shaft $\varnothing$ 6x4.6 mm - long pin




MKN 201163

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



3348017 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 26 mm
for model PEL 22



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



MKN

Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24




MKN 201526

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



MKN 201561

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22





Suitable for:

MKN



3025826 JET HOLDER ASSEMBLY
internal nozzle hole $\varnothing$ 2 mm
external nozzle hole $\varnothing$ 2.35 mm
 $\varnothing$ pipe 10 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE



MKN 201772

Suitable for:

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



MKN 201561

Gas valves and accessories

5068665 VALVOLA GAS MERTIK 100÷340°C
modello GV30T-C5A7E0D0-001
entrata $\varnothing$ 3/8"F - uscita $\varnothing$ 3/8"F
attacco termocoppia M8x1
pressione massima di ingresso gas 50 mbar
capillare lunghezza 720 mm
bulbo $\varnothing$ 4x68 mm
fornita con manopola, mascherina e raccordi



MKN 201799

Gaskets and seals

3025820 BURNER GASKET 127x107 mm
for Pot stove (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA FINO AL 11/1990
Series TOP 700/850 DAL 04/1983



MKN 211021

3025814 BURNER GASKET 127x108 mm
for Pot stove (MKN) - Series COUNTER SL
Series COUNTER 90 DAL 05/1985 - Series HOT LINE
Series OPTIMA FINO AL 11/1990
Series TOP 700/850 DAL 04/1983




MKN 211020



Gaskets for oven door

- 2111878 OVEN DOOR GASKET 525x270 mm**
in silicone elastomer
with fixing clips - 3 sides
profile size 9x10 mm
BLACK COLOUR
for Oven under cooktop (MKN)
Series OPTIMA 700/850 - Series TOP 700/850



MKN 211063

Heating elements

- 3755830 CERAMIC HEATING ELEMENT 1000W 230V**
length 240 mm - width 60 mm



MKN 203055

- 5004001 HEATING ELEMENT BOTTOM 1275W 230V**
length 325 mm - width 200 mm
flange 225x20 mm
for Oven under cooktop electric (MKN)



MKN 574089

- 3455506 HEATING ELEMENT 1000W 230V**
length 480 mm - width 135 mm
couplings M14x1.5 mm
operating ambient: immersion
for Bain-marie electric (MKN)



MKN 573002

- 5028755 HEATING ELEMENT 1200W 230V**
length 502 mm - width 50 mm
height 58 mm
for Fry top electric (MKN)



MKN 574113

- 3455501 HEATING ELEMENT 1200W 380V**
length 510 mm - width 300 mm
fittings M14x1.5 mm
for Oven under cooktop electric (MKN)



MKN 574066

- 5032643 HEATING ELEMENT 1200W 400V**
length 550 mm - width 37 mm
for Bratt pan electric (MKN)



MKN 574174



Suitable for:

MKN



3755224 HEATING ELEMENT 1250W 230V

length 470 mm - width 65 mm
height 60 mm



MKN 574099

Suitable for:

3455487 HEATING ELEMENT 1450W 400V

length 505 mm - width 470 mm
couplings M14x1.5 mm
for Oven under cooktop electric (MKN)
Series TOP 700



MKN 574081

3355502 HEATING ELEMENT 1500W 220V

length 440 mm - width 110 mm
connections M14x1.5 mm
operating ambient: immersion
for Bain-marie electric (MKN)
Series COUNTER 68/80 - Series TOP 700/850



MKN 573000

3355503 HEATING ELEMENT 1500W 220V

length 430 mm - width 140 mm
connections M14x1.5 mm
operating ambient: immersion
for Bain-marie electric (MKN)
Series COUNTER 1980 DAL 1981 - COUNTER 90
Series OPTIMA - Series TOP 700/850 DAL 1981



MKN 573004

3455503 HEATING ELEMENT 1500W 230V


length 470 mm - width 200 mm
flange 225x20 mm
for Oven under cooktop electric (MKN)



MKN 574087

3855025 HEATING ELEMENT 1500W 380V

length 430 mm - width 390 mm
connections M14x1.5 mm
for Oven under cooktop electric (MKN)
Series TOP700



MKN 574082

3455486 HEATING ELEMENT 1500W 400V

length 490 mm - width 605 mm
couplings M14x1.5 mm
for Oven under cooktop electric (MKN)
Series TOP 850



MKN 574068

3755247 HEATING ELEMENT 1650W 230V

length 315 mm - width 200 mm
fittings M14x1.5 mm
for Salamander electric (MKN)



MKN 574116

3755510 HEATING ELEMENT 1650W 230V
length 260 mm - width 250 mm
fittings M14x1.5 mm
for Salamander electric (MKN)



MKN 203556

MKN 574095

Suitable for:

2100613 HEATING ELEMENT 1670W 230V
length 95 mm - width 460 mm
height 70 mm
for Bratt pan electric (MKN) - Series OPTIMA



MKN 574102

2100616 HEATING ELEMENT 1670W 230V
length 650 mm - width 470 mm
height 45 mm
for Bratt pan electric (MKN) - Series TOP 700/850



MKN 574085

3755241 HEATING ELEMENT 1670W 230V
length 100 mm - width 430 mm
height 45 mm
for Bratt pan electric (MKN)



MKN 574084

3455502 HEATING ELEMENT 1700W 380V
length 475 mm - width 380 mm
fittings M14x1.5 mm
for Oven under cooktop electric (MKN)



MKN 574080

3455496 HEATING ELEMENT 1950W 400V
length 510 mm - width 545 mm
couplings M14x1.5 mm
for Oven under cooktop electric (MKN)
Series OPTIMA - Series TOP 850



MKN 574071

3355500 HEATING ELEMENT 2000W 220V
length 295 mm - width 45 mm
height 240 mm - connections M14x1.5 mm
for Fryer electric (MKN) - Series COUNTER 80



MKN 572064

3355501 HEATING ELEMENT 2000W 220V
length 320 mm - width 40 mm
height 215 mm - connections M14x1.5 mm
for Fryer electric (MKN) - Series COUNTER 90
Series OPTIMA - Series TOP 700/50 DAL 1981



MKN 572118



Suitable for:

MKN



Suitable for:

3355737 HEATING ELEMENT 2000W 230V
length 400 mm - width 200 mm
couplings M14x1.5 mm
operating ambient: immersion
for Bain-marie electric (MKN) - Series OPTIMA
Series TOP 700/850



MKN 573006

3455505 HEATING ELEMENT 2000W 230V
length 465 mm - width 40 mm
height 205 mm - fittings M14x1.5 mm
for Fryer electric (MKN) - Series LONDON



MKN 572069

3755243 HEATING ELEMENT 2000W 230V
length 620 mm - width 100 mm
fittings M14x1.5 mm
for Salamander electric (MKN)



MKN 574035

3755245 HEATING ELEMENT 2000W 230V
length 360 mm - width 40 mm
height 240 mm - fittings M14x1.5 mm
for Fryer electric (MKN) - Series COUNTER 68



MKN 572076

3455485 HEATING ELEMENT 2500W 230V
length 430 mm - width 220 mm
overall height 105 mm - connections M14x1.5 mm
for Bratt pan electric (MKN) - Series COUNTER 80
Series COUNTER 90



MKN 573055

3755531 HEATING ELEMENT 2500W 230V
length 425 mm - width 260 mm
fittings M14x1.5 mm
for Salamander electric (MKN)



MKN 203553

MKN 574094

3455492 HEATING ELEMENT 3300W 230V
length 315 mm - width 70 mm
height 225 mm - couplings M14x1.5 mm
for Fryer electric (MKN) - Series COUNTER 90
C9-E - EA-A - HL-E - Series OPTIMA - SL-E
Series TOP 700/850 DAL 1981



MKN 572128

3455493 HEATING ELEMENT 3300W 230V
length 315 mm - width 80 mm
height 215 mm - couplings M14x1.25 mm
for Fryer electric (MKN) - Series COUNTER 90
C9-E - EA-A - HL-E - Series OPTIMA - SL-E
Series TOP 700/850 DAL 1981



MKN 572121

3455497 HEATING ELEMENT 3300W 230V
length 340 mm - width 70 mm
height 235 mm - fittings M14x1.5 mm
for Fryer electric (MKN) - Series COUNTER 80
Series TOP 700/850



MKN 572049

3755246 HEATING ELEMENT 3300W 230V
length 320 mm - width 40 mm
height 220 mm - fittings M14x1.5 mm
for Fryer electric (MKN) - Series COUNTER 90
Series OPTIMA - Series TOP 700/850 DAL 1981



MKN 572124

3755244 HEATING ELEMENT 5000W 230V
immersion depth 275 mm - width 60 mm
flange 80x28 mm



MKN 720012

5029083 HEATING ELEMENT 5000W 400V
length 275 mm - width 65 mm
flange 80x27 mm
for Boiling pan electric (MKN)
Series EH-E DAL 1991 - Series OPTIMA DAL 1991



MKN 1002880

MKN 573107

3455490 HEATING ELEMENT 600W 230V
length 375 mm - width 70 mm
couplings M14x1.5 mm
for Hot cupboard electric (MKN)



MKN 574058

3455498 HEATING ELEMENT 600W 80V
length 335 mm - width 42 mm
height 54 mm
for Pot stove electric (MKN) - Series OPTIMA 700



MKN 574114

3455491 HEATING ELEMENT 6000W 230/400V
immersed depth 425 mm
fitting $\varnothing$ 1-1/2"
for Boiling pan electric (MKN)
Series EAE FINO AL 1991
Series OPTIMA FINO AL 1991 - Series TOP 700/800



MKN 537081

MKN 573075

5029084 HEATING ELEMENT 800W 230V
length 232 mm - width 65 mm
flange 81x28 mm
for Boiling pan electric (MKN)
Series EH-E DAL 1991 - Series OPTIMA DAL 1991



MKN 573106

MKN 720011



Suitable for:

MKN



3455495 HEATING ELEMENT 820W 95V
length 505 mm - width 33 mm
height 105 mm - couplings M14x1.5 mm
for Grill electric (MKN) - Series COUNTER 80



MKN 574027

3455499 HEATING ELEMENT 900W 400V
length 505 mm - width 290 mm
fittings M14x1.5 mm
for Oven under cooktop electric (MKN)



MKN 574064

3455500 HEATING ELEMENT 950W 400V
length 435 mm - width 175 mm
fittings M14x1.5 mm
for Oven under cooktop electric (MKN)



MKN 574065

Suitable for:

3755242 HEATING ELEMENT 870W 95V
length 490 mm - width 28 mm
height 75 mm - fittings M14x1.5 mm
for Rotisserie electric (MKN)



MKN 574097

3455504 HEATING ELEMENT 950W 230V
length 400 mm - width 40 mm
operating ambient: dry
for Bain-marie electric (MKN) - Series OPTIMA 700



MKN 573011

Ignitors

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



MKN 201536

3001041 PIEZO IGNITER JUNKERS
a $\varnothing$ 22 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



MKN 201537

Incandescent lamps and neon lamps

3221068 NEON LAMP FOR OVEN E14 2W 380V
dimensions $\varnothing$ 13x30 mm
for OVEN



MKN 203106

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
max. temperature 300°C



MKN 202620

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



MKN 203679

Indicator lights

3221675 INDICATOR LIGHT WHITE 250V
 $\varnothing$ head 19 mm - $\varnothing$ hole 16 mm - 120°C
wire connection length 200 mm
for Fry top electric (MKN) - Series COUNTER 80
for Fryer electric (MKN) - Series LONDON
for Grill electric (MKN) - Series COUNTER 80
for Pot stove electric (MKN) - Series COUNTER 80



MKN 203429

3221676 ORANGE INDICATOR LIGHT 400V
 $\varnothing$ head 19 mm - $\varnothing$ hole 16 mm - 120°C
threads length connection 200 mm
for Hot cupboard electric (MKN) - Series OTTO
for Pot stove electric (MKN) - Series COUNTER 68
Series MINI
for Salamander electric (MKN)
Series UNIVERSAL DAL 07/1978



MKN 203711

Ironmongery (screws,nuts,washers)

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



MKN 201525



Suitable for:

MKN

Suitable for:



Knobs

5050272 BLACK KNOB ø 66 mm SILK-SCREEN PRINTED

D-shaped hole 6x4.6 mm
for Bain-marie gas (MKN) - Series COUNTER 50
Series C9-G
for Grill gas (MKN) - Series COUNTER 90
for Pot stove gas (MKN) - Series COUNTER 90
Series TOP 850



MKN 209906

5051891 BLACK KNOB ø 54 mm 1-10

D-shaped hole 6x4.6 mm
for Bratt pan electric (MKN)
Series COUNTER 68/80 - Series MINI
for Grill electric (MKN) - Series COUNTER 68
Series MINI
for Salamander electric (MKN)



MKN 209230

MKN 209236

MKN 209917

3241948 BLACK KNOB ø 66 mm 1-10

D-shaped hole 6x4.6 mm
for Bratt pan electric (MKN) - Series COUNTER 90
Series MINI
for Grill electric (MKN) - Series COUNTER 80
Series OPTIMA 700
for Pot stove electric (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700



MKN 209904

5051883 BLACK KNOB A ø 66 mm SCREEN PRINTED

D-shaped hole 6x4.6 mm
for Bratt pan gas (MKN)
Series OPTIMA 700/850 FINO AL 1991
for Fry top gas (MKN) - Series OPTIMA
Series TOP 700/850
for Oven under cooktop gas (MKN)
Series OPTIMA 850
for Pot stove gas (MKN)
Series TOP 700/850 FINO AL 03/1983



MKN 209282

MKN 209908

5055914 BLACK KNOB A ø 66 mm SCREEN PRINTED

D-shaped hole 6x4.6 mm
for Pot stove gas (MKN) - Series COUNTER SL
Series HOT LINE - Series OPTIMA 700/850



MKN 209013

5049030 BLACK KNOB A ø 66 mm 0-1-0-1

D-shaped hole 6x4.6 mm
for Bain-marie electric (MKN) - Series COUNTER 90
Series OPTIMA 700/850
for Boiling pan electric (MKN)
Series OPTIMA/EAE FINO AL 1991
for Bratt pan electric (MKN) - Series COUNTER 90
for Fry top electric (MKN) - Series COUNTER 90
Series C9-E/EA-E/SL-E/HL-E - Series OPTIMA
Series TOP 700/850 DAL 1981
for Fryer electric (MKN) - Series COUNTER 90
Series OPTIMA
for Grill electric (MKN) - Series COUNTER 90
Series C9-E/EA-E/SL-E/HL-E - Series OPTIMA 700
for Pasta cooker electric (MKN)
Series OPTIMA 700/850



MKN 209900



Suitable for:

MKN



- 3241946 BLACK KNOB A ø 66 mm 0-1-2-3**
D-shaped hole 6x4.6 mm
for Bain-marie electric (MKN) - Series OPTIMA 700
for Boiling pan electric (MKN)
Series OPTIMA DAL 1991
for Pot stove electric (MKN) - Series OPTIMA 850



MKN 209012

Suitable for:

- 3241947 BLACK KNOB A ø 66 mm 0-1-2-3-4-5-6**
D-shaped hole 6x4.6 mm
for Pasta cooker electric (MKN) - Series HL-E
Series OPTIMA 700/850
for Pot stove electric (MKN) - Series COUNTER SL
Series COUNTER 90 - Series HOT LINE
Series OPTIMA 700/850



MKN 209905

- 5051887 BLACK KNOB A ø 66 mm 100-185°C**
D-shaped hole 6x4.6 mm
for Fryer electric (MKN) - Series COUNTER 90
Series OPTIMA



MKN 209902

- 5051884 BLACK KNOB A ø 66 mm 30-110°C**
D-shaped hole 6x4.6 mm
for Bain-marie electric (MKN)
Series COUNTER 90 DAL 1981 - Series OPTIMA 700/850
for Boiling pan electric (MKN) - Series OPTIMA



MKN 209901

- 5051882 BLACK KNOB A ø 66 mm 50-300°C**
D-shaped hole 6x4.6 mm
for Bratt pan electric (MKN)
for Bratt pan gas (MKN)
for Fry top electric (MKN) - Series COUNTER 90
C9-E - EA-E - HL-E - SL-E
Series TOP700/850 DAL 1981
for Oven under cooktop electric (MKN)
Series OPTIMA 700/850



MKN 209903

Magnet groups

- 3182009 MAGNETIC UNIT PEL BIG HEADED**
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



MKN 201526

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



MKN 201527



Suitable for:

MKN



Suitable for:

Microswitches

- 3240198 MICROSWITCH FR501 3A 400V**
for Bratt pan (MKN)



MKN 203364

OR and ORM gaskets

- 3186265 GASKET ORM 0320-30 EPDM**
for Pot stove (MKN) - Series COUNTER SL
Series COUNTER 90 - Series HOT LINE
Series OPTIMA 700 - Series OPTIMA 850
Series TOP 700/850



MKN 211018

Pilot burners and accessories

- 3020387 COMPLETE PILOT BURNER**
for Pot stove gas (MKN)



MKN 201820

- 3020386 PILOT BURNER COVER 80x30x24 mm**
for Pot stove gas (MKN)



MKN 201040

MKN 575286

- 3020465 PILOT GAS JET $\varnothing$ 0.35 mm**
thread M8x1



MKN 201805

- 3020388 HEAD PILOT BURNER**
thread M7x0.75 mm



MKN 201819

- 3020390 PILOT GAS JET $\varnothing$ 0.30 mm**



MKN 201822



Suitable for:

MKN



3020388 HEAD PILOT BURNER
thread M7x0.75 mm



MKN 201819

Suitable for:

3020050 OLIVE FOR PIPE ø 4 mm
for pilot burner series CB 502-CB 503



MKN 201560

3345021 OLIVE FOR PIPE ø 4 mm



MKN 201827

3020386 PILOT BURNER COVER 80x30x24 mm
for Pot stove gas (MKN)



MKN 201040

MKN 575286

3020021 PILOT BURNER NATURAL GAS CB 502.032
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection
for Bain-marie gas (MKN) - Series COUNTER 80/90
Series TOP 700/850
for Bratt pan gas (MKN) - Series COUNTER 80/90
for Fry top gas (MKN) - Series COUNTER 80/90
Series TOP 700/850
for Fryer gas (MKN) - Series COUNTER 68/80/90
for Oven under cooktop gas (MKN)



MKN 201598

5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm



3020051 FITTING FOR PILOT ø 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



3349587 FITTING FOR SPARKING PLUG FIXING ø 9 mm
thread M12x1 mm
for pilot burner series CB 502-CB 505



3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1



3020050 OLIVE FOR PIPE ø 4 mm
for pilot burner series CB 502-CB 503



MKN 201560



Suitable for:

3020112 OLIVE FOR 6 mm Ø PIPE



3020049 PILOT GAS JET Ø 0.28 mm
for pilot burner series CB 503



3020060 SPARKING PLUG ROUND Ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3440048 THERMOCOUPLE SPRING
for pilot burner series CB 502-CB 505



3020159 PILOT BURNER NATURAL GAS CB 503.006
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection
for Pot stove (MKN) - Series COUNTER 68
Series COUNTER 80
Series COUNTER 90 FINO AL 04/1984
Series TOP 700 FINO AL 03/1983
Series TOP 850 FINO AL 03/1983



MKN 201544

MKN

Suitable for:

3020048 PILOT GAS JET Ø 0.21 mm
for pilot burner series CB 503-CB 50203.



MKN 201547

3020078 PIPE FITTING Ø 6 mm
thread M10x1



3020026 SPARKING PLUG ROUND Ø 9x39 mm
faston M4x1 mm
overall length 67 mm
for pilot burner series CB 502



MKN 201570

MKN 201578


5014757 CONNECTION PIPE Ø 6 mm
thread M10x1 mm





Suitable for:

3020051 FITTING FOR PILOT $\varnothing$ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



3020114 OLIVE FOR PIPE $\varnothing$ 6 mm



3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



3020048 PILOT GAS JET $\varnothing$ 0.21 mm
for pilot burner series CB 503-CB 50203.



MKN 201547

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



MKN 201561

MKN

Suitable for:

3020050 OLIVE FOR PIPE $\varnothing$ 4 mm
for pilot burner series CB 502-CB 503



MKN 201560

3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



3020466 PILOT BURNER PROTECTION 25x25x18 mm
for Pot stove (MKN) - Series COUNTER 68
Series COUNTER 80
Series COUNTER 90 FINO AL 04/1984
Series TOP 700 FINO AL 03/1983
Series TOP 850 FINO AL 03/1983



MKN 575167

3020049 PILOT GAS JET $\varnothing$ 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1





Suitable for:

MKN



Suitable for:

- 3020466 PILOT BURNER PROTECTION 25x25x18 mm**
for Pot stove (MKN) - Series COUNTER 68
Series COUNTER 80
Series COUNTER 90 FINO AL 04/1984
Series TOP 700 FINO AL 03/1983
Series TOP 850 FINO AL 03/1983



MKN 575167

- 3020036 PILOT BURNER SIT 3 FLAMES**
multigas type with nozzle $\varnothing$ 0.35 mm
with 3 position bracket



MKN 520997

- 3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



- 5014757 CONNECTION PIPE $\varnothing$ 6 mm**
thread M10x1 mm



- 4058525 NOZZLE FOR PILOT BURNER $\varnothing$ 0.30 mm**



- 3020083 NUT & OLIVE $\varnothing$ 4 mm**



- 3020084 NUT & OLIVE $\varnothing$ 6 mm**



- 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE**



- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



- 3020081 OLIVE FOR 6 mm $\varnothing$ PIPE**



- 3020097 PILOT AERATION REGULATOR**
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm





Suitable for:

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



3020156 PILOT JET ø 0.25 mm



5015516 PILOT NOZZLE ø 0.40 mm



3020105 PILOT WITH 0.20 mm ø JET



3020107 PILOT WITH 0.35 mm ø JET



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



MKN

Suitable for:

3020054 PILOT JET ø 0.20 mm



3020055 PILOT JET ø 0.35 mm



3500269 PILOT NOZZLE ø 0.45 mm



3020106 PILOT WITH 0.25 mm ø JET



**3020079 PIPE FITTING ø 12 mm
thread ø 3/8"F**



**3020078 PIPE FITTING ø 6 mm
thread M10x1**





Suitable for:

3020294 **ROUND IGNITION ELECTRODE** $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020365 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020103 **THREE-POSITION BRACKET**



3020048 **PILOT GAS JET** $\varnothing$ 0.21 mm
for pilot burner series CB 503-CB 50203.



MKN 201547

3020465 **PILOT GAS JET** $\varnothing$ 0.35 mm
thread M8x1



MKN 201805

MKN

Suitable for:

3001003 **ROUND SPARKING PLUG** $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



3020124 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



3020110 **THREE-FLAME DEFLECTOR**



3020104 **THREE-POSITION BRACKET CLAMP**



3020390 **PILOT GAS JET** $\varnothing$ 0.30 mm



MKN 201822

- 5026469 TARGET PILOT BURNER SIT 2 FLAMES**
 supplied with sparking plug
 with hose coupling and pilot olive for pipe
 supplied with coupling for thermocouple
 supplied with sparking plug coupling
 supplied with pilot jet 0.41 mm
 for Bain-marie gas (MKN) - Series EA-G
 Series HL-G - Series SL-G
 for Fry top gas (MKN) - Series EA-G
 Series OPTIMA 700
 for Oven under cooktop gas (MKN)



MKN 201680

- 3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



- 3020541 NOZZLE FOR PILOT BURNER 0.35 mm**



- 3348036 OLIVE FOR 4 mm ø PIPE**
 for model PEL 21-22



- 3020086 PILOT GASKET**



- 3020157 PILOT JET ø 0.25 mm**



- 5014757 CONNECTION PIPE ø 6 mm**
 thread M10x1 mm



- 3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm**
 thread M10x1




- 3020111 OLIVE FOR 4 mm ø PIPE**



- 3020112 OLIVE FOR 6 mm ø PIPE**



- 3020557 PILOT JET ø 0.20 mm**



- 3020040 PILOT JET ø 0.30 mm**





Suitable for:

3020041 PILOT JET $\varnothing$ 0.41 mm



**3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1**



**3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1**



**3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm**



**3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm**



MKN

Suitable for:

3020187 PILOT NOZZLE $\varnothing$ 0.51 mm



**3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22**



MKN 201561

**3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



**3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm**





Pressure gauges

3245025 PRESSURE GAUGE ø 62 mm
coupling ø 1/4" M - scale 0-1 bar
for Boiling pan (MKN)
till 31/12/91
EAE
Series OPTIMA 700/850



MKN 201106

5032644 PRESSURE GAUGE ø 62 mm
coupling ø 1/4" M - scale -1+1.5 bar
for Boiling pan (MKN) - Series EAE DAL 1991



MKN 201731

Pressure switches

3320248 STEAM CONTROL PRESSURE SWITCH 0.80/0.65
connection 1/4" M - 250V
for Boiling pan electric (MKN)
for Boiling pan gas (MKN) EA-G



MKN 203399


3320249 STEAM PRESSURE SWITCH 0.25-4.5 BAR
connection 1/4" F
for Boiling pan (MKN) - Series OPTIMA
for Boiling pan electric (MKN)
Series TOP 700/850



MKN 203439


Rotary switches

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm




MKN 203563

3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin ø 6x4.6 mm




MKN 203564

3057002 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



MKN 203074

3057308 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaft ø 6x4.6 mm



MKN 203216




Suitable for:

MKN



3057337 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Boiling pan electric (MKN)
since 1/01/91
EAE
for Boiling pan gas (MKN) EA-G




MKN 203414

3057339 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Boiling pan electric (MKN)
Series EAE DAL 1991 - Series OPTIMA DAL 1991




MKN 203156

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm




MKN 203560

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



MKN 203224

3057338 SELECTOR SWITCH 4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Fry top gas (MKN) - Series COUNTER 68
for Oven under cooktop electric (MKN)
Series HOT LINE DAL 05/1998
Series OPTIMA 700 DAL 05/1998
Series OPTIMA 850 DAL 05/1998



MKN 203223

MKN 203228

Safety groups for pans and spare parts

3184051 ANTI-DEPRESSION VALVE $\varnothing$ 3/4" M
for Boiling pan (MKN)



MKN 201084



Solenoid valves

3120261 SOLENOID VALVE 220/240V ø 12 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 12 mm



MKN 201160

MKN 201192

3120274 COIL MULLER 220/240V 50/60Hz
max. temperature 90°C
with cable length 2000 mm



3120271 COIL MULLER 220/240V 50/60Hz
max temperature 90°C



Sparking and detection plugs

5051889 ROUND SPARK PLUG ø 9.5x41 mm
male faston M4x1 mm
overall length 70 mm
for Bratt pan gas (MKN)



MKN 201639

3806024 SPARKING PLUG ROUND ø 7x44 mm
faston M4x1 mm
overall length 63 mm
for Fry top gas (MKN)



MKN 201577

3020026 SPARKING PLUG ROUND ø 9x39 mm
faston M4x1 mm
overall length 67 mm
for pilot burner series CB 502



MKN 201570

MKN 201578

3020062 SPARKING PLUG ROUND ø 9x39 mm
faston M4x1 mm
overall length 57 mm
for pilot burner series CB 505...



MKN 636700

Thermocouples and accessories

3440076 CIRCUIT BREAK CONTACT M10x1



MKN 203478

3440064 NUT FOR THERMOCOUPLE M8x1



MKN 201524



Suitable for:

MKN



Suitable for:

- 3440182 THERMOCOUPLE M10x1 100 cm**
for Bain-marie gas (MKN) - Series OPTIMA 700/850
for Bratt pan gas (MKN)
for Fry top gas (MKN) - Series EA-G FINO AL 1995
for Fryer gas (MKN) C9-G
for Oven under cooktop gas (MKN)



MKN 201513

- 3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1**



- 3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS GIUNTO M8x1**



MKN 201532


- 5034845 THERMOCOUPLE SIT QUICK M10x1 85 cm**



MKN 201670


Thermostats

- 3444974 SINGLE-PHASE THERMOSTAT 100-615°C**
complete with switch
D-shaped pin $\varnothing 6 \times 4.6$ mm
covered capillary length 1100 mm - 16A 250V
bulb $\varnothing 4 \times 230$ mm



MKN 203408

- 3444665 SINGLE-PHASE THERMOSTAT 140-195°C**
complete with switch
D-shaped pin $\varnothing 6 \times 4.6$ mm
covered capillary length 880 mm - 16A 250V
bulb $\varnothing 6 \times 77$ mm - with adapter nipple bland M9x1




MKN 203481

- 3444736 SINGLE-PHASE THERMOSTAT 130°C**
with manual reset
capillary length 850 mm - 16A 230V
bulb $\varnothing 6 \times 130$ mm



MKN 203480

- 3444733 SINGLE-PHASE THERMOSTAT 213°C**
with manual reset
capillary length 900 mm - 16A 250V
bulb $\varnothing 6 \times 90$ mm
for Boiling pan gas (MKN)



MKN 203479

3444732 SINGLE-PHASE THERMOSTAT 246°C
 with manual reset
 capillary length 900 mm - 16A 230V
 bulb $\varnothing$ 6x80 mm - with adapter nipple bland M9x1
 for Fryer (MKN)



MKN 203165


MKN 203492

2100284 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb $\varnothing$ 6x130 mm - with stuffing gland fitting M9x1
 with complete tank sealing fitting M12x1




MKN 203498

3444510 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 capillary length 850 mm - 16A 250V
 bulb $\varnothing$ 6x138 mm - w/ stuffing gland fitting M9x1
 with complete tank sealing fitting M12x1




MKN 203498

3444698 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 capillary length 870 mm
 bulb $\varnothing$ 6x113 mm - with adapter nipple bland M9x1




MKN 203490

3444669 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 2450 mm - 16A 250V
 bulb $\varnothing$ 6x100 mm - with stuffing gland fitting M9x1



MKN 203173

5050074 SINGLE-PHASE THERMOSTAT 50-300°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 1130 mm-16A 250V
 bulb $\varnothing$ 4x94 mm
 for Fry top electric (MKN)



MKN 203248

3444361 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 capillary 950 mm - 16A 250V
 bulb $\varnothing$ 3x160 mm



MKN 203500

3444675 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 capillary length 3150 mm - 16A 250V
 bulb $\varnothing$ 3.1x160 mm



MKN 203500



Suitable for:

MKN




3744135 SINGLE-PHASE THERMOSTAT 82°C
with automatic reset
capillary length 400 mm - 16A 250V
bulb ø 3x200 mm
for Pot stove electric (MKN) - Series OPTIMA



MKN 203176

Suitable for:

3744104 SINGLE-PHASE THERMOSTAT 97-190°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb ø 6x90 mm - with stuffing gland fitting M9x1
for Fryer electric (MKN) - Series OPTIMA



MKN 203067

MKN 203662

3444731 THERMOSTAT SINGLE-PHASE 34-114°C
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 230V
button bulb ø 31 mm
for Boiling pan gas (MKN) - Series OPTIMA 700/850




MKN 203167

2102671 THERMOSTAT TRIPHASE 360°C
with manual reset
capillary length 1780 mm - 16A 400V
bulb ø 4x128 mm



MKN 203938

3444490 THREE-PHASE THERMOSTAT 100-470°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1000 mm
bulb ø 4x165 mm




MKN 203407

3444734 THREE-PHASE THERMOSTAT 135°C
with manual reset
covered capillary length 1470 mm - 16A 230V
bulb ø 6x175 mm - with adapter nipple band M9x1



MKN 203493

2111236 THREE-PHASE THERMOSTAT 230°C
with automatic reset
covered capillary length 2420 mm - 10A 400V
bulb ø 6x117 mm - with stuffing gland M9x1
for Fry top electric (MKN)



MKN 203489


MKN 203660

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 6x100 mm - with adapter nipple band M10x1



MKN 900081

3444737 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 1430 mm - 16A 230V
 bulb $\varnothing$ 6x177 mm - with adapter nipple band M9x1
 for Fryer electric (MKN) - Series COUNTER 80/90
 Series MINI - Series OPTIMA - Series TOP 700/850




MKN 203482

3444738 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 2600 mm - 16A 230V
 bulb $\varnothing$ 6x177 mm - with adapter nipple band M9x1
 for Fryer electric (MKN) - Series COUNTER 80
 Series OPTIMA - Series TOP 700/850



MKN 203483

3444739 THREE-PHASE THERMOSTAT 250°C
 with manual reset
 covered capillary length 1470 mm - 10A 400V
 bulb $\varnothing$ 6x100 mm - adapter nipple bland M9x1



MKN 203183

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb $\varnothing$ 6x130 mm



MKN 203491

3444190 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 3000 mm - 10A 400V
 bulb $\varnothing$ 6x135 mm - with adapter nipple band M9x1
 with complete tank joint M12x1
 for Boiling pan electric (MKN)
 Series OPTIMA DAL 1981 - Series TOP 700/800




MKN 203486

2000135 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 1710 mm - 10A 400v
 bulb $\varnothing$ 4x120 mm
 for Fry top electric (MKN) - Series OPTIMA



MKN 203484


3444561 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 1740 mm - 16A 230V
 bulb $\varnothing$ 6x80 mm



MKN 203406

MKN 203494

5060649 THREE-PHASE THERMOSTAT 55-300°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 880 mm-10A 400V
 bulb $\varnothing$ 4x295 mm
 for Oven under cooktop electric (MKN)



MKN 203565




Suitable for:

MKN




Suitable for:

3444166 THREE-PHASE THERMOSTAT 95-180°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb $\varnothing$ 6x135 mm - with adapter nipple bland M9x1
with complete tank joint M12x1



MKN 200496

3444745 THREE-PHASE THERMOSTAT 95-185°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 2420 mm - 16A 230V
bulb $\varnothing$ 6x133 mm - with adapter nipple bland M9x1
for Fryer electric (MKN)
Series OPTIMA TOP 700/850 DAL 1983



MKN 203487

MKN 203496

MKN 203497

3444491 THREE-PHASE THERMOSTAT 95-220°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1480 mm - 16A 400V
bulb $\varnothing$ 6x120 mm - with adapter nipple bland M9x1
with complete tank joint M12x1



MKN 203499

Water valves

5035583 DRAIN VALVE $\varnothing$ 1/2"F - 3/4"F
for Bain-marie (MKN) C9-G/E - HL-G - SL-G



MKN 201092

Wire pan supports

3354001 GRID REDUCER FOR MOKA 265x265 mm
in stainless steel



MKN 201848

MKN 580265

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.jeth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz</p> | |