



Spare parts for:

Cooking equipment



Suitable for:

MODULAR



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

MODULAR



Suitable for:

Air regulators

3025535 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



MODULAR 672.016.00

3352016 AERATION REGULATOR
internal \varnothing 12 mm - external \varnothing 14 mm
height 42 mm



MODULAR 672.023.00

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



MODULAR 6033175

Ball valves and accessories

5013138 BALL VALVE WATER \varnothing 1"FF
ball valve
heavy series, total PN 25 passage
for Fryer electric (MODULAR) 92FRE-18S - 94FRE-18S
for Pasta cooker electric (MODULAR) 70/40CPES
70/80CPES - 90/40CPES - 90/80CPES
for Pasta cooker gas (MODULAR) 70/40CPG - 70/70CPG
92CPG - Series 92CPG-S




MODULAR 678.014.00

5023594 CAST IRON FITTING \varnothing 1"MF



MODULAR 0716.10080.0

3356054 DRAIN TAP \varnothing 3/4" F
superior lever connection
internal exit \varnothing 22 mm



MODULAR 678.001.00

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



MODULAR 631.000.00



Bulb sheathes

- 3187050 LOCK NUT \varnothing 1/2"**
with milled seat for gasket
with gasket \varnothing 26 mm



MODULAR

- 3187006 THERMOSTAT SHEATHING \varnothing 1/2"**
bulb length 130 mm



MODULAR

- 3187050 LOCK NUT \varnothing 1/2"**
with milled seat for gasket
with gasket \varnothing 26 mm



MODULAR

- 3186138 ASBESTOS FREE FLAT GASKET \varnothing 30x21x2 mm**
for CONVECTION OVEN AR340S



MODULAR 0836.30213.0

MODULAR 0840.30213.0

Burners, flame spreaders and accessories

- 3025532 BURNER \varnothing 110 mm 5.5KW**
for Pot stove gas (MODULAR) - Series 900



MODULAR 672.077.00

- 3025530 BURNER \varnothing 84 mm**
for Pot stove gas (MODULAR) 70/70CFG - 70/70PCG
Series 700



MODULAR 672.076.00

- 3025539 BURNER BASE \varnothing 61 mm**
for Pot stove gas (MODULAR) CFGM70 - 65/70PCG
Series 700



MODULAR 672.050.00



Suitable for:

MODULAR



3025537 BURNER CAP \varnothing 61 mm
for Pot stove gas (MODULAR) CFGM70 - 65/70PCG
Series 700



MODULAR 672.044.00

3025539 BURNER BASE \varnothing 61 mm
for Pot stove gas (MODULAR) CFGM70 - 65/70PCG
Series 700




MODULAR 672.050.00

3025534 JET HOLDER FOR FLAME SPREADER 61-84-110
jet threaded seat M10x1



MODULAR 673.020.00

3025536 BURNER \varnothing 110 mm 7.5KW
for Pot stove gas (MODULAR) - Series 900



MODULAR 672.101.00

3025531 FLAME SPREADER \varnothing 110 mm 5.5 KW
for Pot stove gas (MODULAR) - Series 900



MODULAR 672.079.00

3025535 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm




MODULAR 672.016.00

3025538 FLAME SPREADER \varnothing 56 mm
for Pot stove gas (MODULAR) CFGM70 - 65/70PCG
Series 700



MODULAR 672.098.00

3025533 VENTURI F/FLAME SPREADER 61-84-110 mm
for Pot stove gas (MODULAR) - Series 700
Series 900



MODULAR 672.010.00

3025535 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm




MODULAR 672.016.00




Suitable for:

3025532 BURNER \varnothing 110 mm 5.5KW
for Pot stove gas (MODULAR) - Series 900



MODULAR 672.077.00

3025533 VENTURI F/FLAME SPREADER 61-84-110 mm
for Pot stove gas (MODULAR) - Series 700
Series 900




MODULAR 672.010.00

3025540 FLAME SPREADER \varnothing 110 mm 7.5 KW
for Pot stove gas (MODULAR) - Series 900




MODULAR 672.093.00

3025536 BURNER \varnothing 110 mm 7.5KW
for Pot stove gas (MODULAR) - Series 900



MODULAR 672.101.00

3025533 VENTURI F/FLAME SPREADER 61-84-110 mm
for Pot stove gas (MODULAR) - Series 700
Series 900



MODULAR 672.010.00

MODULAR



Suitable for:

3025534 JET HOLDER FOR FLAME SPREADER 61-84-110
jet threaded seat M10x1



MODULAR 673.020.00

3025535 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm



MODULAR 672.016.00

3025534 JET HOLDER FOR FLAME SPREADER 61-84-110
jet threaded seat M10x1



MODULAR 673.020.00



Suitable for:

MODULAR



Suitable for:

3025538 FLAME SPREADER \varnothing 56 mm
for Pot stove gas (MODULAR) CFGM70 - 65/70PCG
Series 700



MODULAR 672.098.00

3025529 FLAME SPREADER \varnothing 84 mm
for Pot stove gas (MODULAR) 70/70CFG - 70/70PCG
Series 700




MODULAR 672.078.00

3025530 BURNER \varnothing 84 mm
for Pot stove gas (MODULAR) 70/70CFG - 70/70PCG
Series 700



MODULAR 672.076.00

3025533 VENTURI F/FLAME SPREADER 61-84-110 mm
for Pot stove gas (MODULAR) - Series 700
Series 900



MODULAR 672.010.00

3025534 JET HOLDER FOR FLAME SPREADER 61-84-110
jet threaded seat M10x1



MODULAR 673.020.00

3025535 AERATION REGULATOR
internal \varnothing 36 mm - external \varnothing 40 mm
height 36 mm




MODULAR 672.016.00

3025534 JET HOLDER FOR FLAME SPREADER 61-84-110
jet threaded seat M10x1



MODULAR 673.020.00

3025533 VENTURI F/FLAME SPREADER 61-84-110 mm
for Pot stove gas (MODULAR) - Series 700
Series 900



MODULAR 672.010.00



Cables for piezo igniters

3001062 IGNITION CABLE 1500 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston terminal \varnothing 2.4 mm for plug



MODULAR 666.002.00

MODULAR 666.014.00

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



MODULAR 666.000.00

MODULAR 666.001.00

Capacitors, electrical

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MODULAR 464.016.00

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MODULAR 464.110.00

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MODULAR 464.029.00

Circlips

1250223 RADIAL SEEGER RING \varnothing 6 mm
stainless steel - external \varnothing 12.3 - thickness 0.7
UNI 7434 - DIN 6799



MODULAR 0552.05065.4

MODULAR 0552.06074.4



Suitable for:

MODULAR



Suitable for:

Clamps

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



MODULAR 0620.02540.4

3449455 HOSE CLAMP 40-60
for pipes \varnothing 40÷60 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



MODULAR 0620.04060.4

Contactors

3351216 CONTACTOR AEG LS4K 9A 24V 4Kw
coil 24V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



MODULAR

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact



MODULAR 661.066.00

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



MODULAR 461.021.00

MODULAR 661.017.00

Cooking baskets and accessories

3055263 PASTA COOKER BASKET 140x140x200 mm
for Pasta cooker (MODULAR) - Series 110
Series 700 - Series 900 - Series 900A



MODULAR 600.751.40



Drain hoses

- 3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**
 ø 22 mm - length 210 mm - bayonet joint
 for TECNOINOX BAIN-MARIE-FRYER



MODULAR 631.000.00

Drain taps and accessories

- 3356004 DRAIN TAP ø 1" F**
 TAPERED SEAL - fixed connection ø 1" F
 for BOILING PAN



MODULAR

- 3356007 DRAIN TAP ø 1"1/2 F TECNO**
 TAPERED SEAL - swivel nut ø 1"1/2 F
 with gasket
 for BOILING PAN



MODULAR 678.058.00

- 3356005 DRAIN TAP ø 1"1/4 F TECNO**
 TAPERED SEAL - fixed connection ø 1"1/4 F
 with gasket
 for BOILING PAN



MODULAR


- 3356100 DRAIN TAP ø 2" F TECNO**
 GASKET SEAL - with swivel nut ø 2" F



MODULAR 678.051.00

Electric hot plates

- 3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V**
 MODEL "ECODESIGN"
 terminal block electric connections
 with stainless steel edge
 for electrical cooking top



MODULAR 665.059.00

- 3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



MODULAR 665.006.00



Suitable for:

MODULAR



3311087 ELECTRIC HOT PLATE \varnothing 250 mm 2500W 230V
 faston electric connections
 complete with energy regulation
 for glass-ceramic cooking top
 for Kitchen glass-ceramics (MODULAR) 70/40 PVE
 70/80 CFVE - 70/80 CFVE2 - 70/80 PVE



MODULAR 665.106.00

Suitable for:

3311053 ELECTRIC HOT PLATE 2600W 230V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



MODULAR 665.039.00

3311062 ELECTRIC HOT PLATE 3000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



MODULAR 965.003.00

3311064 ELECTRIC HOT PLATE 4000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



MODULAR 965.004.00

Electrical gas valves and accessories

3526179 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 5÷50 mbar
 ambient temperature 0÷70°C
 power supply 220V 50Hz
 for Fryer gas (MODULAR) 70/40 FRG13VL
 70/40 FRG17VL - 70/80 FRG13VL - 70/80 FRG17VL
 90/40 FRG13VL - 90/40 FRG17VL - 90/40 FRG21VL
 90/80 FRG13VL - 90/80 FRG17VL - 90/80 FRG21VL




MODULAR 256.331.00



Electrical gas valves and accessories

3526361 VALVE 822 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz



MODULAR RRC5350-00

3020083 NUT & OLIVE \varnothing 4 mm



MODULAR 671.011.00

Electronic controllers

3445399 CONTROLLER ELIWELL ID PLUS 902
 12Vac/dc
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32x59 mm
 mounting hole 71x29 mm



MODULAR M564050000

Energy regulators

3350024 ENERGY ADJUSTER
 contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction



MODULAR 661.058.00

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



MODULAR RRC2192-00




Suitable for:

MODULAR




3350031 ENERGY ADJUSTER
contact capacity 400V 7A
max temperature 125°C
D-shaped pin ø 6x4.6 mm



MODULAR 661.046.00

3350035 ENERGY ADJUSTER
contact capacity 230V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm



MODULAR 661.061.00

2111902 ENERGY REGULATOR
contacts 240V 13A
temperature max 125°C
D-shaft ø 6x4.6 mm



MODULAR 661.068.00

MODULAR 661.102.00

Fryer baskets and accessories

3055198 FRYER BASKET 290x260x135 mm
made of chrome plated iron
for Fryer gas (MODULAR) 90/40FRG13 - 90/80FRG13



MODULAR 600.201.40

MODULAR 683.031.00

3055359 FRYER BASKET 300x220x115 mm
made of chrome plated iron
for Fryer electric (MODULAR) 60/30FRE - 60/60FRE
70/40FRE10 - 70/70FRE10 - 90/40FRE10
90/80FRE10



MODULAR 600.203.40

MODULAR 683.000.00

3055199 FRYER BASKET 400x150x135 mm
made of chrome plated iron
for Fryer gas (MODULAR) 90/40FRG22 - 90/80FRG22



MODULAR 983.014.00

5034216 MESH FALSE BOTTOM COMPLETE 330x235 mm
height 180 mm
made of chrome-plated iron
for Fryer electric (MODULAR) 60/30FRE - 60/60FRE



MODULAR 683.001.23



Gas burners

5023766 BURNER \varnothing 180x335 mm
made of nickel plated iron
for Solid top range (MODULAR) 65/70TPFG
70/120TPG - 70/80TPG - 90/120TPG - 90/80TPG



MODULAR 672.056.00

3023165 BURNER \varnothing 50x430 mm
overall length 465 mm
made of stainless steel
for Pasta cooker gas (MODULAR) - Series 700
Series 900



MODULAR 672.072.00

MODULAR 672.072.15

3023142 BURNER 485x240 mm
made of stainless steel
for Lava rock grill gas (MODULAR) - Series 650
Series 700



MODULAR 672.052.00

3023242 BURNER 640x240 mm
made of stainless steel
for Lava rock grill gas (MODULAR) - Series 900



MODULAR 972.015.00

3023166 BURNER 685x245 mm
made of chrome-plated iron
for Fry top gas (MODULAR) - Series 900



MODULAR 972.000.00

3352016 AERATION REGULATOR
internal \varnothing 12 mm - external \varnothing 14 mm
height 42 mm



MODULAR 672.023.00

3023255 VERTICAL BURNER \varnothing 75x180 mm
made of chrome-plated iron



MODULAR 672.031.00

MODULAR 672.075.00

3023241 VERTICAL BURNER 220x55 mm
made of chrome-plated iron
for Fryer gas (MODULAR) - Series 110 - Series 700
Series 900



MODULAR 672.071.00



Suitable for:

MODULAR



Suitable for:

Gas hoses

5023846 PILOT PIPE \varnothing 4 mm
for Kitchen gas (MODULAR) 90/120CFGES
90/160CFGES - 90/80CFGES



MODULAR 975.048.00

5058299 PILOT PIPE \varnothing 4 mm
for Kitchen gas (MODULAR) 90/120CFGES
90/160CFGES - 90/80CFGES



MODULAR 975.026.00


Gas taps and accessories

3348014 GAS TAP 20/S
without pilot flame
fittings \varnothing M16x1.5mm
thermocouple fitting M8x1
D-shaped pin \varnothing 8x6.5mm



MODULAR 671.000.00

3348083 GAS TAP 21S
with pilot flame
flange connection pipe \varnothing 21 mm
outlet fitting M16x1.5 mm
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm
for Kitchen gas (MODULAR) 70/120 PCGS-CFGS-CFGES
70/40 PCGS - 70/80 PCGS-CFGS-CFGES



MODULAR 671.088.00

3348202 GAS TAP 21S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm




MODULAR 671.001.00

3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



MODULAR 671.031.00

3348011 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



MODULAR 671.032.00

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



MODULAR 673.004.00



MODULAR



Suitable for:


3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



MODULAR 673.011.00

Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



MODULAR

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



MODULAR 673.001.00

MODULAR 67300100

Gas valves and accessories

3526177 EUROSIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x74 mm
for Kitchen gas (MODULAR) 70/120TPFG - 70/80TPFG
90/120TPFG - 90/160FG - 90/80TPFG



MODULAR 256.277.00


3523035 KNOB MINISIT BLACK \varnothing 37 mm



MODULAR 671.006.00

MODULAR 67100600

3523047 MINISIT COVER



MODULAR 671.005.00

MODULAR 67100500

2111083 MINISIT FRYER VALVE 110÷190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷80°C
capillary length 1050 mm
button bulb \varnothing 14.4x26 mm
supplied without cover, knob and flanges
for Fryer (MODULAR) 70/70FRG13 - 90/80FRG13



MODULAR 256.324.00

MODULAR 671.025.00

MODULAR 671.026.00



Suitable for:

MODULAR



3523051 MINISIT SENSING ELEMENT 110÷190°C
 capillary length 1050 mm
 bulb ø 6x105 mm



MODULAR 671.024.00

Suitable for:

3523949 MINISIT VALVE FOR FRYER 110÷190°C
 inlet ø 1/2" F - outlet ø 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb ø 6x105 mm
 supplied without lid knob and flanges




MODULAR 671.004.00

3523023 MINISIT VALVE FOR FRYER 50÷190°C
 inlet ø 1/2" F - outlet ø 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 length capillary 1200 mm
 bulb ø 5x95 mm
 with an elbow flange ø 3/8" F



MODULAR 671.018.00

3523923 MINISIT VALVE FOR FRYER 50÷190°C
 inlet ø 1/2" F - outlet ø 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 length capillary 1200 mm
 bulb ø 5x95 mm
 without cover, knob and flanges



MODULAR 623.041.00

3523920 MINISIT VALVE FOR OVEN 100÷340°C
 inlet ø 1/2" F - outlet ø 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb ø 5x70 mm
 without cover, knob and flanges



MODULAR 671.029.00

MODULAR 671.033.00

3523061 NUT ø 1/4"x6 mm



MODULAR 671.027.00

Gaskets and seals


3186138 ASBESTOS FREE FLAT GASKET ø 30x21x2 mm
 for CONVECTION OVEN AR340S



MODULAR 0836.30213.0

MODULAR 0840.30213.0

3186297 GASKET FLAT ø 18x10x2 mm



MODULAR 0836.18102.0

MODULAR 0838.18122.4

MODULAR 0838.20122.0



Suitable for:

Suitable for:

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



MODULAR 553.008.00

Gaskets for oven door

5009076 GASKET OVEN DOOR 940x300 mm
made of silicone elastomer
with fastening clamps - 3 sides
profile dimensions 12x10 mm
COLOUR: BLACK
for Oven under cooktop (MODULAR)



MODULAR 952.001.00

3186163 HORIZONTAL DOOR GASKET 610 mm
made of silicone elastomer
profile dimension \varnothing 10 mm
COLOUR BLACK



MODULAR 652.001.00

3186164 HORIZONTAL LEAF SPRING 660 mm



MODULAR 260.003.00

3186164 HORIZONTAL LEAF SPRING 660 mm



MODULAR 260.003.00

3786624 OVEN DOOR GASKET 550x320 mm
made of silicone elastomer
with fastening clips
COLOUR BLACK
for Oven under cooktop (MODULAR)
since 1/01/07
Series 700 - Series 900



MODULAR 652.014.00



Suitable for:

MODULAR



Suitable for:

3186396 OVEN DOOR GASKET 560x310 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 12x10 mm
 COLOUR BLACK
 for Oven under cooktop (MODULAR) - Series 900



MODULAR 652.013.00

3186165 VERTICAL DOOR GASKET 350 mm
 made of silicone elastomer
 profile dimension \varnothing 10 mm
 COLOUR BLACK



MODULAR 652.002.00

3186166 VERTICAL LEAF SPRING 375 mm



MODULAR 260.004.00


3186166 VERTICAL LEAF SPRING 375 mm



MODULAR 260.004.00

Glasses

3519006 COMPLETE CHAMBER GLASS
 complete with glass and gasket
 for Bratt pan gas (MODULAR) 94BRG - 94BRG-M
 96BRG - 96BRG-M



MODULAR 512.002.00

Grids for kitchen

3185073 PAN SUPPORT GRID 390x390 mm
 for Pot stove (MODULAR) - Series 900



MODULAR 681.019.00

3185074 PAN SUPPORT GRID 570x340 mm
 for Pot stove (MODULAR) - Series 700




MODULAR 681.008.00

MODULAR 681.008.14



Handles

- 3398021 OVEN DOOR CATCH**
 distance between holes 47 mm
 catch distance 27 mm



MODULAR 684.012.00

Heating elements

- 3755830 CERAMIC HEATING ELEMENT 1000W 230V**
 length 240 mm - width 60 mm



MODULAR 665.010.00

- 5038319 HEATING ELEMENT SILICONE 730W 230V**
 length 400 mm - width 260 mm
 complete with thermostat with automatic reset
 operating ambient: dry
 for Bain-marie electric (MODULAR)



MODULAR M563000000

- 3755001 HEATING ELEMENT 1000W 230V**
 length 520 mm - width 135 mm
 2 flanges 35x20 mm
 for Oven under cooktop electric (MODULAR)
 Series 900



MODULAR 965.012.00

- 5000153 HEATING ELEMENT 1000W 230V**
 length 420 mm - width 65 mm
 height 75 mm
 for Fry top electric (MODULAR) 60/30FTE2
 60/30FTE2-CR - 60/30FTRE2 - 60/30FTRE2-CR
 60/60FTRE - 60/60FTRE-CR



MODULAR 665.057.00

- 5056039 HEATING ELEMENT 1000W 230V**
 length 397 mm - width 85 mm
 height 45 mm - 2 flange 40x18 mm
 for Bain-marie electric (MODULAR) 65/70BME
 70/80BME



MODULAR 665.004.00



Suitable for:

MODULAR



3755858 HEATING ELEMENT 12000W 230/400V
 length 325 mm - width 180 mm
 coupling M54x1.5 mm - complete with cables
 complete with OR gaskets
 for Fryer electric (MODULAR) 70/40FRE13
 70/80FRE13 - 90/40FRE13 - 90/80FRE13



MODULAR 665.101.00

3186601 O-RING 04200 EPDM
 for Fryer electric (MODULAR) 70/40 FRE13
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 653.018.00

3455368 HEATING ELEMENT 1260W 230V
 external \varnothing 190 mm - overall height 415 mm
 flange 100x22 mm
 for Oven under cooktop electric (MODULAR)
 70/110CFGE - 70/70CFGE - 90/120CFE
 90/120CFGE - 90/160CFGE - 90/80CFE - 90/80CFGE
 90/80CFVE



MODULAR 665.008.00

3755068 HEATING ELEMENT 1500W 230V
 length 470 mm - width 90 mm
 height 70 mm
 for Fry top electric (MODULAR) - Series 700



MODULAR 665.002.00

Suitable for:

3186697 O-RING 0159 EPDM
 for Fryer electric (MODULAR) 70/40 FRE13
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 653.017.00

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT
 for Fryer electric (MODULAR) 70/40 FRE13
 70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 256.377.00

5032598 HEATING ELEMENT 1470W 230V
 length 510 mm - width 90 mm
 height 30 mm - 2 flanges 40x18 mm
 for Bain-marie electric (MODULAR) 90/80BME - 94BME



MODULAR 965.002.00

5048341 HEATING ELEMENT 1500W 230V
 length 555 mm - width 215 mm
 flange 70x22 mm
 for BUILT-IN OVEN series 700 PROTAGONISTA NUOVA
 for BUILT-IN OVEN series 900 PROTAGONISTA NUOVA
 for Kitchen (MODULAR) 70/120CFGE - 70/80CFGE
 70/80CFGES - 90/120CFGE - 90/160CFGE
 90/80CFGE



MODULAR 965.060.00



Suitable for:

5068289 HEATING ELEMENT 1500W 230V
 length 400 mm - width 140 mm
 height 30 mm - 2 flange 40x18 mm
 for Bain-marie electric (MODULAR) 65/40BME
 70/40BME



MODULAR 665.003.00

Suitable for:

3355847 HEATING ELEMENT 2000W 230V
 length 230 mm - width 280 mm
 flange 107x33 mm



MODULAR 665.026.00

MODULAR 665.027.00

5021306 HEATING ELEMENT 2100/2286W 230/240V
 length 380 mm - width 165 mm
 height 60 mm



MODULAR 665.023.00

3755094 HEATING ELEMENT 2100W 230V
 length 290 mm - width 50 mm
 height 205 mm - fittings M14x1.5 mm
 for Fryer electric (MODULAR)



MODULAR 665.001.00

5011659 HEATING ELEMENT 2186/2380W 230/240V
 length 650 mm - width 85 mm
 height 70 mm
 for Fry top electric (MODULAR) 90/80FTE
 90/80FTE-CR - 90/80FTRE - 90/80FTRE-CR
 90/80FTRRE - 90/80FTRRE-CR



MODULAR 965.000.00

3755095 HEATING ELEMENT 2500W 230V
 length 293 mm - width 40 mm
 height 210 mm - fittings M14x1.5 mm
 for Fryer electric (MODULAR)
 Series 600 - Series 700 - Series 900



MODULAR 650.028.00

MODULAR 665.028.00

5047130 HEATING ELEMENT 2500W 230V
 length 520 mm - width 120 mm
 height 60 mm
 for Bratt pan electric (MODULAR) 90/120BRE
 90/120BREM - 96/BRE - 96/BRE-M



MODULAR 965.008.00

MODULAR 965.008.15

5008348 HEATING ELEMENT 3000W 230V
 length 300 mm - width 170 mm
 couplings M10x1 mm



MODULAR 665.032.00



Suitable for:

MODULAR



3755740 HEATING ELEMENT 3330W 230V
length 510 mm - width 195 mm
height 80 mm
for Bratt pan electric (MODULAR) - Series 900



MODULAR 965.007.00

MODULAR 965.007.15

3755730 HEATING ELEMENT 3400/3700W 230/240V
length 390 mm - width 50 mm
height 230 mm - fittings M14x1.5 mm
for Fryer electric (MODULAR)



MODULAR 965.009.00

3755103 HEATING ELEMENT 3800W 230V
immersed length 250 mm
flange external \varnothing 72 mm
with O-ring
for Pasta cooker electric (MODULAR) - Series 700
Series 900



MODULAR 465.000.00

MODULAR 665.074.00

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MODULAR 0835.53565.1

3355105 HEATING ELEMENT 4200W 230/380V
for boiler and wash tank
immersed depth 340 mm
flange external \varnothing 72 mm - with bulb-sheathing
complete with gasket OR \varnothing 67 mm (3186014)



MODULAR

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MODULAR 0835.53565.1

5019794 HEATING ELEMENT 7500W 400V
length 280 mm - width 400 mm
complete with cables



MODULAR 965.037.00



MODULAR



Suitable for:

3455347 HEATING ELEMENT 8000W 230V

immersed length 505 mm
flange external \varnothing 72 mm
with thermostat probe receptacle
with O-ring
with cap
for Boiling pan electric (MODULAR) 90/80PEIA100
90/80PEIA150 - 90/80PEI100 - 90/80PEI150



MODULAR 965.025.00

Suitable for:

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MODULAR 0835.53565.1

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT

for Fryer electric (MODULAR) 70/40 FRE13
70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 256.377.00

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



MODULAR 684.011.00

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



MODULAR 684.010.00

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



MODULAR 684.011.00



Suitable for:

MODULAR



3053008 RIGHT-LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 156 mm
for Kitchen gas (MODULAR) EM70/120 CFGES
EM70/80 CFGES - EM90/120 TPPCFG2
EM90/80 TPPCFG - EM90/80 TPPCFGL



MODULAR 684.030.00

Suitable for:

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



MODULAR 684.011.00

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



MODULAR 684.009.00

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



MODULAR 684.011.00

3053108 ROLL HOLDER FOR HINGE
mounting distance 95 mm - overall length 110 mm
height 23 mm



MODULAR 584.005.00

Hydraulic piping

3450152 HOSE RUBBER REINFORCED \varnothing 13/19 mm
internal \varnothing 13 mm - external \varnothing 19 mm
SOLD PER METER



MODULAR 452.040.00

MODULAR 452.061.00



Igniters

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector



MODULAR 672.006.00

MODULAR 67200600

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



MODULAR 672.006.00

Incandescent lamps and neon lamps

3221263 HALOGEN LAMP R7s 200W 230V
length 118 mm



MODULAR

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



MODULAR RRC2104-03

MODULAR 663.045.00

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MODULAR 463.014.00

3221216 GREEN INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



MODULAR 963.012.00

3221156 GREEN INDICATOR LIGHT 400V
head \varnothing 14 mm - hole \varnothing 12 mm



MODULAR 663.043.00

3221185 GREEN PILOT LIGHT 400V
 \varnothing head 16 mm - hole \varnothing 12 mm - 120°C



MODULAR 663.000.00

3221156 GREEN INDICATOR LIGHT 400V
head \varnothing 14 mm - hole \varnothing 12 mm



MODULAR 663.043.00



Suitable for:

3221209 ORANGE INDICATOR LIGHT 400V
head \varnothing 14 mm - hole \varnothing 11.5 mm - 120°C



MODULAR 663.044.00

3221094 INDICATOR LAMP ORANGE 230V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
for Fry top electric (MODULAR) EM70/80 TPE
EM90/80 TPE - EM90/80 TPE2



MODULAR 963.013.00

3221209 ORANGE INDICATOR LIGHT 400V
head \varnothing 14 mm - hole \varnothing 11.5 mm - 120°C



MODULAR 663.044.00

MODULAR



Suitable for:

3221186 ORANGE PILOT LIGHT 400V
 \varnothing head 16 mm - hole \varnothing 12 mm - 120°C



MODULAR 663.001.00

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MODULAR 463.012.00

3221186 ORANGE PILOT LIGHT 400V
 \varnothing head 16 mm - hole \varnothing 12 mm - 120°C



MODULAR 663.001.00

Injectors

3500021 GAS JET M10x1 \varnothing 0.95 mm



MODULAR 674.003.00

3500028 GAS JET M10x1 \varnothing 1.45 mm



MODULAR 674.024.00

3500019 GAS NOZZLE M10x1 \varnothing 1.45 mm



MODULAR 674.070.00



Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47μF



MODULAR 464.067.00

MODULAR 661.064.00

Ironmongery (screws,nuts,washers)

3528126 LARGE PAN HEAD SCREW M5x20
stainless steel - slotted



MODULAR

3316051 NUT FOR HEATING ELEMENT 1"1/2



MODULAR

Knobs

3241392 BLACK KNOB ø 40 mm
D shaft hole 6x4.6 mm



MODULAR RRC5385-00

3444187 BLACK KNOB ø 50 mm 50-500°C
D-shaped pin ø 6x4.6 mm
for EGO thermostat



MODULAR MANOP003

3241390 BLACK KNOB ø 72 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (MODULAR) - Series 700



MODULAR 612.017.00

3241569 BLACK KNOB ø 72 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove gas (MODULAR) - Series 700




MODULAR 612.016.00

3241560 BLACK KNOB ø 72 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm
for Pot stove electric (MODULAR) - Series 700



MODULAR 612.018.00

3241388 BLACK KNOB ø 82 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Fry top (MODULAR) 90/40FTG - 90/80FTRG



MODULAR 912.004.00




MODULAR



Suitable for:

3241389 BLACK KNOB ø 82 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (MODULAR) - Series 900



MODULAR 912.003.00


Suitable for:

3241391 BLACK KNOB ø 82 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for Oven under cooktop (MODULAR) - Series 900




MODULAR 912.006.00

3241387 BLACK KNOB ø 82 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm
for Pot stove (MODULAR) - Series 1200 - Series 900



MODULAR 912.011.00

3241386 BLACK KNOB ø 82 mm 50-300°C
D shaft hole 6x4.6 mm
for Oven under cooktop (MODULAR) - Series 900



MODULAR 912.005.00

5050432 KNOB BLACK ø 62 mm SCREEN PRINTED
D-shaped hole 8x6,5 mm
for Fry top gas (MODULAR) 60/30FTG - 60/30FTRG
60/60FTG - 60/60FTRG - 60/60FTRRG
for Grill gas (MODULAR) 65/40GRG - 65/70GRG
for Solid top range gas (MODULAR) 65/70TPFG



MODULAR 612.001.00

5027750 KNOB BLACK ø 62 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Kitchen gas (MODULAR) 60/60CFG - 65/110CEG
65/70CEG



MODULAR 612.000.00

5018267 KNOB BLACK ø 72 mm 0-300°C
D-shaped hole 8x6.5 mm
for Oven under cooktop (MODULAR)



MODULAR 612.022.00

5028191 KNOB GRAY ø 82 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Kitchen gas (MODULAR) 90/120CFGES
90/160CFGES - 90/80CFGES



MODULAR 912.042.00

5021313 KNOB SILVER ø 82 mm 0-1-2-3
D-shaped hole 8x6,5 mm



MODULAR 912.008.00



Lamp receptacles and spare parts

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN



MODULAR 663.047.00

Lava rock grids

5008873 GRID CAST IRON 500x160x18 mm
for Grill gas (MODULAR) 65/40GRG - 65/70GRG




MODULAR 681.011.00

3185122 GRID PAN SUPPORT STAINLESS STEEL 610x320x
for Lava rock grill (MODULAR) - Series 900



MODULAR 911.422.00

3185123 STAINLESS STEEL GRILL 440x290x20 mm
for Lava rock grill (MODULAR) - Series 700



MODULAR 611.524.00

MODULAR 811.212.00

Level sensors

5016125 INDICATOR WATER LEVEL
cable length with sheathing 280 mm
for Self service counter warm (MODULAR)



MODULAR M562000000



Suitable for:

MODULAR



Suitable for:

Microswitches

3240406 MICROSWITCH 10(4)A 250V



MODULAR 661.052.00

3240237 MICROSWITCH 15A 250V
with cable length 195 mm
for Fryer (MODULAR) - Series 600 - Series 700
Series 900



MODULAR 610.155.00

MODULAR 661.019.00

3240410 MICROSWITCH 16(4)A 250V



MODULAR RRC6018-00

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



MODULAR M569010100

MODULAR 664.025.00

OR and ORM gaskets

3186313 GASKET OR 06187 RED SILICONE



MODULAR 0835.53470.1

3186013 O-RING GASKET 06187 EPDM ø 58 mm



MODULAR 0835.53470.1

3186014 O-RING GASKET 06225 EPDM ø 67 mm



MODULAR 0835.53565.1

3186697 O-RING 0159 EPDM
for Fryer electric (MODULAR) 70/40 FRE13
70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 653.017.00



MODULAR



Suitable for:

3243266 O-RING 02081 EPDM



MODULAR

Suitable for:

3160040 O-RING 03168 EPDM



MODULAR 0835.26425.1

1186238 O-RING 04081 EPDM
for Bain-marie electric (MODULAR) EM70/40 BME
EM70/80 BME - EM90/40 BME - EM90/80 BME



MODULAR 953.025.00

3186601 O-RING 04200 EPDM
for Fryer electric (MODULAR) 70/40 FRE13
70/80 FRE13 - 90/40 FRE13 - 90/80 FRE13



MODULAR 653.018.00

3186340 OR GASKET 03037 EPDM



MODULAR 0835.26919.1

Pilot burners and accessories

3020281 BRASS NUT M10x1



MODULAR 372.002.00

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



MODULAR 673.023.00

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



MODULAR 673.014.00

MODULAR 67301400

3020083 NUT & OLIVE ø 4 mm



MODULAR 671.011.00

3020082 OLIVE FOR 12 mm ø PIPE



MODULAR 673.006.00

MODULAR 67300600

3020111 OLIVE FOR 4 mm ø PIPE



MODULAR 673.007.00

MODULAR 67300700



Suitable for:

MODULAR



3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



MODULAR 672.080.00

3020055 PILOT JET \varnothing 0.35 mm



MODULAR 672.059.00

MODULAR 67205900


3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MODULAR 672.060.00

MODULAR 67206000


3020042 PILOT GAS JET \varnothing 0.19 mm



MODULAR 674.001.00

MODULAR 67400100

3020043 PILOT GAS JET \varnothing 0.36 mm



MODULAR 674.000.00

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



MODULAR 672.094.00

MODULAR 67209400

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F
for Fryer gas (MODULAR) 70/40 FRGS13
70/80 FRGS13



MODULAR 256.017.00

MODULAR 672.015.00

MODULAR 672.028.00

MODULAR 67201500

MODULAR 67202800

3020202 PILOT GAS JET \varnothing 0.27 mm



MODULAR 674.091.00

3020054 PILOT JET \varnothing 0.20 mm



MODULAR 672.094.00

MODULAR 67209400



Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



MODULAR 672.058.00

MODULAR 67205800

Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



MODULAR 674.054.00

3020040 PILOT JET \varnothing 0.30 mm



MODULAR 674.052.00

MODULAR 67405200


3020055 PILOT JET \varnothing 0.35 mm



MODULAR 672.059.00

MODULAR 67205900

3020041 PILOT JET \varnothing 0.41 mm



MODULAR 67301300

MODULAR 674.053.00

3020187 PILOT NOZZLE \varnothing 0.51 mm



MODULAR 674.051.00

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



MODULAR 673.003.00

3020148 PILOT SUPPORT BRACKET
for Pot stove gas (MODULAR) - Series 700
Series 900



MODULAR 623.241.00

3020105 PILOT WITH 0.20 mm \varnothing JET



MODULAR 672.094.00

MODULAR 67209400

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F



MODULAR 673.018.00

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



MODULAR 673.013.00

MODULAR 67301300



Suitable for:

MODULAR




3020010 TARGET PILOT BURNER SIT 2 FLAMES
 supplied without sparking plug, nozzle and gasket
 with thermocouple fitting
 for Fry top gas (MODULAR) 70/40 FTG - 70/40 FTGS
 70/80 FTG - 70/80 FTGS



MODULAR 672.013.00 MODULAR 672.014.00
 MODULAR 67201300 MODULAR 67201400

3020042 PILOT GAS JET ø 0.19 mm



MODULAR 674.001.00 MODULAR 67400100

3020043 PILOT GAS JET ø 0.36 mm



MODULAR 674.000.00

**3020077 PIPE FITTING ø 4 mm
 thread M10x1**



MODULAR 673.013.00 MODULAR 67301300

3001003 ROUND SPARKING PLUG ø 7x44 mm
 male faston M4x1 mm
 total length 65 mm



MODULAR 672.060.00 MODULAR 67206000

3020060 SPARKING PLUG ROUND ø 7x44 mm
 faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F
 for Fryer gas (MODULAR) 70/40 FRGS13
 70/80 FRGS13



MODULAR 256.017.00 MODULAR 672.015.00 MODULAR 672.028.00
 MODULAR 67201500 MODULAR 67202800

3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet ø 0.20 mm
 with 3 positions bracket



MODULAR 672.057.00 MODULAR 672.069.00 MODULAR 67205700

3020054 PILOT JET ø 0.20 mm



MODULAR 672.094.00 MODULAR 67209400

3020055 PILOT JET ø 0.35 mm



MODULAR 672.059.00 MODULAR 67205900

**3020077 PIPE FITTING ø 4 mm
 thread M10x1**



MODULAR 673.013.00 MODULAR 67301300



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MODULAR 672.060.00

MODULAR 67206000

MODULAR



Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F
for Fryer gas (MODULAR) 70/40 FRGS13
70/80 FRGS13



MODULAR 256.017.00

MODULAR 672.015.00

MODULAR 672.028.00

MODULAR 67201500

MODULAR 67202800

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



MODULAR 672.026.00

MODULAR 672.027.00

MODULAR 672.042.00

MODULAR 67202600

MODULAR 67204200

3020040 PILOT JET \varnothing 0.30 mm



MODULAR 674.052.00

MODULAR 67405200


3020041 PILOT JET \varnothing 0.41 mm



MODULAR 67301300

MODULAR 674.053.00

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



MODULAR 673.013.00

MODULAR 67301300

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MODULAR 672.060.00

MODULAR 67206000

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F
for Fryer gas (MODULAR) 70/40 FRGS13
70/80 FRGS13



MODULAR 256.017.00

MODULAR 672.015.00

MODULAR 672.028.00

MODULAR 67201500

MODULAR 67202800



Suitable for:

MODULAR



Suitable for:

Probes

- 3445109 PROBE TCJ VETROTEX 3000 mm**
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



MODULAR 561.044.00


Rotary switches

- 3057050 CONNECTING BRACKET 28x21x16 mm**
 distance between hooking brackets 27 mm
 f/connection between selector switch and thermost.



MODULAR 661.013.00

- 3057014 SELECTOR SWITCH 0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 back connection for thermostat




MODULAR 661.000.00

- 3057026 SELECTOR SWITCH 0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Fryer electric (MODULAR) 70/40 FRE13
 70/40 FRE17 - 70/80 FRE17 - 90/40 FRE13
 90/40 FRE17 - 90/40 FRE21 - 90/80 FRE13
 90/80 FRE17 - 90/80 FRE21




MODULAR 661.093.00

- 3057098 SELECTOR SWITCH 0-3 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 for Pasta cooker (MODULAR) - Series 600
 Series 700 - Series 900




MODULAR 661.037.00

- 3057336 SELECTOR SWITCH 0-3 POSITIONS**
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Boiling pan electric (MODULAR) - Series 700
 Series 900



MODULAR 661.062.00

- 3057023 SELECTOR SWITCH 0-6 POSITIONS**
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm




MODULAR 961.000.00



Suitable for:

Suitable for:

- 3057024 SELECTOR SWITCH 0-6 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



MODULAR 661.002.00

Safety groups for pans and spare parts

- 3184013 DEPRESSION VALVE \varnothing 3/4" M**
 in chrome plated brass
 for safety group \varnothing 1" 1/4



MODULAR 678.023.00

- 3184007 PRESSURE GAUGE \varnothing 60 mm**
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



MODULAR 678.030.00

- 3184018 SAFETY VALVE \varnothing 1" 1/4 M**
 max pressure 0.5 atm
 for safety group 1" 1/4
 ISPE SL approved



MODULAR 678.049.00

- 3184017 SAFETY VALVE \varnothing 3/4" M**
 max pressure 0.5 atm
 for safety group \varnothing 3/4"



MODULAR 678.038.00

Solenoid valves

- 3120021 INLET REDUCER 12 L/min BLACK**



MODULAR 471.002.00

- 3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm**
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - triple outlet \varnothing 10 mm



MODULAR 462.004.00



MODULAR



Suitable for:

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



MODULAR 462.000.00

MODULAR 462.010.00

Suitable for:

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



MODULAR 462.002.00

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Fryer gas (MODULAR) 70/40 FRG13VL
70/40 FRG17VL - 70/80 FRG13VL - 70/80 FRG17VL
90/40 FRG13VL - 90/40 FRG17VL - 90/40 FRG21VL
90/80 FRG13VL - 90/80 FRG17VL - 90/80 FRG21VL



MODULAR 661.118.00

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



MODULAR 663.042.00

3181501 SPARK GENERATOR 4 OUTLETS
1.5V battery powered



MODULAR 663.042.00

Sparking and detection plugs

3020252 ROUND IGNITION ELECTRODE \varnothing 5x35 mm
F connection 2.8x0.8 mm
with silicone lead length 590 mm
overall length with cable 620 mm
for COOKTOP series MINIMA
for Kitchen gas (MODULAR) 60/60CFG - 60/60CFGE



MODULAR 672.115.00



Sparking and detection plugs

3806007 **ROUND SPARKING PLUG** \varnothing 6.5x45 mm
male faston M4x1 mm
overall length 60 mm



MODULAR 256.060.00

3020085 **FITTING FOR SPARKING PLUG FIXING** M10x1mm



MODULAR 673.014.00

MODULAR 67301400

3001003 **ROUND SPARKING PLUG** \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MODULAR 672.060.00

MODULAR 67206000

3020073 **SPARKING PLUG ROUND** \varnothing 7/10x52 mm
model 1/B
connection F 2.8x0.8 mm - complete with spring
overall length 54 mm



MODULAR 672.005.00

3020060 **SPARKING PLUG ROUND** \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F
for Fryer gas (MODULAR) 70/40 FRGS13
70/80 FRGS13



MODULAR 256.017.00

MODULAR 672.015.00

MODULAR 672.028.00

MODULAR 67201500

MODULAR 67202800

Springs

5022549 **LID SPRING** \varnothing 31x310 mm
for Bratt pan electric (MODULAR) 90/80BRE



MODULAR 260.010.00



Suitable for:

MODULAR



Suitable for:


Switches

5039537 PUSH BUTTON BIPOLAR BLUE 16A 250V
mounting hole \varnothing 24 mm
for Bratt pan electric (MODULAR) 94BRE-M - 96BRE-M
for Bratt pan gas (MODULAR) 94BRG-M - 96BRG-M



MODULAR 961.018.00

5039536 PUSH BUTTON BIPOLAR GRAY 16A 250V
mounting hole \varnothing 24 mm
for Bratt pan electric (MODULAR) 94BRE-M - 96BRE-M
for Bratt pan gas (MODULAR) 94BRG-M - 96BRG-M




MODULAR 961.017.00

3319468 SWITCH 1-POLE BLACK 16A 250V
16(4)A 250V
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 11x30 mm



MODULAR RRC2206-00

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



MODULAR M561003500

MODULAR 763.001.00

Taps for tank refilling

3183035 SPOUT CONNECTION \varnothing 13 mm
for Pasta cooker electric (MODULAR) 70/40CPE
70/70CPE - 90/40CPE - 90/80CPE
for Pasta cooker gas (MODULAR) 70/40CPG - 70/70CPG
90/40CPG - 90/80CPG



MODULAR 631.030.00

MODULAR 631.030.13

5037331 TAP WATER INLET \varnothing 3/8"MM
for Pasta cooker electric (MODULAR) EM70/40CPES
EM70/80CPES - EM90/40CPES - EM90/80CPES
for Pasta cooker gas (MODULAR)
since 10/05/10
92CPG - 92CPG-S
70/40CPG - 70/70CPG



MODULAR 678.065.25

3359285 WATER INLET TAP \varnothing 1/2"MM
intenal output \varnothing 7.5 mm



MODULAR 678.031.00

3359128 WATER INLET TAP \varnothing 1/2"MM
for Bratt pan (MODULAR) - Series 900
for Pasta cooker (MODULAR) - Series 700
Series 900



MODULAR 678.010.00

MODULAR 678.010.14



Suitable for:

3356139 WATER INLET TAP \varnothing 3/8" F
 internal output \varnothing 7.5 mm



MODULAR 678.031.00

Suitable for:

5030101 WATER INLET TAP \varnothing 3/8" MM
 \varnothing internal outlet 10 mm
 D-shaped pin \varnothing 6x4,6 mm
 for Pasta cooker gas (MODULAR)
 92CPG FINO AL 09/05/2010
 92CPG-S FINO AL 09/05/2010



MODULAR 978.000.00

Terminal blocks

3247050 3-POLES TERMINAL BLOCK FV110 40A 450V
 for cable \varnothing 6 mm max.
 operating temperature 150°C



MODULAR 463.026.00

Thermocouples and accessories

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
 interrupted contact with fastons



MODULAR 672.055.00

MODULAR 67205500

3440015 INTERRUPTION CONNECTOR M9x1



MODULAR 672.020.00

3440064 NUT FOR THERMOCOUPLE M8x1



MODULAR 672.002.00

MODULAR 67200200

3440010 SLOTTED FITTING M8x1



MODULAR 672.002.00

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
 female nut M9x1



MODULAR 672.100.00

MODULAR 67210000

3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1



MODULAR 672.018.00



Suitable for:

MODULAR



Suitable for:

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MODULAR 672.099.00

MODULAR 67209900

3440037 THERMOCOUPLE SIT M9x1 100 cm.



MODULAR 672.099.00

MODULAR 67209900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MODULAR 672.099.00

MODULAR 67209900

3440039 THERMOCOUPLE SIT M9x1 150 cm



MODULAR 672.104.00

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MODULAR 672.104.00

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MODULAR 672.104.00

3440034 THERMOCOUPLE SIT M9x1 50 cm



MODULAR 672.025.00

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MODULAR 672.025.00

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MODULAR 672.025.00

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



MODULAR 672.000.00

MODULAR 672.025.00



MODULAR



Suitable for:

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



MODULAR 672.000.00

MODULAR 672.025.00

Suitable for:

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS GIUNTO M8x1



MODULAR 672.000.00

MODULAR 672.025.00

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MODULAR 672.083.00

MODULAR 672.099.00

3440036 THERMOCOUPLE SIT M9x1 85 cm.



MODULAR 672.083.00

MODULAR 672.099.00

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MODULAR 672.083.00

MODULAR 672.099.00

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.




MODULAR 672.001.00

Thermostatic gas valves

3345004 THERMOSTATIC TAP SABAF

adjustment temperature 300°C
fitting inlet M13x1 mm
outlet pipe fitting \varnothing 3/8" M
thermocouple connection M8x1mm
bulb \varnothing 4x140 mm
capillary length 850 mm
D-shaped pin \varnothing 8x6.5 mm
for Kitchen (MODULAR) - Series 700



MODULAR 671.002.00



Suitable for:


MODULAR



Suitable for:

Thermostatic gas valves

3345013 THERMOSTATIC TAP 25ST
 adjustment temperature 30-90°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x160 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm



MODULAR 971.000.00


3020077 PIPE FITTING \varnothing 4 mm
 thread M10x1



MODULAR 673.013.00

MODULAR 67301300

3348100 THERMOSTATIC TAP 25ST
 operating temperature 120-320°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x100 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm



MODULAR 671.034.00

MODULAR 671.081.00

Thermostats

5028250 CLAMP BULB FIXING \varnothing 8 mm
 for heating element thermostat
 for Fryer electric (MODULAR) 110/40FRE15
 110/80FRE15




MODULAR 238.003.00

3444013 RING NUT \varnothing 55 mm
 chrome-plated metal
 for thermostat knob IMIT




MODULAR

3444080 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 covered capillary length 2020 mm - 16A 250V
 bulb \varnothing 6x133 mm



MODULAR 661.021.00

3444637 SINGLE-PHASE THERMOSTAT 234°C
 with manual reset
 capillary length 870 mm
 bulb \varnothing 11x18 mm - bulb connection M14x1
 for Fryer (MODULAR) - Series 700 - Series 900



MODULAR 661.034.00




3444372 SINGLE-PHASE THERMOSTAT 245°C
with manual reset
covered capillary length 1170 mm - 16A 250V
bulb \varnothing 6x133 mm



MODULAR 661.021.00

3444510 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 850 mm - 16A 250V
bulb \varnothing 6x138 mm - w/ stuffing gland fitting M9x1
with complete tank sealing fitting M12x1



MODULAR 661.004.00

3444019 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 16A 250V
bulb \varnothing 6x130 mm



MODULAR M564010000

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm



MODULAR 661.073.00

3444289 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 3000 mm - 16A 250V
bulb \varnothing 3x210 mm - with adapter nipple band M9x1




MODULAR RRC2190-00

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1
for Fryer electric (MODULAR) 70/40 FRE13
70/40 FRE17 - 70/80 FRE13 - 70/80 FRE17
90/40 FRE13 - 90/40 FRE17 - 90/40 FRE21
90/80 FRE13 - 90/80 FRE17 - 90/80 FRE21



MODULAR 961.034.00

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



MODULAR 461.003.00

5017767 THERMOSTAT THREE PHASE
with manual reset
capillary length covered 900 mm
bulb \varnothing 6x178 mm
for Bain-marie electric (MODULAR) 70/40BME
70/80BME - 90/40BME - 90/80BME
for Pasta cooker electric (MODULAR) 70/40CPES
70/80CPES - 90/40CPES - 90/80CPES



MODULAR 661.051.00




Suitable for:

MODULAR



5050566 THERMOSTAT THREE-PHASE 100-350°C

D-shaped pin \varnothing 6x4.6 mm
length capillary 900 mm - 10A 400V
bulb \varnothing 3x145 mm
for Fry top electric (MODULAR) 70/40 FTE
70/80 FTE - 90/40 FTE - 90/80 FTE



MODULAR 661.116.00

Suitable for:

3444234 THREE-PHASE THERMOSTAT 100-195°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x134 mm
for Fryer (MODULAR)
Series 600 - Series 700 - Series 900



MODULAR 661.041.00

3444638 THREE-PHASE THERMOSTAT 100-330°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 380V
bulb \varnothing 6x75 mm
for Oven under cooktop (MODULAR) - Series 600
Series 700 - Series 900



MODULAR 661.007.00

3444307 THREE-PHASE THERMOSTAT 230°C


with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1
for Fryer electric (MODULAR) 70/40 FRE13
70/40 FRE17 - 70/80 FRE13 - 70/80 FRE17
90/40 FRE13 - 90/40 FRE17 - 90/40 FRE21
90/80 FRE13 - 90/80 FRE17 - 90/80 FRE21



MODULAR 961.033.00

3444143 THREE-PHASE THERMOSTAT 240°C


with manual reset
capillary length 1600 mm - 10A 400V
bulb \varnothing 6x85 mm



MODULAR 661.048.00

3444076 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x130 mm



MODULAR 661.005.00

3444382 THREE-PHASE THERMOSTAT 360°C

with manual reset
capillary length 900 mm - 10A 400V
bulb \varnothing 6x80 mm
for Fry top electric (MODULAR) 70/120 FTES
70/40 FTES - 70/80 FTES - 90/120 FTES
90/40 FTES - 90/80 FTES



MODULAR 661.115.00

3444493 THREE-PHASE THERMOSTAT 360°C

with manual reset
capillary length 1500 mm
bulb \varnothing 4x120 mm
for Fry top (MODULAR) - Series 600 - Series 700



MODULAR 661.045.00



Suitable for:


MODULAR



Suitable for:

3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm
for Kitchen electric (MODULAR) 70/80FE - 70/80FGE
70/80TPFE - 90/160FGE - 90/80FE - 90/80FGE
90/80TPFE



MODULAR 661.027.00

MODULAR 661.114.00

Timers

3446007 TIMER 60 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
60 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



MODULAR RRC2191-00

Wheels and accessories

3522013 WHEEL \varnothing 200 mm

central hole \varnothing 18 mm
with folding handle
for Bratt pan (MODULAR) - Series 900




















MODULAR 951.000.00

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.jeth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz