



Spare parts for:

## Cooking equipment



Suitable for:

# MORICE



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# MORICE



Suitable for:

## Ball valves and accessories

**3359327 3 WAY TAP  $\varnothing$  3/8" FF**  
 nickel plated brass - 90° perforation  
 operating pressure 20 bar  
 with 1/2" reduction piece  
 for Bratt pan (MORICE)



MORICE BR0930

## Burners, flame spreaders and accessories

**3025751 COMPLETE BURNER MOUNTING DISTANCE 120 mm**  
 4000-6000 Kcal/h  
 height 48 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  27 mm



MORICE

**3025584 FLAME SPREADER  $\varnothing$  73 mm**



MORICE

**3025585 FLAME SPREADER  $\varnothing$  80 mm**



MORICE

**3025696 COMPLETE BURNER MOUNTING DISTANCE 175 mm**  
 4000-6000 Kcal/h  
 height 48 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  27 mm



MORICE

**3025584 FLAME SPREADER  $\varnothing$  73 mm**



MORICE

**3025585 FLAME SPREADER  $\varnothing$  80 mm**



MORICE



# MORICE



Suitable for:

Suitable for:

**3025761 COMPLETE BURNER MOUNTING DISTANCE 175 mm**  
5000-7000 Kcal/h  
height 40 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  27 mm

**3025584 FLAME SPREADER  $\varnothing$  73 mm**



MORICE

MORICE

**3025603 FLAME SPREADER  $\varnothing$  80 mm**



MORICE

**3025705 COMPLETE BURNER MOUNTING DISTANCE 185 mm**  
4000-6000 Kcal/h  
height 49.2 mm -  $\varnothing$  88 mm

**3025618 FLAME SPREADER  $\varnothing$  88 mm**




MORICE BR0095

MORICE BR0097

**3025704 COMPLETE BURNER MOUNTING DISTANCE 190 mm**  
2000-3500 Kcal/h  
height 44.2 mm -  $\varnothing$  54.5 mm

**3025617 FLAME SPREADER  $\varnothing$  54.5 mm**  
for Kitchen (MORICE) TRAITOGAZ RECH2FX



MORICE BR0101

MORICE BR0101-1

MORICE BR0103

**3025706 COMPLETE BURNER MOUNTING DISTANCE 205 mm**  
6500-9000 Kcal/h  
height 47.2 mm -  $\varnothing$  110.5 mm

**3025619 FLAME SPREADER  $\varnothing$  110.5 mm**  
for Kitchen (MORICE) TRAITOGAZ RECH2FX



MORICE BR0107

MORICE BR0109



Suitable for:

# MORICE



**3025721 COMPLETE BURNER MOUNTING DISTANCE 270 mm**  
10000 Kcal/h - height 100 mm - ø 145 mm  
for Hot plate gas (MORICE)  
for Pot stove gas (MORICE) RE0015-1 - RE0045-1  
RE0046-1 - RE0047-1 - RE0048-1



MORICE BR0079

Suitable for:

**3025672 FLAME SPREADER ø 145 mm**  
for Hot plate gas (MORICE)  
for Pot stove gas (MORICE) RE0015-1 - RE0045-1  
RE0046-1 - RE0047-1 - RE0048-1



MORICE DM1249

**3025619 FLAME SPREADER ø 110.5 mm**  
for Kitchen (MORICE) TRAITOGAZ RECH2FX




MORICE BR0109

**3025672 FLAME SPREADER ø 145 mm**  
for Hot plate gas (MORICE)  
for Pot stove gas (MORICE) RE0015-1 - RE0045-1  
RE0046-1 - RE0047-1 - RE0048-1



MORICE DM1249

**3025617 FLAME SPREADER ø 54.5 mm**  
for Kitchen (MORICE) TRAITOGAZ RECH2FX



MORICE BR0103

**3025584 FLAME SPREADER ø 73 mm**



MORICE

**3025585 FLAME SPREADER ø 80 mm**



MORICE

**3025603 FLAME SPREADER ø 80 mm**



MORICE

**3025618 FLAME SPREADER ø 88 mm**



MORICE BR0097



## Contact thermostats

**3444978 CONTACT THERMOSTAT 45°C 230V**



MORICE DE0670

## Contactors

**3454005 CONTACTOR ABB A16-30-10**  
 17A 400V 7.5Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



MORICE DE0209

**3446222 CONTACTOR SIEMENS MINI 3TG1010-0AL2**  
 8.4A 400V 4Kw - coil 230V 50/60Hz  
 4 normally open contacts



MORICE DE0140

## Drip trays for kitchens and ovens

**3311058 BURNER DRIP TRAY**  
 external size 300x330 mm  
 6000 Kcal  
 for Pot stove gas (MORICE)



MORICE DV8240-1

**3311059 BURNER DRIP TRAY**  
 external size 330x440 mm  
 10000 Kcal  
 for Pot stove gas (MORICE)



MORICE DV8241-1

MORICE DV8241/1

## Electric hot plates

**3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



MORICE PQ0781

**3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



MORICE PQ0782




Suitable for:

# MORICE




**3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



MORICE PQ0783


Suitable for:

**3311101 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Hot plate electric (MORICE) RE40010003  
for Hot plate electric (MORICE) RE40010003



MORICE PQ0784

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




MORICE 052199

**3311074 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



MORICE PQ0839

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



MORICE PQ0786

MORICE RS0963


**3311075 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



MORICE PQ0840

## Energy regulators

**3350031 ENERGY ADJUSTER**  
contact capacity 400V 7A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Boiling pan (MORICE)  
for Bratt pan (MORICE)



MORICE DE0953



## Fryer baskets and accessories

**3055545 FRYER BASKET 285x235x140 mm**  
made of chrome-plated iron  
for Fryer (MORICE) FR40640006



MORICE DM0824

**3055597 FRYER BASKET 370x235x140 mm**  
made of chrome-plated iron  
for Fryer (MORICE)



MORICE DM0825

## Fuses

**3049016 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 2A



MORICE DE0302

**3049022 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 10A



MORICE DE0839

## Gas burners

**3025651 BURNER 521x600 mm**  
made of STAINLESS steel



MORICE BU5107-01

MORICE BU5107-1

MORICE BU5313-01

MORICE BU5313-1

## Gas taps and accessories

**3348142 GAS TAP STN3R**  
with pilot flame  
fittings  $\varnothing$  3/8" M  
pin length 17 mm  
square pin 7x7 mm  
for Crêpe pan (MORICE) RE0037



MORICE RB0927

**3348143 GAS TAP 22S/0**  
complete with connections and olives  
with pilot flame  
horizontal flange  
fittings M20x1.5 mm  
thermocouple connection M9x1  
pin length 16 mm  
square pin 7x7 mm



MORICE RB1003



Suitable for:

# MORICE



Suitable for:

**3348141 GAS TAP 22S/V**  
 complete with connections and olives  
 with pilot flame  
 with vertical flange  
 fittings M20x1.5 mm  
 thermocouple connection M9x1  
 square pin 7x7 mm



MORICE RB1005

## Gas valves and accessories

**3523023 MINISIT VALVE FOR FRYER 50÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 length capillary 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 with an elbow flange  $\varnothing$  3/8"F



MORICE RB0655-1


**3523091 MINISIT VALVE FOR OVEN 70÷310°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1300 mm  
 bulb  $\varnothing$  4x75 mm  
 without cover, knob and flanges



MORICE

## Grids for kitchen

**3185215 GRILL 320x290 mm**  
 height 13 mm  
 for Pot stove (MORICE)



MORICE G19037

MORICE PQ8755

MORICE 5755-1


**3185216 PAN SUPPORT GRID 330x440 mm**  
 for Pot stove gas (MORICE)



MORICE G19036

MORICE 5756-1

**3185194 PAN SUPPORT GRID 440x330 mm**  
 for Pot stove gas (MORICE)



MORICE PQ0757

MORICE 5757-1





## Handles

- 3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



MORICE LF-3242042

## Heating elements

- 3455170 HEATING ELEMENT 1000W 230V**  
length 455 mm - width 95 mm  
height 60 mm  
for Hot plate electric (MORICE)



MORICE RS0909

- 3455125 HEATING ELEMENT 1100W 230V**  
length 325 mm - width 250 mm  
flange 80x27 mm



MORICE RS0863

MORICE RS0965

MORICE RS965

- 3455163 HEATING ELEMENT 1150W 230V**  
for DECK AND CEILING  
length 735 mm - width 128 mm  
fittings M12x1 mm  
for Oven under cooktop electric (MORICE)



MORICE RS0889

- 3455062 HEATING ELEMENT 1200W 230V**  
length 395 mm - width 60 mm  
fittings M12x1 mm  
for Grill electric (MORICE)  
for Oven under cooktop electric (MORICE)



MORICE RS0911

- 3455209 HEATING ELEMENT 1950W 230V**  
length 455 mm - width 105 mm  
fittings M12x1 mm  
for Grill electric (MORICE)  
for Lava rock grill electric (MORICE)



MORICE RS0884

MORICE RS0890

- 3455058 HEATING ELEMENT 2000W 230V**  
length 535 mm - width 100 mm  
height 75 mm  
for Grill electric (MORICE)



MORICE RS0856



Suitable for:

# MORICE



**3455063 HEATING ELEMENT 2000W 230V**  
length 385 mm - width 210 mm  
fittings M10x1 mm  
for Salamander electric (MORICE)



MORICE RS0867

**3455167 HEATING ELEMENT 2000W 230V**  
length 355 mm - width 205 mm  
overall height 70 mm - fittings M12x1 mm  
for Salamander electric (MORICE)



MORICE RS0918

**3455220 HEATING ELEMENT 2000W 400V**  
length 340 mm - width 210 mm  
height 45 mm - fittings M12x1 mm  
for Salamander electric (MORICE) SA4003



MORICE RS0920

**3455059 HEATING ELEMENT 2250W 230V**  
length 590 mm - width 110 mm  
fittings M12x1 mm  
for Grill electric (MORICE)



MORICE RS0864

**3455171 HEATING ELEMENT 2400W 230V**  
length 365 mm - width 200 mm  
height 100 mm  
for Boiling pan electric (MORICE)



MORICE RS0878

**3455199 HEATING ELEMENT 250W 230V**  
length 165 mm - wings 25x50 mm  
fittings M14x1.5 mm




MORICE

**3455092 HEATING ELEMENT 2500W 220V**  
length 475 mm - width 150 mm  
height 70 mm  
for Bratt pan electric (MORICE) 26



MORICE RS0855

**3455168 HEATING ELEMENT 2600W 230V**  
length 430 mm - width 280 mm  
fittings M12x1 mm  
operating ambient: immersion  
for Bain-marie electric (MORICE) - Series 750  
Series 900



MORICE RS0908



# MORICE



Suitable for:

**3455299 HEATING ELEMENT 500W 230V**  
length 300 mm - wings 25x50 mm  
fittings M14x1.5 mm



MORICE RS0880

Suitable for:

**3455172 HEATING ELEMENT 5500W 230V**  
length 560 mm - width 185mm  
height 40 mm  
for Bratt pan electric (MORICE)



MORICE RS0960

**3455165 HEATING ELEMENT 650W 230V**  
length 700 mm - width 80 mm  
fittings  $\varnothing$  1/4"  
operating ambient: dry



MORICE RS0922

**3455162 HEATING ELEMENT 7000W 230/400V**  
immersed length 335 mm  
flange external  $\varnothing$  72 mm  
with O-ring



MORICE RS0961

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



MORICE DM0578

**3455060 HEATING ELEMENT 800W 230V**  
length 545 mm - width 110 mm  
fittings M12x1 mm  
for Oven under cooktop electric (MORICE)



MORICE RS0888

**3455061 HEATING ELEMENT 850W 220/380V**  
length 420 mm - width 40 mm  
fittings M12x1 mm  
operating ambient: immersion  
for Bain-marie electric (MORICE)



MORICE RS0905



Suitable for:

# MORICE



Suitable for:

## Indicator lights

**3221547 GREEN INDICATOR LAMP 24V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case




MORICE

**3221544 GREEN INDICATOR LAMP 400V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case



MORICE DE0581

**3221514 INDICATOR LIGHT RED 250V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case



MORICE

**3221546 ORANGE INDICATOR LAMP 24V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case



MORICE

**3221543 ORANGE INDICATOR LAMP 400V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case



MORICE

**3221548 RED INDICATOR LAMP 24V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case



MORICE

**3221545 RED INDICATOR LAMP 400V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm  
wire connection length 190 mm  
nichel plated brass case



MORICE

## Injectors

**3500180 CONICAL GAS NOZZLE M17x1  $\varnothing$  0,90 mm**



MORICE IN0483

**3500184 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,15 mm**



MORICE IN0488



## Knobs

**3241727 BLACK KNOB**  
D shaft hole 6x4,6 mm  
for thermostat



MORICE DM1155

MORICE DM1155-1

**3241728 BLACK KNOB**  
square hole 7x7 mm  
for GAS TAP



MORICE DM1155-2

MORICE DM1155/2

**3241733 BLACK KNOB  $\varnothing$  73 mm**  
square hole 7x7 mm  
for GAS TAP



MORICE DM1152

MORICE DM1152-1

## Lamp receptacles and spare parts


**3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V**  
lamp glass  $\varnothing$  53 mm  
mounting hole  $\varnothing$  36 mm  
max temperature 300°C



MORICE

## Lava rock grids

**3185197 CAST IRON GRILL 430x365 mm**  
for Lava rock grill gas (MORICE)



MORICE DI0401

MORICE GI0401



Suitable for:

# MORICE



Suitable for:

## Lavarock

- 3310009 CERAMIC TILES PACKAGE 40 PCS**  
40 tiles  
for Grill (MORICE)



MORICE DM0850-1

## Level regulators

- 3351088 LEVEL REGULATOR 230V**  
temporized - model C2AICNRVA1FLT



MORICE DE0960

## Motors

- 3240512 MOTOR WITH FAN 32W 230V 50Hz 0,27A**  
TYPE R2K150-AC01-15  
fan  $\varnothing$  150 mm



MORICE DE0684

## OR and ORM gaskets

- 3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



MORICE DM0578

## Pilot burners and accessories

- 3020416 LPG NOZZLE FOR PILOT BURNER**  
fitting F5x7.5 mm



MORICE DM1186

- 3020417 NATURAL GAS NOZZLE FOR PILOT BURNER**  
fitting F5x7.5 mm



MORICE DM1185

Suitable for:

**3020428 PILOT BURNER LPG**  
with protection  
with nozzle  $\varnothing$  0.148 mm



MORICE DM1159

Suitable for:

**3020427 PILOT BURNER NATURAL GAS**  
with protection  
with nozzle  $\varnothing$  0.25 mm




MORICE DM1158

**3020403 PILOT BURNER 6CH14-6 3 FLAMES**  
with LPG and NATURAL GAS nozzles



MORICE DM1164


**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



MORICE RB0664


## Rotary switches

**3057027 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
rear hole for thermostat




MORICE DE0197

**3057254 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Bain-marie electric (MORICE)  
Series 900  
for Fryer electric (MORICE)  
Series 900  
for Pasta cooker electric (MORICE)  
Series 900




MORICE DE0204

**3057306 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



MORICE DE0205

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



MORICE DE0785




Suitable for:

# MORICE



Suitable for:

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



MORICE DE0781

## Solenoid valves

**3120408 SOLENOID VALVE 230V  $\varnothing$  13.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 1 outlet  $\varnothing$  13.5 mm



MORICE DE0290

## Switches

**3319504 BLACK 3 POLES PUSH-BUTTON 6A 250V**  
for IGNITER  
with cap  
mounting hole 25x15 mm



MORICE DE0040-1

**3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V**  
1 contact NO



MORICE DE1108

**3319505 ON-OFF PLUG WITH SWITCH 10A 250V**  
built-in plug  
mounting hole 27x42 mm



MORICE DE0206

MORICE DE0836

**3319508 SINGLE-POLE LEVER SWITCH 15A 250V**  
with plate  
threaded coupling  $\varnothing$  12 mm  
ON-OFF function



MORICE DE0206(250V)

**3319509 START-STOP SWITCH CASE**



MORICE DE1091

**3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V**  
1 contact NO



MORICE DE1108



Suitable for:

Suitable for:

**3319362 SWITCH 2-POLE GREEN 16A 250V**  
 16(4)A 250V - with indicator lamp  
 silk-screen printing 0 - I  
 max temperature 120°C  
 mounting hole 22x30 mm



MORICE DE3055

## Thermocouples and accessories

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



MORICE RB0712

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



MORICE RB0712

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



MORICE RB0712

## Thermostats

**3241870 RING NUT  $\varnothing$  52 mm**  
 chrome plated metal  
 for EGO thermostate knob



MORICE

**3444974 SINGLE-PHASE THERMOSTAT 100-615°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



MORICE DE0254



Suitable for:

# MORICE




**3444903 SINGLE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M9x1  
 for Fryer (MORICE)



MORICE TH1120

**3444970 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 1800 mm  
 bulb  $\varnothing$  6x75 mm - with adapter nipple bland M9x1  
 with complete tank joint M12x1



MORICE TH0108

**3444510 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  6x138 mm - w/ stuffing gland fitting M9x1  
 with complete tank sealing fitting M12x1



MORICE TH1081

**3444973 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm  
 bulb  $\varnothing$  3.1x205 mm




MORICE TH0111

**3444964 SINGLE-PHASE THERMOSTAT 60°C**  
 with automatic reset  
 capillary length 1800 mm - 16A 250V  
 bulb  $\varnothing$  6x135 mm



MORICE TH1123

**3744068 SINGLE-PHASE THERMOSTAT 60-200°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1  
 with complete tank joint M12x1  
 for Fryer (MORICE)



MORICE FT4040


**3444900 SINGLE-PHASE THERMOSTAT 85-175°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x130 mm - with adapter nipple band  
 for Fryer electric (MORICE)  
 FT4040  
 for Fryer (MORICE) FT4033



MORICE TH1112

MORICE TH112

**3744062 THREE-PHASE THERMOSTAT 100-350°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1470 mm - 16A 400V  
 bulb  $\varnothing$  6x75 mm  
 for Bain-marie (MORICE)  
 for Boiling pan (MORICE)  
 for Fry top (MORICE)  
 for Oven under cooktop (MORICE)  
 for Bratt pan (MORICE) ST4020




MORICE TH1088



Suitable for:

### 3444972 THREE-PHASE THERMOSTAT 240°C

with manual reset  
capillary length 2300 mm  
bulb  $\varnothing$  6x88 mm




MORICE TH1087

Suitable for:

### 3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



MORICE TH1084

### 3444694 THREE-PHASE THERMOSTAT 50-300°C


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm



MORICE TH1086

### 3444594 THREE-PHASE THERMOSTAT 65-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1




MORICE TH1079

## Timers

### 3446149 TIMER 15 MINUTES S43V

mechanical timer with sound alarm  
manual winding cycle 15 minutes  
complete with screenprinted plate and knob  
size  $\varnothing$  60x27 mm



MORICE DE0659

### 3446154 TIMER 60 MINUTES S43V

mechanical timer with sound alarm  
manual winding cycle 60 minutes  
complete with screenprinted plate and knob  
size  $\varnothing$  60x27 mm



MORICE DE0656

## Wire pan supports

### 3120384 REDUCER MOKA 167x167 mm

for Pot stove gas (MORICE) RE0007-1 - RE0007-2  
RE0045-1 - RE0046-1 - RE0047-1 - RE0048-1




















MORICE PQ-0758

MORICE PQ5758-1

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)