




Spare parts for:

## Cooking equipment



Suitable for:

# NUOVA SIMONELLI



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

Suitable for:

## Ball valves and accessories

**3526699 BALL VALVE  $\varnothing$  1/4" MF**



NUOVA SIMONELLI 0900008

NUOVA SIMONELLI 0900018

**3526704 BALLCOCK VALVE  $\varnothing$  3/8"MF**



NUOVA SIMONELLI 0900016


## Bearings

**1199062 BEARING 6001 ZZ NSK**  
external  $\varnothing$  28mm - internal  $\varnothing$  12mm - thickness 8mm



NUOVA SIMONELLI 17010034

**1063005 BEARING 6201 DDU NSK**  
external  $\varnothing$  32mm - internal  $\varnothing$  12mm - thickness 10mm



NUOVA SIMONELLI 15100044

**3063005 BEARING 6202 DDU NSK**  
external  $\varnothing$  35mm - internal  $\varnothing$  15mm - thickness 11mm



NUOVA SIMONELLI 15010034

NUOVA SIMONELLI 15100086

**3063120 BEARING 6202 2RSH SKF**  
external  $\varnothing$  35mm - internal  $\varnothing$  15mm - thickness 11mm



NUOVA SIMONELLI 15010034

NUOVA SIMONELLI 15100086

## Capacitors, electrical

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI 04000043

NUOVA SIMONELLI 15050009

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI 15010033

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI 15050002

NUOVA SIMONELLI 15050023

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and EEC 92/31 regulat



NUOVA SIMONELLI

Suitable for:

**3068010 CAPACITOR  $\mu\text{F}$  6.3 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



NUOVA SIMONELLI 04000010

Suitable for:

**3068014 CAPACITOR  $\mu\text{F}$  8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI

## Circlips

**1250023 RADIAL SEEGER RING  $\varnothing$  5 mm**  
stainless steel - external  $\varnothing$  11.3 - thickness 0.7  
UNI 7434 - DIN 6799



NUOVA SIMONELLI 08000015

## Clamps

**3449404 DOUBLE-WIRE CLAMP 8.8-9.3 - 100 PCS**  
for hoses  $\varnothing$  8.8÷9.3 mm



NUOVA SIMONELLI 08000003

## Contactors

**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



NUOVA SIMONELLI 04200019

## Fittings

**3349317 ELBOW FITTING 1/4" M  $\varnothing$  6/4 NICKEL**



NUOVA SIMONELLI 07300361

**3349314 ELBOW FITTING 1/8" M  $\varnothing$  6/4 NICKEL**



NUOVA SIMONELLI 07300375



Suitable for:

**3349342 NICHEL-PL.HOSE-END FITTING  $\varnothing$  1/4" M  $\varnothing$  7**



NUOVA SIMONELLI

Suitable for:

**3349340 NICHEL-PL.T-FITTING  $\varnothing$  1/4" M-1/4" M-1/4" M**



NUOVA SIMONELLI 07300051

**3349355 NICHEL-PL.T-FITTING  $\varnothing$  1/8" F-1/8" F-1/8" F**



NUOVA SIMONELLI 07300718

**3349302 STRAIGHT FITT. 1/4" M  $\varnothing$  6/4 NICKEL-PLATED**



NUOVA SIMONELLI 07300362

**3349306 STRAIGHT FITT. 1/8" F  $\varnothing$  6/4 NICKEL-PLATED**



NUOVA SIMONELLI 07300376

**3349301 STRAIGHT FITT. 1/8" M  $\varnothing$  6/4 NICKEL-PLATED**



NUOVA SIMONELLI 07300364

## Fuses

**3049070 QUICK ACTING FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 4A



NUOVA SIMONELLI 16300112

**3049033 QUICK ACTING FUSE  $\varnothing$  6.3x32 mm - 10 PCS**  
500V 6.3A



NUOVA SIMONELLI 18010958

## Gas valves and accessories

**3523001 VALVE M1  $\varnothing$  1/8" MF**  
inlet  $\varnothing$  1/8" M - outlet  $\varnothing$  1/8" M  
thermocouple connection M8x1  
maximum gas inlet pressure 150 mbar  
room temperature 0-80°C  
with thread under the button for ring nut



NUOVA SIMONELLI

## Gaskets and seals

**3186010 ASBESTOS FREE FLAT GASKET  $\varnothing$  54x42x2 mm**



NUOVA SIMONELLI 18010760

**1186409 FLAT PTFE GASKET  $\varnothing$  68x55x3 mm  
for heating element**



NUOVA SIMONELLI 02060015

## Heating elements

**3755022 HEATING ELEMENT 1150W 240V BOTTOM  
length 190 mm - width 310 mm**



NUOVA SIMONELLI 15320004

**3355308 HEATING ELEMENT 700W 230V TOP  
length 185 mm - width 180 mm  
complete with cables**



NUOVA SIMONELLI 15320001

**3755024 HEATING ELEMENT 850W 240V BOTTOM  
length 180 mm - width 175 mm  
with cables**



NUOVA SIMONELLI 15320002

**3755021 HEATING ELEMENT 875W 240V TOP  
length 190 mm - width 310 mm**



NUOVA SIMONELLI 15320003

## Hydraulic piping

**1449682 SILICONE HOSE  $\varnothing$  5x8 SHORE 60 - 10 m  
alimentary**



NUOVA SIMONELLI 11600002

## Indicator lights

**3221162 GREEN LAMP RECEPTACLE  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm**



NUOVA SIMONELLI 18010610

**3221013 INDICATOR LAMP RED 230V  
mounting hole 30x22 mm - 125°C  
universal application**




NUOVA SIMONELLI 04200012





Suitable for:

**1221007 INDICATOR LIGHT RED 230V**  
ø head 20 mm - ø hole 10 mm  
wire connection length 200 mm



NUOVA SIMONELLI 15080006

Suitable for:

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head ø 8 mm - 120°C



NUOVA SIMONELLI 18010606

**3221163 ORANGE LAMP RECEPTACLE**  
head ø 15 mm - hole ø 10 mm



NUOVA SIMONELLI 18010611


**3221960 WHITE INDICATOR LAMP 230V**  
mounting hole 30x22 mm - 125°C



NUOVA SIMONELLI 15320011

## Interference suppression filters

**3160099 INTERFERENCE SUPPRES. FILTER F3CF71112**  
0.47µF



NUOVA SIMONELLI 18010415

## Ironmongery (screws,nuts,washers)

**3528183 CYLINDER HEAD SCREW M4x40**  
stainless steel - cross recessed  
UNI 7687 - DIN 7985 - ISO 7045



NUOVA SIMONELLI 00000042

NUOVA SIMONELLI 00000132

**3528134 HEXAGONAL NUT HIGH M4**  
stainless steel - UNI 5587 - ISO 4033



NUOVA SIMONELLI 00000054

**3528137 HEXAGONAL NUT HIGH M8**  
stainless steel - UNI 5587 - ISO 4033



NUOVA SIMONELLI 00000056

**1528030 MID HEXAGONAL NUT M6**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



NUOVA SIMONELLI

Suitable for:

**1349504 NUT  $\varnothing$  1/2" KEY 25x6 mm**



NUOVA SIMONELLI 00300032

Suitable for:


**3523086 NUT  $\varnothing$  3/4"**



NUOVA SIMONELLI 18010648

## Knobs

**3241331 BLACK KNOB  $\varnothing$  45 mm**  
D-shaped hole 6x4.6 mm



NUOVA SIMONELLI 15320006

## Microswitches

**3240123 MICROSWITCH 16A 250V**



NUOVA SIMONELLI 15000041

NUOVA SIMONELLI 15020003

## OR and ORM gaskets

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



NUOVA SIMONELLI 18010746

**1186411 O-RING 02031 EPDM**



NUOVA SIMONELLI 02280001

**3160040 O-RING 03168 EPDM**



NUOVA SIMONELLI 18010035

**3186860 OR GASKET 03056 EPDM**  
EX OR 0118



NUOVA SIMONELLI 18010208




Suitable for:

Suitable for:

## Relays

**3351154 BASE OCTAL ES8 10A 400V**  
8 poles



NUOVA SIMONELLI 09000011

**3351007 POWER RELAY FINDER 55.32.8.230.0040**  
230V 50/60Hz  
2 exchange contacts 10A  
with to test push-button + mechanic gauge



NUOVA SIMONELLI 15010055

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



NUOVA SIMONELLI 04200046

## Solenoid valves

**3120033 COIL PARKER ZB09 9W 24V 50/60Hz**  
width 34 mm - height 33 mm  
depth 43.5 mm



NUOVA SIMONELLI

**3120034 FEMALE LARGE CONNECTOR**  
for coils




NUOVA SIMONELLI

**3120014 SOLENOID VALVE 264 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet  $\varnothing$  10 mm



NUOVA SIMONELLI 18010079

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



NUOVA SIMONELLI 18010938

**3120505 SOLENOID VALVE 329 24V  $\varnothing$  10 mm**  
solenoid valve 180° - 24V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



NUOVA SIMONELLI 18010751

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



NUOVA SIMONELLI 18010078



Suitable for:

Suitable for:

**1120310 2-WAY SOLENOID VALVE SIRAI 230V 50Hz**  
 L121V02 - connections  $\varnothing$  1/4"FF - max 20 bar  
 VITON seal - orifice  $\varnothing$  2.5 mm  
 coil ZA30A 9W 230V 50Hz 14VA



NUOVA SIMONELLI 04100012

## Springs

**3250029 LEFTHAND SPRING  $\varnothing$  20x40 mm**  
 for PLATE PS24-36-PD50  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99  
 for SIRMAN ELECTRIC PLATE PD ECO since 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99  
 for SIRMAN ELECTRIC PLATE PD POWER since 99



NUOVA SIMONELLI 15320007

NUOVA SIMONELLI 15320066

NUOVA SIMONELLI 15320072

**3250001 LEFTHAND SPRING  $\varnothing$  20x42 mm**  
 for ELECTRIC PLATE all models  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



NUOVA SIMONELLI 15320007

**3250028 RIGHTHAND SPRING  $\varnothing$  20x40 mm**  
 for PLATE PS24-36-PD50  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99  
 for SIRMAN ELECTRIC PLATE PD ECO since 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99  
 for SIRMAN ELECTRIC PLATE PD POWER since 99



NUOVA SIMONELLI 15320008

NUOVA SIMONELLI 15320067

**3250002 RIGHTHAND SPRING  $\varnothing$  20x42 mm**  
 for ELECTRIC PLATE all models  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



NUOVA SIMONELLI 15320008

## Switches

**3319030 CHANGEOVER SWITCH 2 POLE GREEN 16A 250V**  
 16(4)A 250V - with indicator lamp  
 max. temperature 120°C  
 mounting hole 22x30 mm



NUOVA SIMONELLI 18010053

**3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V**  
 1 contact NO



NUOVA SIMONELLI 18010774



Suitable for:

**3319948 RED BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
max temperature 120°C  
mounting hole  $\varnothing$  25 mm



NUOVA SIMONELLI 04200039


Suitable for:

**3319468 SWITCH 1-POLE BLACK 16A 250V**  
16(4)A 250V  
silk-screen printing 0 - I  
max. temperature 120°C  
mounting hole 11x30 mm



NUOVA SIMONELLI 16300121

**3319154 SWITCH 2-POLE BLACK 16A 250V**  
16(4)A 250V - with push-button cap  
silk-screen printing 0 - I  
max. temperature 120°C  
mounting hole 22x30 mm



NUOVA SIMONELLI 16200027


NUOVA SIMONELLI 16300119

**3319934 SWITCH 2-POLE ORANGE 16A 250V**  
16(4)A 250V - with indicator lamp  
silk-screen printing 0 - I  
max. temperature 120°C  
mounting hole 22x30 mm



NUOVA SIMONELLI 15010045

**3319420 SWITCH 2-POLE RED 16A 250V**  
with indicator lamp  
mounting hole 22x27 mm



NUOVA SIMONELLI 04200030

**3319019 SWITCH 2-POLE RED 16A 250V**  
16(4)A 250V - with indicator lamp  
max. temperature 120°C  
mounting hole 22x30 mm



NUOVA SIMONELLI 04200011

## Telethermometers

**3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C**  
plastic case  
capillary length 1500 mm  
bulb  $\varnothing$  6x15 mm



NUOVA SIMONELLI 18010767

## Terminal blocks

### 3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



NUOVA SIMONELLI 04000310

## Thermocouples and accessories

### 3440051 THERMOCOUPLE SIT M8x1 32 cm .THREAD M8x1



NUOVA SIMONELLI 09600013

## Thermostats

### 3444008 KNOB BLACK Ø 41 mm 0-90°C


D-shaped hole 6x4.6 mm  
for thermostat IMIT



NUOVA SIMONELLI 18010388

### 3444514 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin Ø 6x4.6 mm  
capillary length 900 mm - 16A 240V  
bulb Ø 4x100 mm



NUOVA SIMONELLI 15320005

## Timers

### 3446100 MECHANICAL TIMER 15 MINUTES

manually set mechanical timer  
manually set cycle 15 minutes  
max temperature 125°C  
D-shaped pin Ø 6x4.6 mm



NUOVA SIMONELLI



Suitable for:

Suitable for:

## Tools

3394272 PLATES BRUSH 240 mm


















NUOVA SIMONELLI 15320044

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)