



Spare parts for:

## Cooking equipment



Suitable for:

# OFFCAR



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:


# OFFCAR



Suitable for:


## Burners, flame spreaders and accessories

**3025439 BURNER  $\varnothing$  115 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 827351

**3025441 BURNER  $\varnothing$  135 mm**  
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 827357

OFFCAR 827357/1

**3025436 BURNER  $\varnothing$  90 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900




OFFCAR 827345

**3025438 FLAME SPREADER  $\varnothing$  115 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 828131


**3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm**  
for burner  $\varnothing$  115 mm  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 4550505

OFFCAR 831837

**3025439 BURNER  $\varnothing$  115 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 827351

**3025437 FLAME SPREADER SUPPORT 90-115 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 827661

**3025440 FLAME SPREADER  $\varnothing$  135 mm**  
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 828137

OFFCAR 828137/1

**3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm**  
for burner  $\varnothing$  135 mm  
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 4550511

OFFCAR 831847



Suitable for:

**3025441 BURNER  $\varnothing$  135 mm**  
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 827357

OFFCAR 827357/1

## OFFCAR



Suitable for:

**3025442 FLAME SPREADER SUPPORT 135 mm**  
for Pot stove gas (OFFCAR) - Series 900




OFFCAR 827665

**3025435 FLAME SPREADER  $\varnothing$  90 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900




OFFCAR 828125

**3025436 BURNER  $\varnothing$  90 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 827345

**3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm**  
for burner  $\varnothing$  90 mm  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 4550501

OFFCAR 831841

**3025437 FLAME SPREADER SUPPORT 90-115 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 827661

**3025442 FLAME SPREADER SUPPORT 135 mm**  
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 827665

**3025437 FLAME SPREADER SUPPORT 90-115 mm**  
for Pot stove gas (OFFCAR) - Series 700  
Series 900



OFFCAR 827661

## Cables for piezo igniters

**3001002 IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



OFFCAR 835901

**3001018 IGNITION LEAD 600 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



OFFCAR 835909



Suitable for:


# OFFCAR



Suitable for:

## Contactors

**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



OFFCAR FX-40100023

**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



OFFCAR 862329

## Cooking baskets and accessories


**5037715 FALSE BOTTOM 480x295x85 mm**  
made of STAINLESS steel  
for Pasta cooker electric (OFFCAR)  
for Pasta cooker gas (OFFCAR)



OFFCAR 831681

## Electric hot plates

**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



OFFCAR 843412

**3311053 ELECTRIC HOT PLATE 2600W 230V**  
dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



OFFCAR 846405

**3311062 ELECTRIC HOT PLATE 3000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



OFFCAR 843401

**3311063 ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



OFFCAR 843407



## Fryer baskets and accessories

**3055436 FRYER BASKET 310x115x120 mm**  
made of chrome plated iron  
for Fryer (OFFCAR)



OFFCAR 863072

**3055438 FRYER BASKET 310x145x120 mm**  
made of chrome plated iron  
for Fryer (OFFCAR)



OFFCAR 863066

## Gas burners

**3023251 BURNER  $\varnothing$  120x340 mm**  
height 100 mm  
made of STAINLESS steel  
for Solid top range gas (OFFCAR) - Series 700  
Series 900



OFFCAR 827981

**3023256 BURNER  $\varnothing$  40x505 mm**  
overall length 520 mm  
made of STAINLESS steel  
for Fry top gas (OFFCAR) - Series 900



OFFCAR 841261

OFFCAR 841265

**3023249 BURNER  $\varnothing$  50x500 mm**  
overall length 565 mm  
made of STAINLESS steel




OFFCAR 841211

**3023235 BURNER 450x220 mm**  
made of stainless steel



OFFCAR 865851

**3023144 BURNER 575x225 mm**  
made of stainless steel



OFFCAR 865861



Suitable for:

# OFFCAR



Suitable for:

## Gas taps and accessories

**3348016 GAS TAP 21S**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 with flow regulator  
 thermocouple connection M9x1 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



OFFCAR 401101

**3348002 GAS TAP 22S/O**  
 with pilot flame  
 with horizontal flange  
 fittings  $\varnothing$  M20x1.5mm  
 with flow regulator  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm



OFFCAR 401151

**3348011 GAS TAP 23S/O**  
 with pilot flame  
 with horizontal flange  
 inlet fitting M28x1.5mm  
 outlet connection M24x1.5mm  
 with flow regulator  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm



OFFCAR FX-3010003

**5063584 TAP GAS 21S**  
 with flame PILOT  
 flange connection hose  $\varnothing$  21 mm  
 outlet fitting M16x1.5 mm  
 thermocouple connection M9x1mm  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Grill gas (OFFCAR) - Series 700 - Series 900  
 for Lava rock grill gas (OFFCAR) - Series 700  
 Series 900  
 for Pasta cooker gas (OFFCAR) - Series 700  
 Series 900  
 for Pot stove gas (OFFCAR) - Series 700  
 Series 900  
 for Solid top range gas (OFFCAR) - Series 700  
 Series 900



OFFCAR 401121

## Gas valves and accessories

**3526130 EUROSIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm



OFFCAR FX-3010080

**3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



OFFCAR 835721





# OFFCAR



Suitable for:

**3523041 MINISIT SENSING ELEMENT 100÷340°C**  
capillary length 1800 mm  
bulb ø 5x70 mm



OFFCAR 837111

Suitable for:

**3523051 MINISIT SENSING ELEMENT 110÷190°C**  
capillary length 1050 mm  
bulb ø 6x105 mm



OFFCAR 863801

**3523949 MINISIT VALVE FOR FRYER 110÷190°C**  
inlet ø 1/2"F - outlet ø 3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb ø 6x105 mm  
supplied without lid knob and flanges



OFFCAR 863811


**3523932 MINISIT VALVE FOR OVEN 100÷340°C**  
inlet ø 1/2"F - outlet ø 3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
stainless steel capillary length 1050 mm  
bulb ø 4x72 mm  
without cover, knob and flanges



OFFCAR 863701

## Gaskets for oven door

**3786004 OVEN DOOR GASKET 570x290 mm**  
complete with frame  
made of silicone elastomer - 3 sides  
profile dimensions 12.7x11.4 mm  
COLOUR BLACK  
for Oven under cooktop (OFFCAR)



OFFCAR 844453

OFFCAR 844491

## Grids for kitchen

**5065824 GRID 340x280 mm**  
for Pot stove (OFFCAR)



OFFCAR 825708



Suitable for:

# OFFCAR



Suitable for:

## Heating elements

**5065717 HEATING ELEMENT ANGLED 3500W 400V**  
 length 180 mm - width 240 mm  
 height 160 mm - complete with cables  
 for Pasta cooker electric (OFFCAR) 7CPE30A



OFFCAR 843861

**3755856 HEATING ELEMENT 10200W 230/400V**  
 length 300 mm - width 180 mm  
 coupling M54x1.5 mm - complete with cables  
 complete with OR gaskets



OFFCAR 862029

**3186697 O-RING 0159 EPDM**



OFFCAR 862053

**3186601 O-RING 04200 EPDM**



OFFCAR 862051

**3755652 RING NUT 1-3/4" FOR HEATING ELEMENT**



OFFCAR 862047

**3755661 HEATING ELEMENT 15000W 230V**  
 length 300 mm - width 285 mm  
 connection M54x1.5 mm - complete with cables  
 complete with OR gaskets  
 with two holes per bulb  
 for Fryer electric (OFFCAR) - Series 700  
 Series 900



OFFCAR 862021

**3186697 O-RING 0159 EPDM**



OFFCAR 862053

**3186601 O-RING 04200 EPDM**



OFFCAR 862051

**3755652 RING NUT 1-3/4" FOR HEATING ELEMENT**



OFFCAR 862047





# OFFCAR



Suitable for:

**3755819 HEATING ELEMENT 1600W 230V**  
length 360 mm - width 70 mm  
height 70 mm  
for Fry top electric (OFFCAR) - Series 700



OFFCAR 843627

Suitable for:

**3755817 HEATING ELEMENT 1800W 230V**  
length 555 mm - width 450 mm  
flange 160x22 mm  
for Oven under cooktop electric (OFFCAR)  
Series 700




OFFCAR 843641

**3755818 HEATING ELEMENT 2000W 230V**  
length 510 mm - width 80 mm  
height 70 mm  
for Fry top electric (OFFCAR) - Series 900



OFFCAR 843629

**3755816 HEATING ELEMENT 2750W 230V**  
length 575 - width 615 mm  
flange 160x22 mm  
for Oven under cooktop electric (OFFCAR)  
Series 900



OFFCAR 843645

**5023656 HEATING ELEMENT 2900W 230V**  
length 305 mm - width 215 mm  
height 90 mm



OFFCAR FX-4040082

**3755489 HEATING ELEMENT 6800W 230V**  
length 300 mm - width 110 mm  
connection M54x1.5 mm - with cables  
with O-rings



OFFCAR 862033

**3186697 O-RING 0159 EPDM**



OFFCAR 862053

**3186601 O-RING 04200 EPDM**



OFFCAR 862051

**3755652 RING NUT 1-3/4" FOR HEATING ELEMENT**



OFFCAR 862047



Suitable for:

**3755652 RING NUT 1-3/4" FOR HEATING ELEMENT**



OFFCAR 862047

# OFFCAR



Suitable for:

**3755870 SILICONE HEATING ELEMENT 1090W 230V**

length 460 mm - width 250 mm  
complete with thermostat 110°C with automatic reset  
operating ambient: dry  
for Bain-marie electric (OFFCAR) - Series 700



OFFCAR 843613

**3755881 SILICONE HEATING ELEMENT 1480W 230V**

length 500 mm - width 290 mm  
complete with thermostat 110°C automatic reset  
operating ambient: dry  
for Bain-marie electric (OFFCAR) - Series 900



OFFCAR 843611

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**


distance between holes 95 mm - overall length 118  
height 23 mm



OFFCAR 844589

**3053007 LEFTHAND DOOR HINGE FOR OVEN**

distance between holes 175 mm - overall length 205  
height 160 mm



OFFCAR 844583

**3053003 DOOR HINGE ROLL HOLDER**

distance between holes 95 mm - overall length 118  
height 23 mm



OFFCAR 844589

Suitable for:

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
 distance between holes 175 mm - overall length 205  
 height 160 mm



OFFCAR 844581

Suitable for:

**3053003 DOOR HINGE ROLL HOLDER**  
 distance between holes 95 mm - overall length 118  
 height 23 mm



OFFCAR 844589

## Hydraulic piping

**5058653 HOSE RUBBER REINFORCED  $\varnothing$  32/40 mm 680 mm**  
 internal  $\varnothing$  32 mm - external  $\varnothing$  40 mm  
 for Pasta cooker electric (OFFCAR)  
 for Pasta cooker gas (OFFCAR)



OFFCAR 4597001

## Ignitors

**3001007 PIEZO IGNITER**  
 a  $\varnothing$  22 mm hole is needed for the assembly  
 2.4 mm  $\varnothing$  male faston connector



OFFCAR 835733

## Indicator lights

**3221008 GREEN LAMP RECEPTACLE**  
 head  $\varnothing$  15 mm - hole  $\varnothing$  12.5 mm  
 universal application



OFFCAR 862333

**3221097 NEUTRAL INDICATOR LAMP 220V**  
 head  $\varnothing$  8 mm - 120°C



OFFCAR 862337



Suitable for:

**3221194 GREEN NEON INDICATOR LAMP 220V**  
ø head 9 mm



OFFCAR 862331

**3221014 INDICATOR LAMP ORANGE 230V**  
mounting hole 30x22 mm - 125°C  
universal application



OFFCAR 849457

**3221358 WHITE LAMP RECEPTACLE**  
head ø 16 mm - hole ø 13 mm



OFFCAR 862339

# OFFCAR



Suitable for:

**3221012 INDICATOR LAMP GREEN 230V**  
mounting hole 30x22 mm - 125°C  
universal application



OFFCAR 849461

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head ø 8 mm - 120°C



OFFCAR 862337

## Injectors

**3500024 GAS JET M10x1 ø 1.15 mm**



OFFCAR 829231

**3500028 GAS JET M10x1 ø 1.45 mm**



OFFCAR 829327

**3500045 GAS JET M9x1 ø 1.20 mm**



OFFCAR 862951

**3500296 GAS NOZZLE M10x1 ø 1,90 mm**



OFFCAR 8293579




## Knobs

**3241591 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shape hole 8x6.5 mm  
for Pot stove (OFFCAR) - Series 700 - Series 900



OFFCAR 401405

**3241613 BLACK KNOB  $\varnothing$  70 mm 0-1**  
D shaft hole 6x4.6 mm  
for Fryer (OFFCAR) - Series 700 - Series 900



OFFCAR 401469

**3241590 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3-4-5-6**  
D shaft hole 6x4.6 mm  
for Pot stove (OFFCAR) - Series 700 - Series 900



OFFCAR 401441

**3241587 BLACK KNOB  $\varnothing$  70 mm 1-2-3-4-5-6-7-8**  
D shape hole 8x6.5 mm  
for Fry top (OFFCAR) - Series 700




OFFCAR 401415

**3241589 BLACK KNOB  $\varnothing$  70 mm 1-2-3-4-5-6-7-8**  
D shaft hole 10x8 mm  
for Fry top (OFFCAR) - Series 900



OFFCAR 401411

**3241614 BLACK KNOB  $\varnothing$  70 mm 140-200°C**  
D shaft hole 6x4.6 mm  
for Fryer (OFFCAR) - Series 700 - Series 900



OFFCAR 401461

**3241588 BLACK KNOB  $\varnothing$  70 mm 50-300°C**  
D shaft hole 6x4.6 mm  
for Fry top (OFFCAR) - Series 700 - Series 900  
for Oven under cooktop (OFFCAR) - Series 700 Series 900



OFFCAR 401421

**5052541 KNOB BLACK  $\varnothing$  48 mm**  
ribbed round hole  $\varnothing$  7 mm  
for Pasta cooker electric (OFFCAR)  
for Pasta cooker gas (OFFCAR)




OFFCAR 401683

OFFCAR 833485

## Lava rock grids

**5054085 GRID STAINLESS STEEL 390x300x20 mm**  
for Lava rock grill (OFFCAR)



OFFCAR 865081

**505621 GRID STAINLESS STEEL 540x320x20 mm**  
for Lava rock grill (OFFCAR) 8GLG40 - 8TGG40



OFFCAR 865093



Suitable for:

# OFFCAR



Suitable for:

## Magnet groups

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 ø head 15 mm - ø end 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



OFFCAR 835337

**3182003 MAGNETIC UNIT SIT**  
 ø head 25 mm - ø end 17 mm - length 56 mm  
 for valve SIT AC2 - VR8-MINISIT



OFFCAR 837119

## Microswitches

**3240820 MICROSWITCH 16A 250V**



OFFCAR 862311

## OR and ORM gaskets

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**



OFFCAR FX-10500100

**3186697 O-RING 0159 EPDM**



OFFCAR 862053

**3186601 O-RING 04200 EPDM**



OFFCAR 862051

## Pilot burners and accessories

**3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm**  
 for burner ø 90 mm  
 for Pot stove gas (OFFCAR) - Series 700  
 Series 900



OFFCAR 4550501

OFFCAR 831841

**3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm**  
 for burner ø 115 mm  
 for Pot stove gas (OFFCAR) - Series 700  
 Series 900



OFFCAR 4550505

OFFCAR 831837



Suitable for:

Suitable for:

**3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm**  
for burner  $\varnothing$  135 mm  
for Pot stove gas (OFFCAR) - Series 900



OFFCAR 4550511

OFFCAR 831847

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket



OFFCAR 837201

OFFCAR 865881

OFFCAR 899969

**3020054 PILOT JET  $\varnothing$  0.20 mm**



OFFCAR 837297

OFFCAR 863955

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



OFFCAR 835911


**3020054 PILOT JET  $\varnothing$  0.20 mm**



OFFCAR 837297

OFFCAR 863955

**3020269 THREE-FLAME PILOT BURNER**  
withour sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple fitting  
with sparking plug fitting



OFFCAR 863981

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



OFFCAR 835911



Suitable for:

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



OFFCAR 837221

Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



OFFCAR 837297

OFFCAR 863955

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



OFFCAR 835911

**3020038 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



OFFCAR 898969

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



OFFCAR 835911


## Rotary switches

**3057050 CONNECTING BRACKET 28x21x16 mm**  
distance between hooking brackets 27 mm  
for the connection between selector switch and the




OFFCAR 843753

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat



OFFCAR 843746

**3057082 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft 6x4.6 mm  
for Fryer (OFFCAR) - Series 700 - Series 900



OFFCAR 862317

**3057190 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 600V - max 75°C  
rectangular shaft 4x5 mm




OFFCAR 862325



Suitable for:


**3057098 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Pasta cooker electric (OFFCAR)



OFFCAR 843747

Suitable for:


**3057159 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Pasta cooker electric (OFFCAR) - Series 700  
 Series 900



OFFCAR 862305

OFFCAR 898973

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Kitchen electric (OFFCAR)  
 Series 700 - Series 900




OFFCAR FX-4010004

OFFCAR 843751

## Spark generators


**5055779 GENERATOR 2 OUTLETS**  
 battery power supply 1.5V  
 for Bratt pan gas (OFFCAR)



OFFCAR FX-4020010

OFFCAR FX-40200106

**3181010 SPARK GENERATOR 1 OUTLET**  
 1.5V battery powered



OFFCAR 835925

## Sparking and detection plugs

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M4x1 mm  
 total length 65 mm



OFFCAR 835911

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
 faston M 4x1 mm  
 overall length 82 mm  
 model CB505/021 Junkers  
 for model P502F



OFFCAR 835915



Suitable for:

# OFFCAR



Suitable for:

## Switches

**3319940 SWTCH 2-POLE GREEN 16A 250V**  
 16(4)A 250V - with indicator lamp and switch cover  
 max. temperature 120°C  
 mounting hole 22x30 mm



OFFCAR 849451

## Taps for tank refilling

**5029266 TAP WATER INLET  $\varnothing$  1/2" FF**  
 for Pasta cooker electric (OFFCAR)  
 for Pasta cooker gas (OFFCAR)



OFFCAR 833471

OFFCAR 898871

**5052541 KNOB BLACK  $\varnothing$  48 mm**  
 ribbed round hole  $\varnothing$  7 mm  
 for Pasta cooker electric (OFFCAR)  
 for Pasta cooker gas (OFFCAR)



OFFCAR 401683

OFFCAR 833485

**3356111 WATER INLET TAP  $\varnothing$  1/2" FF**



OFFCAR FX-3020008

## Terminal blocks

**3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150°C  
 nominal voltage 450 V



OFFCAR FX-4020001

OFFCAR FX-40200016




## Thermocouples and accessories

**3440104 CUT-OFF THERMOCOUPLE QUICK M9x1 60 cm**  
cut-off contact with cables 60 cm



OFFCAR 837265

**3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS**



OFFCAR 837243

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.**  
female nut M9x1



OFFCAR 837261

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



OFFCAR 837253

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



OFFCAR 837253

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



OFFCAR 837253

**3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm**



OFFCAR 837233

**3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm**



OFFCAR 837243

**3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS**



OFFCAR 837243



Suitable for:


# OFFCAR



Suitable for:


## Thermostatic gas valves

**5053600 TAP THERMOSTATIC 25ST**  
 adjustment temperature 100-300°C  
 flange connection hose  $\varnothing$  21 mm  
 outlet fitting M16x1.5 mm  
 thermocouple connection M9x1mm  
 bulb  $\varnothing$  6x100 mm  
 capillary length 1200 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Fry top gas (OFFCAR)




OFFCAR 401261

**3345006 THERMOSTATIC TAP 24ST**  
 Adjustment temperature 120-320°C  
 connections M20x1.5 mm  
 thermocouple connection M9x1  
 bulb  $\varnothing$  6x100 mm  
 capillary length 1200 mm  
 D-shaped pin  $\varnothing$  10x8 mm



OFFCAR 401201


**3345018 THERMOSTATIC TAP 25ST**  
 operating temperature 100-300°C  
 connections M16x1.5 mm  
 thermocouple connection M9x1  
 bulb  $\varnothing$  6x75 mm  
 capillary length 1200 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



OFFCAR 401251


## Thermostats

**3444239 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 capillary length covered 860 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with stuffing gland fitting M10x1  
 for Fryer (OFFCAR) - Series 700 - Series 900



OFFCAR 862133

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1



OFFCAR 862115

**5025572 TERMOSTATO THREE-PHASE 180°C**  
 manual reset  
 covered capillary length 3000 mm - 20A 400V  
 bulb  $\varnothing$  4x125 mm



OFFCAR FX-4010004

OFFCAR FX-40100041

**3444644 THREE-PHASE THERMOSTAT 135°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x89 mm  
 for Pasta cooker (OFFCAR) - Series 700  
 Series 900



OFFCAR 898979



Suitable for:

**3444307 THREE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1



OFFCAR 862123


Suitable for:

**3444354 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 capillary length coated 950 mm - 10A 400V  
 bulb  $\varnothing$  3x190 mm



OFFCAR 843737

**3444632 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 1800 mm - 20A 300V  
 bulb  $\varnothing$  4x120 mm



OFFCAR FX-4010062

**3444790 THREE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 800 mm - 10A 400V  
 bulb  $\varnothing$  4x120 mm  
 for Fry top (OFFCAR) - Series 700 - Series 900  
 for Oven under cooktop (OFFCAR) - Series 700  
 Series 900



OFFCAR 843735

## Wheels and accessories

**7102729 WHEEL  $\varnothing$  150 mm**  
 central hole  $\varnothing$  14 mm - with pin groove 24x6 mm  
 complete with folding handle




















OFFCAR FX-SMB0136

OFFCAR FX-SMB0136-00

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)