



Spare parts for:

Cooking equipment



Suitable for:

OLIS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

OLIS



Suitable for:

Air regulators

3025167 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 60 mm
for Pot stove (OLIS)



OLIS BN2510197

OLIS 2510197

3025196 AERATION REGULATOR
internal \varnothing 37 mm - external \varnothing 40 mm
height 30 mm
for Pot stove (OLIS) - Series 700



OLIS 2510140

3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm
for Pot stove (OLIS) - Series 700
for Pot stove gas (OLIS) 72/02CG - 74/02CG
76/02CG



OLIS BN2519002

OLIS 2519002

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



OLIS BN3102350

OLIS 3102350

Ball valves and accessories

3356106 DRAIN TAP \varnothing 1" F
outlet internal \varnothing 25 mm



OLIS BN6A023020

OLIS 6A023020

Ball valves and accessories

5005455 WATER INLET TAP \varnothing 1/2" FF
 hole for pin \varnothing 8 mm
 for Bain-marie electric (OLIS) - Series 1100
 Series 700
 for Bain-marie gas (OLIS) - Series 1100
 Series 700 - Series 900
 for Pasta cooker electric (OLIS) - Series 1100
 for Pasta cooker gas (OLIS) - Series 1100



OLIS BN2519004

OLIS 2519004

3241485 INLET TAP KNOB - BLUE
 square hole 7x7 mm
 for cold water



OLIS BN6A022453

OLIS 6A022453

3526693 WATER VALVE \varnothing 1" MF
 ball valve
 heavy series with PN 25 total passage
 aluminium lever



OLIS 6A023010

Burners, flame spreaders and accessories

3025283 BURNER \varnothing 105 mm
 for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510354

OLIS 2510354

3025286 BURNER \varnothing 125 mm
 for Pot stove gas (OLIS) - Series 900



OLIS BN2510357

OLIS 2510357

3025686 BURNER \varnothing 250 mm
 total height 120 mm - length 410 mm
 for Kitchen gas (OLIS) FO/GV50 - FO/GV51



OLIS BN6A031350

OLIS 6A031350

3500279 GAS NOZZLE M11x1 \varnothing 1,80 mm



OLIS BN2510489

OLIS 2510489



Suitable for:

3500287 GAS NOZZLE M11x1 ø 2,60 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510487

OLIS 2510487

OLIS



Suitable for:

3025291 BURNER ø 75 mm
for Pot stove gas (OLIS) - Series 700



OLIS BN2510600

OLIS 2510600

3025280 BURNER ø 80 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510351

OLIS 2510351

3025140 BURNER BODY ø 115 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS BN2510192

OLIS 2510192

3025142 BURNER BODY ø 125 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS BN2510194

OLIS 2510194

3025137 BURNER BODY ø 85 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS BN2510189

OLIS 2510189


3025138 BURNER CAP ø 85 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS BN2510190

OLIS 2510190

3025167 AERATION REGULATOR
internal ø 42 mm - external ø 45 mm
height 60 mm
for Pot stove (OLIS)



OLIS BN2510197

OLIS 2510197



Suitable for:

3025137 BURNER BODY \varnothing 85 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS BN2510189

OLIS 2510189

OLIS



Suitable for:

3025139 VENTURI FOR BURNER CAP 85 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS BN2510195

OLIS 2510195

3025179 BURNER RING \varnothing 90 mm



OLIS 6A042000

3025296 CAP FOR BURNER
for Pot stove gas (OLIS) - Series 700



OLIS BN2531789

OLIS 2531789

3025284 FLAME SPREADER \varnothing 105 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510355

OLIS 2510355

3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm
for Pot stove (OLIS) - Series 700
for Pot stove gas (OLIS) 72/02CG - 74/02CG
76/02CG



OLIS BN2519002

OLIS 2519002

3025283 BURNER \varnothing 105 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510354

OLIS 2510354

3025290 JET HOLDER
nozzle hole M11x1
for Pot stove gas (OLIS) - Series 700



OLIS BN6A014708

OLIS 6A014708

3025285 VENTURI F/FLAME SPREADER 105 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510353

OLIS 2510353



Suitable for:

OLIS



3025287 FLAME SPREADER \varnothing 125 mm
for Pot stove gas (OLIS) - Series 900



OLIS BN2510341

OLIS 2510341

OLIS 2510358

3025286 BURNER \varnothing 125 mm
for Pot stove gas (OLIS) - Series 900



OLIS BN2510357

OLIS 2510357

3025288 VENTURI F/FLAME SPREADER 125 mm
for Pot stove gas (OLIS) - Series 900




OLIS BN2510340

OLIS 2510340

OLIS 2510356

3025292 FLAME SPREADER \varnothing 75 mm
for Pot stove gas (OLIS) - Series 700



OLIS BN2510601

OLIS 2510601

3025291 BURNER \varnothing 75 mm
for Pot stove gas (OLIS) - Series 700



OLIS BN2510600

OLIS 2510600

3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm
for Pot stove (OLIS) - Series 700
for Pot stove gas (OLIS) 72/02CG - 74/02CG
76/02CG



OLIS BN2519002

OLIS 2519002

3025290 JET HOLDER
nozzle hole M11x1
for Pot stove gas (OLIS) - Series 700



OLIS BN6A014708

OLIS 6A014708

3025196 AERATION REGULATOR
internal \varnothing 37 mm - external \varnothing 40 mm
height 30 mm
for Pot stove (OLIS) - Series 700



OLIS 2510140

3025296 CAP FOR BURNER
for Pot stove gas (OLIS) - Series 700



OLIS BN2531789

OLIS 2531789

Suitable for:

Suitable for:

3025176 FLAME SPREADER \varnothing 80 mm



OLIS 6A042100


3025281 FLAME SPREADER \varnothing 80 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510352

OLIS 2510352


3025280 BURNER \varnothing 80 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510351

OLIS 2510351

3025282 VENTURI F/FLAME SPREADER 80 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510350

OLIS 2510350

3025290 JET HOLDER
nozzle hole M11x1
for Pot stove gas (OLIS) - Series 700



OLIS BN6A014708

OLIS 6A014708

3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm
for Pot stove (OLIS) - Series 700
for Pot stove gas (OLIS) 72/02CG - 74/02CG
76/02CG



OLIS BN2519002

OLIS 2519002

3025290 JET HOLDER
nozzle hole M11x1
for Pot stove gas (OLIS) - Series 700



OLIS BN6A014708

OLIS 6A014708

3025130 LARGE VENTURI F/FLAME SPREADER 130 mm



OLIS BN822410032



Suitable for:

OLIS



3025285 VENTURI F/FLAME SPREADER 105 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510353

OLIS 2510353

3025288 VENTURI F/FLAME SPREADER 125 mm
for Pot stove gas (OLIS) - Series 900




OLIS BN2510340

OLIS 2510340

OLIS 2510356

3025282 VENTURI F/FLAME SPREADER 80 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2510350

OLIS 2510350

3025165 VENTURI FOR BURNER CAP 115 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS 2510201

3025166 VENTURI FOR BURNER CAP 125 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS 2510202

3025139 VENTURI FOR BURNER CAP 85 mm
for old series
for Pot stove gas (OLIS) - Series 900



OLIS BN2510195

OLIS 2510195

Cables for piezo igniters

3001062 IGNITION CABLE 1500 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston terminal \varnothing 2.4 mm for plug
for Kitchen (OLIS) 72 - 72T - 74 - 74T - 76 - 76E
76EE - 76FL - 76GE - 76T
for Kitchen electric (OLIS) 74E
for Kitchen gas (OLIS) 74G - 76G



OLIS BN6A041410

OLIS 6A041410

3001038 IGNITION CABLE 500 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2.4 mm for plug



OLIS 8220190

3001042 IGNITION CABLE 700 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston terminal \varnothing 2.4 mm for plug



OLIS BN2510698

OLIS 2510698

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



OLIS 9000231



Suitable for:

Suitable for:

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode




OLIS BN2532997
OLIS 6A013000

OLIS BN6A013000

OLIS 2532997

Cast iron hot plates

3312023 RIBBED PLATE 680x400 mm
made of cast iron
for Pot stove (OLIS) - Series 900



OLIS BN6A002600

OLIS 1002600

OLIS 6A002600

Column faucets

3241485 INLET TAP KNOB - BLUE
square hole 7x7 mm
for cold water



OLIS BN6A022453

OLIS 6A022453

Contactors

3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



OLIS BN6A047037

OLIS 6A047037

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



OLIS A0447037



Suitable for:

OLIS



Suitable for:

3351211 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact



OLIS BN6A047034

OLIS 6A047034

Cooking baskets and accessories

3055640 FALSE BOTTOM 522x325x55 mm
 made of STAINLESS steel
 for Pasta cooker gas (OLIS) 92CCPG - 94CCPG



OLIS BN2510528

OLIS 2510528

3055742 PASTA COOKER BASKET LH 155x155x240 mm
 for old series
 made of STAINLESS steel
 for Pasta cooker (OLIS) - Series 700 - Series 900



OLIS BN2510536

3055248 PASTA COOKER BASKET RH 155x155x240 mm
 for old series
 made of STAINLESS steel
 for Pasta cooker (OLIS) - Series 700 - Series 900



OLIS BN2510533

OLIS 2510533

3055249 PASTA COOKER BASKET 145x145x180 mm
 for new series
 made of STAINLESS steel
 for Pasta cooker (OLIS) - Series 700 - Series 900



OLIS MACM182700

5008440 PASTA COOKER BASKET 158x310x240 mm
 made of STAINLESS steel
 for Pasta cooker (OLIS)



OLIS BN2510535

OLIS 2510535

3055255 PASTA COOKER BASKET 160x280x180 mm
 made of STAINLESS steel
 for Pasta cooker electric (OLIS) CP9021



OLIS MACM070201

3055135 PASTA COOKER BASKET 160x290x200 mm
 for 13 portions approx
 made of STAINLESS STEEL



OLIS BN2510563

3055246 PASTA COOKER BASKET 290x145x215 mm
 made of STAINLESS steel
 for Pasta cooker (OLIS) - Series 700 - Series 900



OLIS BN2519572

OLIS 2519572



Suitable for:

3055147 PASTA COOKER BASKET 290x98x215 mm
made of stainless steel



OLIS BN2519571

Suitable for:

3055247 PASTA COOKER BASKET 310x160x240 mm
made of stainless steel
for Pasta cooker (OLIS) - Series 700 - Series 900



OLIS BN2510532

OLIS 2510532

Drain taps and accessories

3356004 DRAIN TAP ø 1" F
TAPERED SEAL - fixed connection ø 1" F
for BOILING PAN



OLIS

2102324 DRAIN TAP ø 1" 1/2 F
GASKET SEAL - with swivel nut ø 1" 1/2 F
with gasket - with safety lock
for BOILING PAN



OLIS 6A021050

3356005 DRAIN TAP ø 1" 1/4 F TECNO
TAPERED SEAL - fixed connection ø 1" 1/4 F
with gasket
for BOILING PAN



OLIS

3356100 DRAIN TAP ø 2" F TECNO
GASKET SEAL - with swivel nut ø 2" F



OLIS BN6A001450

OLIS 6A021000

Electric hot plates

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OLIS BN6A048901

OLIS 6A048900

OLIS 6A048901

3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OLIS BN6A048910

OLIS 6A048910



Suitable for:

OLIS



3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top




OLIS 6A045301

Suitable for:

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top




OLIS BN6A045601

OLIS 6A045300

OLIS 6A045601

3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OLIS 6A045600

3311087 ELECTRIC HOT PLATE ø 250 mm 2500W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top



OLIS BN6A001401

OLIS 6A001401

3311160 ELECTRIC HOT PLATE ø 250 mm 2500W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top



OLIS 6A036750

3311078 ELECTRIC HOT PLATE ø 300 mm 3500W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OLIS 6A036500

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OLIS 6A036720

3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



OLIS BN6A036730

OLIS 6A036730

Suitable for:

3311062 ELECTRIC HOT PLATE 3000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



OLIS BN6A036530

OLIS 1036520

OLIS 6A036530


Suitable for:

3311063 ELECTRIC HOT PLATE 3000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



OLIS 6A036510

3311103 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block screw connections
 for glass-ceramic cooking top
 WITH PAN DETECTOR



OLIS BN826620230

OLIS CR073680

OLIS 826620230

5031142 HOT PLACE ELECTRIC OCTAGONAL \varnothing 300 mm
 3400/1300W 230V
 faston electrical fittings
 complete with power adjuster
 for glass-ceramic cooking top



OLIS 6A001405

OLIS 6A001406

Electrical gas valves and accessories

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



OLIS 3103651

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETROSIT VALVE



OLIS 6A049900

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



OLIS BN3103660

3526089 ELETROSIT VALVE \varnothing 1/2" FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



OLIS BN9000201

OLIS 9000201



Suitable for:

OLIS



3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple
 for Bratt pan gas (OLIS)
 KBG970 - 725KBG - 94KBCM - 94KBG



OLIS 6A05000

Suitable for:
3526124 KNOB EXTENSION LENGTH 77 mm
 for VALVE 820 NOVA-824 NOVASIT



OLIS BN6A050020

OLIS 6A050020


3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



OLIS BN6A050003

OLIS 6A050003

3526176 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷30 mbar
 ambient temperature 0÷70°C
 power supply 230V 50Hz
 for Bratt pan gas (OLIS)
 Series 700 - Series 900
 for Fryer gas (OLIS)
 Series 900
 for Fryer (OLIS) 9FRI/G420



OLIS BN6A050010

OLIS 6A050010

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model



OLIS BN826920090

OLIS 826920090

Suitable for:

3523084 VALVE 826 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 2÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz



OLIS BN3103650

OLIS 3103650

Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



OLIS 6A011608

3020084 NUT & OLIVE \varnothing 6 mm



OLIS 6A011607

Electronic controllers


3445376 CONTROLLER ELIWELL ID PLUS 961
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 pause defrosting
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



OLIS BN011EMX1100001


Energy regulators

3350024 ENERGY ADJUSTER
 contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction



OLIS 6A049320

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



OLIS 6A049320



Suitable for:

OLIS



Suitable for:

Fryer baskets and accessories

3055399 FRYER BASKET 250x155x120 mm
made of chrome-plated iron
for Fryer (OLIS) - Series 700



OLIS BN9000336

OLIS 9000336

3055294 FRYER BASKET 255x320x120 mm
made of chrome-plated iron
for Fryer (OLIS) - Series 700



OLIS BN9000335

OLIS 9000335

3055212 FRYER BASKET 290x255x120 mm
made of chrome-plated iron



OLIS MACM030400

5046933 FRYER BASKET 310x200x170 mm
made of chrome-plated iron
for Fryer gas (OLIS) 40SGFR - 60SGFR



OLIS BN8219200

5023260 FRYER BASKET 320x160x120 mm
made of chrome-plated iron
for Fryer electric (OLIS) - Series 1100
Series 700 - Series 900
for Fryer gas (OLIS) - Series 1100 - Series 700
Series 900



OLIS BN9000337

5021826 FRYER BASKET 320x240x120 mm
made of chrome-plated iron
for Fryer electric (OLIS) - Series 700
for Fryer gas (OLIS) - Series 900
for Fryer electric (OLIS) - Series 900
for Fryer gas (OLIS) - Series 700



OLIS BN9000338

3055292 FRYER BASKET 355x160x120 mm
made of chrome-plated iron
for Fryer (OLIS) - Series 900



OLIS BN9000332

OLIS 9000332

3055291 FRYER BASKET 355x162x120 mm
made of chrome-plated iron
for Fryer (OLIS) - Series 900



OLIS BN9000334

OLIS 9000334

3055293 FRYER BASKET 355x345x120 mm
made of chrome-plated iron
for Fryer (OLIS) - Series 900



OLIS BN9000330

OLIS 9000330

5049785 FRYER BASKET 380x280x120 mm
made of chrome-plated iron
for Fryer gas (OLIS) - Series 900
for Fryer electric (OLIS) - Series 900



OLIS BN9000413

OLIS 9000413



Fuses

3049018 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 3.15A



OLIS BN6A001420

Gas burners

3023146 BURNER \varnothing 120x345 mm
height 103 mm
made of STAINLESS steel
for Solid top range gas (OLIS) - Series 700
Series 900



OLIS BN2510069
OLIS 2510069

OLIS SI0100294

OLIS 0100294

3023273 BURNER \varnothing 40x490 mm
overall length 510 mm
made of STAINLESS steel
for Pasta cooker gas (OLIS) - Series 900



OLIS BN2519038

3023172 BURNER \varnothing 40x500 mm
overall length 520 mm
made of stainless steel
for Bratt pan gas (OLIS) 94KB/G



OLIS BN2519034

OLIS 2519034

3023173 BURNER \varnothing 50x345 mm
overall length 350 mm
made of STAINLESS steel
for Bratt pan gas (OLIS) - Series 700
for Pasta cooker gas (OLIS) - Series 700



OLIS BN2510651

OLIS 2510651

5038648 BURNER \varnothing 50x402 mm
overall length 445 mm
made of STAINLESS STEEL
for Pasta cooker gas (OLIS) - Series 900



OLIS BN2519433

3023333 BURNER \varnothing 50x420 mm
overall length 475 mm
made of STAINLESS steel
for Kitchen gas (OLIS) 76/02CGGE
for Oven under cooktop gas (OLIS) 74/02CGG
74/02CTGE - 76/02CGG - 76/02CTGE - 76/02CTGG



OLIS BN2519400

OLIS 2519400



Suitable for:

OLIS



Suitable for:

3023332 BURNER \varnothing 50x610 mm
overall length 660 mm
made of STAINLESS steel
for Oven under cooktop gas (OLIS) - Series 700
76/02CGFL



OLIS BN2510697

OLIS 2510697

3023282 BURNER 450x325 mm
made of stainless steel
for Lava rock grill gas (OLIS)
Series 700



OLIS BN2519250

OLIS 2519250

3500356 GAS NOZZLE M11x1 \varnothing 1,60 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510488
OLIS 8220066

OLIS BN8220066
OLIS 9000211

OLIS 2510488


5053840 BURNER 605x275 mm
made of STAINLESS STEEL
for Lava rock grill (OLIS) - Series 900



OLIS BN2519270

Gas taps and accessories

3348081 GAS TAP SKG
complete with silk-screen printed plate \varnothing 41 mm
pipe flange fitting \varnothing 16 mm
outlet connection \varnothing 1/4"
thermocouple connection M8x1
D-shaft \varnothing 6x4.6 mm



OLIS BN6A040450

OLIS 6A040400



Gas taps and accessories


3348076 GAS TAP 21S
 with pilot flame
 fittings \varnothing M16x1.5mm
 with flow regulator
 thermocouple connection M8x1 mm
 D-shaped pin \varnothing 8x6.5 mm



OLIS BN6A011490

OLIS 6A011490


3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



OLIS BN6A011705

OLIS 6A011705

3348002 GAS TAP 22S/0
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm



OLIS BN6A011500

OLIS 6A011500

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
 for PEL tap model 22-24



OLIS BN6A014100

OLIS 6A014100

3020082 OLIVE FOR 12 mm \varnothing PIPE



OLIS BN6A016300

OLIS 6A016300


3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



OLIS BN6A011705

OLIS 6A011705

3348012 GAS TAP 23S/0
 with pilot flame
 with horizontal flange
 inlet fitting M28x1.5mm
 outlet connection M24x1.5mm
 with flow regulator
 thermocouple connection M10x1
 D-shaped pin \varnothing 10x8 mm
 for Kitchen (OLIS) 769CTGV-CE



OLIS BN6A013600

OLIS 6A013600

3182010 MAGNETIC UNIT PEL
 \varnothing head 24 mm - \varnothing end 18 mm - length 59 mm
 thermocouple coupling M10x1
 for PEL tap model 23



OLIS BN6A014200

OLIS 6A014200



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



OLIS BN6A011705

OLIS 6A011705

OLIS



Suitable for:

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



OLIS 6A016120


3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



OLIS BN6A011485

OLIS 6A011485

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



OLIS BN6A016200

OLIS 6A016200

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



OLIS 6A016401

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



OLIS BN6A016110
OLIS 6A017000

OLIS BN6A017000

OLIS 6A016110

3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



OLIS BN6A011470

OLIS 6A011470

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



OLIS BN6A011480

OLIS 6A011480


3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



OLIS 6A016500

Gas valves and accessories

3526260 EUROSIT VALVE CAP



OLIS 8219951

3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm



OLIS 8219900

3526130 EUROSIT VALVE FOR OVEN 100÷340°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm
 for Grill gas (OLIS) 72/02FTGR



OLIS 8219950

3523035 KNOB MINISIT BLACK \varnothing 37 mm



OLIS BN6A011602

OLIS 6A011602

3523040 MINISIT SENSING ELEMENT 100÷340°C

capillary length 1050 mm
 bulb \varnothing 5x70 mm



OLIS BN6A011709

OLIS 6A011709

3523042 MINISIT SENSING ELEMENT 50÷190°C

capillary length 1200 mm
 bulb \varnothing 5x95 mm



OLIS BN6A015201

OLIS 6A015201

3523949 MINISIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 supplied without lid knob and flanges



OLIS BN9000150

OLIS 9000150

3001071 MINISIT PIEZO IGNITER WITH COVER

male faston 2.4 mm



OLIS BN6A011603



Suitable for:

3523023 MINISIT VALVE FOR FRYER 50÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 length capillary 1200 mm
 bulb \varnothing 5x95 mm
 with an elbow flange \varnothing 3/8"F



OLIS BN9000150

OLIS 9000150

3523020 MINISIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8"F



OLIS 1011700

OLIS 6A011700

3523920 MINISIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges
 for Kitchen gas (OLIS) 749CGV



OLIS BN6A011701


OLIS 6A011701

OLIS



Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



OLIS BN6A011603

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



OLIS BN6A011603

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



OLIS BN6A011603



Suitable for:

3523931 MINISIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 with screw for gas outlet pressure regulation
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges



OLIS BN6A011601

Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
 male faston 2.4 mm



OLIS BN6A011603


Gaskets and seals

3186240 ASBESTOS FREE FLAT GASKET \varnothing 46x38x2 mm
 for drain tap \varnothing 1"1/2



OLIS BN6A022280

3186479 FIBERGLASS GASKET
 profile dimensions 12x12 mm
 max temperature 600°C
 COLOUR WHITE
 SOLD PER METRE



OLIS BN6A098410

OLIS 6A098410

3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



OLIS 1814500

3786368 KNOB GASKET
 external \varnothing 45 mm - height 9 mm
 for Bratt pan electric (OLIS) 74/02KBEB
 74/02KBEBI - 74/02KBEMBI
 for Fry top electric (OLIS) 72/02FTE - 72/02FTER
 72/02TFTE - 72/02TFTER - 74/02FTE - 74/02FTER
 74/02TFTE - 74/02TFTER
 for Fryer electric (OLIS) 72/02FRE - 73/02FRE
 74/02FRE
 for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
 72/02TCEPQ - 72/02TCEPT - 74/02CEEPQ
 74/02CEEPT - 74/02CEPQ - 74/02TCEPT
 76/02CEEANPQ - 76/02CEEANPT - 76/02CEEEACPQ
 76/02CEPQ - 76/02TCEPQ - 76/02TCEPT
 for Pasta cooker electric (OLIS) 72/02CPE



OLIS BN2519490

OLIS 2519490



Suitable for:

OLIS



Suitable for:

Gaskets for oven door

3786701 OVEN DOOR GASKET 1500 mm

made of silicone elastomer
profile dimensions 20x6 mm
COLOUR BLACK
f/OLIS KITCHEN 74F-74G-76G-74E-76GE-76E-76EE-74CE
74STG-74STG+2-2FX+PCF-76STG-76STG+4-4FX+PCF-74STE
76STGE-120FLG-76EANPQ-76EEACPQ-74EPQ-76FL
for Oven under cooktop (OLIS) - Series 700




OLIS BN2510674

OLIS 2510674

3786338 OVEN DOOR GASKET 1850 mm

made of silicone elastomer
profile dimensions 8x10 mm
COLOUR BLACK
for Kitchen gas (OLIS) 7741CGV - 7742CGV - 7962CGV



OLIS BN2510676

OLIS 2510676

3186105 OVEN DOOR GASKET 550x250 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 8.5x8.5 mm
COLOUR BLACK
for Oven under cooktop electric (OLIS) 74CE
741CE - 76CE - 761CE - 914PCGE - 914PFTGE
916PCGE - 918PCGE - 92FE - 93FE - 94CGE
941CEE - 96CGE
for Oven under cooktop gas (OLIS) 749CGV - 769CGV
914PCGG - 914PFTGG - 916PCGG - 92FG - 94CGG
94CTGG - 941FTGG - 96CGG - 96CTGG - 98CGG
98PCGG
for Solid top range gas (OLIS) 714CTGV - 769CTGV



OLIS BN2510685

OLIS 2510685

3786389 OVEN DOOR GASKET 780x320 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 9.2x8.8 mm
COLOUR BLACK
for Oven under cooktop gas (OLIS) 769CGVFL



OLIS BN2510686

OLIS 2510686

Glues

3392006 TRANSPARENT SILICONE LOCTITE 310 ml

suitable for gluing and sealing
in the industry(glass gluing-oven sealing)
operating temperature -60+250°C



OLIS BN6A098350

OLIS 6A098350



Grids for kitchen


5029242 GRID 395x350 mm
for Pot stove gas (OLIS) - Series 1100
Series 900



OLIS BN6A003900

OLIS 6A003900

3185075 GRILL 442x355 mm
for PASS-THROUGH version
for Pot stove (OLIS) - Series 900



OLIS BN2510363

OLIS 2510363

3185213 PAN SUPPORT GRID 292x510x50 mm
for Kitchen gas (OLIS) 7741CGV - 7742CGV - 7962CGV
for Pot stove gas (OLIS) 7961CGV



OLIS BN2510797

OLIS 2510797

3185035 PAN SUPPORT GRID 400x340 mm
for Pot stove (OLIS) - Series 900



OLIS BN6A001900

OLIS 1001900

OLIS 6A001900

Handles

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm



OLIS BN8222510

OLIS 8222510

Heating elements

5016771 HEATING ELEMENT 1200W 240V
length 400 mm - width 200 mm
height 24 mm



OLIS BN01130602100

OLIS 01130602100

3755842 HEATING ELEMENT 1300W 230V
external \varnothing 195 mm - total length 94 mm
flange 70x22 mm
for Oven under cooktop electric (OLIS)
Series 600



OLIS BN6A0037650

OLIS 6A0037650



Suitable for:

OLIS



3755843 HEATING ELEMENT 1300W 230V
 length 470 mm - width 80 mm
 height 80 mm
 for Fry top electric (OLIS) - Series 600



OLIS BN8217700

OLIS 8217700

5032034 HEATING ELEMENT 13000W 230/400V
 length 385 mm - width 200 mm
 height 240 mm - flange 132x38 mm
 for Fryer electric (OLIS) - Series 700



OLIS BN9000481

OLIS 9000481

5053105 HEATING ELEMENT 13000W 230V
 length 385 mm - width 200 mm
 overall height 270 mm - flange 132x38 mm



OLIS BN9000483

5005445 HEATING ELEMENT 1500W 240V
 length 325 mm - width 190 mm
 height 35 mm - fittings \varnothing 1/4"
 for Bain-marie electric (OLIS) 40SEBM - 60SEBM



OLIS BN6A045700

OLIS 6A045700

3755844 HEATING ELEMENT 1700W 230V
 length 440 mm - width 80 mm
 height 80 mm
 for Fry top electric (OLIS) - Series 700



OLIS BN6A044706

OLIS 6A044706

3755839 HEATING ELEMENT 1800W 220V
 length 535 mm - width 450 mm
 flange 160x22 mm - with cables
 for Oven under cooktop electric (OLIS)
 Series 700



OLIS BN6A037300

OLIS 6A037300

5030719 HEATING ELEMENT 18000W 230V
 length 460 mm - width 245 mm
 height 265 mm - flange 132x38 mm
 for Fryer electric (OLIS) 94/04FRE20L
 for Fryer electric (OLIS) 92/04FRE20L



OLIS BN9000519

OLIS 9000519


3455303 HEATING ELEMENT 2000W 230V
 length 485 mm - width 300 mm
 height 50 mm
 operating ambient: dry
 for Bain-marie electric (OLIS) 72/02CBE
 74/02TCBE - 74CB/E



OLIS BN6A037050

OLIS 6A037050


5020692 HEATING ELEMENT 2300W 230V
 length 340 mm - width 45 mm
 height 215 mm - fittings M14x1,5 mm
 for Fryer electric (OLIS) 41SERF - 61SEFR



OLIS BN8208200

OLIS 8208200

3455214 HEATING ELEMENT 2350W 230V
 length 400 mm - width 170 mm
 height 100 mm - fittings \varnothing 1/4"
 for Bratt pan electric (OLIS) - Series 700



OLIS BN6A050210

OLIS 6A050210

5016335 HEATING ELEMENT 2400W 230V
 \varnothing external 190 mm - overall height 80 mm
 flange 70x22 mm



OLIS BN6A037600

OLIS 6A037600

3755077 HEATING ELEMENT 2520W 220V
 length 445 mm - width 65 mm
 fittings \varnothing 1/4" mm
 for Pasta cooker electric (OLIS) - Series 900



OLIS 4185326002064

3755841 HEATING ELEMENT 2660W 230V
 length 580 mm - width 80 mm
 height 75 mm
 for Fry top electric (OLIS) - Series 900



OLIS BN6A037450


3755079 HEATING ELEMENT 2666W 230V
 length 555 mm - width 90 mm
 height 105 mm - 2 flanges 25x15 mm



OLIS BN826620061

OLIS 826620061

3755840 HEATING ELEMENT 2750W 240V
 length 540 mm - width 575 mm
 flange 160x22 mm - with cables
 for Oven under cooktop electric (OLIS)
 Series 900



OLIS BN6A037400

OLIS 6A037400

5016338 HEATING ELEMENT 3300W 230V
 length 295 mm - width 75 mm
 height 340 mm - fittings \varnothing 1/4"
 for Fryer electric (OLIS) 720FRE - 722FRE



OLIS 9000498

5016395 HEATING ELEMENT 3300W 230V
 length 335 mm - width 40 mm
 height 275 mm - fittings \varnothing 1/4"
 for Fryer electric (OLIS) 922FRE



OLIS BN9000509

OLIS 9000509

3755210 HEATING ELEMENT 3490/3900W 230/240V
 length 490 mm - width 190 mm
 height 80 mm
 for Bratt pan electric (OLIS) 94KBE



OLIS BN6A050190



Suitable for:

OLIS



3455338 HEATING ELEMENT 4666W 230V

length 370 mm - width 90 mm
height 340 mm - fittings \varnothing 1/4"
for Fryer electric (OLIS)
FR/E925N - FRE905N
for Fryer electric (OLIS) FR/E950



OLIS 9000501

Suitable for:

5005423 HEATING ELEMENT 7500W 230V

immersed depth 505 mm
flange \varnothing external 72 mm
with bulbholder sheating
complete with O-ring gasket
for Boiling pan electric (OLIS) 911PEB - 915PEB



OLIS BN6A037202

OLIS 6A037202

3755228 HEATING ELEMENT 900W 220V

length 440 mm - width 50 mm
height 90 mm - fittings \varnothing 1/4"
for Fry top electric (OLIS) - Series 700



OLIS BN6A037250

OLIS 6A037250

5020081 HEATING ELEMENT 9000W 230/400V

length 395 mm - width 135 mm
height 270 mm - flange 132x38 mm



OLIS BN9000482

OLIS 9000482

3355515 HEATING ELEMENT 9000W 230V

length 320 mm - width 175 mm
height 205 mm - fittings M12x1 mm



OLIS MA1037317200

3355872 HEATING ELEMENT 9000W 230V

length 325 mm - width 250 mm
coupling \varnothing 40 mm
complete with gaskets
complete with cables - with bulb sheath



OLIS 1870100

3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



OLIS 1814500

3186580 OR GASKET 04131 VITON



OLIS 1814400

Suitable for:

3455276 HEATING ELEMENT 9000W 230V
 immersed length 480 mm
 flange external \varnothing 63 mm
 with bulb sheath
 complete with O-ring
 for Pasta cooker electric (OLIS) 92/04CPE
 94/04CPE



OLIS BN6A037220

OLIS 6A037205

OLIS 6A037220

Suitable for:

5028981 HEATING ELEMENT 9000W 230V
 length 395 mm - width 135 mm
 height 235 mm - flange 132x38 mm
 for Fryer electric (OLIS) - Series 700



OLIS BN9000480

OLIS 9000480

5005427 KIT HEATING ELEMENT 7500W 230V
 length 295 mm - width 230 mm
 fittings M14x1 mm
 complete with sheathing and small parts
 for Pasta cooker electric (OLIS) - Series 1100



OLIS BN8218100

OLIS 8218100

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



OLIS BN6A035930

OLIS 6A035930

3053534 DOOR HINGE TOP FOR OVEN
 for Kitchen (OLIS) 72 - 72T - 74 - 74T - 76 - 76E
 76EE - 76FL - 76GE - 76T
 for Kitchen electric (OLIS) 74E
 for Kitchen gas (OLIS) 74G - 76G



OLIS 2541000

3053456 TOP DOOR HINGE FOR OVEN
 for Kitchen (OLIS) 72 - 72T - 74 - 74T - 76 - 76E
 76EE - 76FL - 76GE - 76T
 for Kitchen electric (OLIS) 74E
 for Kitchen gas (OLIS) 74G - 76G



OLIS BN2541010



Suitable for:

OLIS



3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



OLIS BN6A035920

OLIS 6A035920

Suitable for:

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



OLIS BN6A035930

OLIS 6A035930

3053281 RIGHT/LEFT HINGE FOR OVEN
mounting distance 130 mm - overall length 155 mm
height 147 mm



OLIS BN6A035980

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



OLIS BN6A035910

OLIS 6A035910

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



OLIS BN6A035930

OLIS 6A035930

3053456 TOP DOOR HINGE FOR OVEN
for Kitchen (OLIS) 72 - 72T - 74 - 74T - 76 - 76E
76EE - 76FL - 76GE - 76T
for Kitchen electric (OLIS) 74E
for Kitchen gas (OLIS) 74G - 76G



OLIS BN2541010

Igniters

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



OLIS BN6A011603

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



OLIS BN6A041105

OLIS 6A041105



Indicator lights

3221454 GREEN INDICATOR LAMP 400V
 head \varnothing 16 mm - hole \varnothing 12 mm - 120°C
 for Fryer electric (OLIS)
 7FRI/E815 - 921FRE
 for Fryer (OLIS) 921FRE
 for Fryer electric (OLIS) 7FRI/E815 - 93/04FRE
 for Kitchen (OLIS) 74/02CEE



OLIS BN6A038507

OLIS 6A038507

OLIS 826650050

3221162 GREEN LAMP RECEPTACLE
 head \varnothing 14.5 mm - hole \varnothing 10 mm



OLIS 6A038501

3221192 LAMP SUPPORT



OLIS

3221097 NEUTRAL INDICATOR LAMP 220V
 head \varnothing 8 mm - 120°C



OLIS

3221342 RED INDICATOR LAMP 400V
 head \varnothing 16 mm - hole \varnothing 12 mm - 120°C



OLIS BN6A038907

OLIS 6A038506

OLIS 6A038907

3221167 RED LAMP RECEPTACLE
 head \varnothing 15 mm - hole \varnothing 10 mm




OLIS

3221162 GREEN LAMP RECEPTACLE
 head \varnothing 14.5 mm - hole \varnothing 10 mm



OLIS 6A038501

3221168 TRANSPARENT LAMP RECEPTACLE
 head \varnothing 15 mm - hole \varnothing 10 mm



OLIS

3221031 WHITE INDICATOR LAMP 220V
 head \varnothing 16 mm - hole \varnothing 13 mm - 130°C
 wire connection length 200 mm



OLIS 6A038500+6A039200



Suitable for:

OLIS



Suitable for:

3221455 WHITE INDICATOR LAMP 400V
 head \varnothing 16 mm - hole \varnothing 12 mm - 120°C
 for Fryer electric (OLIS)
 7FRI/E815 - 921FRE
 for Fryer (OLIS) 921FRE
 for Fryer electric (OLIS) 7FRI/E815 - 93/04FRE
 for Kitchen (OLIS) 74/02CEE



OLIS BN6A039207

OLIS 6A039201

OLIS 6A039207

OLIS 826650060

Injectors

3500300 GAS JET M10x1 \varnothing 1.25 mm
 for Solid top range gas (OLIS) 714CTGV - 749CTGV
 769CTGV



OLIS BN2510705

3500091 GAS JET M11x1 \varnothing 0.80 mm



OLIS BN2510467

OLIS 2510467

3500092 GAS JET M11x1 \varnothing 1.05 mm
 for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510368

OLIS 2510368

3500093 GAS JET M11x1 \varnothing 1.15 mm
 for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510370

OLIS 2510370

3500094 GAS JET M11x1 \varnothing 1.25 mm
 for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510372

OLIS 2510372

3500095 GAS JET M11x1 \varnothing 1.70 mm
 for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510367

OLIS 2510367

3500096 GAS JET M11x1 \varnothing 1.85 mm
 for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510369

OLIS 2510369

3500097 GAS JET M11x1 \varnothing 2.00 mm
 for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510750

OLIS 2510383

OLIS 2510750



OLIS



Suitable for:

3500098 GAS JET M11x1 ø 2.15 mm



OLIS 2510384

Suitable for:

3500100 GAS JET M13x1 ø 1.45 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS 822140040

3500040 GAS JET M9x1 ø 0.85 mm



OLIS 6A015403

3500041 GAS JET M9x1 ø 0.95 mm



OLIS BN6A015406

OLIS 2510755

OLIS 6A015406

3500042 GAS JET M9x1 ø 1.00 mm



OLIS 6A015821

3500044 GAS JET M9x1 ø 1.15 mm



OLIS 6A015505

3500046 GAS JET M9x1 ø 1.25 mm



OLIS 6A015600

3500047 GAS JET M9x1 ø 1.35 mm



OLIS BN6A015507

OLIS 6A015507

3500048 GAS JET M9x1 ø 1.45 mm



OLIS BN6A015605

OLIS 6A015605

3500049 GAS JET M9x1 ø 1.55 mm



OLIS BN6A015606

OLIS 6A015606

3500051 GAS JET M9x1 ø 1.90 mm



OLIS 6A015708

3500053 GAS JET M9x1 ø 2.15 mm



OLIS 6A015790



Suitable for:

3500054 GAS JET M9x1 ø 2.35 mm



OLIS BN6A015800

OLIS 6A015800

OLIS



Suitable for:

3500353 GAS NOZZLE ø 0.90 mm M11x1
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510410

OLIS 2510410

3500273 GAS NOZZLE ø 1.35 mm M11x1
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510441

OLIS 2510441

3500351 GAS NOZZLE M10x1 ø 1.00 mm
for Bratt pan gas (OLIS) 94KBG - 94KBGM



OLIS BN2510418

OLIS 2510418

3500371 GAS NOZZLE M10x1 ø 1.75 mm
for Solid top range gas (OLIS) 714CTGV - 749CTGV
769CTGV



OLIS 2510658

3500295 GAS NOZZLE M10x1 ø 1,25 mm
for Bratt pan gas (OLIS) 725KBG



OLIS BN2510713

OLIS 2510713

3500339 GAS NOZZLE M10x1 ø 1,45 mm



OLIS 2510748

3500296 GAS NOZZLE M10x1 ø 1,90 mm
for Bratt pan gas (OLIS) 725KBG



OLIS 2510757

3500284 GAS NOZZLE M10x1 ø 2,25 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN822140080

OLIS 822140080

3500350 GAS NOZZLE M11x1 ø 0,95 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510440

OLIS 2510440



OLIS



Suitable for:

Suitable for:

3500272 GAS NOZZLE M11x1 ø 1,10 mm
for Pot stove (OLIS) - Series 700 - Series 900

3500359 GAS NOZZLE M11x1 ø 1,25 mm



OLIS BN8220065

OLIS 8220065

OLIS 2510709

3500354 GAS NOZZLE M11x1 ø 1,30 mm
for Pot stove (OLIS) - Series 700 - Series 900

3500358 GAS NOZZLE M11x1 ø 1,30 mm



OLIS BN2510411

OLIS 2510411

OLIS 2510743

OLIS 2510759

3500355 GAS NOZZLE M11x1 ø 1,40 mm
for Pot stove (OLIS) - Series 700 - Series 900

3500356 GAS NOZZLE M11x1 ø 1,60 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510365

OLIS 2510365

OLIS BN2510488
OLIS 8220066

OLIS BN8220066
OLIS 9000211

OLIS 2510488

3500277 GAS NOZZLE M11x1 ø 1,65 mm
for Pot stove (OLIS) - Series 700 - Series 900

3020451 GAS NOZZLE M11x1 ø 1,70 mm



OLIS BN2510445

OLIS 2510445

OLIS 2510762

3500278 GAS NOZZLE M11x1 ø 1,75 mm
for Pot stove (OLIS) - Series 700 - Series 900

3500279 GAS NOZZLE M11x1 ø 1,80 mm



OLIS BN2510751

OLIS 2510751

OLIS BN2510489

OLIS 2510489



Suitable for:

3500310 GAS NOZZLE M11x1 ø 1,80 mm



OLIS BN2510744

OLIS 2510744

OLIS



Suitable for:

3500352 GAS NOZZLE M11x1 ø 1,90 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS 2510395

3500282 GAS NOZZLE M11x1 ø 2,05 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510450

3500360 GAS NOZZLE M11x1 ø 2,10 mm



OLIS 2510446

3500373 GAS NOZZLE M11x1 ø 2,10 mm



OLIS 2510457

3500368 GAS NOZZLE M11x1 ø 2,40 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510412

OLIS 2510412

3500357 GAS NOZZLE M11x1 ø 2,50 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS 2510429

3500287 GAS NOZZLE M11x1 ø 2,60 mm
for Pot stove (OLIS) - Series 700 - Series 900



OLIS BN2510487

OLIS 2510487

3500301 GAS NOZZLE M9x1 ø 0,90 mm



OLIS 2510758

3500366 GAS NOZZLE M9x1 ø 1,40 mm



OLIS 2510756

3500303 GAS NOZZLE M9x1 ø 1,50 mm



OLIS BN2510461

OLIS 2510461

Ironmongery (screws,nuts,washers)

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



OLIS

Knobs

3241087 BLACK KNOB ø 56 mm
D shaft hole 6x4.6 mm
for selector switch



OLIS BN6A037800

OLIS 6A037800

OLIS 6A047500

3241811 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove gas (OLIS) - Series 700 - Series 900



OLIS BN2599200

OLIS 2599200

3241845 BLACK KNOB ø 65 mm 0-90°C
D-shaped hole 6x4.6 mm
for Bain-marie (OLIS) 70/02
for Kitchen (OLIS) 72 - 72T - 74 - 74T - 76 - 76E
76EE - 76FL - 76GE - 76T
for Kitchen electric (OLIS) 74E
for Kitchen gas (OLIS) 74G - 76G



OLIS BN2599210

OLIS 2599210

3786368 KNOB GASKET
external ø 45 mm - height 9 mm
for Bratt pan electric (OLIS) 74/02KBEB
74/02KBEBI - 74/02KBEMBI
for Fry top electric (OLIS) 72/02FTE - 72/02FTER
72/02TFTE - 72/02TFTER - 74/02FTE - 74/02FTER
74/02TFTE - 74/02TFTER
for Fryer electric (OLIS) 72/02FRE - 73/02FRE
74/02FRE
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
for Oven under cooktop electric (OLIS) 72/02CEPQ
72/02TCEPQ - 72/02TCEPT - 74/02CEEPQ
74/02CCEPT - 74/02CEPQ - 74/02TCEPT
76/02CEEANPQ - 76/02CEEANPT - 76/02CEEEACPQ
76/02CEPQ - 76/02TCEPQ - 76/02TCEPT
for Pasta cooker electric (OLIS) 72/02CPE



OLIS BN2519490

OLIS 2519490



Suitable for:

3241813 BLACK KNOB ø 65 mm 110-190°C
D shaft hole 8x6.5 mm
for Fryer gas (OLIS) 72/02FRG - 73/02FRG
74/02FRG - 92/04FRG15L - 92G15L - 93/04FRG
93G



OLIS BN2599201

OLIS 2599201

OLIS



Suitable for:

3241812 BLACK KNOB ø 65 mm 60-300°C
D shaft hole 6x4.6 mm
for Kitchen (OLIS) 76E - 76EE
for Kitchen electric (OLIS) 74E
for Oven under cooktop (OLIS) 74EPQ - 74EPT - 74F
74STE - 76EANPQ - 76EANPT - 76EEACPQ
76EEACPT - 800F - 94E - 94EE - 94GE
94GEP96GE - 94GE1P - 96EDX - 96ESX - 96GE
96GEE - 96GEEP - 96GEE2P - 96GEP - 96GE2P
98E - 98GE - 98GEP - 98GE2P
for Oven under cooktop electric (OLIS) 74CE



OLIS BN2599208

OLIS 2599208

3241085 BLACK KNOB ø 72 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



OLIS BN6A019301

OLIS 6A019301

OLIS 6A047600

OLIS BN6A019390

OLIS 6A019301+...

OLIS 1019301

OLIS 6A019390

3241837 GRAY KNOB ø 77 mm 1-2-3-4-5-6-7-8
D shape hole 10x8 mm
for Fry top gas (OLIS) 714TFG - 74TFTG - 78FTG
78TFTG



OLIS BN2599006

OLIS 2599006

3241610 GRAY KNOB ø 77 mm 100-180°C
D shape hole 6x4.6 mm
for Fryer (OLIS) - Series 700 - Series 900



OLIS BN2994380

OLIS 2994380

3241132 GREY KNOB ø 77 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Pot stove gas (OLIS) - Series 900



OLIS BN2599001

OLIS 2599001

3241232 GREY KNOB ø 77 mm 1-2-3-4-5-6
D shaft hole 6x4.6 mm
for Hot plate electric (OLIS)



OLIS BN2994360

OLIS 2599013

OLIS 2994360

3241145 GREY KNOB ø 77 mm 50-300°C
D shaft hole 6x4.6 mm
for Bratt pan gas (OLIS) 94KBG



OLIS BN2994340

OLIS 2599011

OLIS 2994340

5030593 KNOB BLACK ø 55 mm 50-300°C
D-shaped hole 6x4,6 mm



OLIS BN824710270

OLIS 41824710270



5027550 KNOB BLACK ø 65 mm SILK SCREEN PRINTED
D-shaped hole 6x4.6 mm
for Boiling pan electric (OLIS) - Series 700
for Bratt pan electric (OLIS) - Series 900
for Kitchen induction (OLIS) - Series 900
for Solid top range electric (OLIS) - Series 700



OLIS BN2599204

OLIS 2599204

5043855 KNOB BLACK ø 65 mm SILK SCREEN PRINTED
D-shaped hole 10x8 mm
for Boiling pan gas (OLIS) - Series 900
for Lava rock grill (OLIS) - Series 700
for Pot stove gas (OLIS) - Series 900
for Solid top range (OLIS) - Series 900



OLIS BN2599220

OLIS 2599220

3241846 KNOB BLACK ø 65 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm
for Oven under cooktop (OLIS) - Series 1100
Series 700 - Series 900



OLIS BN2599207

OLIS 2599207

5027548 KNOB BLACK ø 65 mm 0-1-2-3-4-5-6
D-shaped hole 6x4,6 mm
for Kitchen electric (OLIS) - Series 700
Series 900



OLIS BN2599211

OLIS 2599211

5043580 KNOB BLACK ø 65 mm 0-1-2-3-4-5-6-7
D-shaped hole 8x6,5 mm
for Fry top gas (OLIS) - Series 1100
for Oven under cooktop gas (OLIS) - Series 1100
Series 700 - Series 900
for Solid top range gas (OLIS) - Series 1100
Series 700 - Series 900



OLIS BN2599202

OLIS 2599202

5049131 KNOB BLACK ø 65 mm 0-90°C
D-shaped hole 6x4.6 mm
for Pasta cooker electric (OLIS) - Series 900



OLIS BN2599206

5030685 KNOB BLACK ø 65 mm 100-190°C
D-shaped hole 6x4,6 mm
for Fryer electric (OLIS) - Series 700
Series 900
for Fryer gas (OLIS) - Series 900



OLIS BN2599209

OLIS 2599209



Suitable for:

OLIS



5027549 KNOB BLACK ø 65 mm 50-300°C
 D-shaped hole 6x4,6 mm
 for Bratt pan electric (OLIS) - Series 700
 Series 900
 for Bratt pan gas (OLIS) - Series 700 - Series 900
 for Fry top electric (OLIS) - Series 900
 for Kitchen electric (OLIS) - Series 900
 for Kitchen gas (OLIS) - Series 900



OLIS BN2599214

OLIS 2599214

5027551 KNOB BLACK ø 65 mm 50-300°C
 D-shaped hole 6x4,6 mm
 for Fry top electric (OLIS) - Series 700



OLIS BN2599212

OLIS 2599212

5039954 KNOB BLACK ø 70 mm 1-10
 D-shaped hole 6x4.6 mm



OLIS BN824710410

7103481 KNOB BLACK ø 79 mm SILK SCREEN PRINTED
 D-shaped hole 8x6.5 mm
 for Pasta cooker gas (OLIS) - Series 1100
 for Pot stove gas (OLIS) - Series 1100



OLIS BN2599300

5027599 KNOB GRAY ø 65 mm SILK-SCREEN PRINTED
 D-shaped hole 6x4,6 mm
 for Bain-marie electric (OLIS) 74CBE - 78CBE
 78CBEAC - 92CBE - 94CBE - 94CBEAC



OLIS BN8215400

OLIS BN9998191006

OLIS 8215400

3241842 KNOB GRAY ø 77 mm SILK-SCREEN PRINTED
 D shaft hole 10x8 mm
 for Bain-marie (OLIS) 912PTCBE - 912PTCBG - 92CBE
 92CBG - 92TCBE - 94CBE - 94CBG - 94TCBE
 94TCBG



OLIS BN2599003

OLIS 2599003


5005405 KNOB GRAY ø 77 mm 1-2-3-4-5-6-7-8
 D-shaped hole 10x8 mm
 for Bain-marie gas (OLIS) 92CBG - 94CBG - 94CBGAC
 for Fry top gas (OLIS) 92FTG - 92TFTG - 921FTG
 94FTG - 94TFTG



OLIS BN2599002

OLIS 2599002

3241841 KNOB GRAY ø 77 mm 100-190°C
 D shaft hole 6x4.6 mm
 for Fryer (OLIS) - Series 900



OLIS BN2994370

OLIS 2599014

OLIS 9998191002

OLIS BN8215304

OLIS 2994370

OLIS BN9998191002

OLIS 8215304

Suitable for:

3241844 **KNOB GRAY** \varnothing 77 mm 30-90°C
D shaft hole 6x4.6 mm



OLIS BN2994320

OLIS 2994320

Suitable for:

5005448 **KNOB GRAY** \varnothing 77 mm 50-300°C
D-shaped hole 6x4.6 mm
for Fry top electric (OLIS) - Series 700
Series 900



OLIS BN2994310

OLIS 2599008

OLIS 2994310

3241840 **TAP KNOB - BLACK** \varnothing 50 mm \varnothing 73 mm
square hole 12x12 mm
for Fryer (OLIS) FR/E950N - FR/G925N - FR/G950N
FRE/925N - 710FRG - 7101FRE - 7121FRE - 720FRG
7201FRE - 722FRG - 912FFRG - 9122PFRG
914PFRG - 92FRG - 922FRE - 922FRG - 94FRG
941FRE
for Fryer electric (OLIS) 921FRE



OLIS 6A033000

Magnet groups

3182010 **MAGNETIC UNIT PEL**
 \varnothing head 24 mm - \varnothing end 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



OLIS BN6A014200

OLIS 6A014200

3182009 **MAGNETIC UNIT PEL BIG HEADED**
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



OLIS BN6A014100

OLIS 6A014100

3182003 **MAGNETIC UNIT SIT**
 \varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



OLIS 1015200

OLIS 6A015200



Suitable for:

OLIS



Suitable for:

Microswitches

3240410 MICROSWITCH 16(4)A 250V
for Fryer (OLIS)
921FRE
for Fryer electric (OLIS)
7FRI/E815



OLIS BN6A039800

OLIS 6A039800

3240181 PROTECTED MAGNET 62x18x10 mm




OLIS BN3108890

OLIS 3108890

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm
for Hot cupboard (OLIS)
TAC170 - TAC172



OLIS BN6A036410

OLIS 6A036410

OR and ORM gaskets

3243069 O-RING OR 02068 EPDM



OLIS 3600072

1186759 O-RING 03106 EPDM



OLIS 6A050001

3186580 OR GASKET 04131 VITON



OLIS 1814400

3186199 TAP INNER EPDM GASKET
NSF APPROVED
for DRAIN TAP ø 1"1/4 e 1"1/2



OLIS BN0119472130

Pilot burners and accessories

3020303 BRACKET F/PILOT BURNER HOLDER 71x42.5x22.



OLIS BN2910800

OLIS 2910800

3020083 NUT & OLIVE \varnothing 4 mm



OLIS 6A011608

3020084 NUT & OLIVE \varnothing 6 mm



OLIS 6A011607

5026012 OLIVE FOR PIPE \varnothing 4 mm



OLIS BN6A016900

OLIS 6A016900

3020114 OLIVE FOR PIPE \varnothing 6 mm



OLIS BN6A011706

OLIS 6A011706

3020082 OLIVE FOR 12 mm \varnothing PIPE



OLIS BN6A016300

OLIS 6A016300

3020007 ONE-FLAME FIXED PILOT BURNER SIT
multigas with nozzle \varnothing 0.20 mm
fixed without bracket



OLIS BN6A013100

OLIS 6A013100

3020083 NUT & OLIVE \varnothing 4 mm



OLIS 6A011608

3020084 NUT & OLIVE \varnothing 6 mm



OLIS 6A011607

3020054 PILOT JET \varnothing 0.20 mm



OLIS MA1415100

OLIS 6A013101

3020055 PILOT JET \varnothing 0.35 mm



OLIS BN6A013103

OLIS 6A013103



Suitable for:

OLIS



3020282 PILOT BURNER



OLIS MA1032501300

OLIS 1032501300

Suitable for:

5023687 PILOT BURNER CAP



OLIS BN41822160360

OLIS BN41822160361

3020268 PILOT BURNER FLAMEPIPE 80x50 mm



OLIS BN2519000

OLIS 2519000

3020303 BRACKET F/PILOT BURNER HOLDER 71x42.5x22.



OLIS BN2910800

OLIS 2910800

3020155 PILOT BURNER 3 FLAMES

sparkling plug and nozzle not included
with pipe connection and pipe pilot olive
with sparking plug fitting
with sparking plug fitting
for Bratt pan gas (OLIS) - Series 900
for Fry top gas (OLIS) - Series 900
for Pasta cooker gas (OLIS) - Series 900



OLIS BN2510389

OLIS 2510389

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



OLIS 6A013300

3020201 PILOT GAS JET \varnothing 0.14 mm



OLIS 6A013109

3020202 PILOT GAS JET \varnothing 0.27 mm



OLIS MA1887800

OLIS 6A013107

3020452 PILOT GAS JET \varnothing 0.32 mm



OLIS BN6A013240

OLIS 6A013240

3020449 PILOT GAS JET \varnothing 0.54 mm



OLIS BN6A013230

OLIS 6A013230

Suitable for:

3020054 PILOT JET \varnothing 0.20 mm




OLIS MA1415100

OLIS 6A013101

Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



OLIS BN822140370

3020055 PILOT JET \varnothing 0.35 mm



OLIS BN6A013103

OLIS 6A013103

3020187 PILOT NOZZLE \varnothing 0.51 mm



OLIS BN822140350


3020105 PILOT WITH 0.20 mm \varnothing JET



OLIS BN2510359

OLIS 2510359

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



OLIS BN6A011705

OLIS 6A011705

3020270 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with pilot pipe fitting



OLIS BN2590057

OLIS 2590057

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



OLIS 6A013300

3020288 TARGET TWO-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



OLIS BN6A013106

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



OLIS 6A013300



Suitable for:

OLIS



3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



OLIS BN6A013220

OLIS 6A013220

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



OLIS 6A013300

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



OLIS 6A013105

3020054 PILOT JET \varnothing 0.20 mm



OLIS MA1415100

OLIS 6A013101

3020055 PILOT JET \varnothing 0.35 mm



OLIS BN6A013103

OLIS 6A013103

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



OLIS 6A013300

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



OLIS BN6A013301

OLIS 6A013301

Pressure switches

5060356 PRESSURE SWITCH STEAM -1/1 BAR
connection 3/8"M - 250V



OLIS CR0587800

Relays

3351007 POWER RELAY FINDER 55.32.8.230.0040
 230V 50/60Hz
 2 exchange contacts 10A
 with to test push-button + mechanic gauge



OLIS BN6A047070

OLIS 6A047070

3351028 RELAY SOCKET 94.82 10A 300V



OLIS BN6A047074

OLIS 6A047074


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
 distance between hooking brackets 27 mm
 for the connection between selector switch and the



OLIS 6A045900

3057014 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D spindle ø 6x4.6 mm
 back connection for thermostat




OLIS 6A044800

3057026 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft ø 6x4.6 mm
 for Bain-marie electric (OLIS) 72/02CBE
 72/02TCBE
 for Bratt pan electric (OLIS) 74/02KBEBI
 for Bratt pan gas (OLIS) 74/02KBGMB
 for Fryer electric (OLIS) 72/02FRE - 74/02FRE
 92/02FRE - 92/04FRE
 for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212
 for Kitchen gas (OLIS) 76/02CGGE
 for Pot stove electric (OLIS) 76/02CEEE
 76/02CEEEPT - 76/02CTGGE



OLIS 6A046000


3057177 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm
 for Bain-marie (OLIS)
 Series 700 - Series 900
 for Fry top (OLIS)
 Series 700
 for Fryer (OLIS)
 Series 700 - Series 900
 for Pot stove (OLIS)
 Series 700 - Series 900



OLIS BN6A046001


OLIS 6A046001

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm
 for Pot stove gas (OLIS)
 96/04CGFL



OLIS 6A046700

3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm




OLIS BN6A049300

OLIS 6A049300



Suitable for:

3057180 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm




OLIS 6A046750

OLIS




Suitable for:

3057305 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 18A 240V - max 150°C
D-shaped pin ø 6x4.6 mm



OLIS BN6A001412

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm
for Kitchen electric (OLIS)
72/02CEPT - 76/02CEPT
for Pot stove electric (OLIS)
72/02TCE - 74/02CEPT - 74/02TCE - 76/02TCE
92/04CE - 92/04TCE - 94/04CE - 94/04TCE



OLIS 6A045500

Safety groups for pans and spare parts

3184013 DEPRESSION VALVE ø 3/4" M
in chrome plated brass
for safety group ø 1" 1/4



OLIS BN6A021600

OLIS 6A021600

3184034 PRESSURE-GAUGE HOLDING TAP ø 1/4"
for security valve 3/4"
for security valve 1" 1/4



OLIS BN6A021800

OLIS 6A021800

3184018 SAFETY VALVE ø 1" 1/4 M
max pressure 0.5 atm
for safety group 1" 1/4
ISPESL approved



OLIS 6A021510



Solenoid valves

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



OLIS BN3103620

OLIS 3103620

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm



OLIS BN3103610

OLIS 3103610

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
 220/240V 50/60Hz



OLIS BN6A050100

OLIS 6A050100

OLIS 6A050105

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



OLIS 6A013300

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
 faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



OLIS BN6A013301

OLIS 6A013301

3020068 SPARKING PLUG ROUND \varnothing 7x44 mm
 square coupling
 faston M M4x1 mm
 overall length 63 mm



OLIS BN6A001457

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 58 mm



OLIS BN6A013302

OLIS 6A013302



Suitable for:

OLIS



Suitable for:

Switches

3319091 CHANGEOVER SWITCH 2 POLE GREEN 16A 250V

16(4)A 250V
with indicator lamp and push-button cap
max. temperature 120°C
mounting hole 22x30 mm



OLIS

3319373 RED SINGLE-POLE PUSH-BUTTON 16A 250V

for IGNITION
with protection cap
silk-screen printing "lightning"
max temperature 120°C
mounting hole \varnothing 25 mm
for Pot stove gas (OLIS) - Series 1100
Series 1400 - Series 700 - Series 900



OLIS 2510607

3319090 SWTCH 2-POLE GREEN 16A 250V

16(4)A 250V
with indicator lamp and switch cover
max. temperature 120°C
mounting hole 22x30 mm



OLIS

Taps for tank refilling

3525005 LEFT-HAND WATER INLET TAP \varnothing 1/2"FF

square pin 7x7 mm
brass valve for hot water
max flow rate 4 bar 24 l/min
with external fixing thread \varnothing 27x19 mm
for Boiling pan electric (OLIS) 915PEB
for Boiling pan gas (OLIS) 910PGB - 911PGB
915PGB
for Pasta cooker electric (OLIS) 72/02CPE
74/02CPE
for Pasta cooker gas (OLIS) 912PCCPG - 914PCCPG



OLIS BN6A022412

OLIS 6A022412

3183014 SPOUT - CONNECTION 1/2" M

swivel spout out of chrome plated brass
spout \varnothing 18 mm



OLIS 6A022452



Suitable for:

3359285 WATER INLET TAP \varnothing 1/2" M
intenal output \varnothing 7.5 mm



OLIS BN6A001479

Suitable for:

3525004 WATER INLET TAP DX \varnothing 1/2" FF
square shaft 7x7 mm
brass valve for cold water
max. flow rate 4 bar 24L/min
with external fastening thread \varnothing 27x19 mm
for Boiling pan electric (OLIS) 915PEB
for Boiling pan gas (OLIS) 910PGB - 911PGB
915PGB
for Pasta cooker electric (OLIS) 72/02CPE
74/02CPE
for Pasta cooker gas (OLIS) 912PCCPG - 914PCCPG



OLIS BN6A022411

OLIS 6A022411

Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary length 1500 mm
bulb \varnothing 6x15 mm



OLIS 10500005

Terminal blocks

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V




OLIS BN6A036204

OLIS 6A036204

Thermocouples and accessories

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



OLIS BN6A011909

OLIS 6A011909

3440064 NUT FOR THERMOCOUPLE M8x1



OLIS BN6A012300

OLIS 6A012300




Suitable for:

Suitable for:

2100820 TERMOCOUPLE SIT QUICK M9x1 40 cm

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS




OLIS BN6A011912

OLIS 6A011912

OLIS 6A011904

3440157 THERMOCOUPLE M8x1 60 cm JOINT M8x1

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS GIUNTO M8x1



OLIS BN6A011905

OLIS 6A011905


OLIS BN6A011905

OLIS MA1033027200

OLIS 6A011905

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS GIUNTO M8x1



OLIS MA1033027200

OLIS BN6A011905

OLIS MA1033027200

OLIS 6A011905

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



OLIS BN6A011800

OLIS 6A011800

OLIS BN6A011800

OLIS 6A011800

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



OLIS BN6A011800

OLIS 6A011800

3440033 THERMOCOUPLE SIT M9x1 32 cm

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



OLIS 6A011906

OLIS 6A011906



OLIS



Suitable for:

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



OLIS 6A011906

Suitable for:

**3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS
GIUNTO M8x1**



OLIS BN6A015900

OLIS 6A015900

3440058 THERMOCOUPLE SIT M9x1 32 cm THREAD M8x1



OLIS BN6A015900

OLIS 6A015900

**3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS
GIUNTO M8x1**



OLIS BN6A015900

OLIS 6A015900

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



OLIS BN6A011901

OLIS 6A011901

3440080 THERMOCOUPLE SIT M9x1 40 cm .



OLIS BN6A011901

OLIS 6A011901

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



OLIS BN6A011901

OLIS 6A011901

3440034 THERMOCOUPLE SIT M9x1 50 cm



OLIS BN6A011902

OLIS 6A011902

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



OLIS BN6A011902

OLIS 6A011902

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



OLIS BN6A011902

OLIS 6A011902

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



OLIS BN6A011903

OLIS 6A011903



Suitable for:

Suitable for:

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1



OLIS BN6A012000

OLIS 6A012000

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



OLIS BN6A012000

OLIS 6A012000

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1



OLIS BN6A012000

OLIS 6A012000

3440035 THERMOCOUPLE SIT M9x1 60 cm.



OLIS BN6A011903

OLIS 6A011903

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



OLIS BN6A011903

OLIS 6A011903

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



OLIS 6A011900

3440036 THERMOCOUPLE SIT M9x1 85 cm.



OLIS 6A011900

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



OLIS 6A011900

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



OLIS 6A011904

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS




OLIS 6A011904



Thermostatic gas valves

5057658 THERMOSTAT TAP 25ST/V
 max. temperature 110°C
 fittings M16x1,5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x160 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6,5 mm
 for Bain-marie gas (OLIS) - Series 1100
 Series 700 - Series 900



OLIS BN6A023752

3348029 PIPE FITTING \varnothing 4 mm
 thread M10x1
 for model PEL 21-22



OLIS BN6A016110
 OLIS 6A017000

OLIS BN6A017000

OLIS 6A016110

3020082 OLIVE FOR 12 mm \varnothing PIPE



OLIS BN6A016300

OLIS 6A016300

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



OLIS BN6A011705

OLIS 6A011705

3345006 THERMOSTATIC TAP 24ST
 Adjustment temperature 120-320°C
 connections M20x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x100 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 10x8 mm



OLIS BN6A023700

OLIS 6A023700

3348029 PIPE FITTING \varnothing 4 mm
 thread M10x1
 for model PEL 21-22



OLIS BN6A016110
 OLIS 6A017000

OLIS BN6A017000

OLIS 6A016110


3020082 OLIVE FOR 12 mm \varnothing PIPE



OLIS BN6A016300

OLIS 6A016300

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



OLIS BN6A011705

OLIS 6A011705




Suitable for:

OLIS




3345010 THERMOSTATIC TAP 24ST
 Adjustment temperature 55-110°C
 connections M20x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x160 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 10x8 mm



OLIS BN6A023750

OLIS 6A023750

3348029 PIPE FITTING \varnothing 4 mm
 thread M10x1
 for model PEL 21-22



OLIS BN6A016110
OLIS 6A017000

OLIS BN6A017000

OLIS 6A016110


3020082 OLIVE FOR 12 mm \varnothing PIPE



OLIS BN6A016300

OLIS 6A016300

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



OLIS BN6A011705

OLIS 6A011705

Thermostats

2111161 GASKET STUFFING GLAND \varnothing 7.5 mm
 height 7 mm
 for THERMOSTAT EGO



OLIS BN6A038804

OLIS 6A038804

3444652 SINGLE-PHASE THERMOSTAT 100-190°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm
 bulb \varnothing 4x235 mm
 for Fryer (OLIS) - Series 700



OLIS BN6A049100

OLIS 6A049100

OLIS 9000525

3444545 SINGLE-PHASE THERMOSTAT 140°C
 with automatic reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 4x158 mm



OLIS CR0682740


3444649 SINGLE-PHASE THERMOSTAT 200°C
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm
 for Fryer (OLIS) - Series 900



OLIS BN9000217

OLIS 9000217

3444107 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 6x142 mm - with adapter nipple bland M9x1
 for Boiling pan (OLIS)
 for Fryer (OLIS)



OLIS BN6A049401

OLIS 6A049401

3444071 SINGLE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 6x77 mm
 for Fryer (OLIS)



OLIS 9000516

3444624 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm



OLIS BN9000515

OLIS 9000515

3744094 SINGLE-PHASE THERMOSTAT 30-150°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1600 mm
 bulb \varnothing 3x145 mm



OLIS BN6A001414

3444019 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 16A 250V
 bulb \varnothing 6x130 mm
 for Dish warmer (OLIS) SAR712PS



OLIS BN6A046260

3744069 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 16A 250V
 bulb \varnothing 6x130 mm



OLIS BN6A046050

OLIS 6A046050

3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm



OLIS BN6A049500

OLIS 6A049500

3444648 SINGLE-PHASE THERMOSTAT 50-295°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm
 bulb \varnothing 3x220 mm
 for Bratt pan (OLIS) - Series 900



OLIS BN6A049200



Suitable for:

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



OLIS 6A048800

3444423 SINGLE-PHASE THERMOSTAT 85-170°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x231 mm - with adapter nipple band M9x1
for Fryer (OLIS) - Series 900



OLIS BN9000216

OLIS 9000216

3444121 STUFFING GLAND FOR THERMOSTAT MILLED M9x



OLIS BN6A038801

OLIS 6A038801

3744140 TERMOSTATO THREE-PHASE 360°C

manual reset
covered capillary length 1490 mm
bulb \varnothing 3x190 mm



OLIS


OLIS



Suitable for:

5021649 SINGLE-PHASE THERMOSTAT 64-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1470 mm - 16A 250V
bulb \varnothing 4x125 mm



OLIS BN826630191

3444623 SINGLE-PHASE THERMOSTAT 85-182°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x135 mm - with stuffing gland fitting M9x1



OLIS BN41826630372

5025572 TERMOSTATO THREE-PHASE 180°C

manual reset
covered capillary length 3000 mm - 20A 400V
bulb \varnothing 4x125 mm



OLIS BN6A001415

5016348 THERMOSTAT THREE-PHASE 132°C

with manual reset
capillary length covered 900 mm - 10A 400V
bulb \varnothing 6x87 mm
for Pasta cooker electric (OLIS) - Series 1100
Series 900




OLIS BN6A049407

OLIS 6A049407




5016372 THERMOSTAT THREE-PHASE 350°C
 with manual reset
 capillary length covered 1000 mm
 bulb \varnothing 6x89 mm
 for Bratt pan electric (OLIS) 725KBE - 725KBEM
 94KBE - 94KBEM



OLIS BN6A046160


OLIS 6A046160

7105534 THERMOSTAT THREE-PHASE 40-110°C
 D-shaped pin \varnothing 6x4,6 mm
 capillary length covered 900 mm - 16A 380V
 bulb \varnothing 6x130 mm
 for Pasta cooker electric (OLIS) 40SECP




OLIS BN6A046240

5063606 THERMOSTAT THREE-PHASE 85-550°C
 complete with selector switch
 D-shaped pin \varnothing 6x4,6 mm
 capillary length covered 1120 mm
 bulb \varnothing 4x228 mm
 for Kitchen electric (OLIS) 1100 - Series 900



OLIS BN6A046130

3444198 THREE-PHASE THERMOSTAT 100-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Fryer (OLIS)
 Series 700 - Series 900
 for Fryer electric (OLIS) 7FRI/E815



OLIS BN8219601

OLIS 8219601

3444769 THREE-PHASE THERMOSTAT 132°C
 with automatic reset
 capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm - with adapter nipple band M9x1
 for Dish warmer (OLIS) SAR712PS



OLIS MA1878900

3444390 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary 900 mm - 10A 400V
 bulb \varnothing 6x230 mm
 for Fryer (OLIS) 722FRE



OLIS BN6A046900

OLIS 6A046900


3444653 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 capillary length covered 1750 mm - 20A 380V
 bulb \varnothing 4x120 mm
 for Fryer (OLIS)
 Series 900
 for Fryer (OLIS) 921FRE
 for Fryer electric (OLIS) 7FRI/E815



OLIS BN8219602

OLIS 8219602

3444298 THREE-PHASE THERMOSTAT 337°C
 with manual reset
 covered capillary length 850 mm - 10A 400V
 button bulb \varnothing 14x10 mm




OLIS LAR6507050



Suitable for:

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm



OLIS BN6A046150


OLIS 6A046150

OLIS




Suitable for:

3444713 THREE-PHASE THERMOSTAT 40-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 380V
bulb \varnothing 3x219 mm



OLIS 6A038400

3444363 THREE-PHASE THERMOSTAT 420°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x310 mm



OLIS BN6A046180

OLIS 6A046180


3444894 THREE-PHASE THERMOSTAT 50-275°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 380V
bulb \varnothing 3x220 mm
for Fry top electric (OLIS) - Series 700
Series 900
for Oven under cooktop electric (OLIS)
Series 700 - Series 900



OLIS BN6A044601


OLIS 6A044601

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



OLIS 6A044900

3444103 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 3x220 mm
for Fry top electric (OLIS) 40SEFT - Series 700
78FTE - 78FTE12R
for Oven under cooktop electric (OLIS) 741CE
749CGVFE - 94CGE - 941CEE - 961CEEE



OLIS BN6A044600

OLIS 6A044600

3444425 THREE-PHASE THERMOSTAT 65-125°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x70 mm
for Pasta cooker electric (OLIS) - Series 1100
Series 900



OLIS BN6A044650

OLIS 6A044650

3744007 THREE-PHASE THERMOSTAT 90-195°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400v
bulb \varnothing 6x135 mm




OLIS BN6A046600

OLIS 6A046600

Suitable for:

Suitable for:

3444695 3-PHASE THERMOSTAT 160°C
 with manual reset
 covered capillary length 890 mm - 10A 400V
 bulb \varnothing 6x87 mm - with stuffing gland fitting M10x1
 for Boiling pan electric (OLIS) - Series 700
 for Boiling pan gas (OLIS) - Series 700



OLIS BN6A049405

OLIS 6A049405

Wheels and accessories

3522048 WHEEL \varnothing 150 mm
 central hole \varnothing 15 mm
 complete with folding handle
 for Bratt pan gas (OLIS) 725KBE - 725KBG



OLIS BN6A039705

OLIS 6A039705

5034844 WHEEL \varnothing 160 mm
 central hole \varnothing 20 mm
 complete with fixed handle
 for Bratt pan electric (OLIS) - Series 700
 Series 900
 for Bratt pan gas (OLIS) - Series 700 - Series 900



OLIS BN6A039710

OLIS 6A039710

5005466 WHEEL \varnothing 200 mm
 central hole \varnothing 20 mm
 complete with folding handle
 for Bratt pan gas (OLIS) 94KBE - 94KBM



OLIS BN6A039702

OLIS 6A039700

Wire pan supports

3354001 GRID REDUCER FOR MOKA 265x265 mm
 in stainless steel



OLIS BN6A030100

OLIS 1030100

OLIS 6A030100

3354027 MOKA ADAPTER 240x170 mm
 for old series
 for Pot stove (OLIS) - Series 700



OLIS BN6A030300

OLIS 6A030300



Suitable for:

OLIS



Suitable for:

3354026 MOKA ADAPTER 400x300 mm
for old series
for Pot stove (OLIS) - Series 900TOPLINE




















OLIS BN2519019

OLIS 2519019

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz