




Spare parts for:

Cooking equipment

Suitable for:

PALUX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

PALUX



Suitable for:

Air regulators

3025818 AERATION REGULATOR
internal $\varnothing$ 18 mm - external $\varnothing$ 20 mm
height 90 mm
for Pot stove (PALUX)



PALUX 540730

3025821 AIR REGULATOR
 $\varnothing$ internal 18 mm - $\varnothing$ external 20 mm
height 90 mm
for Pot stove (PALUX)



PALUX 540749

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



PALUX 693456

Bulb sheathes

3187021 THERMOSTAT SHEATHING $\varnothing$ 1/8"
bulb length 213 mm



PALUX 088404

Burners, flame spreaders and accessories

3025572 BURNER $\varnothing$ 115 mm
for Pot stove gas (PALUX)



PALUX 728721

5061350 BURNER $\varnothing$ 78 mm
for Pot stove (PALUX)



PALUX 081574



Suitable for:

PALUX



3025552 BURNER ø 83 mm
for Pot stove gas (PALUX)



PALUX 370320

Suitable for:

3025835 BURNER ø 84 mm
for Pot stove gas (PALUX)



PALUX 838365

3025350 BURNER ø 85 mm 3.5KW



PALUX

3025557 BURNER ø 94 mm
for Pot stove gas (PALUX)



PALUX 370614

5051870 FLAME SPREADER ø 114 mm
for Pot stove (PALUX) - Series FUNCTIONLINE



PALUX 697400

3025820 BURNER GASKET 127x107 mm
for Pot stove (PALUX)



PALUX 081582

5022685 FLAME SPREADER ø 78 mm
for Pot stove (PALUX)



PALUX 290971

3025834 FLAME SPREADER ø 84 mm
for Pot stove gas (PALUX)



PALUX 838373

3025835 BURNER ø 84 mm
for Pot stove gas (PALUX)



PALUX 838365

3025836 VENTURI FOR FLAME SPREADER 84 mm
for Pot stove gas (PALUX)



PALUX 869864



Suitable for:

PALUX



5008767 FLAME SPREADER $\varnothing$ 87 mm
for Pot stove (PALUX)



PALUX 540684

3025815 VENTURI FOR BURNER 78-87-94-114 mm
for Pot stove (PALUX)



PALUX 81639

3025832 FLAME SPREADER $\varnothing$ 94 mm
for Pot stove gas (PALUX)



PALUX 697397

5019547 FLAME SPREADER $\varnothing$ 94 mm
for Pot stove (PALUX)




PALUX 290998

3025551 FLAME SPREADER C $\varnothing$ 83 mm
for Pot stove gas (PALUX)



PALUX 370312

3025560 BURNER GASKET
dimensions $\varnothing$ 71x45x1 mm



PALUX 371076

Suitable for:

3025814 BURNER GASKET 127x108 mm
for Pot stove (PALUX)



PALUX 084899

3025557 BURNER $\varnothing$ 94 mm
for Pot stove gas (PALUX)



PALUX 370614

3025815 VENTURI FOR BURNER 78-87-94-114 mm
for Pot stove (PALUX)



PALUX 81639

3025552 BURNER $\varnothing$ 83 mm
for Pot stove gas (PALUX)



PALUX 370320



Suitable for:

3025815 VENTURI FOR BURNER 78-87-94-114 mm
for Pot stove (PALUX)



PALUX 81639

PALUX



Suitable for:

3025836 VENTURI FOR FLAME SPREADER 84 mm
for Pot stove gas (PALUX)



PALUX 869864

3025833 VENTURI FOR FLAME SPREADER 94 mm
for Pot stove gas (PALUX)



PALUX 728748

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston $\varnothing$ 4 mm for electrode



PALUX

Contactors

3454048 CONTACTOR ABB A9-30-10
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



PALUX 324001

PALUX 523909

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



PALUX 307491

3351201 CONTACTOR AEG LS07 7A 230V 3Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



PALUX 307491



Suitable for:

PALUX



Suitable for:

Electric hot plates

3311095 ELECTRIC HOT PLATE ø 180 mm 1500W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



PALUX 290572

3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V


terminal block electric connections
with STAINLESS steel edge
for electric cooking top



PALUX 290602

3311099 ELECTRIC HOT PLATE ø 220 mm 2000W 400V


MODEL "ECODESIGN"
terminal block electric connections
with stainless steel edge
for electrical cooking top



PALUX 290580

3311088 ELECTRIC HOT PLATE ø 230 mm 2100W 230V

faston electric connections
complete with energy regulation



PALUX 155276

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



PALUX 081922


3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



PALUX 290610

3311105 ELECTRIC HOT PLATE 3500W 230V
dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for pyroceramic cooking range CE841VRT



PALUX

3311065 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



PALUX 290637

Electrical gas valves and accessories

- 3526090 ELETROSIT VALVE $\varnothing$ 3/4"FF**
 inlet $\varnothing$ 3/4" F - outlet $\varnothing$ 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



PALUX 321907

Electronic controllers

- 5047009 THERMOSTAT DIGITALE PT100**
 power 9V 50/60Hz
 adjusting range of thermostat -10÷+300°C
 1 change-over switch relay 230V
 probe type PT100 (not included)
 terminal block connections
 front size 95x47x84 mm
 mounting hole 90x43 mm
 for Boiling pan (PALUX)
 for Bratt pan (PALUX)



PALUX 702110

Electronic printed-circuit boards

- 3390406 CIRCUIT BOARD RELAY 56x40 mm**



PALUX 317225



Suitable for:

PALUX



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER


contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



PALUX 314544

3350031 ENERGY ADJUSTER


contact capacity 400V 7A
max temperature 125°C
D-shaped pin ø 6x4.6 mm



PALUX 689394

3350035 ENERGY ADJUSTER

contact capacity 230V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm



PALUX 201006

Fryer baskets and accessories

3155001 FRYER BASKET 295x200x120 mm

made of chrome-plated iron
for FRYER
for Fryer (PALUX)



PALUX 271586

Gas taps and accessories

3348014 GAS TAP 20/S

without pilot flame
fittings ø M16x1.5mm
thermocouple fitting M8x1
D-shaped pin ø 8x6.5mm



PALUX 32369-1

3348003 GAS TAP 22S/V


with pilot flame
with vertical flange
fittings ø M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin ø 10x8 mm



PALUX 32137/38/39

Gaskets and seals

3025560 BURNER GASKET
dimensions $\varnothing$ 71x45x1 mm



PALUX 371076

3025820 BURNER GASKET 127x107 mm
for Pot stove (PALUX)



PALUX 081582

3025814 BURNER GASKET 127x108 mm
for Pot stove (PALUX)




PALUX 084899

3786746 GASKET FLAT PTFE $\varnothing$ 46x38x5 mm



PALUX 262153


3786745 PILOT GASKET 38x34 mm
for Pot stove gas (PALUX)



PALUX 379441


Gaskets for oven door

3586004 GASKET OVEN DOOR 380 mm
made of silicone elastomer
profile dimensions 12x10 mm
BLACK COLOUR
for Oven under cooktop (PALUX)



PALUX 202223

3586003 GASKET OVEN DOOR 585 mm
made of silicone elastomer
profile dimensions 12x10 mm
BLACK COLOUR
for Oven under cooktop (PALUX)



PALUX 202290

Handles

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



PALUX LF-3242042



Suitable for:

PALUX



Suitable for:

Heating elements

3455510 HEATING ELEMENT 1600W 230V
length 435 mm - width 140 mm
height 95 mm




PALUX 501808

3855031 HEATING ELEMENT 1600W 230V
length 300 mm - width 215 mm
couplings M14x1.5 mm



PALUX 647918

3855032 HEATING ELEMENT 2000W 230V
length 215 mm - width 400 mm
couplings M14x1.5 mm



PALUX 647926

5004001 HEATING ELEMENT BOTTOM 1275W 230V
length 325 mm - width 200 mm
flange 225x20 mm
for Oven under cooktop electric (PALUX)



PALUX 637742

3855027 HEATING ELEMENT FLAT 250W 230V
length 430 mm - width 17 mm
flange 40x14 mm



PALUX 222631

3755352 HEATING ELEMENT 1000W 230V
length 730 mm - width 40 mm
for Grill electric (PALUX)



PALUX 103640

3755353 HEATING ELEMENT 1000W 230V
length 710 mm - width 40 mm
for Grill electric (PALUX)



PALUX 103691

3755354 HEATING ELEMENT 1100W 230V
length 745 mm - width 40 mm
for Grill electric (PALUX)



PALUX 101575

3855028 HEATING ELEMENT 1200W 230V
length 260 mm - width 290 mm
connections M14x1.5 mm - complete with cables



PALUX 371955

2111789 HEATING ELEMENT 1280W 230V
length 440 mm - width 115 mm
2 flanges 29x16 mm - complete with cables



PALUX 244600

PALUX 649473

Suitable for:

3455487 HEATING ELEMENT 1450W 400V
length 505 mm - width 470 mm
couplings M14x1.5 mm
for Oven under cooktop electric (PALUX)



PALUX 290718

Suitable for:

3355502 HEATING ELEMENT 1500W 220V
length 440 mm - width 110 mm
connections M14x1.5 mm
operating ambient: immersion
for Bain-marie electric (PALUX)



PALUX 290653

3355503 HEATING ELEMENT 1500W 220V
length 430 mm - width 140 mm
connections M14x1.5 mm
operating ambient: immersion
for Bain-marie electric (PALUX)



PALUX 290661

3455503 HEATING ELEMENT 1500W 230V
length 470 mm - width 200 mm
flange 225x20 mm
for Oven under cooktop electric (PALUX)



PALUX 731811

3755413 HEATING ELEMENT 1500W 230V
length 420 mm - width 80 mm
height 30 mm - fittings M14x1.5 mm
for Grill electric (PALUX)



PALUX 083577

3755422 HEATING ELEMENT 1500W 230V
length 400 mm - width 40 mm
height 50 mm
for Fry top electric (PALUX)



PALUX

3755423 HEATING ELEMENT 1500W 230V
length 340 mm - width 70 mm
height 30 mm - couplings M14x1.5 mm
operating ambient: immersion
for Bain-marie electric (PALUX)



PALUX 056928

3855025 HEATING ELEMENT 1500W 380V
length 430 mm - width 390 mm
connections M14x1.5 mm
for Oven under cooktop electric (PALUX)



PALUX 290696



Suitable for:

PALUX




3455486 HEATING ELEMENT 1500W 400V
length 490 mm - width 605 mm
couplings M14x1.5 mm
for Oven under cooktop electric (PALUX)



PALUX 290750

Suitable for:

3855012 HEATING ELEMENT 1500W 400V
length 465 mm - width 480 mm
flange 104x32 mm
for Oven under cooktop electric (PALUX)



PALUX 150673

5009385 HEATING ELEMENT 1600W 230V
length 440 mm - width 150 mm
2 flanges 29x16 mm - complete with cables



PALUX 244619

PALUX 649481

3755417 HEATING ELEMENT 1660W 230V
length 260 mm - width 60 mm
height 245 mm - fittings M14x1.5 mm
for Fryer electric (PALUX)



PALUX

3755241 HEATING ELEMENT 1670W 230V
length 100 mm - width 430 mm
height 45 mm
for Bratt pan electric (PALUX)



PALUX 290734

3455502 HEATING ELEMENT 1700W 380V
length 475 mm - width 380 mm
fittings M14x1.5 mm
for Oven under cooktop electric (PALUX)



PALUX 290726

3455496 HEATING ELEMENT 1950W 400V
length 510 mm - width 545 mm
couplings M14x1.5 mm
for Oven under cooktop electric (PALUX)



PALUX 290785

3855035 HEATING ELEMENT 2000/2177W 230/240V
length 205 mm - width 260 mm
flange 25x11 mm
for Salamander electric (PALUX)



PALUX 1E409100

3355048 HEATING ELEMENT 2000W 220V
length 570 mm - width 90 mm
height 50 mm



PALUX 026944

3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm



PALUX 371726

3755214 HEATING ELEMENT 2000W 230V
length 285 mm - width 70 mm
height 240 mm - fittings M14x1.5 mm
for Fryer electric (PALUX)



PALUX 150711

Suitable for:

3755350 HEATING ELEMENT 2100W 230V
length 470 mm - width 210 mm



PALUX 127132

3755349 HEATING ELEMENT 2200W 230V
length 365 mm - width 170 mm
for Salamander electric (PALUX)




PALUX 102644

3755421 HEATING ELEMENT 2250W 230V
length 485 mm - width 125 mm
fittings M14x1.5 mm
for Grill electric (PALUX)



PALUX

7105359 HEATING ELEMENT 2300W 230V
length 320 mm - width 190 mm
height 30 mm
for Salamander electric (PALUX)
for Salamander (PALUX) HL-EM



PALUX 1E409101

3755411 HEATING ELEMENT 2500W 230V
length 285 mm - width 80 mm
fittings M14x1.5 mm




PALUX 233978

3755412 HEATING ELEMENT 3000W 230V
length 390 mm - width 62 mm
flange 80x27 mm



PALUX 350206

3755420 HEATING ELEMENT 3000W 230V
length 485 mm - width 190 mm
couplings M14x1.5 mm
for Grill electric (PALUX)



PALUX

3855019 HEATING ELEMENT 3000W 230V
immersed depth 270 mm
flange ø ext. 63 mm
for Boiling pan electric (PALUX)



PALUX 702196

3186013 O-RING GASKET 06187 EPDM ø 58 mm



PALUX 349232



Suitable for:

PALUX



5062917 HEATING ELEMENT 3000W 230V
length 290 mm - width 60 mm
height 255 mm - fittings M 14x1,5 mm
for Fryer electric (PALUX)



PALUX 155268

Suitable for:

5049159 HEATING ELEMENT 3500W 230V
length 265 mm - width 275 mm
height 120 mm



PALUX 602523

3855033 HEATING ELEMENT 3500W 400V
length 417 mm - width 275 mm
for Fry top electric (PALUX)



PALUX 826715

3855030 HEATING ELEMENT 4500W 230V
length 600 mm - width 205 mm



PALUX 637785

3755219 HEATING ELEMENT 500W 230V
immersed length 295 mm
fitting $\varnothing$ 3/4" - complete with cables
for Boiling pan electric (PALUX)



PALUX 702188

3455491 HEATING ELEMENT 6000W 230/400V
immersed depth 425 mm
fitting $\varnothing$ 1-1/2"
for Boiling pan electric (PALUX)



PALUX 103268

3755212 HEATING ELEMENT 6000W 230V
immersed depth 465 mm
flange $\varnothing$ ext. 63 mm
for Boiling pan electric (PALUX)



PALUX 826677

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



PALUX 349232

3855034 HEATING ELEMENT 6000W 230V
length 300 mm - width 185 mm
fitting M36x1.5 mm - complete with cables
with two holes for bulb
for Fryer electric (PALUX)
for Pasta cooker electric (PALUX)



PALUX 100056

PALUX 257001

3786746 GASKET FLAT PTFE $\varnothing$ 46x38x5 mm



PALUX 262153

- 3855029 HEATING ELEMENT 8000W 230V**
length 300 mm - width 185 mm
fitting M36x1.5 mm - complete with cables
with two holes for bulb
for Pasta cooker electric (PALUX)



PALUX 602051

Hydraulic piping

- 3450109 RUBBER PIPE $\varnothing$ 13x20 mm - 5 m**
operating temperature $-40+100^{\circ}\text{C}$



PALUX 040088

Ignitors

- 3001007 PIEZO IGNITER**
a $\varnothing$ 22 mm hole is needed for the assembly
2.4 mm $\varnothing$ male faston connector



PALUX

- 3001029 PIEZO IGNITER**
a hole $\varnothing$ 22 mm is required for installation
faston M $\varnothing$ 2.4 mm
for SNACK SERIES



PALUX

- 3001009 PIEZO IGNITER JUNKERS**
with faston 6.35x0.8 mm



PALUX 311723

PALUX 89354

- 3001041 PIEZO IGNITER JUNKERS**
a $\varnothing$ 22 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



PALUX 269174



Suitable for:

PALUX



Suitable for:

Incandescent lamps and neon lamps

3221381 HALOGEN LAM PR7S 300W 230V
length 117 mm



PALUX

3221067 NEON LAMP FOR OVEN E10 2W 230V
dimensions $\varnothing$ 10x28 mm
for OVEN



PALUX 035378

3221245 NEON LAMP FOR OVEN E14 230V
dimensions $\varnothing$ 13x30 mm



PALUX 006718

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



PALUX 047635

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



PALUX 354252

3221657 QUARTZ LAMP R7s 300W 240V
length 118 mm



PALUX 164941

3221330 QUARTZ LAMP 1000W 230V
overall length 480 mm
glass length 338 mm



PALUX 104566

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



PALUX 370991

5017914 GREEN INDICATOR LAMP 230V
 $\varnothing$ head 19 mm - $\varnothing$ hole 16 mm - 150°C



PALUX



Suitable for:

PALUX



3221014 INDICATOR LAMP ORANGE 230V
mounting hole 30x22 mm - 125°C
universal application



PALUX

Suitable for:

3221211 INDICATOR LAMP ORANGE 400V
head ø 19 mm - hole ø 16 mm - 150°C
for old series




PALUX 249955

3221681 INDICATOR LIGHT GREEN 400V
ø head 19 mm - ø hole 16 mm - 120°C
wirte connection length 200 mm



PALUX 688991

2111341 INDICATOR LIGHT ORANGE 230V
snap-in hole 22x10 mm



PALUX 080829

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



PALUX 091462

3221078 ORANGE INDICATOR LIGHT 230V
head ø 19 mm - hole ø 16 mm - 150°C



PALUX

3221210 RED PILOT LIGHT 230V
ø head 19 mm - hole ø 16 mm - 150°C



PALUX 249963

Injectors

3500398 GAS NOZZLE M12x1 ø 0.80 mm



PALUX 869899

3500388 GAS NOZZLE M12x1 ø 0.95 mm



PALUX 697842



Suitable for:

3500396 GAS NOZZLE M12x1 ø 1.12 mm



PALUX 854409

Suitable for:

3500391 GAS NOZZLE M12x1 ø 1.15 mm



PALUX 697877

3500395 GAS NOZZLE M12x1 ø 1.30 mm



PALUX 854395

3500390 GAS NOZZLE M12x1 ø 1.35 mm



PALUX 697869

3500387 GAS NOZZLE M12x1 ø 1.65 mm



PALUX 697826

3500392 GAS NOZZLE M12x1 ø 1.80 mm



PALUX 698997

3500394 GAS NOZZLE M12x1 ø 1.85 mm



PALUX 854387

3500389 GAS NOZZLE M12x1 ø 2.00 mm



PALUX 697850

3500393 GAS NOZZLE M12x1 ø 2.20 mm



PALUX 699004

Ironmongery (screws,nuts,washers)

7100408 COUNTERSUNK HEAD SCREW WITH SHELL M4x12

cross recessed - stainless steel
UNI 7689 - DIN 966 - ISO 7047



PALUX 039411

5034903 HEXAGON HEAD SCREW M4x10

stainless steel - UNI 5739 - DIN 933 - ISO 4017



PALUX 068217

Knobs

3241564 BLACK KNOB ø 50 mm 0-1-2-3
D shaft hole 6x4.6 mm
for EGO energy regulator



PALUX 341894

3241353 BLACK KNOB ø 50 mm 30°-110°C
D shaft hole 6x4.6 mm



PALUX 086533

3444128 BLACK KNOB ø 50 mm 50-300°C
D-shaped pin ø 6x4.6 mm
for EGO thermostat



PALUX 087432

3241244 BLACK KNOB ø 60 mm 1-2-3-4-5-6
D shaft hole 6x4.6 mm
for Salamander (PALUX)



PALUX 351431

3241309 KNOB BLACK ø 50 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for energy adjuster EGO



PALUX 086517

5035660 KNOB BLACK ø 50 mm 100-180°C
D-shaped hole 6x4.6 mm
for Fryer (PALUX) 600



PALUX 027804


PALUX 088013

5022924 KNOB GRAY-RED ø 59 mm
D-shaped hole 6x4.6 mm
for Fry top (PALUX) TOPLINE
for Kitchen (PALUX) TOPLINE



PALUX 393819

3241979 STICKING KNOB DISK 0-I-II-III
ø external 59 mm



PALUX 388270

Lamp receptacles and spare parts

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions ø 48x38x5 mm
for OVEN



PALUX 316296



Suitable for:

PALUX




Suitable for:

Lamp receptacles and spare parts

3221613 LAMP RECEPTACLE FOR QUARTZ LAMP

length 70 mm - width 50 mm
height 70 mm



PALUX 104574

3221330 QUARTZ LAMP 1000W 230V

overall length 480 mm
glass length 338 mm



PALUX 104566

Magnetic groups

3182009 MAGNETIC UNIT PEL BIG HEADED

ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



PALUX 296872

3182011 MAGNETIC UNIT PEL SMALL HEADED

ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PALUX 296864

Microswitches

3240596 MICROSWITCH 12A 124/250V



PALUX 242039

3240820 MICROSWITCH 16A 250V



PALUX

Motors

3340200 FAN MOTOR 36W 220/230V 50Hz

TYPE R2K150-AN27-17
ø fan 150 mm



PALUX 647896

3240513 MOTOR WITH FAN 43W 230V 50Hz 0.26A

TYPE R2S 150-AA08-29
fan ø 150 mm



PALUX

OR and ORM gaskets

3186265 GASKET ORM 0320-30 EPDM



PALUX 081612

3186013 O-RING GASKET 06187 EPDM ø 58 mm



PALUX 349232

1186411 O-RING 02031 EPDM



PALUX 131946

3186340 OR GASKET 03037 EPDM



PALUX 456011

Pilot burners and accessories

3020387 COMPLETE PILOT BURNER
for Pot stove gas (PALUX)



PALUX 541346

3020357 HEAD KIT FOR PILOT BURNER
for Pot stove gas (PALUX)



PALUX 380164

3020469 HEAD OF PILOT BURNER
for Pot stove gas (PALUX)



PALUX 380172

3020357 HEAD KIT FOR PILOT BURNER
for Pot stove gas (PALUX)



PALUX 380164

3020470 PILOT PROTECTION 57x35x52 mm
for Pot stove gas (PALUX)



PALUX 737046



Suitable for:

PALUX



Suitable for:

3020388 HEAD PILOT BURNER
thread M7x0.75 mm




PALUX 081515

3020351 KIT PILOT BURNER
complete with nozzles, connections and gaskets
for Pot stove gas (PALUX)



PALUX 737011

3786745 PILOT GASKET 38x34 mm
for Pot stove gas (PALUX)



PALUX 379441

3020082 OLIVE FOR 12 mm Ø PIPE



PALUX

3020018 PILOT BURNER GPL CB 503.003
with LPG jet and pilot olive
with pilot pipe connection



PALUX

3020469 HEAD OF PILOT BURNER
for Pot stove gas (PALUX)



PALUX 380172

3020470 PILOT PROTECTION 57x35x52 mm
for Pot stove gas (PALUX)



PALUX 737046

3020016 ONE-FLAME PILOT BURNER SIT
with LPG nozzle Ø 0.20 mm



PALUX

3020159 PILOT BURNER NATURAL GAS CB 503.006
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection
for Pot stove gas (PALUX)



PALUX



PALUX



Suitable for:

3020465 PILOT GAS JET $\varnothing$ 0.35 mm
thread M8x1



PALUX 086053

Suitable for:

3020470 PILOT PROTECTION 57x35x52 mm
for Pot stove gas (PALUX)



PALUX 737046

3020360 THERMOCOUPLE FITTING $\varnothing$ 4.5 mm
thread M12x1 mm
for Pot stove gas (PALUX)



PALUX 738484

3020150 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



PALUX

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



PALUX

Pressure switches

3320050 PRESSURE SWITCH STEAM 0.45/0.40 BAR
connection 1/4"M - 250V



PALUX 030422

PALUX 301523

3320249 STEAM PRESSURE SWITCH 0.25-4.5 BAR
connection 1/4"F
for Boiling pan (PALUX)



PALUX 127515

5011861 STEAM PRESSURE SWITCH 0.48/0.43 BAR
fitting 1/4"M - 250V
for Boiling pan (PALUX)
for Bratt pan (PALUX)



PALUX 702129

5035270 STEAM PRESSURE SWITCH 0.60/0.54 BAR
fitting 1/4"M - 250V
for Boiling pan electric (PALUX)



PALUX



Suitable for:

PALUX



Suitable for:


Rotary switches

- 3057307 CONNECTION BRACKET 28x21x11 mm**
distance between fixing brackets 27 mm
for connection between selector switch and thermos




PALUX 086223

- 3057032 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 32A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm




PALUX 010162

- 3057095 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm




PALUX 086312

- 3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



PALUX 290343

- 3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




PALUX 291722

- 3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




PALUX 291757

- 3057349 SELECTOR SWITCH 0-1-2 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




PALUX 685380

- 3057346 SELECTOR SWITCH 0-1-2-3-4 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




PALUX 193224

- 3057001 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm



PALUX 226491

- 3057002 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



PALUX 126608




Suitable for:

PALUX




3057096 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



PALUX 720534


Suitable for:

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



PALUX 290335

3057092 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



PALUX 010170

Solenoid valves

3120161 SOLENOID VALVE MULLER 180°
inlet 3/4" - outlet $\varnothing$ 14 mm
coil 220/240V 50/60Hz - max. temperature 90°C



PALUX 334944

Spark generators

3001061 SPARK GENERATOR 2 OUTLETS
220V



PALUX

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



PALUX LF-3001061

Sparking and detection plugs

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



PALUX

3806024 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M4x1 mm
overall length 63 mm
for Fry top gas (PALUX)



PALUX 097292



Suitable for:

PALUX



Suitable for:

Springs

3250262 SPRING ø 17x305 mm



PALUX G0197


3250263 SPRING ø 30x305 mm



PALUX G0201

Switches

3319778 PUSH-BUTTON 1-POLE BLACK 4A 250V
threaded coupling ø 12 mm



PALUX 835358

Tangential and radial fans

3526203 TANGENT. VENTILATOR 180 mm RIGHT
19W 220/230V 50/60Hz - ø 45 mm
operating temperature -10°+60°C



PALUX 202428

Thermocouples and accessories

3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75



PALUX 054520

3440064 NUT FOR THERMOCOUPLE M8x1




PALUX 054240

3440184 THERMOCOUPLE M8x1 100 cm



PALUX 384968

3440047 THERMOCOUPLE M8x1 75 cm



PALUX 697443



PALUX



Suitable for:

Suitable for:

3440143 THERMOCOUPLE SIT M10x1 150 cm COUPLING M

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1



PALUX

PALUX


3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS
GIUNTO M8x1



PALUX

3440052 THERMOCOUPLE SIT M8x1 45 cm COUPLING M8x

3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS
GIUNTO M8x1



PALUX

PALUX

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



PALUX

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



PALUX

PALUX



Suitable for:

PALUX




Suitable for:

Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-615°C

complete with switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb $\varnothing$ 4x230 mm



PALUX 661635

3444495 SINGLE-PHASE THERMOSTAT 147°C


with manual reset
covered capillary length 1800 mm - 16A 250V
bulb $\varnothing$ 6x77 mm



PALUX 702137

5050074 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1130 mm - 16A 250V
bulb $\varnothing$ 4x94 mm
for Fry top electric (PALUX)



PALUX 637718

3444361 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary 950 mm - 16A 250V
bulb $\varnothing$ 3x160 mm



PALUX 202029

3444593 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 860 mm - 16A 400V
bulb $\varnothing$ 3x150 mm



PALUX 202029

3444668 SINGLE-PHASE THERMOSTAT 50-320°C


complete with switch
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 3100 mm - 16A 230V
bulb $\varnothing$ 3.1x160 mm



PALUX 201928

3444701 SINGLE-PHASE THERMOSTAT 55-250°C


D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1170 mm - 16A 250V
bulb $\varnothing$ 3.1x226 mm - with stuffing gland M9x1



PALUX 091634

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb $\varnothing$ 6.5x95 mm



PALUX 208418

Suitable for:

3744146 THERMOSTAT SINGLE-PHASE 120°C

automatic reset
covered capillary length 720 mm
bulb $\varnothing$ 3x305 mm
for Fryer electric (PALUX)



PALUX 136840

Suitable for:

3444681 THERMOSTAT SINGLE-PHASE 318°C


with automatic reset
length capillary 800 mm
bulb $\varnothing$ 4x110 mm - with stuffing gland fitting M9x1
with tank sealing coupling complete M12x1



PALUX 242746

3744151 THERMOSTAT SINGLE-PHASE 80-131°C

D-shaped pin $\varnothing$ 6x4.6 mm
complete with silicone sheathing $\varnothing$ 10x470 mm
capillary length 1730 mm - 16A 250V
bulb $\varnothing$ 6x100 mm



PALUX 371017

3744147 THERMOSTAT THREE-PHASE 250°C


manual reset
covered capillary length 710 mm
bulb $\varnothing$ 3x305 mm
for Fryer electric (PALUX)



PALUX 686832

3744155 THERMOSTAT THREE-PHASE 32-110°C

complete with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
length capillary covered 1180 mm
bulb $\varnothing$ 6x138 mm



PALUX 700509

3744152 THERMOSTAT THREE-PHASE 365°C

with manual reset
length capillary covered 1190 mm - 20A 400V
bulb $\varnothing$ 4x100 mm



PALUX 502537

3744143 THERMOSTAT THREE-PHASE 480°C

manual reset
covered capillary length 890 mm
bulb $\varnothing$ 4x228 mm



PALUX 603589

3744154 THERMOSTAT THREE-PHASE 520°C

with manual reset
length capillary covered 890 mm - 20A 400V
bulb $\varnothing$ 4x228 mm



PALUX 619221



Suitable for:

PALUX



3744144 THERMOSTAT THREE-PHASE 60-204°/135-300°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 880 mm
bulb $\varnothing$ 4x130 mm



PALUX 634980

Suitable for:

5043662 THERMOSTAT THREE-PHASE 60-390°C


complete with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 1110 mm - 16A 230V
bulb $\varnothing$ 4x228 mm
for Fry top (PALUX) TOPLINE



PALUX 619248

3744153 THERMOSTAT THREE-PHASE 77-300°C

complete with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
length capillary covered 880 mm - 16A 230V
bulb $\varnothing$ 4x128 mm



PALUX 606227

3444702 THREE-PHASE THERMOSTAT 100-180°C

complete with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 720 mm - 16A 230V
bulb $\varnothing$ 3.1x305 mm
for Fryer electric (PALUX)



PALUX 026611

5035660 KNOB BLACK $\varnothing$ 50 mm 100-180°C

D-shaped hole 6x4.6 mm
for Fryer (PALUX) 600




PALUX 027804

PALUX 088013

3444562 THREE-PHASE THERMOSTAT 100-350°C


D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1800 mm - 16A 230V
bulb $\varnothing$ 6x80 mm



PALUX 291730


3744062 THREE-PHASE THERMOSTAT 100-350°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1470 mm - 16A 400V
bulb $\varnothing$ 6x75 mm



PALUX 291730

3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680
 2 temperatures
 complete with switch
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 1200 mm - 16A 230V
 bulb $\varnothing$ 3.1x230 mm
 for Pot stove electric (PALUX)



PALUX 661635


Suitable for:

3444734 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 1470 mm - 16A 230V
 bulb $\varnothing$ 6x175 mm - with adapter nipple band M9x1




PALUX 291749

3444375 THREE-PHASE THERMOSTAT 225°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb $\varnothing$ 6x90 mm - with adapter nipple band M10x1



PALUX

3444739 THREE-PHASE THERMOSTAT 250°C
 with manual reset
 covered capillary length 1470 mm - 10A 400V
 bulb $\varnothing$ 6x100 mm - adapter nipple bland M9x1




PALUX 637726

3444706 THREE-PHASE THERMOSTAT 255°C
 with manual reset
 covered capillary length 730 mm - 10A 400V
 bulb $\varnothing$ 3.1x307 mm



PALUX 027332

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb $\varnothing$ 6x130 mm




PALUX 290319

3444190 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 3000 mm - 10A 400V
 bulb $\varnothing$ 6x135 mm - with adapter nipple band M9x1
 with complete tank joint M12x1
 for Boiling pan electric (PALUX)



PALUX 291706

3444504 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 capillary length 880 mm - 10A 400V
 bulb $\varnothing$ 4x128 mm
 for Hot plate (PALUX)



PALUX 224081



Suitable for:

PALUX



5060649 THREE-PHASE THERMOSTAT 55-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 880 mm-10A 400V
bulb $\varnothing$ 4x295 mm
for Oven under cooktop electric (PALUX)



PALUX 723231

Suitable for:

3744055 THREE-PHASE THERMOSTAT 95-185°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1480 mm - 16A 400V
bulb $\varnothing$ 6x120 mm
for Fryer (PALUX)



PALUX 178144

Timers

3446100 MECHANICAL TIMER 15 MINUTES
manually set mechanical timer
manually set cycle 15 minutes
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



PALUX 5356050

PALUX 720585

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



PALUX 368849

Wire pan supports

3354001 GRID REDUCER FOR MOKA 265x265 mm
in stainless steel



PALUX 248215

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |