




Spare parts for:

Cooking equipment

Suitable for:

PEL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

PEL



Suitable for:

Ball valves and accessories

3526671 BALL VALVE ø 1/2" FF



PEL 440709
PEL 732003

PEL 700108


PEL 701112

3526699 BALL VALVE ø 1/4" MF



PEL 440002

5013138 BALL VALVE WATER ø 1" FF
ball valve
heavy series, total PN 25 passage



PEL 701612

3526703 BALLCOCK VALVE ø 1/2" FF



PEL 440009

3526705 BALLCOCK VALVE ø 1/2" MF



PEL 440008

3526698 BALLCOCK VALVE ø 1/4" FF



PEL 440003

3356141 BALLCOCK VALVE ø 3/4" MF
DN20 PN40



PEL

3526702 BALLCOCK VALVE ø 3/8" FF



PEL 440006

3526704 BALLCOCK VALVE ø 3/8" MF



PEL 440005

3526178 BALLCOCK VALVE 1" MF




PEL

3356048 DRAIN BALL TAP 3/4"MF



PEL

3356064 DRAIN TAP ø 1/2"MF
internal exit ø 15 mm



PEL 701543

3356069 DRAIN TAP ø 1"F
internal exit ø 25 mm



PEL

3359135 DRAIN TAP ø 1"F



PEL

3356089 DRAIN TAP ø 1"MF
internal exit ø 24 mm



PEL

3359123 DRAIN TAP ø 18 mm



PEL

PEL




Suitable for:

3356148 DRAIN TAP ø 1/2"FF



PEL

3356068 DRAIN TAP ø 1/2"MM



PEL 430189

3356106 DRAIN TAP ø 1"F
outlet internal ø 25 mm



PEL 440074

3526678 DRAIN TAP ø 1"FF




PEL

3356082 DRAIN TAP ø 1"1/4FF



PEL 700114

5033496 DRAIN TAP ø 18 mm
upper lever connection



PEL 430369



Suitable for:

PEL



3356052 DRAIN TAP $\varnothing$ 3/4" F
lateral lever fitting
outlet internal $\varnothing$ 22 mm




PEL 430159

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



PEL

3356054 DRAIN TAP $\varnothing$ 3/4" F
superior lever connection
internal exit $\varnothing$ 22 mm



PEL 430220

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



PEL

3356088 DRAIN TAP $\varnothing$ 3/4" FF



PEL

Suitable for:

3356053 DRAIN TAP HANDLE $\varnothing$ 17x40 mm
thread M8



PEL

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 $\varnothing$ 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



PEL 498579

3356053 DRAIN TAP HANDLE $\varnothing$ 17x40 mm
thread M8



PEL

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 $\varnothing$ 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



PEL 498579

3359137 DRAIN TAP $\varnothing$ 3/4" FF



PEL 430255

3356083 DRAIN TAP Ø 3/4"MF



PEL

3526601 GAS VALVE Ø 1/2"FF
ballcock valve
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium lever



PEL 701012

PEL 732303

3526641 GAS VALVE Ø 1/2"MF
ballcock valve
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



PEL 701312

PEL 732203

3526632 GAS/WATER BALLCOCK VALVE Ø 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



PEL 701113

PEL 732004

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



PEL

PEL



Suitable for:

3356084 DRAIN TAP Ø 3/4"MF



PEL

3526273 GAS VALVE Ø 1/2"MF
ball valve
aluminum lever



PEL 732503

3526602 GAS VALVE Ø 3/4" FF
ballcock valve
heavy series with PN 40 total passage
DIN - DVGW approved
aluminum lever



PEL 701013

PEL 732304

3526673 GAS/WATER VALVE Ø 1"FF
ball valve
heavy series with PN 40 total passage
aluminum lever



PEL 700112

3356169 WATER BALL VALVE Ø 3/8"FF
ball valve
PN 40 full flow heavy series
DIN - DVGW approved
aluminum lever



PEL 700607



Suitable for:

PEL



3411006 WATER BALL VALVE $\varnothing$ 3/8"FF



PEL 701607

Suitable for:

5005455 WATER INLET TAP $\varnothing$ 1/2"FF
hole for pin $\varnothing$ 8 mm



PEL 430252

3411004 WATER INLET TAP $\varnothing$ 3/8"FF
D-shaped pin $\varnothing$ 10x8 mm



PEL 430416

3359131 WATER INLET TAP $\varnothing$ 3/8"MM
D-shaft $\varnothing$ 10x8 mm



PEL 430304

3411004 WATER INLET TAP $\varnothing$ 3/8"FF
D-shaped pin $\varnothing$ 10x8 mm



PEL 430416

3526691 WATER VALVE $\varnothing$ 1/2"MF
ball valve
heavy series with PN 25 total passage
aluminium lever



PEL 700076

3526693 WATER VALVE $\varnothing$ 1"MF
ball valve
heavy series with PN 25 total passage
aluminium lever



PEL 700080

3526672 WATER VALVE $\varnothing$ 3/4"FF
ballcock valve
heavy series with PN 40 total passage
aluminium lever



PEL 700110

3526184 WATER VALVE 3/8"MF
ballcock valve
heavy series with complete pass-through PN 40
aluminum lever



PEL 700075

Burners, flame spreaders and accessories

3025290 JET HOLDER
nozzle hole M11x1



PEL

3025199 JET HOLDER ASSEMBLY
pipe fitting $\varnothing$ 10 mm
jet hole $\varnothing$ M10x1



PEL

Drain hoses

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 $\varnothing$ 22 mm – length 210 mm – bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



PEL 498579

Drain taps and accessories

3356051 DRAIN TAP $\varnothing$ 3/4" F



PEL 430358

3356056 DRAIN TAP $\varnothing$ 3/4" F
for FRYER



PEL 430146

3356053 DRAIN TAP HANDLE $\varnothing$ 17x40 mm
thread M8



PEL



Suitable for:

PEL



Suitable for:

Gas burners

4059375 INJECTOR BODY FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe $\varnothing$ 10 mm



PEL

3023197 NOZZLE HOLDER FOR BURNER
tapered nozzle M15x1 mm



PEL


5028943 NOZZLE HOLDER FOR BURNER
tapered coupling for pipe M16x1.5 mm
fixing M14x1 mm - tube $\varnothing$ 10 mm



PEL

Gas taps and accessories

3348017 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 26 mm
for model PEL 22




PEL AFCAPP22S-X-791906

PEL AFCAPP22S-X-791911

PEL KIT0913


3348060 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 25 mm
for model PEL 23



PEL AFCAPP.23S

PEL KIT54827

3348062 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 35 mm
for model PEL 23



PEL AFCAPP23S/1

PEL KIT54734

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575


3348020 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 20S



PEL AFCAPP.20S

PEL KIT54782

3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778



Suitable for:

3348188 COMPLETE FLANGE FOR PEL22N-PEL22S
distance between holes 40 mm - $\varnothing$ pipe 27 mm



PEL 51491

PEL




Suitable for:

3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0886/1B


3348028 FLANGE VERTICAL $\varnothing$ 12/16 mm
thread M24x1.5
for model PEL 23



PEL KIT0955


PEL 0955

3348015 GAS TAP 20/N
without pilot flame
fittings $\varnothing$ M16x1.5 mm
with flow regulator
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 7991B-1

3348020 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 20S



PEL AFCAPP.20S

PEL KIT54782

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3182011 MAGNETIC UNIT PEL SMALL HEADED
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905



Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



PEL 0905/2

3348014 GAS TAP 20/S
without pilot flame
fittings ø M16x1.5mm
thermocouple fitting M8x1
D-shaped pin ø 8x6.5mm



PEL 7989B-3

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

PEL



Suitable for:

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21




PEL 0907/6

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348020 CAP WITH PIN ø 8x6.5 mm
pin length 22 mm
for model PEL 20S



PEL AFCAPP.20S

PEL KIT54782

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1



Suitable for:

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

- 3348036 OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



PEL 0904

- 3348029 PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

- 3348044 PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

- 3348037 OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

- 3348043 PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

- 3020078 PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1






Suitable for:

PEL



- 3348070 GAS TAP 20S**
with connections and olives
without pilot flame
inlet connections M16x1.5 mm
outlet connection $\varnothing$ 1/4"
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 8x6.5 mm
with block shear connector for replacement
of gas tap SIRAL



PEL

- 3348058 MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982


- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

Suitable for:

- 3348020 CAP WITH PIN $\varnothing$ 8x6.5 mm**
pin length 22 mm
for model PEL 20S



PEL AFCAPP.20S

PEL KIT54782

- 3348059 MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

- 3348043 PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21




PEL 0907/6



Suitable for:

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

3348075 **GAS TAP 20S**
without pilot flame
fittings M16x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped long pin ø 8x6.5 mm



PEL 7989B-19

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1

3348016 **GAS TAP 21S**
with pilot flame
fittings ø M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin ø 8x6.5 mm



PEL 7988B-7

PEL

Suitable for:

3020078 **PIPE FITTING ø 6 mm**
thread M10x1




PEL 0903/1

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

3348021 **CAP WITH PIN ø 8x6.5 mm**
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



PEL 0904

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

3348043 **PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1

- 3348073 GAS TAP 21S**
 with pilot flame
 clamp connection pipe $\varnothing$ 21 mm
 fitting outlet $\varnothing$ M16x1.5 mm
 with flowrate regulator
 thermocouple connection 8x1
 D-shaped pin $\varnothing$ 8x6.5 mm



PEL 777028

- 3348058 MAGNET PROTECTION NUT M8x1**
 thread M18x1 mm
 for model PEL 20-21-22



PEL 0885

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



PEL 0982

- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
 for model PEL 21-22



PEL 0904

- 3348029 PIPE FITTING $\varnothing$ 4 mm**
 thread M10x1
 for model PEL 21-22



PEL 0903

Suitable for:

- 3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm**
 pin length 22 mm
 for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

- 3348059 MAGNET PROTECTION NUT M9x1**
 thread M18x1mm
 for model PEL 20-21-22



PEL 0885/1

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
 for model PEL 21-22-25



PEL 0905

- 3348043 PIPE FITTING $\varnothing$ 10 mm**
 thread M16x1.5
 for model PEL 20-21



PEL 0907/6

- 3020078 PIPE FITTING $\varnothing$ 6 mm**
 thread M10x1



PEL 0903/1



Suitable for:

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3348074 **GAS TAP 215**
with pilot flame
flange pipe connection $\varnothing$ 21 mm
outlet fittings $\varnothing$ M16x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 777073

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

PEL

Suitable for:



3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22




PEL 0903



Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



PEL 0903/1

3348076 GAS TAP 21S
with pilot flame
fittings $\varnothing$ M16x1.5mm
with flow regulator
thermocouple connection M8x1 mm
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 7988B-1

PEL 7988B-5

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 MAGNETIC UNIT PEL SMALL HEADED
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

PEL


Suitable for:

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



PEL 0905/2

3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21




PEL 0907/6





Suitable for:

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

3348079 **GAS TAP 21S**
with pilot flame
fittings ø M16x1.5 mm
thermocouple connection M8x1
D-shaped long pin ø 8x6.5 mm



PEL 7988B-49

PEL 7988B/49

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

PEL

Suitable for:

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1

3348021 **CAP WITH PIN ø 8x6.5 mm**
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905





Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



PEL 0905/2

3348083 GASTAP 21S
with pilot flame
flange connection pipe ø 21 mm
outlet fitting M16x1.5 mm
thermocouple connection M9x1
D-shaped pin ø 8x6.5 mm



PEL 777098

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

PEL

Suitable for:

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21




PEL 0907/6

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348021 CAP WITH PIN ø 8x6.5 mm
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1





Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEADED
 ø head 15 mm - ø end 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



PEL 0982

3348036 OLIVE FOR 4 mm ø PIPE
 for model PEL 21-22



PEL 0904

3348029 PIPE FITTING ø 4 mm
 thread M10x1
 for model PEL 21-22



PEL 0903

3348044 PIPE OLIVE ø 10 mm
 for model PEL 20 - 21



PEL 0905/2

3348109 GAS TAP 21S
 with pilot flame
 fittings ø M16x1.5mm
 thermocouple connection M8x1
 D-shaped pin ø 8x6.5 mm



PEL 7988B-33

PEL

Suitable for:

3348037 OLIVE FOR PILOT PIPE ø 6 mm
 for model PEL 21-22-25



PEL 0905

3348043 PIPE FITTING ø 10 mm
 thread M16x1.5
 for model PEL 20-21



PEL 0907/6

3020078 PIPE FITTING ø 6 mm
 thread M10x1



PEL 0903/1

3348021 CAP WITH PIN ø 8x6.5 mm
 pin length 22 mm
 for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



PEL 0904

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

3348043 **PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1





Suitable for:

PEL



- 3348117 GAS TAP 21S**
with pilot flame
flange connection
outlet fitting M16x1.5 mm
thermocouple connection M8x1
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 777118

- 3348058 MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

- 3348029 PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

Suitable for:

- 3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm**
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

- 3348059 MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

- 3348043 PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

- 3020078 PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1



Suitable for:

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



PEL 0905/2

3348190 GAS TAP 21S
with connections and olives
with pilot flame
inlet fittings $\varnothing$ M10x1 mm
outlet connection M16x1.5 mm
thermocouple connection M9x1
D-shaped long pin $\varnothing$ 6x4.6 mm



PEL

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 MAGNETIC UNIT PEL SMALL HEADED
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22




PEL 0904

PEL

Suitable for:




3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21




PEL 0907/6



Suitable for:

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

3348202 **GAS TAP 21S**
with pilot flame
fittings ø M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin ø 8x6.5 mm



PEL 7988B-27

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

PEL


Suitable for:

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1

3348021 **CAP WITH PIN ø 8x6.5 mm**
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905





Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



PEL 0905/2

5051880 GASTAP 21S
complete with connections and olives
with pilot flame
inlet connection M16x1.5 mm
outlet coupling with nozzle ø 1.55 mm
thermocouple fittings M8x1
D-shaped pin ø 6x4.6 mm - long pin



PEL

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

PEL

Suitable for:

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21




PEL 0907/6

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348021 CAP WITH PIN ø 8x6.5 mm
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1





Suitable for:

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
 ø head 15 mm - ø end 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



PEL 0982

- 3348036 OLIVE FOR 4 mm ø PIPE**
 for model PEL 21-22



PEL 0904

- 3348029 PIPE FITTING ø 4 mm**
 thread M10x1
 for model PEL 21-22



PEL 0903

- 3348044 PIPE OLIVE ø 10 mm**
 for model PEL 20 - 21



PEL 0905/2

- 5052175 GAS TAP 21S**
 with pilot flame
 pipe flange fitting ø 21 mm
 outlet connection ø M16x1,5 mm
 with flow rate adjuster
 thermocouple connection M9x1
 D-shaft ø 8x6.5 mm



PEL 777120

PEL

Suitable for:

- 3348037 OLIVE FOR PILOT PIPE ø 6 mm**
 for model PEL 21-22-25



PEL 0905

- 3348043 PIPE FITTING ø 10 mm**
 thread M16x1.5
 for model PEL 20-21




PEL 0907/6

- 3020078 PIPE FITTING ø 6 mm**
 thread M10x1



PEL 0903/1

- 3348021 CAP WITH PIN ø 8x6.5 mm**
 pin length 22 mm
 for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



PEL 0904

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

3348043 **PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1





Suitable for:

PEL




Suitable for:

- 5064538 GAS TAP 21S**
with pilot flame
flange connection pipe $\varnothing$ 21 mm
outlet fitting M16x1.5 mm
thermocouple connection M9x1
D-shaped pin $\varnothing$ 8x6.5 mm




PEL 77111

- 3348010 GAS TAP 22N/0**
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
D-shaped pin $\varnothing$ 10x8 mm



PEL 792118

- 3348019 CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

- 3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL KIT0889/B


PEL 0889/B

- 3348058 MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

- 3348017 CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

- 3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0886/1B

- 3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0945

- 3348059 MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1



Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3020082 OLIVE FOR 12 mm ø PIPE



PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910

PEL

Suitable for:

3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1






Suitable for:

PEL



- 3348004 GAS TAP 22N/V**
with pilot flame
with vertical flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
D-shaped pin $\varnothing$ 10x8 mm



PEL 792003

PEL 792004

- 3348019 CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

- 3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

- 3348058 MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885


- 3182009 MAGNETIC UNIT PEL BIG HEADED**
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

Suitable for:

- 3348017 CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

- 3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0886/1B

- 3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0945

- 3348059 MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE




PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22




PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910

3348112 GAS TAP 22S
with pilot flame
with horizontal swivel flange
flange connection
outlet connection M20x1.5 mm
thermocouple connection M9x1
D-shaped long pin ø 8x6.5 mm



PEL 777079

PEL

Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22




PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348017 CAP WITH PIN ø 10x8 mm
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911


PEL KIT0913





Suitable for:

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0886/1B

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

PEL

Suitable for:

3348188 COMPLETE FLANGE FOR PEL22N-PEL22S
distance between holes 40 mm - $\varnothing$ pipe 27 mm



PEL 51491

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906





Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22




PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1




PEL 0903/1

3348183 GAS TAP 22S
with horizontal flange
flange connection
outlet fittings ø M20x1mm
thermocouple connection M8x1
D-shaped pin ø 10x8 mm



PEL 777020

3348019 CAP WITH PIN ø 10x9 mm
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

PEL

Suitable for:

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22




PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910

3348017 CAP WITH PIN ø 10x8 mm
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

3348188 COMPLETE FLANGE FOR PEL22N-PEL22S
distance between holes 40 mm - ø pipe 27 mm



PEL 51491





Suitable for:

3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0886/1B

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

PEL



Suitable for:

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24




PEL 0884

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1



Suitable for:

3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING ø 6 mm**
thread M10x1




PEL 0903/1

5031742 **GAS TAP 22S**
with pilot flame
with horizontal flange swiveling
connections ø M20x1.5 mm
with flow rate adjuster
thermocouple connection M9x1
D-shaft ø 10x8 mm



PEL 7919163


3348019 **CAP WITH PIN ø 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

3348023 **HORIZONTAL FLANGE ø 12/10 mm**
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

PEL

Suitable for:

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22




PEL 0903

3348038 **PIPE OLIVE ø 10 mm**
for model PEL 22



PEL 0910

3348017 **CAP WITH PIN ø 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

3348024 **FLANGE VERTICAL ø 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0886/1B

3348025 **HORIZONTAL FLANGE CONICAL ø 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0945





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 **MAGNETIC UNIT PEL BIG HEADED**
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3020082 **OLIVE FOR 12 mm ø PIPE**



PEL 0906

3348031 **PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

PEL

Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22




PEL 0904

3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1





Suitable for:

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



PEL 0910

3348001 GAS TAP 22S/O
with pilot flame
with conical horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 10x9 mm



PEL 791904

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




PEL 0885

PEL



Suitable for:

3348017 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0886/1B

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1



Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3020082 OLIVE FOR 12 mm ø PIPE



PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910

PEL

Suitable for:

3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

- 3348002 GAS TAP 22S/O**
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



PEL 791911

PEL 791944

- 3348019 CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

- 3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

- 3348058 MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

- 3182009 MAGNETIC UNIT PEL BIG HEADED**
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

Suitable for:

- 3348017 CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

- 3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22




PEL 0886/1B

- 3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0945

- 3348059 MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905




Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910

3348005 GAS TAP 22S/0
with pilot flame
with horizontal flange
fittings ø M20x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped pin ø 10x8 mm



PEL 791910

PEL

Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22




PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348017 CAP WITH PIN ø 10x8 mm
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911


PEL KIT0913





Suitable for:


3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906

PEL

Suitable for:

3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0886/1B

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904






Suitable for:

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22




PEL 0910

3348061 **GAS TAP 22S/0**
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 10x9 mm



PEL 791938

3348019 **CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

PEL



Suitable for:

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348017 **CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

3348024 **FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22




PEL 0886/1B



Suitable for:

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24




PEL 0884

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

PEL

Suitable for:

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22




PEL 0907





Suitable for:

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22




PEL 0910

3348143 **GAS TAP 22S/0**
complete with connections and olives
with pilot flame
horizontal flange
fittings M20x1.5 mm
thermocouple connection M9x1
pin length 16 mm
square pin 7x7 mm



PEL


3348019 **CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

3348023 **HORIZONTAL FLANGE $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

PEL

Suitable for:

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348017 **CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

3348024 **FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0886/1B

3348025 **HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0945





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 **MAGNETIC UNIT PEL BIG HEADED**
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24




PEL 0884

3020082 **OLIVE FOR 12 mm ø PIPE**



PEL 0906

3348031 **PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

PEL

Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22




PEL 0904

3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1





Suitable for:

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



PEL 0910

PEL

Suitable for:



3348003 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



PEL 791804

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B


PEL 0889/B

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3348017 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0886/1B

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1



Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3020082 OLIVE FOR 12 mm ø PIPE



PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910

PEL

Suitable for:

3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1





Suitable for:

PEL




- 3348069 GAS TAP 22S/V**
with pilot flame
with vertical flange
pipe flange connection $\varnothing$ 21 mm
outlet connection M20x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 10x9 mm



PEL 777040

- 3348019 CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

- 3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0886/1B

- 3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0945

- 3348059 MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

Suitable for:

- 3348017 CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

- 3348188 COMPLETE FLANGE FOR PEL22N-PEL22S**
distance between holes 40 mm - $\varnothing$ pipe 27 mm



PEL 51491

- 3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

- 3348058 MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

- 3182009 MAGNETIC UNIT PEL BIG HEADED**
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884



Suitable for:

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25




PEL 0905

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



PEL 0903/1

3348090 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings M20x1.5 mm
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



PEL 791855

PEL


Suitable for:

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22




PEL 0903

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



PEL 0910

3348017 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911


PEL KIT0913





Suitable for:


3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906

PEL



Suitable for:

3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22




PEL 0886/1B

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904



Suitable for:

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22




PEL 0910

3348200 **GAS TAP 22S/V**
with pilot flame
with vertical flange
connections $\varnothing$ M20x1.5 mm
with flow rate adjuster
thermocouple connection M8x1
pin $\varnothing$ 10 mm



PEL

3348019 **CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

PEL

Suitable for:

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22




PEL 0907

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348017 **CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

3348024 **FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22




PEL 0886/1B





Suitable for:

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24




PEL 0884

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

PEL

Suitable for:

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22




PEL 0907





Suitable for:

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22




PEL 0910

5050274 **GAS TAP 22S/V**
with pilot flame
with vertical flange
connections $\varnothing$ M20x1.5 mm
with flow rate adjuster
thermocouple connection M8x1
D-shaft $\varnothing$ 6x4.6 mm - long pin



PEL


3348019 **CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



PEL AFCAPP.22S5

PEL KIT54575

3348023 **HORIZONTAL FLANGE $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

PEL


Suitable for:

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348017 **CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



PEL AFCAP22S-X-791906

PEL AFCAP22S-X-791911

PEL KIT0913

3348024 **FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0886/1B

3348025 **HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



PEL 0945





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182009 **MAGNETIC UNIT PEL BIG HEADED**
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3020082 **OLIVE FOR 12 mm ø PIPE**



PEL 0906

3348031 **PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

PEL

Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22




PEL 0904

3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1






Suitable for:

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22




PEL 0910

3348011 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



PEL 796904

3348062 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 35 mm
for model PEL 23



PEL AFCAPP23S/1

PEL KIT54734

3348027 HORIZONTAL FLANGE $\varnothing$ 12/16 mm
thread M24x1.5 mm
for model PEL 23



PEL KIT0956

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22




PEL 0904

PEL

Suitable for:



3348060 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 25 mm
for model PEL 23



PEL AFCAPP.23S

PEL KIT54827

3348028 FLANGE VERTICAL $\varnothing$ 12/16 mm
thread M24x1.5
for model PEL 23



PEL KIT0955


PEL 0955

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348033 PIPE FITTING $\varnothing$ 12 mm
thread M24x1.5
for model PEL 23




PEL 0907/7



Suitable for:

3348034 **PIPE FITTING $\varnothing$ 16 mm**
thread M24x1.5
for model PEL 23



PEL 0907/3

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348040 **PIPE OLIVE $\varnothing$ 12 mm**
for model PEL 23



PEL 0963

3348042 **PIPE OLIVE $\varnothing$ 20 mm**
for model PEL 23



PEL 0961

3348012 **GAS TAP 23S/O**
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin $\varnothing$ 10x8 mm




PEL 796906

PEL

Suitable for:

3348035 **PIPE FITTING $\varnothing$ 20 mm**
thread M28x1.5
for model PEL 23



PEL 0907/4

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348041 **PIPE OLIVE $\varnothing$ 16 mm**
for model PEL 23



PEL 0960

3348060 **CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 25 mm
for model PEL 23



PEL AFCAPP.23S


PEL KIT54827





Suitable for:

3348062 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 35 mm
for model PEL 23



PEL AFCAPP23S/1

PEL KIT54734

3348027 HORIZONTAL FLANGE $\varnothing$ 12/16 mm
thread M24x1.5 mm
for model PEL 23




PEL KIT0956

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25




PEL 0905

3348033 PIPE FITTING $\varnothing$ 12 mm
thread M24x1.5
for model PEL 23



PEL 0907/7

3348035 PIPE FITTING $\varnothing$ 20 mm
thread M28x1.5
for model PEL 23



PEL 0907/4

PEL

Suitable for:

3348028 FLANGE VERTICAL $\varnothing$ 12/16 mm
thread M24x1.5
for model PEL 23



PEL KIT0955

PEL 0955

3182010 MAGNETIC UNIT PEL
 $\varnothing$ head 24 mm - $\varnothing$ end 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23




PEL 0958

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

3348034 PIPE FITTING $\varnothing$ 16 mm
thread M24x1.5
for model PEL 23



PEL 0907/3

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22




PEL 0903





Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1




PEL 0903/1

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23




PEL 0960

4005466 GAS TAP 23S/0
with pilot flame
with horizontal flange
inlet fitting M28x1.5 mm
outlet coupling M24x1.5 mm
without flow rate adjuster
thermocouple fitting M9x1
D-shaped pin $\varnothing$ 10x8 mm



PEL

3348062 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 35 mm
for model PEL 23



PEL AFCAPP23S/1

PEL KIT54734

3348027 HORIZONTAL FLANGE $\varnothing$ 12/16 mm
thread M24x1.5 mm
for model PEL 23



PEL KIT0956

PEL

Suitable for:

3348040 PIPE OLIVE $\varnothing$ 12 mm
for model PEL 23




PEL 0963

3348042 PIPE OLIVE $\varnothing$ 20 mm
for model PEL 23



PEL 0961

3348060 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 25 mm
for model PEL 23



PEL AFCAPP.23S

PEL KIT54827

3348028 FLANGE VERTICAL $\varnothing$ 12/16 mm
thread M24x1.5
for model PEL 23



PEL KIT0955

PEL 0955

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905






Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348034 PIPE FITTING ø 16 mm
thread M24x1.5
for model PEL 23



PEL 0907/3

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348040 PIPE OLIVE ø 12 mm
for model PEL 23



PEL 0963

3348042 PIPE OLIVE ø 20 mm
for model PEL 23




PEL 0961

PEL


Suitable for:

3348033 PIPE FITTING ø 12 mm
thread M24x1.5
for model PEL 23



PEL 0907/7

3348035 PIPE FITTING ø 20 mm
thread M28x1.5
for model PEL 23



PEL 0907/4

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



PEL 0960





Suitable for:

PEL




- 5015612 GAS TAP 23S/0**
complete with connections and olives
with pilot flame
with horizontal flange
inlet connection M28x1.5 mm
outlet connection M24x1.5 mm
with flow rate adjuster
thermocouple connection M9x1 mm
D-shaft $\varnothing$ 10x8 mm



PEL 796915

- 3348062 CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 35 mm
for model PEL 23



PEL AFCAPP23S/1

PEL KIT54734

- 3348027 HORIZONTAL FLANGE $\varnothing$ 12/16 mm**
thread M24x1.5 mm
for model PEL 23




PEL KIT0956

- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904


- 3348034 PIPE FITTING $\varnothing$ 16 mm**
thread M24x1.5
for model PEL 23



PEL 0907/3

Suitable for:

- 3348060 CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 25 mm
for model PEL 23



PEL AFCAPP.23S

PEL KIT54827

- 3348028 FLANGE VERTICAL $\varnothing$ 12/16 mm**
thread M24x1.5
for model PEL 23



PEL KIT0955


PEL 0955

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25




PEL 0905

- 3348033 PIPE FITTING $\varnothing$ 12 mm**
thread M24x1.5
for model PEL 23



PEL 0907/7

- 3348035 PIPE FITTING $\varnothing$ 20 mm**
thread M28x1.5
for model PEL 23




PEL 0907/4



Suitable for:

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348040 **PIPE OLIVE ø 12 mm**
for model PEL 23




PEL 0963

3348042 **PIPE OLIVE ø 20 mm**
for model PEL 23




PEL 0961

3348013 **GAS TAP 23S/V**
with pilot flame
with vertical flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin ø 10x8 mm



PEL 796801

3348062 **CAP WITH PIN ø 10x8 mm**
pin length 35 mm
for model PEL 23



PEL AFCAPP23S/1

PEL KIT54734

PEL

Suitable for:

3020078 **PIPE FITTING ø 6 mm**
thread M10x1




PEL 0903/1

3348041 **PIPE OLIVE ø 16 mm**
for model PEL 23



PEL 0960

3348060 **CAP WITH PIN ø 10x8 mm**
pin length 25 mm
for model PEL 23



PEL AFCAPP.23S

PEL KIT54827

3348028 **FLANGE VERTICAL ø 12/16 mm**
thread M24x1.5
for model PEL 23



PEL KIT0955

PEL 0955





Suitable for:

3348027 HORIZONTAL FLANGE ø 12/16 mm
thread M24x1.5 mm
for model PEL 23




PEL KIT0956

3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25




PEL 0905

3348033 PIPE FITTING ø 12 mm
thread M24x1.5
for model PEL 23



PEL 0907/7

3348035 PIPE FITTING ø 20 mm
thread M28x1.5
for model PEL 23



PEL 0907/4

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

PEL

Suitable for:

3182010 MAGNETIC UNIT PEL
ø head 24 mm - ø end 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23




PEL 0958

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348034 PIPE FITTING ø 16 mm
thread M24x1.5
for model PEL 23



PEL 0907/3

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348040 PIPE OLIVE ø 12 mm
for model PEL 23



PEL 0963






Suitable for:

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



PEL 0960

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL KIT0889/B

PEL 0889/B

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



PEL 0945

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

PEL

Suitable for:

3348042 PIPE OLIVE $\varnothing$ 20 mm
for model PEL 23



PEL 0961

3348027 HORIZONTAL FLANGE $\varnothing$ 12/16 mm
thread M24x1.5 mm
for model PEL 23



PEL KIT0956

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




PEL 0885

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1





Suitable for:

PEL




3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21




PEL 0907/6

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22




PEL 0907

3348033 PIPE FITTING $\varnothing$ 12 mm
thread M24x1.5
for model PEL 23




PEL 0907/7

3348034 PIPE FITTING $\varnothing$ 16 mm
thread M24x1.5
for model PEL 23



PEL 0907/3

3348035 PIPE FITTING $\varnothing$ 20 mm
thread M28x1.5
for model PEL 23



PEL 0907/4

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



PEL 0910

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



PEL 0905/2

3348040 PIPE OLIVE $\varnothing$ 12 mm
for model PEL 23



PEL 0963

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



PEL 0960

3348042 PIPE OLIVE $\varnothing$ 20 mm
for model PEL 23



PEL 0961

5046402 TAP GAS 21S
with flame PILOT
connections M16x1.5 mm
with flow rate adjuster
thermocouple connection M8x1mm
D-shaped pin $\varnothing$ 6x4.6 mm



PEL 7988B-19

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



PEL 0885

3182011 MAGNETIC UNIT PEL SMALL HEADED
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110




PEL 0982

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



PEL AFCAPP.21S

PEL KIT54778

3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



PEL 0885/1

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



PEL 0907/6



Suitable for:

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

PEL



Suitable for:

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

Knobs

3241401 **BLACK KNOB $\varnothing$ 70 mm UNIVERSAL**
D shaft hole 8x6.5 mm



PEL 3001

3241451 **SELF-STICK DISK WITHOUT PILOT SYMBOL**
external $\varnothing$ 63 mm
for gas taps without pilot



PEL 3011

Magnet groups

3182010 **MAGNETIC UNIT PEL**
 $\varnothing$ head 24 mm - $\varnothing$ end 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



PEL 0958

3182009 **MAGNETIC UNIT PEL BIG HEADED**
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



PEL 0884

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



PEL 0982

Pilot burners and accessories

- 3020093 BURNER INJECTOR ASSEMBLY**
with LPG and natural gas nozzles M9x1
pipe $\varnothing$ 12 mm



PEL

- 5032809 ELBOW FITTING**
 $\varnothing$ connection 1/4" - $\varnothing$ thread 16 mm - $\varnothing$ pipe 10 mm



PEL

- 3348044 PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

- 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

- 3020078 PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

Taps for tank refilling

- 3359100 WATER INLET TAP $\varnothing$ 3/8"MM**



PEL 325034



Suitable for:


PEL



Suitable for:

Thermostatic gas valves

- 5053600 TAP THERMOSTATIC 25ST**
adjustment temperature 100-300°C
flange connection hose $\varnothing$ 21 mm
outlet fitting M16x1.5 mm
thermocouple connection M9x1mm
bulb $\varnothing$ 6x100 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6.5 mm




PEL 777124

- 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

- 3348031 PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

- 3348032 PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

- 3020078 PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

- 3348043 PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

- 3348029 PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

- 3348038 PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910




Suitable for:

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

5057658 **THERMOSTAT TAP 25ST/V**
max. temperature 110°C
fittings M16x1,5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x160 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6,5 mm



PEL 980006

3020082 **OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

PEL

Suitable for:



3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22




PEL 0903



Suitable for:

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1




PEL 0903/1

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3345006 **THERMOSTATIC TAP 24ST**
Adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x100 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x8 mm




PEL 799901

3020082 **OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

PEL

Suitable for:

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910

3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6





Suitable for:

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3345010 **THERMOSTATIC TAP 24ST**
Adjustment temperature 55-110°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x160 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x8 mm



PEL 799904

3020082 **OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

PEL

Suitable for:

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910

3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904






Suitable for:

3348031 **PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22




PEL 0907/1

3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING ø 6 mm**
thread M10x1




PEL 0903/1

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

3345012 **THERMOSTATIC TAP 24ST**
Adjustment temperature 110-220°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb ø 6x120 mm
capillary length 1200 mm
D-shaped pin ø 10x8 mm



PEL 799922

PEL

Suitable for:

3348043 **PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE ø 10 mm**
for model PEL 22



PEL 0910

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905





Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE




PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910






Suitable for:

PEL



- 3345029 THERMOSTATIC TAP 24ST**
Adjustment temperature 120-280°C
flange coupling $\varnothing$ 21 mm
outlet fitting M20x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x120 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x8 mm




PEL 777052

- 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

- 3348031 PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

- 3348032 PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

- 3020078 PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

Suitable for:

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

- 3348043 PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

- 3348029 PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

- 3348038 PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910




Suitable for:

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3345030 **THERMOSTATIC TAP 24ST**
Operating temperature 140-340°C
flange coupling $\varnothing$ 21 mm
outlet fitting M20x1.5 mm
thermocouple connection M8x1
bulb $\varnothing$ 6x75 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x9 mm




PEL 777051

3020082 **OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

PEL

Suitable for:



3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22




PEL 0903



Suitable for:

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3348064 **THERMOSTATIC TAP 24ST**
Adjustment temperature 120-280°C
connections M20x1.5 mm
thermocouple connection M8x1
bulb $\varnothing$ 6x120 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x9 mm




PEL 799937

3020082 **OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

PEL

Suitable for:

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910

3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6





Suitable for:

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1




PEL 0903/1

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3345016 **THERMOSTATIC TAP 24STS**
Adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x100 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x8 mm



PEL 690001

3020082 **OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

PEL

Suitable for:

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910

3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904






Suitable for:

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22




PEL 0907

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910

3345017 **THERMOSTATIC TAP 24STS**
operating temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x75 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x8 mm



PEL 690008

PEL 690011

PEL 690018

3020082 **OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

PEL



Suitable for:

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904




Suitable for:

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22




PEL 0907/1

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1




PEL 0903/1

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3345037 **THERMOSTATIC TAP 24STS**
operating temperature 100-300°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x75 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x8 mm



PEL 690041

PEL

Suitable for:

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910

3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905






Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE




PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910



- 3345005 THERMOSTATIC TAP 25ST**
 adjustment temperature 140-300°C
 connections M16x1.5 mm
 thermocouple connection M8x1
 bulb ø 6x120 mm
 capillary length 1200 mm
 D-shaped pin ø 8x6.5 mm




PEL 990016

- 3020082 OLIVE FOR 12 mm ø PIPE**



PEL 0906

- 3348031 PIPE FITTING ø 10 mm**
 thread M20x1.5
 for model PEL 22



PEL 0907/1

- 3348032 PIPE FITTING ø 12 mm**
 thread M20x1.5
 for model PEL 22



PEL 0907

- 3020078 PIPE FITTING ø 6 mm**
 thread M10x1



PEL 0903/1

Suitable for:

- 3348037 OLIVE FOR PILOT PIPE ø 6 mm**
 for model PEL 21-22-25



PEL 0905

- 3348036 OLIVE FOR 4 mm ø PIPE**
 for model PEL 21-22



PEL 0904

- 3348043 PIPE FITTING ø 10 mm**
 thread M16x1.5
 for model PEL 20-21



PEL 0907/6

- 3348029 PIPE FITTING ø 4 mm**
 thread M10x1
 for model PEL 21-22



PEL 0903

- 3348038 PIPE OLIVE ø 10 mm**
 for model PEL 22



PEL 0910




Suitable for:

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



PEL 0905/2

3345013 THERMOSTATIC TAP 25ST
adjustment temperature 30-90°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x160 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 990006

3345014 THERMOSTATIC TAP 25ST
adjustment temperature 100-200°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x120 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6.5 mm




PEL 990007

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

PEL

Suitable for:



3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



PEL 0907/6



Suitable for:

3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING ø 6 mm**
thread M10x1




PEL 0903/1

3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



PEL 0905/2

3345018 **THERMOSTATIC TAP 25ST**
operating temperature 100-300°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x75 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm



PEL 990001

3020082 **OLIVE FOR 12 mm ø PIPE**



PEL 0906

PEL

Suitable for:

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE ø 10 mm**
for model PEL 22



PEL 0910

3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



PEL 0904






Suitable for:

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22




PEL 0907/1

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

3345035 **THERMOSTATIC TAP 25ST**
adjustment temperature 120-320°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x100 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 980001

PEL



Suitable for:

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910

3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905




Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22




PEL 0904

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910





Suitable for:

PEL



- 3348100 THERMOSTATIC TAP 25ST**
operating temperature 120-320°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x100 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm



PEL 990034

- 3020082 OLIVE FOR 12 mm ø PIPE**



PEL 0906

- 3348031 PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

- 3348032 PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

- 3020078 PIPE FITTING ø 6 mm**
thread M10x1



PEL 0903/1

Suitable for:

- 3348037 OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



PEL 0905

- 3348036 OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22




PEL 0904

- 3348043 PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

- 3348029 PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



PEL 0903

- 3348038 PIPE OLIVE ø 10 mm**
for model PEL 22



PEL 0910



Suitable for:

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



PEL 0905/2

5000872 THERMOSTATIC TAP 25ST
adjustment temperature 120-280°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x120 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 990004

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



PEL 0906

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

PEL

Suitable for:



3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



PEL 0904

3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22




PEL 0903



Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



PEL 0903/1

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21




PEL 0905/2

5022068 THERMOSTATIC TAP 25ST
adjustment temperature 120-280°C
flange coupling $\varnothing$ 21 mm
coupling outlet M16x1.5 mm
thermocouple fitting M9x1
bulb $\varnothing$ 6x122 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 777056

5051226 THERMOSTATIC TAP 25ST
operating temperature 100-300°C
flange connection pipe $\varnothing$ 21 mm
outlet fitting M16x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x100 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 777112

PEL

Suitable for:

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



PEL 0910



3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



PEL 0905



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE




PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22




PEL 0907/1

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910





Suitable for:

PEL



7102711 THERMOSTATIC TAP 25ST
adjustment temperature 120-320°C
flange coupling ø 21 mm
coupling outlet M16x1.5 mm
thermocouple fitting M9x1
bulb ø 6x100 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm




PEL 777128

3020082 OLIVE FOR 12 mm ø PIPE



PEL 0906

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



PEL 0907

3020078 PIPE FITTING ø 6 mm
thread M10x1



PEL 0903/1

Suitable for:

3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25



PEL 0905

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



PEL 0904

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



PEL 0903

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



PEL 0910




Suitable for:

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

5052466 **THERMOSTATIC TAP 25STO**
adjustment temperature 140-300°C
fittings M16x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x120 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 8x6.5 mm



PEL 990041

3020082 **OLIVE FOR 12 mm $\varnothing$ PIPE**



PEL 0906

3348031 **PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



PEL 0907/1

3348032 **PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



PEL 0907

PEL

Suitable for:



3348037 **OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



PEL 0905

3348036 **OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



PEL 0904

3348043 **PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



PEL 0907/6

3348029 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22




PEL 0903



Suitable for:

3020078 **PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



PEL 0903/1

3348044 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 20 - 21



PEL 0905/2

PEL

Suitable for:

3348038 **PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



PEL 0910



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |