



Spare parts for:

## Cooking equipment



Suitable for:

# RATIONAL



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# RATIONAL



Suitable for:

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN




RATIONAL 31011008

**3240519 AXIAL MOTOR FAN EBM 4656N**  
230V 50Hz 19W 2650rpm  
119x119x38 mm  
ball bearing




RATIONAL

**3240600 FAN GRID 119x119 mm**  
distance between mounting holes 145 mm



## Buzzers

**3397302 ALARM BELL 220V**



RATIONAL 30060101

## Cable glands

**3050312 PRESSURE FITTING PG 9**



RATIONAL 40070600



## Castors, rollers and accessories

- 3346173 SWIVELLING WHEEL**  
with ZINC-PLATED supports  
dimensions  $\varnothing$  100x30 mm  
pin hole  $\varnothing$  13 mm



RATIONAL 20060401

## Clamps

- 3449408 DOUBLE-WIRE CLAMP 14.4-15.1 - 100 PCS**  
for hoses  $\varnothing$  14.4÷15.1 mm



RATIONAL 20660527

- 3449451 HOSE CLAMP 10-16**  
for pipes  $\varnothing$  10÷16 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



RATIONAL 2066.0205

- 3449453 HOSE CLAMP 25-40**  
for pipes  $\varnothing$  25÷40 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



RATIONAL 20660503

RATIONAL 20660519

- 3449454 HOSE CLAMP 32-50**  
for pipes  $\varnothing$  32÷50 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



RATIONAL 20660507

RATIONAL 20660519

- 3449455 HOSE CLAMP 40-60**  
for pipes  $\varnothing$  40÷60 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



RATIONAL 20660504

- 3449456 HOSE CLAMP 50-70**  
for pipes  $\varnothing$  50÷70 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



RATIONAL 20660300



Suitable for:

# RATIONAL



Suitable for:

## Contactors

**3397401 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz**  
0.55Kw / 1÷1.6A  
3 normally open contacts



RATIONAL 30310105

RATIONAL 30310106

**3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz**  
1.1Kw / 1.6÷2.5A  
3 normally open contacts



RATIONAL 30310107

**3351260 AUXILIARY CONTACT AEG HS05.01**  
10A  
1 normally closed contact



RATIONAL 30280158

**3446516 AUXILIARY CONTACT AEG HS7K.01**  
10A  
1 normally closed contact



RATIONAL 3028.0561

**5021314 AUXILIARY CONTACT AEG HS8.K11**  
1 contact NO  
1 contact NC



RATIONAL

**3397403 AUXILIARY CONTACT AEG HS9.11**  
6A  
1 normally open contact  
1 normally closed contact



RATIONAL 30310102


RATIONAL 30310108

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
10A - 1 NO contact  
screw connection



RATIONAL 40.02.641V

**3454012 CONTACTOR ABB A30-30-10**  
32A 400V 15Kw - coil 230V 50/60Hz  
3 contacts NO  
complete with 2 auxiliary contacts NO



RATIONAL

**3454042 CONTACTOR ABB A9-30-01**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



RATIONAL

**3454048 CONTACTOR ABB A9-30-10**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact




RATIONAL



Suitable for:

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



RATIONAL 30280104  
 RATIONAL 30281000

RATIONAL 30280500

RATIONAL 30280501


Suitable for:

**3351260 AUXILIARY CONTACT AEG HS05.01**  
 10A  
 1 normally closed contact




RATIONAL 30280158

**3351261 AUXILIARY CONTACT AEG HS05.10**  
 10A  
 1 normally open contact



**3351210 CONTACTOR AEG LS05 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact




RATIONAL 30280504

**3351260 AUXILIARY CONTACT AEG HS05.01**  
 10A  
 1 normally closed contact



RATIONAL 30280158

**3351261 AUXILIARY CONTACT AEG HS05.10**  
 10A  
 1 normally open contact



**3351220 CONTACTOR AEG LS11K 25A 400V 11Kw**  
 coil 230V 50/60Hz  
 3 contacts NO  
 no auxiliary contact



RATIONAL 30280510



Suitable for:

# RATIONAL



**3351221 CONTACTOR AEG LS15K 32A 230V 16Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 no auxiliary contact



RATIONAL 30280512

RATIONAL 30280554

Suitable for:

**3446516 AUXILIARY CONTACT AEG HS7K.01**  
 10A  
 1 normally closed contact



RATIONAL 3028.0561

**3351222 CONTACTOR AEG LS22K 50A 230V 22Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 no auxiliary contact



RATIONAL 30280513

RATIONAL 30280558

**3351223 CONTACTOR AEG LS30K 65A 230V 30Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 no auxiliary contact



RATIONAL 30280515

**3351211 CONTACTOR AEG LS4K 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



RATIONAL 30280506

RATIONAL 30280551

**3446516 AUXILIARY CONTACT AEG HS7K.01**  
 10A  
 1 normally closed contact



RATIONAL 3028.0561

**3454032 AUXILIARY CONTACT AEG HS7K.10**  
 1 NO contact



**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



RATIONAL 30280550

RATIONAL 30280507

RATIONAL 30280550

**3446516 AUXILIARY CONTACT AEG HS7K.01**  
 10A  
 1 normally closed contact



RATIONAL 3028.0561



Suitable for:

**3454032 AUXILIARY CONTACT AEG HS7K.10**  
1 NO contact



# RATIONAL



Suitable for:

**3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



RATIONAL 30280508

RATIONAL 30280552

RATIONAL 30280557

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



RATIONAL 30280509

**3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
4 normally open contacts  
no auxiliary contact



RATIONAL 30280517

**5021314 AUXILIARY CONTACT AEG HS8.K11**  
1 contact NO  
1 contact NC



RATIONAL

## Electrical gas valves and accessories

**3526102 ELECTRIC COUPLING WITH CABLE**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



RATIONAL 30390205





Suitable for:

# RATIONAL



Suitable for:

## Electronic controllers

**3445375 CONTROLLER ELIWELL ID PLUS 902**  
 230V 50/60Hz  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



**3445167 PROBE NTC IP68 1500 mm**  
 temperature range -50°+110°C  
 bulb ø 5x20 mm watertight



RATIONAL 4001360

**3445154 PROBE NTC IP68 3000 mm**  
 temperature range -40°+110°C  
 bulb ø 6x40 mm watertight



**3445335 PROBE NTC IP68 3000 mm**  
 temperature range -50°+110°C  
 bulb ø 5x20 mm watertight



**3445157 PROBE NTC PVC 1500 mm**  
 temperature range -30°+80°C  
 bulb ø 6x40 mm



**3445184 PROBE NTC PVC 1500 mm IP68**  
 temperature range -40°+110°C  
 bulb ø 6x40 mm watertight



**3445156 PROBE NTC PVC 3000 mm**  
 temperature range -30°+80°C  
 bulb ø 6x40 mm



**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm



**3445379 PROBE PT1000 PVC 1500 mm IP68**  
 temperature range -50°+110°C  
 bulb ø 6x20 mm watertight



**3445380 PROBE PT1000 PVC 3000 mm IP68**  
 temperature range -50°+110°C  
 bulb ø 6x20 mm watertight







Suitable for:

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



# RATIONAL



Suitable for:

**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



**3445913 SILICONE PROBE NTC 1500 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445155 SILICONE PROBE NTC 3000 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



**3445183 SILICONE PTC PROBE 3000 mm**  
2-wire probe temperature range -55+150°C  
bulb ø 6x40 mm



**3445959 SILICONE PTC PROBE 5000 mm**  
temperature range -55+150°C  
bulb ø 6x40 mm



**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



**3445111 TRANSFORMER 24V/12V 3VA**  
primary tension 24Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



## Feet

**3313016 ADJUSTABLE S/STEEL FOOT ø 1" x h 80 mm**  
with plastic support for tubular foot 40x40 mm  
adjustable height 23÷58 mm  
max load 400 Kg





Suitable for:

# RATIONAL



Suitable for:

## Fuses

**3049020 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 6.3A



RATIONAL 30190200

**3049065 DELAY FUSE  $\varnothing$  6.3x32 mm - 10 PCS**  
250V 6.3A



RATIONAL 40010224

**3049049 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 2A



RATIONAL 30190120

**3049052 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 4A



RATIONAL 30190112

**3049034 QUICK ACTING FUSE  $\varnothing$  6.3x32 mm - 10 PCS**  
500V 10A



RATIONAL 40010225

## Gaskets and seals

**3786614 OVEN LAMP RECEPTACLE GASKET**  
dimensions 48x41x3 mm



RATIONAL 50120535

## Glues

**3392003 RED SILICONE SUPERSIL 60 ml**  
temperature max +350°C  
STRONG ADHESION  
excellent for the sealing of parts exposed to  
high temperatures, OVENS, MOTORS, STOVES, BOILERS  
suitable as sealer for OVEN GASKETS



RATIONAL 50060200

RATIONAL 50060207



## Hydraulic piping

**3450109 RUBBER PIPE  $\varnothing$  13x20 mm - 5 m**  
operating temperature  $-40+100^{\circ}\text{C}$



RATIONAL 20670300

RATIONAL 20670301

RATIONAL 20670315

RATIONAL 21101017

## Incandescent lamps and neon lamps

**3221252 NEON LAMP FOR OVEN Ba15d 7W 230V**  
dimensions  $\varnothing$  16x35 mm  
for OVEN



RATIONAL 30250306

**3221067 NEON LAMP FOR OVEN E10 2W 230V**  
dimensions  $\varnothing$  10x28 mm  
for OVEN



RATIONAL 30240300

**3221250 NEUTRAL HALOGEN LAMP G4 10W 12V**  
max. temperature  $300^{\circ}\text{C}$



RATIONAL 30240201

RATIONAL 30240201P

**3221041 OVEN LAMP E14 15W 230V**  
max temperature  $300^{\circ}\text{C}$   
for OVEN - PIZZA OVEN



RATIONAL 30240200

**3221253 OVEN LAMP E14 6/10W 230V**  
dimensions  $\varnothing$  16x52 mm



RATIONAL 30250304

**3221251 OVEN LAMP T10 2W 24V**  
dimensions  $\varnothing$  10x28 mm



RATIONAL 30240210

RATIONAL 30250210

**3221258 OVEN NEON LAMP Ba9s 1.5mA 230V**  
dimensions  $\varnothing$  10x28 mm



RATIONAL 30240301



Suitable for:

# RATIONAL



Suitable for:

## Indicator lights

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



RATIONAL


**3221163 ORANGE LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



RATIONAL

## Interference suppression filters

**3351240 INTERFERENCE SUPPR.FILTER AEG EB05-A240**  
72-240V



RATIONAL 30350517

**3351242 INTERFERENCE SUPPRESSION FILTER AEG LR3K**  
130-250V



RATIONAL 30350509

RATIONAL 30350519

## Ironmongery (screws,nuts,washers)

**3528010 FLAT WASHER M6**  
 $\varnothing$  internal/external 6,4/12 mm - thickness 1,6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



RATIONAL 13060120

**3528135 HEXAGONAL NUT HIGH M5**  
stainless steel - UNI 5587 - ISO 4033



RATIONAL 11050121

**1528030 MID HEXAGONAL NUT M6**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



RATIONAL 11060160

RATIONAL 11060803

## Lamp receptacles and spare parts

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN



RATIONAL 30250003

RATIONAL 50120509

**3221232 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  53 mm**  
thread  $\varnothing$  33 mm - overall height 32 mm



RATIONAL 30250002

Suitable for:

**3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V**

lamp glass  $\varnothing$  53 mm  
mounting hole  $\varnothing$  36 mm  
max temperature 300°C



RATIONAL 30230501

**3221232 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  53 mm**

thread  $\varnothing$  33 mm - overall height 32 mm



RATIONAL 30250002

**3221061 OVEN LAMP E14 25W 230V**

max temperature 300°C  
for OVEN - PIZZA OVEN



Suitable for:

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**

dimensions  $\varnothing$  48x38x5 mm  
for OVEN



RATIONAL 30250003

RATIONAL 50120509

**3221041 OVEN LAMP E14 15W 230V**

max temperature 300°C  
for OVEN - PIZZA OVEN



RATIONAL 30240200

**3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**

lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C



RATIONAL 30230502

RATIONAL 30230506

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**

dimensions  $\varnothing$  48x38x5 mm  
for OVEN



RATIONAL 30250003

RATIONAL 50120509


**3186522 GASKET FOR OVEN LAMP RECEPTACLE**

dimensions  $\varnothing$  40x30x2 mm



**3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE**

dimensions  $\varnothing$  53x44x3 mm  
dimensions O-Ring  $\varnothing$  50x45x1.85 mm





Suitable for:

**3221233 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  42 mm**  
thread  $\varnothing$  33 mm - overall height 26 mm



**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



RATIONAL 30240200

**3786614 OVEN LAMP RECEPTACLE GASKET**  
dimensions 48x41x3 mm



RATIONAL 50120535

## RATIONAL



Suitable for:

**2101372 LAMP RECEPTACLE E14 25W 230V**  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C



**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



---

## Microswitches

---

**3240437 MAGNET FOR MICROSWITCH 25x12x9 mm**



RATIONAL 30161412

**3240436 MAGNETIC MICRO SWITCH MK12**  
with cable 4000 mm - head 32x15 mm



RATIONAL 30161408

RATIONAL 30161415

**3240437 MAGNET FOR MICROSWITCH 25x12x9 mm**



RATIONAL 30161412

---

Suitable for:

Suitable for:

**3240054 MICROSWITCH 83731 5A 250V**  
with cable length 500 mm



RATIONAL 30161400

RATIONAL 30161403

RATIONAL 30161407

## Relays

**3351102 TIME LIMIT RELAY 80.11 16A 240V 50/60Hz**  
1 switching contact  
slow release on excitation



RATIONAL 30350453

**3351109 TIME LIMIT RELAY 80.41 16A 240V 50/60Hz**  
multifunctional  
1 control contact



RATIONAL 30350402

**3351116 TIME LIMIT RELAY 82.11 24/240V 50/60Hz**  
1 switching contact  
slow release on excitation  
timer 0.05" ÷ 10h



RATIONAL 30350401

## Solenoid valves

**3120274 COIL MULLER 220/240V 50/60Hz**  
max. temperature 90°C  
with cable length 2000 mm



RATIONAL 30020324

RATIONAL 30020325

RATIONAL 30020329

**3120014 SOLENOID VALVE 264 220/240V ø 10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet ø 10 mm



RATIONAL 30020315

**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**







Suitable for:

**3120021 INLET REDUCER 12 L/min BLACK**



**3120019 INLET REDUCER 5.5 L/min BLACK**



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
for solenoid valve ELBI  
rated value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for solenoid valve ELBI  
rated value +/- 25%



**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for solenoid valve ELBI  
rated value +/- 25%



**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for solenoid valve ELBI  
rated value +/- 25%



# RATIONAL

Suitable for:

**3120022 INLET REDUCER 16 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
for ELBI solenoid valve  
face value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
for solenoid valve ELBI  
rated value +/- 25%



**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
for solenoid valve ELBI  
rated value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for solenoid valve ELBI  
rated value +/- 25%



Suitable for:

Suitable for:

**3120009 SOLENOID VALVE 351 220/240V  $\varnothing$  14 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  14 mm



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



RATIONAL 30020331

**3120021 INLET REDUCER 12 L/min BLACK**



**3120022 INLET REDUCER 16 L/min BLACK**



**3120019 INLET REDUCER 5.5 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**  
 for ELBI solenoid valve  
 face value +/- 25%



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**  
 for solenoid valve ELBI  
 rated value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**  
 for solenoid valve ELBI  
 rated value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
 for solenoid valve ELBI  
 rated value +/- 25%



**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**  
 for solenoid valve ELBI  
 rated value +/- 25%



**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
 for solenoid valve ELBI  
 rated value +/- 25%



**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
 for solenoid valve ELBI  
 rated value +/- 25%





Suitable for:

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**

for solenoid valve ELBI  
rated value +/- 25%



# RATIONAL

Suitable for:



**3120011 SOLENOID VALVE 353 220/240V ø 14 mm**

solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet ø 14 mm



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



RATIONAL 30020330

**3120021 INLET REDUCER 12 L/min BLACK**



**3120022 INLET REDUCER 16 L/min BLACK**



**3120019 INLET REDUCER 5.5 L/min BLACK**



**3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN**

for ELBI solenoid valve  
face value +/- 25%



**3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW**

for solenoid valve ELBI  
rated value +/- 25%



**3120015 OUTLET REDUCER ELBI 0.5 L/min RED**

for solenoid valve ELBI  
rated value +/- 25%



**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**

for solenoid valve ELBI  
rated value +/- 25%



**3120203 OUTLET REDUCER ELBI 2 L/min WHITE**

for solenoid valve ELBI  
rated value +/- 25%





Suitable for:

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for solenoid valve ELBI  
rated value +/- 25%



## RATIONAL



Suitable for:

**3120201 OUTLET REDUCER ELBI 4.7 L/min GREY**  
for solenoid valve ELBI  
rated value +/- 25%



**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for solenoid valve ELBI  
rated value +/- 25%



---

### Tangential and radial fans

---

**3526962 TANGENTIAL FAN 120 mm LH**  
25W 230V 50/60Hz -  $\varnothing$  60 mm  
operating temperature  $-30^{\circ}+100^{\circ}\text{C}$



RATIONAL 31011004

---

### Terminals and electrical connectors

---

**3051010 FASTON 100 PCS PACKING UNIT**  
nickel-plated metal made  
flat faston 6.3 mm  
for cable section from  $\varnothing$  1 to 2.5 mm  
max temperature  $+300^{\circ}\text{C}$



RATIONAL 40020100



Suitable for:

# RATIONAL



Suitable for:


## Thermostats

**3241870 RING NUT  $\varnothing$  52 mm**  
chrome plated metal  
for EGO thermostate knob




RATIONAL

**40K0662 THERMOSTAT SINGLE-PHASE 100-470°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1100 mm  
bulb  $\varnothing$  4x225 mm



RATIONAL 4000799

**3444540 SINGLE-PHASE THERMOSTAT 0-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1400 mm  
bulb  $\varnothing$  6x140 mm



RATIONAL 33060301

**3444959 THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 1000 mm  
bulb  $\varnothing$  6x90 mm




















RATIONAL 4000673

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.letth@lfspareparts.com](mailto:michael.letth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)