



Spare parts for:

## Cooking equipment



Suitable for:

# R.D.FRIULI



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# R.D.FRIULI



Suitable for:

## Ball valves and accessories

**3356048 DRAIN BALL TAP 3/4"MF**



R.D.FRIULI

**3359135 DRAIN TAP ø 1"FF**



R.D.FRIULI

**3356089 DRAIN TAP ø 1"MF**  
internal exit ø 24 mm



R.D.FRIULI

**3356088 DRAIN TAP ø 3/4"FF**



R.D.FRIULI

## Column faucets

**3359140 COLUMN TAP**  
swivel column  
swivel spout 200 mm  
fitting ø 3/4"MF  
height 425 mm  
overall height 700 mm  
25l/min at 4 bar



R.D.FRIULI 00506203

**3241485 INLET TAP KNOB - BLUE**  
square hole 7x7 mm  
for cold water



R.D.FRIULI 36103620

**3241485 INLET TAP KNOB - BLUE**  
square hole 7x7 mm  
for cold water



R.D.FRIULI 36103620



**Drain assembly**

**3316011 BRASS DRAIN ASSEMBLY  $\varnothing$  2"**  
external  $\varnothing$  80 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  59 mm



R.D.FRIULI 01701009

**3448081 OVERFLOW PIPE**  
of stainless steel  
 $\varnothing$  50 mm - overall height 230 mm  
for drain assembly  $\varnothing$  2



R.D.FRIULI 01708239

**3316126 DRAIN ASSEMBLY**  
external  $\varnothing$  45 mm - internal  $\varnothing$  30 mm  
connection  $\varnothing$  36 mm



R.D.FRIULI 22104957

**3316133 DRAIN ASSEMBLY**  
external  $\varnothing$  45 mm - internal  $\varnothing$  30 mm  
connection  $\varnothing$  38 mm



R.D.FRIULI

**3316150 DRAIN ASSEMBLY  $\varnothing$  3/4"**  
with nut and gasket  
external  $\varnothing$  38 mm - internal  $\varnothing$  20 mm  
connections  $\varnothing$  26 mm



R.D.FRIULI G153000

R.D.FRIULI 01703304

**3448079 OVERFLOW PIPE**  
of stainless steel  
 $\varnothing$  50 mm - overall height 300 mm  
for drain assembly  $\varnothing$  2"



R.D.FRIULI 01708309

**3448082 OVERFLOW PIPE**  
of stainless steel  
 $\varnothing$  50 mm - overall height 280 mm  
for drain assembly  $\varnothing$  2"



R.D.FRIULI 01708289

**3316132 DRAIN ASSEMBLY NUT  $\varnothing$  36 mm**



R.D.FRIULI

**3448279 OVERFLOW PIPE  $\varnothing$  20x64 mm**  
made of stainless steel



R.D.FRIULI 01709343



Suitable for:

**3316127 DRAIN ASSEMBLY CROSS**  
external  $\varnothing$  51 mm  
for SINKS



R.D.FRIULI

Suitable for:

**3316132 DRAIN ASSEMBLY NUT  $\varnothing$  36 mm**



R.D.FRIULI

**3316125 DRAIN ASSEMBLY NUT 1"**



R.D.FRIULI 30001215

**Drain hoses**

**5015617 OIL DRAIN PIPE W/SAFETY DEVICE**  
 $\varnothing$  22 mm - length 210 mm - bayonet joint



R.D.FRIULI

**3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**  
 $\varnothing$  22 mm - length 210 mm - bayonet joint  
for TECNOINOX BAIN-MARIE-FRYER



R.D.FRIULI

**Drain plugs**

**3448070 OVERFLOW PIPE**  
of stainless steel  
 $\varnothing$  40 mm - overall height 230 mm  
for drain assembly  $\varnothing$  1"1/2



R.D.FRIULI 01707237

**3448071 OVERFLOW PIPE**  
of stainless steel  
 $\varnothing$  40 mm - overall height 280 mm  
for drain assembly  $\varnothing$  1"1/2



R.D.FRIULI 01707287

**3448076 OVERFLOW PIPE**  
of stainless steel  
 $\varnothing$  40 mm - overall height 320 mm  
for drain assembly  $\varnothing$  1"1/2



R.D.FRIULI 01707327

**3448079 OVERFLOW PIPE**  
of stainless steel  
 $\varnothing$  50 mm - overall height 300 mm  
for drain assembly  $\varnothing$  2"



R.D.FRIULI 01708309

Suitable for:

**3448081 OVERFLOW PIPE**  
of stainless steel  
ø 50 mm - overall height 230 mm  
for drain assembly ø 2



R.D.FRIULI 01708239

Suitable for:

**3448082 OVERFLOW PIPE**  
of stainless steel  
ø 50 mm - overall height 280 mm  
for drain assembly ø 2"



R.D.FRIULI 01708289

**3448229 OVERFLOW PIPE ø 20x140 mm**  
made of chrome plated brass  
fitting ø 30 mm



R.D.FRIULI

**5037318 OVERFLOW PIPE ø 20x150 mm**  
out of STAINLESS STEEL



R.D.FRIULI

**3448237 OVERFLOW PIPE ø 20x165 mm**  
made of stainless steel



R.D.FRIULI 01709142

R.D.FRIULI 01709154

**3448279 OVERFLOW PIPE ø 20x64 mm**  
made of stainless steel



R.D.FRIULI 01709343

**3448236 OVERFLOW PIPE ø 20x85 mm**  
out of STAINLESS STEEL



R.D.FRIULI

**3448225 OVERFLOW PIPE ø 30x110 mm**  
made of stainless steel



R.D.FRIULI 22106115

## Drain taps and accessories

**3356101 CAP FOR DRAIN TAP**  
for DRAIN TAP ø 2" OLD MODEL



R.D.FRIULI 31006410

**3356016 DRAIN NIPPLE ø 2"x80 mm**  
in brass



R.D.FRIULI D611022

R.D.FRIULI 22104174



Suitable for:

**3356004 DRAIN TAP ø 1" F**  
TAPERED SEAL - fixed connection ø 1" F  
for BOILING PAN



R.D.FRIULI D210014

R.D.FRIULI 01302005

Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF approval H1  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



R.D.FRIULI 36206760

**3356007 DRAIN TAP ø 1"1/2 F TECN**  
TAPERED SEAL - swivel nut ø 1"1/2 F  
with gasket  
for BOILING PAN



R.D.FRIULI D110018  
R.D.FRIULI 01312007

R.D.FRIULI 01301007  
R.D.FRIULI 01332007

R.D.FRIULI 01303008

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF approval H1  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



R.D.FRIULI 36206760

**3356005 DRAIN TAP ø 1"1/4 F TECN**  
TAPERED SEAL - fixed connection ø 1"1/4 F  
with gasket  
for BOILING PAN



R.D.FRIULI D210016  
R.D.FRIULI 01311006

R.D.FRIULI 01302006  
R.D.FRIULI 01331006

R.D.FRIULI 01303006

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF approval H1  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



R.D.FRIULI 36206760

Suitable for:

**3356073 DRAIN TAP ø 2" F TECNO**  
GASKET SEAL - with swivel nut ø 2" F  
with safety lock  
for BOILING PAN



R.D.FRIULI 01321009

Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF approval H1  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



R.D.FRIULI 36206760

**3356100 DRAIN TAP ø 2" F TECNO**  
GASKET SEAL - with swivel nut ø 2" F



R.D.FRIULI 01301109

R.D.FRIULI 01321009

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF approval H1  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



R.D.FRIULI 36206760

**3356104 DRAIN TAP ø 2" F TECNO**  
TAPERED SEALING - with swivel nut ø 2" F



R.D.FRIULI 01322009

R.D.FRIULI 01322009

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF approval H1  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline



R.D.FRIULI 36206760

**3242190 DRAIN TAP HANDGRIP**  
for DRAIN TAP ø 2" OLD MODEL  
AND FOR TECNO NEW MODEL



R.D.FRIULI 34003012

**3356032 DRAIN TAP HANDLE**  
for DRAIN TAP 78x3 mm



R.D.FRIULI R411000+R413000

R.D.FRIULI 31004885+34003020

R.D.FRIULI 34003013

R.D.FRIULI 34003020+31004885

R.D.FRIULI 34003020+36204880

R.D.FRIULI 36204880+34003020



Suitable for:

# R.D.FRIULI



**3356022 DRAIN TAP M60x2 mm**  
 TAPERED SEAL  
 thread external  $\varnothing$  60 mm  
 thread pitch 2 mm  
 internal hole  $\varnothing$  40 mm  
 for BOILING PAN



R.D.FRIULI D314060

R.D.FRIULI 01304602

Suitable for:

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature  $-45^{\circ}/+120^{\circ}$   
 beige color - NSF approval H1  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



R.D.FRIULI 36206760

**3356024 DRAIN TAP M78x3 mm**  
 TAPERED SEAL  
 thread external  $\varnothing$  78 mm  
 thread pitch 3 mm  
 internal hole  $\varnothing$  59.5 mm  
 for BOILING PAN



R.D.FRIULI D330000

R.D.FRIULI 01304783

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature  $-45^{\circ}/+120^{\circ}$   
 beige color - NSF approval H1  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



R.D.FRIULI 36206760

**3356034 DRAIN TAP RING NUT  $\varnothing$  2"**  
 for drain tap  $\varnothing$  2" and swivel nut 78x3 mm



R.D.FRIULI 22902513

R.D.FRIULI 22902514

**3356041 DRAIN TAP WASHER  $\varnothing$  1"1/2**  
 for drain tap  $\varnothing$  2" swivel nut and 78x3



R.D.FRIULI 22905876

**3356023 DRAIN TAP 68x3 mm**  
 TAPERED SEAL  
 thread external  $\varnothing$  68 mm  
 thread pitch 3 mm  
 internal hole  $\varnothing$  50 mm  
 for BOILING PAN



R.D.FRIULI D325068

R.D.FRIULI 01304683

R.D.FRIULI 01304683+22801207

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
 food safe grease for lubrication  
 of all friction points  
 ideal for water and steam taps  
 operating temperature  $-45^{\circ}/+120^{\circ}$   
 beige color - NSF approval H1  
 hot and cold water resistant  
 high anti-corrosion power  
 can replace vaseline



R.D.FRIULI 36206760

R.D.FRIULI 01304685





Suitable for:

**3242189 HANDGRIP FOR DRAIN TAP**  
for DRAIN TAP  $\varnothing$  1"1/2F e 1"1/4F



R.D.FRIULI 34003011

R.D.FRIULI 36203016

Suitable for:

**3356029 HANDLE FOR DRAIN TAP**  
for drain tap  $\varnothing$  3/4" and 1"



R.D.FRIULI R431000

R.D.FRIULI 34003014

R.D.FRIULI 36203015

**3356128 PIN  $\varnothing$  5x30 mm**



R.D.FRIULI 31004862

**3242191 PIN M6x40**  
for DRAIN TAP  $\varnothing$  2" OLD MODEL



R.D.FRIULI 31004866

## Fittings

**1349109 FLAT BRASS LOCK NUT 1"**



R.D.FRIULI 32005879

**1349142 FLAT BRASS LOCK NUT 1"1/4**



R.D.FRIULI 32005881

**1349108 FLAT BRASS LOCK NUT 3/4"**



R.D.FRIULI 32005877

**1349099 FLAT BRASS LOCK NUT 3/8"**



R.D.FRIULI

## Gaskets and seals

**3186240 ASBESTOS FREE FLAT GASKET  $\varnothing$  46x38x2 mm**  
for drain tap  $\varnothing$  1"1/2



R.D.FRIULI 34012778

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



R.D.FRIULI 34012781



Suitable for:

R.D.FRIULI



Suitable for:

## Hinges, catches and accessories

**3053034 LID HINGE RADIUS 320 mm**  
for lid  $\varnothing$  640 mm  
for BOILING KETTLE with round lid



R.D.FRIULI 01903324

**3053111 SPRING LH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm




R.D.FRIULI 30003874

**3053110 SPRING RH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm




R.D.FRIULI 30003872

**3053111 SPRING LH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



R.D.FRIULI 30003874

**3053113 SPRING LH  $\varnothing$  5 mm**  
for hinges with radius 470 mm



R.D.FRIULI 30003878

**3053115 SPRING LH  $\varnothing$  6 mm**  
for hinges with radius 500-545 mm



R.D.FRIULI 30003882

**3053110 SPRING RH  $\varnothing$  4 mm**  
for hinges with radius 320-395 mm



R.D.FRIULI 30003872

**3053112 SPRING RH  $\varnothing$  5 mm**  
for hinges with radius 470 mm



R.D.FRIULI 30003876

**3053114 SPRING RH  $\varnothing$  6 mm**  
for hinges with radius 500-545 mm



R.D.FRIULI 30003880

---

**Ironmongery (screws,nuts,washers)**

---

**3528056 BRASS FLAT LOCKING NUT 1/2"**

R.D.FRIULI 32005875

**3316051 HEATING ELEMENT RETAINING NUT Ø 1 1/2"**

R.D.FRIULI 32005883

**3316052 HEATING ELEMENT RETAINING NUT Ø 2"**

R.D.FRIULI 32005885

---

**Knobs**

---

**3241107 TAP KNOB - BLACK Ø 50 mm**  
square hole 7x7 mm

R.D.FRIULI

---

**Lubricants**

---

**1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**  
food safe grease for lubrication  
of all friction points  
ideal for water and steam taps  
operating temperature -45°/+120°  
beige color - NSF approval H1  
hot and cold water resistant  
high anti-corrosion power  
can replace vaseline

R.D.FRIULI 36206760



Suitable for:

R.D.FRIULI



Suitable for:

## OR and ORM gaskets

**3186199 TAP INNER EPDM GASKET**  
NSF APPROVED  
for DRAIN TAP  $\varnothing$  1"1/4 e 1"1/2



R.D.FRIULI 34044796

**3186241 VITON O-RING 06212**  
for DRAIN TAP  $\varnothing$  2" OLD MODEL AND  
TECNO NEW MODEL



R.D.FRIULI 34044795

## Safety groups for pans and spare parts

**3184012 DEPRESSION VALVE  $\varnothing$  1/2" M**  
in chrome plated brass  
for safety group  $\varnothing$  1"1/4



R.D.FRIULI E300010

R.D.FRIULI 01509003

**3184011 DEPRESSION VALVE  $\varnothing$  1/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  3/4"  
for safety group  $\varnothing$  1"1/4



R.D.FRIULI E300008

R.D.FRIULI 01509001

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  1"1/4



R.D.FRIULI E300012

R.D.FRIULI 01509004

**3184029 DEPRESSION VALVE  $\varnothing$  3/8" M**  
in chrome plated brass  
for security valve 3/4"



R.D.FRIULI 01509002

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



R.D.FRIULI 36303605

**3184034 PRESSURE-GAUGE HOLDING TAP  $\varnothing$  1/4"**  
for security valve 3/4"  
for security valve 1"1/4



R.D.FRIULI 36305961

Suitable for:

Suitable for:

**3184002 SAFETY GROUP  $\varnothing$  1"1/4**  
vertical connection  $\varnothing$  1"1/4  
complete with safety valve, depression valve,  
tap for pressure gauge holder and pressure gauge  
for STEAM BOILING KETTLE



R.D.FRIULI E12SC00

R.D.FRIULI 01502006

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



R.D.FRIULI 36303605

**3184018 SAFETY VALVE  $\varnothing$  1"1/4M**  
max pressure 0.5 atm  
for safety group 1"1/4  
ISPESL approved



R.D.FRIULI 01507006

**3184003 SAFETY GROUP  $\varnothing$  1"1/4**  
elbow connection  $\varnothing$  1"1/4  
complete with safety valve, depression valve,  
tap for pressure gauge holder and pressure gauge  
for STEAM BOILING KETTLE



R.D.FRIULI E130000

R.D.FRIULI 01505006

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  1"1/4



R.D.FRIULI E300012

R.D.FRIULI 01509004

**3184034 PRESSURE-GAUGE HOLDING TAP  $\varnothing$  1/4"**  
for security valve 3/4"  
for security valve 1"1/4



R.D.FRIULI 36305961

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  1"1/4



R.D.FRIULI E300012

R.D.FRIULI 01509004



Suitable for:

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



R.D.FRIULI 36303605

**3184018 SAFETY VALVE  $\varnothing$  1"1/4M**  
max pressure 0.5 atm  
for safety group 1"1/4  
ISPESL approved



R.D.FRIULI 01507006

**3184001 SAFETY GROUP  $\varnothing$  3/4"**  
vertical connection  $\varnothing$  3/4"  
complete with safety valve, vacuum relief valve,  
tap for pressure gauge holder and pressure gauge  
ISPESL approved  
for STEAM PAN



R.D.FRIULI E100000

R.D.FRIULI 01503004

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



R.D.FRIULI 36303605

# R.D.FRIULI



Suitable for:

**3184034 PRESSURE-GAUGE HOLDING TAP  $\varnothing$  1/4"**  
for security valve 3/4"  
for security valve 1"1/4



R.D.FRIULI 36305961

**3184013 DEPRESSION VALVE  $\varnothing$  3/4" M**  
in chrome plated brass  
for safety group  $\varnothing$  1"1/4



R.D.FRIULI E300012

R.D.FRIULI 01509004

**3184034 PRESSURE-GAUGE HOLDING TAP  $\varnothing$  1/4"**  
for security valve 3/4"  
for security valve 1"1/4



R.D.FRIULI 36305961



Suitable for:

# R.D.FRIULI



Suitable for:

**3184017 SAFETY VALVE  $\varnothing$  3/4" M**  
max pressure 0.5 atm  
for safety group  $\varnothing$  3/4"



R.D.FRIULI E310000

R.D.FRIULI 01507004

**3184043 SAFETY GROUP  $\varnothing$  3/4"**  
vertical connection  $\varnothing$  3/4"  
complete with safety valve, vacuum relief valve  
and pressure gauge



R.D.FRIULI 01521004

**3184018 SAFETY VALVE  $\varnothing$  1"1/4 M**  
max pressure 0.5 atm  
for safety group 1"1/4  
ISPESL approved



R.D.FRIULI 01507006

**3184017 SAFETY VALVE  $\varnothing$  3/4" M**  
max pressure 0.5 atm  
for safety group  $\varnothing$  3/4"



R.D.FRIULI E310000

R.D.FRIULI 01507004

**3184032 SAFETY VALVE CR  $\varnothing$  1"1/4**  
vertical fitting  $\varnothing$  1"1/4  
complete with ISPESL approved safety valve  
depression valve, pressure gauge holder tap and  
pressure gauge  
ISPESL approved  
for STEAM PANS



R.D.FRIULI 01502016

**3184033 SAFETY VALVE CR  $\varnothing$  1"1/4**  
elbow fitting  $\varnothing$  1"1/4  
complete with ISPESL approved safety valve  
depression valve, pressure gauge holder tap and  
pressure gauge  
ISPESL approved  
for STEAM PANS



R.D.FRIULI 01505016



Suitable for:

R.D.FRIULI



Suitable for:

## Steam valves

**3524006 "REX" STEAM VALVE  $\varnothing$  1"MM**  
partially chromed steam valve "REX"  
square connection  $\varnothing$  1" MM



R.D.FRIULI E810000

R.D.FRIULI 01510005


**3524004 KORALIT VALVE GASKET**  
for valve  $\varnothing$  3/4" and "REX"  $\varnothing$  1"



R.D.FRIULI R370012

R.D.FRIULI 34012792

**3524007 VALVE KNOB**  
hole 7x7 mm  
for valve "REX"  $\varnothing$  1"1/4



R.D.FRIULI R160000

R.D.FRIULI R172000

R.D.FRIULI 34007457

**3524004 KORALIT VALVE GASKET**  
for valve  $\varnothing$  3/4" and "REX"  $\varnothing$  1"



R.D.FRIULI R370012

R.D.FRIULI 34012792

**3524005 KORALIT VALVE GASKET**  
for valve  $\varnothing$  1" 1/4



R.D.FRIULI R370016

R.D.FRIULI 34012793

**3525008 VALVE  $\varnothing$  1/2"FF**



R.D.FRIULI E910010

R.D.FRIULI 01513003


**3525013 VALVE  $\varnothing$  1"1/4 FF**



R.D.FRIULI E820000

R.D.FRIULI 01512006

**3524007 VALVE KNOB**  
hole 7x7 mm  
for valve "REX"  $\varnothing$  1"1/4



R.D.FRIULI R160000

R.D.FRIULI R172000

R.D.FRIULI 34007457

**3524009 VALVE KNOB**  
hole 9x9 mm  
for valve  $\varnothing$  3/4" - 1"1/4



R.D.FRIULI 34007459

R.D.FRIULI 34007467



**Taps for tank refilling**

**3525005 LEFT-HAND WATER INLET TAP  $\varnothing$  1/2"FF**  
 square pin 7x7 mm  
 brass valve for hot water  
 max flow rate 4 bar 24 l/min  
 with external fixing thread  $\varnothing$  27x19 mm



R.D.FRIULI N10SXS  
 R.D.FRIULI 02304963

R.D.FRIULI N10SX00

R.D.FRIULI 02303963

**2111534 HEXAGONAL BRASS NUT 27x19 mm**



R.D.FRIULI 32001218

**3241107 TAP KNOB - BLACK  $\varnothing$  50 mm**  
 square hole 7x7 mm



R.D.FRIULI

**3525046 RIGHT-HAND WATER INLET VALVE  $\varnothing$  1/2"MM**  
 square shaft 7x7 mm



R.D.FRIULI 02301966

**3241485 INLET TAP KNOB - BLUE**  
 square hole 7x7 mm  
 for cold water



R.D.FRIULI 36103620

**3183042 SPOUT**  
 pipe  $\varnothing$  18 mm



R.D.FRIULI 22406734

**3183045 SPOUT**  
 pipe  $\varnothing$  18 mm



R.D.FRIULI

**3183011 SPOUT - CONNECTION 1/2" F**  
 swivel spout out of chrome plated brass  
 spout  $\varnothing$  20 mm - base 40 mm  
 with retaining screw 90°



R.D.FRIULI C130000

R.D.FRIULI 01105123



Suitable for:

**3183014 SPOUT - CONNECTION 1/2" M**  
swivel spout out of chrome plated brass  
spout  $\varnothing$  18 mm



R.D.FRIULI C120000

R.D.FRIULI 01102113

Suitable for:

**3528056 BRASS FLAT LOCKING NUT 1/2"**



R.D.FRIULI 32005875

**3183029 SPOUT - CONNECTION 1/2" M**  
made of stainless steel  
spout  $\varnothing$  18 mm



R.D.FRIULI 01104203

**3183047 SPOUT - CONNECTION 3/4" F**  
spout  $\varnothing$  18 mm



R.D.FRIULI 36102453

**3183006 SPOUT - CONNECTION 3/8" M**  
spout  $\varnothing$  10 mm



R.D.FRIULI

**3183048 SPOUT - CONNECTION 3/8" M**  
spout  $\varnothing$  10 mm



R.D.FRIULI

**3183040 SPOUT  $\varnothing$  3/8" M**



R.D.FRIULI

**3183035 SPOUT CONNECTION  $\varnothing$  13 mm**



R.D.FRIULI

**3183028 SPOUT CONNECTION  $\varnothing$  16 mm**



R.D.FRIULI

**5030949 SPOUT FITTING  $\varnothing$  3/8" M**  
chrome-plated brass  
fixing  $\varnothing$  1/2" M  
outlet pipe  $\varnothing$  16 mm



R.D.FRIULI 01114882

Suitable for:

**3359819 SPOUT RH FITTING  $\varnothing$  1/2" F**  
chrome-plated brass swivel  
outlet pipe  $\varnothing$  18 mm  
with ring nut and nut



R.D.FRIULI 01103103

Suitable for:

**5029266 TAP WATER INLET  $\varnothing$  1/2" FF**



R.D.FRIULI 02401000+.....

**4051568 TAP WATER INLET  $\varnothing$  1/4" M**



R.D.FRIULI 02503001

**3356111 WATER INLET TAP  $\varnothing$  1/2" FF**



R.D.FRIULI 02402903

**3358006 WATER INLET TAP  $\varnothing$  1/2" FF**



R.D.FRIULI

**3358009 WATER INLET TAP  $\varnothing$  1/2" FF**



R.D.FRIULI

**3359099 WATER INLET TAP  $\varnothing$  1/2" FF**  
for old series



R.D.FRIULI

**3359126 WATER INLET TAP  $\varnothing$  1/2" FF**



R.D.FRIULI 02402933+32000664

**3359138 WATER INLET TAP  $\varnothing$  1/2" FF**



R.D.FRIULI 02401903

**2103687 FIXING WASHER 26xM19**



R.D.FRIULI 32005872

**5012833 WATER INLET TAP  $\varnothing$  1/2" FF**



R.D.FRIULI



Suitable for:

**5038919 WATER INLET TAP  $\varnothing$  1/2" FF**  
square pin 7x7 mm



R.D.FRIULI 02401707

Suitable for:

**5016886 WATER INLET TAP RING NUT**  
 $\varnothing$  external 62/27 mm -  $\varnothing$  internal 25 mm  
height 25 mm



R.D.FRIULI 32000664

**3359142 WATER INLET TAP  $\varnothing$  1/2" M**  
swivel spout  $\varnothing$  18 mm



R.D.FRIULI 00502173

R.D.FRIULI 00601103

R.D.FRIULI 0502173

**3359285 WATER INLET TAP  $\varnothing$  1/2" M**  
intenal output  $\varnothing$  7.5 mm



R.D.FRIULI N300000

R.D.FRIULI 02501873

**3358003 WATER INLET TAP  $\varnothing$  1/2" MM**  
square shaft 7x7 mm



R.D.FRIULI

**3241107 TAP KNOB - BLACK  $\varnothing$  50 mm**  
square hole 7x7 mm



R.D.FRIULI

**3183054 WATER INLET TAP  $\varnothing$  3/4" FF**



R.D.FRIULI

**3183055 WATER INLET TAP  $\varnothing$  3/8" F**  
 $\varnothing$  int. outlet 8 mm



R.D.FRIULI

**3356139 WATER INLET TAP  $\varnothing$  3/8" F**  
intenal output  $\varnothing$  7.5 mm



R.D.FRIULI 02502692

**3359100 WATER INLET TAP  $\varnothing$  3/8" MM**



R.D.FRIULI

Suitable for:

Suitable for:

**3525004 WATER INLET TAP DX  $\varnothing$  1/2"FF**  
 square shaft 7x7 mm  
 brass valve for cold water  
 max. flow rate 4 bar 24L/min  
 with external fastening thread  $\varnothing$  27x19 mm

**2111534 HEXAGONAL BRASS NUT 27x19 mm**



R.D.FRIULI 02301963

R.D.FRIULI 02301963+...

R.D.FRIULI 02302963

R.D.FRIULI 32001218

**3241107 TAP KNOB - BLACK  $\varnothing$  50 mm**  
 square hole 7x7 mm



R.D.FRIULI

**3525031 WATER INLET TAP DX  $\varnothing$  1/2"FF**  
 D-shaft  $\varnothing$  10x8 mm

**3525040 WATER INLET TAP DX  $\varnothing$  1/2"FF**  
 D-shaft  $\varnothing$  10x8 mm



R.D.FRIULI 02305103

R.D.FRIULI 02311123

**3359739 WATER INLET TAP LH  $\varnothing$  1/2"FF**

**3525036 WATER INLET TAP LH  $\varnothing$  1/2"FF**  
 D-shaft  $\varnothing$  10x8 mm



R.D.FRIULI 02403003

R.D.FRIULI 02306103

**3525041 WATER INLET TAP LH  $\varnothing$  1/2"FF**  
 D-shaft  $\varnothing$  10x8 mm



R.D.FRIULI 02312123



Suitable for:

**5049561 WATER INLET TAP LH  $\varnothing$  1/2"FF**  
square pin 7x7 mm



R.D.FRIULI

**5016886 WATER INLET TAP RING NUT**  
 $\varnothing$  external 62/27 mm -  $\varnothing$  internal 25 mm  
height 25 mm



R.D.FRIULI 32000664

**3359740 WATER INLET TAP RH  $\varnothing$  1/2"FF**



R.D.FRIULI 02404003

Suitable for:

**3241485 INLET TAP KNOB - BLUE**  
square hole 7x7 mm  
for cold water



R.D.FRIULI 36103620

**5016886 WATER INLET TAP RING NUT**  
 $\varnothing$  external 62/27 mm -  $\varnothing$  internal 25 mm  
height 25 mm



R.D.FRIULI 32000664

## Water valves

**2111534 HEXAGONAL BRASS NUT 27x19 mm**




















R.D.FRIULI 32001218

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)