



Spare parts for:

## Cooking equipment



Suitable for:

# RIEBER



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# RIEBER



Suitable for:

## Ball valves and accessories

**3526172 BALLCOCK VALVE  $\varnothing$  1/2"MF**  
for Food-service trolley (RIEBER)  
Series STW - Series ZUB  
for Food-service trolley (RIEBER) NORM II-2



RIEBER 32332401

**3526171 VALVE BUSHING 15 mm**  
external  $\varnothing$  28 mm - connection  $\varnothing$  1/2"



RIEBER 32400707

**3186138 ASBESTOS FREE FLAT GASKET  $\varnothing$  30x21x2 mm**  
for CONVECTION OVEN AR340S



RIEBER 32440101

**3526173 VALVE SLEEVE**



RIEBER 37138201

## Bumpers

**3346099 BLACK BUMPER CAP**



RIEBER 37130801

**3346098 UPPER BLACK BUMPER**  
side 150 mm - width 28 mm



RIEBER 37130701

**3346102 UPPER BLACK BUMPER FOR WHEEL**  
external  $\varnothing$  84 mm  
square hole 26x26 mm



RIEBER 37130901



## Cable glands

### 3050005 PVC FAIRLEAD

for Food-service trolley (RIEBER)  
 since 1/02/03  
 till 1/02/03  
 THERMOPORT1000DU  
 till 1/01/05  
 THERMOPORT1600MOBILE - THERMOPORT3000MOBILE  
 THERMOPORT1000 - THERMOPORT1000D  
 THERMOPORT1000DH - THERMOPORT1000H  
 THERMOPORT1000U - THERMOPORT800



RIEBER 33140606

## Castors, rollers and accessories

### 3346095 PIN FIXED WHEEL

made of POLYPROPYLENE  
 dimension  $\varnothing 125 \times 32$  mm  
 round pin  $\varnothing 18$  mm - height 62 mm  
 hole for pin locking screw M6  
 for Food-service trolley (RIEBER) ZUB



RIEBER 32292104

### 3346103 TUBE INSERT

internal  $\varnothing 18$  mm  
 external  $\varnothing 22$  mm - height 62 mm  
 1 hole



RIEBER 37131104

### 3346131 TUBE INSERT


external size  $37.5 \times 37.5$  mm - height 62 mm



RIEBER 37131007

### 3346100 TUBE INSERT

internal  $\varnothing 18$  mm  
 external  $\varnothing 22$  mm - height 62 mm  
 2 holes



RIEBER 37131102

### 3346104 TUBE INSERT

internal  $\varnothing 18$  mm  
 external size  $22 \times 22$  mm - height 62 mm  
 2 holes




RIEBER 37131004

RIEBER 37131008

### 3346102 UPPER BLACK BUMPER FOR WHEEL

external  $\varnothing 84$  mm  
 square hole  $26 \times 26$  mm



RIEBER 37130901



Suitable for:

# RIEBER



**3346097 PIN SWIVELLING WHEEL**  
 made of POLYPROPYLENE  
 dimension  $\varnothing$  125x32 mm  
 round pin  $\varnothing$  18 mm - height 62 mm  
 hole for pin locking screw M6  
 for Food-service trolley (RIEBER) ZUB



RIEBER 32290204

**3346103 TUBE INSERT**  
 internal  $\varnothing$  18 mm  
 external  $\varnothing$  22 mm - height 62 mm  
 1 hole



RIEBER 37131104

**3346131 TUBE INSERT**  
 external size 37.5x37.5 mm - height 62 mm



RIEBER 37131007


**3346096 PIN SWIVELLING WHEEL WITH BRAKE**  
 made of POLYPROPYLENE  
 dimension  $\varnothing$  125x32 mm  
 round pin  $\varnothing$  18 mm - height 62 mm  
 hole for pin locking screw M6  
 for Food-service trolley (RIEBER) ZUB



RIEBER 32291204

Suitable for:

**3346100 TUBE INSERT**  
 internal  $\varnothing$  18 mm  
 external  $\varnothing$  22 mm - height 62 mm  
 2 holes



RIEBER 37131102


**3346104 TUBE INSERT**  
 internal  $\varnothing$  18 mm  
 external size 22x22 mm - height 62 mm  
 2 holes



RIEBER 37131004

RIEBER 37131008

**3346100 TUBE INSERT**  
 internal  $\varnothing$  18 mm  
 external  $\varnothing$  22 mm - height 62 mm  
 2 holes



RIEBER 37131102



Suitable for:

**3346103 TUBE INSERT**  
internal  $\varnothing$  18 mm  
external  $\varnothing$  22 mm - height 62 mm  
1 hole



RIEBER 37131104

**3346131 TUBE INSERT**  
external size 37.5x37.5 mm - height 62 mm



RIEBER 37131007

**3346087 PLATE FIXED WHEEL**  
with STAINLESS STEEL supports  
dimension  $\varnothing$  200x42 mm - load capacity 160 Kg  
fixing plate 140x110 mm  
distance between holes 105-80 mm  
for Food-service trolley (RIEBER) BKW



RIEBER 32262510

**3346093 PLATE FIXED WHEEL**  
made of POLYPROPYLENE  
dimension  $\varnothing$  125x32 mm  
fixing plate 95x70 mm  
distance between holes 75-50 mm  
for Food-service trolley (RIEBER) STW



RIEBER 32292103

# RIEBER



Suitable for:

**3346104 TUBE INSERT**  
internal  $\varnothing$  18 mm  
external size 22x22 mm - height 62 mm  
2 holes



RIEBER 37131004

RIEBER 37131008

**3346091 PLATE FIXED WHEEL**  
with STAINLESS STEEL supports  
dimension  $\varnothing$  160x38 mm - load capacity 100 Kg  
fixing plate 140x110 mm  
distance between holes 105-80 mm  
for Food-service trolley (RIEBER) BKW



RIEBER 32262303

**3346089 PLATE SWIVELLING WHEEL**  
with STAINLESS STEEL supports  
dimension  $\varnothing$  160x38 mm - load capacity 100 Kg  
fixing plate 140x110 mm  
distance between holes 105-80 mm  
for Food-service trolley (RIEBER) BKW



RIEBER 32260302



Suitable for:

Suitable for:

**3346094 PLATE SWIVELLING WHEEL**  
made of POLYPROPYLENE  
dimension  $\varnothing$  125x32 mm  
fixing plate 95x70 mm  
distance between holes 75-50 mm  
for Food-service trolley (RIEBER) STW

**3346099 BLACK BUMPER CAP**



RIEBER 32290203

RIEBER 37130801

**3346098 UPPER BLACK BUMPER**  
side 150 mm - width 28 mm



RIEBER 37130701

**3346118 PLATE SWIVELLING WHEEL**  
with STAINLESS STEEL supports  
dimension  $\varnothing$  200x42 mm - load capacity 160 Kg  
fixing plate 140x110 mm  
distance between holes 105-80 mm  
for Food-service trolley (RIEBER) BKW

**3346099 BLACK BUMPER CAP**



RIEBER 32260508

RIEBER 37130801

**3346098 UPPER BLACK BUMPER**  
side 150 mm - width 28 mm



RIEBER 37130701

Suitable for:

Suitable for:

**3346088 PLATE SWIVELLING WHEEL WITH BRAKE**  
 with STAINLESS STEEL supports  
 dimension  $\varnothing$  200x42 mm - load capacity 160 Kg  
 fixing plate 140x110 mm  
 distance between holes 105-80 mm  
 for Food-service trolley (RIEBER) BKW

**3346099 BLACK BUMPER CAP**



RIEBER 32261510

RIEBER 37130801

**3346098 UPPER BLACK BUMPER**  
 side 150 mm - width 28 mm



RIEBER 37130701

**3346090 PLATE SWIVELLING WHEEL WITH BRAKE**  
 with STAINLESS STEEL supports  
 dimension  $\varnothing$  160x38 mm - load capacity 100 Kg  
 fixing plate 140x110 mm  
 distance between holes 105-80 mm  
 for Food-service trolley (RIEBER) BKW



RIEBER 32261303

**3346092 PLATE SWIVELLING WHEEL WITH BRAKE**  
 made of POLYPROPYLENE  
 dimension  $\varnothing$  125x30 mm  
 fixing plate 95x70 mm  
 distance between holes 70-50 mm  
 for Food-service trolley (RIEBER) STW

**3346099 BLACK BUMPER CAP**



RIEBER 32291203

RIEBER 37130801



Suitable for:

**3346098 UPPER BLACK BUMPER**  
side 150 mm - width 28 mm




RIEBER 37130701

# RIEBER



Suitable for:

**3346100 TUBE INSERT**  
internal  $\varnothing$  18 mm  
external  $\varnothing$  22 mm - height 62 mm  
2 holes



RIEBER 37131102

**3346103 TUBE INSERT**  
internal  $\varnothing$  18 mm  
external  $\varnothing$  22 mm - height 62 mm  
1 hole



RIEBER 37131104

**3346104 TUBE INSERT**  
internal  $\varnothing$  18 mm  
external size 22x22 mm - height 62 mm  
2 holes



RIEBER 37131004

RIEBER 37131008

**3346131 TUBE INSERT**  
external size 37.5x37.5 mm - height 62 mm



RIEBER 37131007

## Circlips

**3063027 SEEGER RING E-25**  
in steel for springs C60  
internal  $\varnothing$  23.2 mm - thickness 1.2 mm  
UNI 7435 - DIN 471




RIEBER 38620101



## Contact thermostats

**5027248 CONTACT THERMOSTAT DOUBLE 120°C**  
for Food-service trolley (RIEBER)



RIEBER 33063007

**3443043 CONTACT THERMOSTAT 80°C**  
1 normally closed contact  
for Food-service trolley (RIEBER) THERMOPORT1000U  
THERMOPORT101S - THERMOPORT105S  
THERMOPORT1600U - THERMOPORT3000U



RIEBER 33062001

**3443044 CONTACT THERMOSTAT 86°C**  
with automatic reset  
for Food-service trolley (RIEBER) THERMOPORT101WD  
THERMOPORT105LIGHT - THERMOPORT105WD



RIEBER 33063001

## Drain assembly

**3526171 VALVE BUSHING 15 mm**  
external  $\varnothing$  28 mm - connection  $\varnothing$  1/2"



RIEBER 32400707

**3526173 VALVE SLEEVE**



RIEBER 37138201

## Electrical cables

**3050010 FEED CABLE 2000 mm 16A 250V**  
with SCHUKO plug and wheel grip



RIEBER 33102901

**3050004 SNAP-IN PLUG 10A 250V**  
mounting hole 27x19 mm - distance between holes 32  
for Hot cupboard (RIEBER) 1000 - 101 - 105



RIEBER 33553010



Suitable for:

# RIEBER



**3050020 FEED CABLE 3000 mm 16A 250V**  
with SCHUKO plug and wheel grip  
for Food-service trolley (RIEBER) THERMOPORT



RIEBER 33102910

Suitable for:

**3050004 SNAP-IN PLUG 10A 250V**  
mounting hole 27x19 mm - distance between holes 32  
for Hot cupboard (RIEBER) 1000 - 101 - 105



RIEBER 33553010

**3050021 SPIRAL CABLE WITH PLUG 400 mm**  
3 threads  $\varnothing$  1.5 mm  
with SCHUKO plug  
for Food-service trolley (RIEBER) 1000U - 1600U



RIEBER 55050106

**3050022 SPIRAL CABLE WITH PLUG 430 mm**  
3 cables  $\varnothing$  1.5 mm  
with SCHUKO plug  
for Food-service trolley (RIEBER)  
since 1/02/03  
THERMOPORT1000DU  
till 1/01/05  
THERMOPORT1600MOBILE - THERMOPORT3000MOBILE  
THERMOPORT1000 - THERMOPORT1000D  
THERMOPORT1000DH - THERMOPORT1000H  
THERMOPORT1000U - THERMOPORT800



RIEBER 55050105

**3050024 SPIRAL CABLE WITH PLUG 750 mm**  
3 threads  $\varnothing$  1.5 mm  
max length 3000 mm  
with SCHUKO plug  
for Food-service trolley (RIEBER) BKW  
for Food-service trolley (RIEBER) BKW



RIEBER 33100309

## Electrical sockets

**3050023 ANGULAR RUBBER PLUG 16A 250V**  
for Food-service trolley (RIEBER) STW - ZUB



RIEBER 33553108

**3050009 LONG BLACK PLUG**  
distance between holes 60 mm



RIEBER 37135802

**3050004 SNAP-IN PLUG 10A 250V**  
 mounting hole 27x19 mm - distance between holes 32  
 for Hot cupboard (RIEBER) 1000 - 101 - 105



RIEBER 33553010

## Electronic controllers

**3445091 ELECTRONIC THERMOSTAT ST64-31.10P PTC**  
 power supply 230V 50Hz  
 thermostat setting range -50+140°C  
 PTC-type probe (not included)  
 mounting hole  $\varnothing$  63 mm - depth 50 mm  
 for Food-service trolley (RIEBER) - Series BKW



RIEBER 33060214

**3445090 PTC PROBE PVC 3600 mm**  
 2-wire probe  
 bulb  $\varnothing$  6x50 mm  
 for Food-service trolley (RIEBER)



RIEBER 33064504

## Electronic printed-circuit boards

**5047470 CIRCUIT BOARD COMPLETE 120x50 mm**  
 for Food-service trolley (RIEBER)



RIEBER 33060227


## Energy regulators

**3350026 ENERGY ADJUSTER**  
 contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



RIEBER 33063301

**3350035 ENERGY ADJUSTER**  
 contact capacity 230V 13A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



RIEBER 33063303



Suitable for:

# RIEBER



Suitable for:

## Fans for motors

**3240538** FAN  $\varnothing$  120 mm  
height 17 mm  
central hole for D-shaped shaft 6x5 mm



RIEBER 33200404

**3230005** FAN  $\varnothing$  150 mm  
height 20 mm  
central hole for D-shaped pin 6x5 mm



RIEBER 33200402

**3240539** FAN  $\varnothing$  155 mm  
height 25 mm  
central hole for D-shaped shaft 6x5 mm



RIEBER 33202216

## Fittings

**5048465** FITTING  $\varnothing$  25x140 mm  
thread  $\varnothing$  1/2"  
for Food-service trolley (RIEBER)



RIEBER 32431010

## Fuses

**1410502** THERMO FUSE 100°C  
for ULKA pumps  
adaptable for SAEKO



RIEBER 33062501



## Gaskets and seals

**3186138 ASBESTOS FREE FLAT GASKET  $\varnothing$  30x21x2 mm**  
for CONVECTION OVEN AR340S




RIEBER 32440101

**3186632 DOOR GASKET**  
made of silicone elastomer 50 Shore  
profile dimensions 12x12 mm  
COLOUR GREY  
SOLD PER METRE  
for Food-service trolley (RIEBER)  
till 1/01/05  
THERMOPORT1600 - THERMOPORT3000  
BKW1 - BKW2



RIEBER 37281101

**3186635 DOOR GASKET 2200 mm**  
made of silicone elastomer  
profile dimensions 12x12 mm  
COLOUR GREY  
for Food-service trolley (RIEBER)  
till 1/01/05  
THERMOPORT1600 - THERMOPORT3000




RIEBER 55150101

**3186634 DOOR GASKET 2500 mm**  
made of silicone elastomer  
profile dimensions 12x12 mm  
COLOUR GREY  
for Food-service trolley (RIEBER)  
till 1/01/05  
THERMOPORT1600 - THERMOPORT3000



RIEBER 55150102

**3186633 DOOR GASKET 3400 mm**  
made of silicone elastomer  
profile dimensions 12x12 mm  
COLOUR GREY  
for Food-service trolley (RIEBER)  
till 1/01/05  
THERMOPORT1600 - THERMOPORT3000



RIEBER 55150103

**3186631 DOOR GASKET 565x355 mm**  
made of silicone elastomer  
COLOUR RED  
for Food-service trolley (RIEBER)  
till 1/01/05  
THERMOPORT1600 - THERMOPORT3000  
THERMOPORT100 - THERMOPORT1000 - THERMOPORT1000D  
THERMOPORT105 - THERMOPORT800



RIEBER 37281401

**5051759 DOOR GASKET 716x386 mm**  
made of silicone elastomer  
COLOUR GREY  
for CARRIAGE THERMOPORT 1600V  
for Food-service trolley (RIEBER) THERMOPORT 1600V



RIEBER 37282541

**3186636 GASKET FOR SWITCH**  
inner size 22x32 mm  
internal size 22x32 mm  
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 37280601



Suitable for:

# RIEBER



Suitable for:

## Handles

### 3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH  
for Food-service trolley (RIEBER)  
till 1/09/97  
BKW2  
BKW1



RIEBER 32105002

### 5047026 HANDLE PLASTIC 122 mm BLACK

distance between holes 90 mm  
for Food-service trolley (RIEBER)



RIEBER 37130302

### 5032692 HANDLE STAINLESS STEEL 150 mm

for Food-service trolley (RIEBER)



RIEBER 55011906

### 5032693 HANDLE STAINLESS STEEL 170x54 mm


for Food-service trolley (RIEBER)



RIEBER 55011907

### 3242278 HANDLE STRIKE

base length 47x10x17 mm  
distance between holes 32 mm  
for Food-service trolley (RIEBER) TWF-AK  
TWF-C/C-D - TWF-I-D-AK  
for Food-service trolley refrigerated (RIEBER)  
BKW1 - BKW2  
for Food-service trolley warm (RIEBER)  
since 1/03/09  
BKW1 - BKW2



RIEBER 32105023

### 3242188 LH-RH CATCH WITHOUT LOCK

straight handgrip  
base length 138x28x32h mm  
mounting distance 118 mm  
adjustable catch mounting distance 30 mm  
for Food-service trolley (RIEBER)  
till 1/09/97  
BKW1 - BKW2  
TRAYTROLLEY KWA2X8 - TRAYTROLLEY KWS2X8



RIEBER 32105012

RIEBER 32105012+32105017

Suitable for:

**3242277 LOCKING DOOR HANDLE WITHOUT KEY LOCK**

straight handle  
base length 105x22xh34 mm  
distance between holes 90 mm  
for Food-service trolley (RIEBER) TWF-AK  
TWF-C/C-D - TWF-I-D-AK  
for Food-service trolley refrigerated (RIEBER)  
BKW1 - BKW2  
for Food-service trolley warm (RIEBER)  
since 1/03/09  
BKW1 - BKW2



RIEBER 32105018

**3242307 LOCKING HANDLE ERGO 6188 W.CHROME PL. LO**

straight handle  
base length 185.5x23.5x33.2h mm  
distance between holes 150 mm  
RAHRBACH  
for Food-service trolley refrigerated (RIEBER)  
BKW1 - BKW2  
for Food-service trolley warm (RIEBER)  
till 1/09/97  
BKW1 - BKW2



RIEBER 32105001

**3242269 PLASTIC BLACK SUPPORT FOR HANDLE**  
for Food-service trolley (RIEBER) REH1 - REH2  
RE1 - RE2 - RRVH1 - RRVH2 - RRV1 - RRV2  
THERMOPORT1400 - THERMOPORT1600  
THERMOPORT3000 - ZUB



RIEBER 37130501

**3242273 STAINLESS STEEL HANDLE ø 25x290 mm**  
for Food-service trolley (RIEBER) REH1 - REH2  
RE1 - RE2 - RRVH1 - RRVH2 - RRV1 - RRV2



RIEBER 59012001

Suitable for:

**3242278 HANDLE STRIKE**

base length 47x10x17 mm  
distance between holes 32 mm  
for Food-service trolley (RIEBER) TWF-AK  
TWF-C/C-D - TWF-I-D-AK  
for Food-service trolley refrigerated (RIEBER)  
BKW1 - BKW2  
for Food-service trolley warm (RIEBER)  
since 1/03/09  
BKW1 - BKW2



RIEBER 32105023

**3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE**

base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH  
for Food-service trolley (RIEBER)  
till 1/09/97  
BKW2  
BKW1



RIEBER 32105002

**3242270 STAINLESS STEEL HANDLE ø 25x256 mm**  
for Food-service trolley (RIEBER)  
till 1/01/05  
THERMOPORT1600 - THERMOPORT3000



RIEBER 55010302

**3242282 STAINLESS STEEL HANDLE ø 25x492 mm**  
for Food-service trolley (RIEBER) ZUB2 - ZUB4



RIEBER 58160701



Suitable for:

**3242270 STAINLESS STEEL HANDLE  $\varnothing$  25x256 mm**  
for Food-service trolley (RIEBER)  
till 1/01/05  
THERMOPORT1600 - THERMOPORT3000



RIEBER 55010302

# RIEBER



Suitable for:

**3242273 STAINLESS STEEL HANDLE  $\varnothing$  25x290 mm**  
for Food-service trolley (RIEBER) REH1 - REH2  
RE1 - RE2 - RRVH1 - RRVH2 - RRV1 - RRV2



RIEBER 59012001

**3242282 STAINLESS STEEL HANDLE  $\varnothing$  25x492 mm**  
for Food-service trolley (RIEBER) ZUB2 - ZUB4



RIEBER 58160701

## Heating elements

**3755376 HEATING ELEMENT 1610/1750W 230/240V**  
external  $\varnothing$  175 mm - total height 60 mm  
flange 50x26 mm  
for Food-service trolley (RIEBER) BKW1



RIEBER 33010163

**3755384 HEATING ELEMENT 1700W 240V**  
external  $\varnothing$  185 mm - total height 110 mm  
for Food-service trolley (RIEBER) - Series BKW



RIEBER 33010115

**3755678 HEATING ELEMENT 1750W 240V**  
immersed length 370 mm - width 58 mm  
flange 80x28 mm  
for Food-service trolley (RIEBER) ZUB



RIEBER 33010116

**3755301 HEATING ELEMENT 180W 240V**  
length 315 mm - width 25 mm  
for Food-service trolley (RIEBER) THERMOPORT101WD



RIEBER 33010102

**3755386 HEATING ELEMENT 180W 240V**  
length 365 mm - width 165 mm  
for Food-service trolley (RIEBER) THERMOPORT101S



RIEBER 33010125

**3755383 HEATING ELEMENT 2400W 240V**  
external  $\varnothing$  185 mm - total height 108 mm  
for Food-service trolley (RIEBER) - Series BKW



RIEBER 33010118





# RIEBER



Suitable for:

**3755604 HEATING ELEMENT 415W 240V**  
external  $\varnothing$  190 mm - overall height 50 mm  
for Food-service trolley (RIEBER) THERMOPORT1000U



RIEBER 33010105

Suitable for:

**3755388 HEATING ELEMENT 416W 240V**  
length 415 mm - width 195 mm  
for Food-service trolley (RIEBER)  
Series STW  
for Food-service trolley (RIEBER) NORM II-2



RIEBER 33010104

**5032521 HEATING ELEMENT 470W 230V**  
length 385 mm - width 200 mm  
for Food-service trolley (RIEBER)



RIEBER 33010170

**3755377 HEATING ELEMENT 550W 240V**  
external  $\varnothing$  140 mm - total height 75 mm  
for Dish warmer (RIEBER) - Series RRH-NORMII



RIEBER 33010121

**3755385 HEATING ELEMENT 590W 240V**  
length 375 mm - width 165 mm  
for Food-service trolley (RIEBER) THERMOPORT1055



RIEBER 33010128

**3755375 HEATING ELEMENT 800W 120V**  
length 580 mm - width 520 mm  
for Dish warmer (RIEBER) - Series RRH



RIEBER 33010110

**3755387 HEATING ELEMENT 833W 240V**  
length 410 mm - width 190 mm  
for Food-service trolley (RIEBER) - Series BKW  
Series STW - Series ZUB



RIEBER 33010111

**3755869 SILICONE HEATING ELEMENT 500W 230V**  
length 400 mm - width 270 mm  
cable length 270 mm  
operating ambient: dry  
for Bain-marie electric (RIEBER)



RIEBER 33010602



Suitable for:


# RIEBER



Suitable for:

## Hinges, catches and accessories

**3053554 COMPLETE DOOR HINGE**  
 distance between holes 45 mm  
 dimensions 80x78 mm  
 for Food-service trolley (RIEBER) THERMOPORT10  
 THERMOPORT50 - THERMOPORT500



RIEBER 37138909

RIEBER 9930028

**3053553 COMPLETE LOCK**  
 for Food-service trolley (RIEBER) THERMOPORT10  
 THERMOPORT50 - THERMOPORT500



RIEBER 37133201

## Incandescent lamps and neon lamps

**3221285 QUARTZ LAMP 400W 240V**  
 length 350 mm  
 wire connection length 900 mm  
 for Potato heater (RIEBER) LWB



RIEBER 33012515

**3221292 QUARTZ LAMP 833W 240V**  
 length 640 mm  
 wire connection length 1300 mm



RIEBER 33012516

**3221292 QUARTZ LAMP 833W 240V**  
 length 640 mm  
 wire connection length 1300 mm



RIEBER 33012516

## Indicator lights

**3221286 GREEN INDICATOR LAMP 250V**  
 head  $\varnothing$  12.5 mm - hole  $\varnothing$  11 mm - 120°C  
 wire connection length 225 mm



RIEBER 33830203

## Ironmongery (screws,nuts,washers)

**3528013 BLIND HEXAGONAL NUT M6**  
for motor fan



RIEBER 33200401

RIEBER 33200405

**5056761 COUNTERSUNK FLAT HEAD SCREWS M4x25**  
hexagon socket - stainless steel  
UNI 5933 - DIN 7991 - ISO 10642



RIEBER 38230114

**3528012 MOTORVENTILATOR NUT M6**



RIEBER 33202217

## Knobs

**3241356 BLACK KNOB  $\varnothing$  37 mm SILK-SCREEN PRINTED**  
D shaft hole 6x4.6 mm  
for Food-service trolley (RIEBER) BKW



RIEBER 33353024

**3241354 BLACK KNOB  $\varnothing$  40 mm 1-2-3**  
D shaft hole 6x4.6 mm  
for Food-service trolley (RIEBER) STW - ZUB



RIEBER 33353026

**3241353 BLACK KNOB  $\varnothing$  50 mm 30°-110°C**  
D shaft hole 6x4.6 mm  
for Food-service trolley (RIEBER) STW - ZUB




RIEBER 33353019

**3241355 BLACK KNOB  $\varnothing$  50 mm 30°-110°C**  
D shaft hole 6x4.6 mm



RIEBER 33353017

**3241352 GREY KNOB  $\varnothing$  28 mm**  
round hole  $\varnothing$  6.4 mm  
with shaft locking bolt  
for Food-service trolley (RIEBER) LWB



RIEBER 33353025



Suitable for:

# RIEBER



Suitable for:

## Motors

### 3240621 COMPLETE MOTOR FAN 1610/1750W 240V

50Hz  
flange 245x200 mm  
for Dish warmer (RIEBER) - Series ERRU



RIEBER 59050609

**3240540 COMPLETE MOTOR FAN 760W 230V**  
external dimensions 270x240x30 mm  
for Food-service trolley (RIEBER) THERMOPORT1000  
THERMOPORT1000DU - THERMOPORT1000U  
THERMOPORT1400 - THERMOPORT1600  
THERMOPORT3000




RIEBER 55050209  
RIEBER 55050244

RIEBER 55050210

RIEBER 55050227

**3528013 BLIND HEXAGONAL NUT M6**  
for motor fan



RIEBER 33200401

RIEBER 33200405

**3240538 FAN ø 120 mm**  
height 17 mm  
central hole for D-shaped shaft 6x5 mm



RIEBER 33200404

**3240543 MOTOR FOR FAN 120/240V 50/60Hz**  
TYPE EM3010L



RIEBER 33200403

**3240532 FAN MOTOR COMPLETE 1700W 230V**  
TYPE R2K150-AC43-65  
50/60Hz  
flange 240x240 mm  
for Food-service trolley (RIEBER) - Series BKW



RIEBER 58233417

**3240542 MOTOR WITH FAN 30/35W 115/230V**  
TYPE R2K150-AC43-65  
50/60Hz  
fan ø 150 mm  
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33202223

Suitable for:

**3240537 FAN MOTOR COMPLETE 1700W 240V**  
TYPE R2K150-AC01-15  
50Hz  
flange ø 240 mm  
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 53300102

Suitable for:

**3240512 MOTOR WITH FAN 32W 230V 50Hz 0,27A**  
TYPE R2K150-AC01-15  
fan ø 150 mm



RIEBER 3320222

**3240535 FAN MOTOR COMPLETE 1750W 240V**  
TYPE R2K150-AC43-65  
50/60Hz  
flange 240x240 mm  
for Food-service trolley (RIEBER) BKW1



RIEBER 58233423

**3240542 MOTOR WITH FAN 30/35W 115/230V**  
TYPE R2K150-AC43-65  
50/60Hz  
fan ø 150 mm  
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 3320223

**3240531 FAN MOTOR COMPLETE 2400W 230V**  
TYPE R2K-150-AC43-65  
50/60Hz  
flange 240x240 mm  
for Food-service trolley (RIEBER) - Series BKW



RIEBER 58233418

**3240542 MOTOR WITH FAN 30/35W 115/230V**  
TYPE R2K150-AC43-65  
50/60Hz  
fan ø 150 mm  
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 3320223

**3240536 FAN MOTOR COMPLETE 2400W 230V**  
TYPE R2K150-AC43-65  
50/60Hz  
flange 240x240 mm  
for Food-service trolley (RIEBER) BKW2



RIEBER 58233422

**3240542 MOTOR WITH FAN 30/35W 115/230V**  
TYPE R2K150-AC43-65  
50/60Hz  
fan ø 150 mm  
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 3320223



Suitable for:

# RIEBER



**3240534 FAN MOTOR 45W 120/240V 50/60Hz**  
TYPE RRC/B45-3030LH/4  
for Dish warmer (RIEBER) PU-GN/SV1/1 - PU-GN2/1  
PU-Q1/1 - PU-SV2/1 - WE-QU1/1




RIEBER 33202215

**3528012 MOTORVENTILATOR NUT M6**



RIEBER 33202217

**3240539 FAN ø 155 mm**  
height 25 mm  
central hole for D-shaped shaft 6x5 mm



RIEBER 33202216

**3240543 MOTOR FOR FAN 120/240V 50/60Hz**  
TYPE EM3010L



RIEBER 33200403

**3240530 MOTOR WITH FAN 32W 230V 50Hz 0,27A**  
TYPE R2A150-AC01-09  
fan ø 150 mm  
for Food-service trolley (RIEBER) BKW1 - BKW2




RIEBER 33200406

**3240542 MOTOR WITH FAN 30/35W 115/230V**  
TYPE R2K150-AC43-65  
50/60Hz  
fan ø 150 mm  
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33202223

**3240545 MOTOR WITH FAN 32W 230V 50Hz**  
TYPE EM4218-405bu  
fan ø 150 mm  
for Food-service trolley (RIEBER)



RIEBER 33202227

RIEBER 33202227+...

**3230005 FAN ø 150 mm**  
height 20 mm  
central hole for D-shaped pin 6x5 mm



RIEBER 33200402

Suitable for:

**3240512 MOTOR WITH FAN 32W 230V 50Hz 0,27A**  
TYPE R2K150-AC01-15  
fan  $\varnothing$  150 mm



RIEBER 33202222

Suitable for:

**3240513 MOTOR WITH FAN 43W 230V 50Hz 0.26A**  
TYPE R2S 150-AA08-29  
fan  $\varnothing$  150 mm



RIEBER 33202209

## OR and ORM gaskets

**1186230 O-RING GASKET 0164 EPDM**



RIEBER 37282401

## Probes

**3445090 PTC PROBE PVC 3600 mm**  
2-wire probe  
bulb  $\varnothing$  6x50 mm  
for Food-service trolley (RIEBER)



RIEBER 33064504


## Rotary switches

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



RIEBER 33351201

**3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



RIEBER 91030314

## Springs

**3250121 SPRING  $\varnothing$  17x154 mm**  
for DISPENSER



RIEBER 32681801



Suitable for:

# RIEBER



Suitable for:

## Springs

**3250120 SPRING  $\varnothing$  19x147 mm**



RIEBER 32681501

**3250117 SPRING WHEEL  $\varnothing$  42 mm  
for DISPENSER**



RIEBER 37131202

**3250117 SPRING WHEEL  $\varnothing$  42 mm  
for DISPENSER**



RIEBER 37131202

## Switches

**3319361 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V  
with indicator light and button cap  
mounting hole  $\varnothing$  25 mm



RIEBER 33351502

**3319360 SWITCH TRIPOLARE GREEN 16A 250V**  
16(4)A 250V  
with indicator lamp and button protection cap  
silk-screen print 0 - I  
mounting hole 11x30 mm  
for Food-service trolley (RIEBER) - Series STW  
Series ZUB



RIEBER 33350206

**3319012 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V  
with indicator lamp and switch cover  
screen printing 0 - I  
max. temperature 120°C  
mounting hole 22x30 mm



RIEBER 33350207

RIEBER 33350217

**3319362 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V - with indicator lamp  
silk-screen printing 0 - I  
max temperature 120°C  
mounting hole 22x30 mm



RIEBER 33350211





## Tangential and radial fans

**3526150 TANGENTIAL FAN 180 mm LH**  
 25W 230V 50/60Hz - ø 60 mm  
 operating temperature -30°+100°C



RIEBER 33202202

**3526105 TANGENTIAL VENTILATOR 180 mm LEFT**  
 19W 230V 50/60Hz - ø 45 mm  
 operating temperature -30°+100°C



RIEBER 33202210

## Telethermometers

**3441061 TELETHERMOMETER WHITE ø 60 mm 0-120°C**  
 plastic body  
 capillary length 700 mm  
 bulb ø 8x15 mm  
 for Dish warmer (RIEBER) - Series RRH-NORMII  
 for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33070104


**3441064 TELETHERMOMETER 197x85x33 mm 0-120°C**  
 plastic body  
 white dial  
 bulb ø 8.5x35 mm  
 for Food-service trolley (RIEBER) BTB  
 THERMOPORT1600 - THERMOPORT3000



RIEBER 40014101

## Thermostats

**3444537 SINGLE-PHASE THERMOSTAT 0-110°C**  
 D-shaped pin ø 6x4.6 mm  
 covered capillary length 2100 mm  
 bulb ø 6x135 mm  
 for Food-service trolley (RIEBER) BM311



RIEBER 33061801

**3444538 SINGLE-PHASE THERMOSTAT 0-110°C**  
 D-shaped pin ø 6x4.6 mm  
 covered capillary length 2200 mm  
 bulb ø 6x135 mm  
 for Food-service trolley (RIEBER) - Series STW  
 Series ZUB




RIEBER 33060401

**3444540 SINGLE-PHASE THERMOSTAT 0-110°C**  
 D-shaped pin ø 6x4.6 mm  
 covered capillary length 1400 mm  
 bulb ø 6x140 mm  
 for Food-service trolley (RIEBER)



RIEBER 33060301

**3444539 SINGLE-PHASE THERMOSTAT 80°C**  
 with automatic reset  
 covered capillary length 1500 mm  
 bulb ø 6x90 mm  
 for Food-service trolley (RIEBER) - Series STW  
 Series ZUB



RIEBER 33061505



Suitable for:

# RIEBER



Suitable for:

## 3444493 THREE-PHASE THERMOSTAT 360°C

with manual reset  
capillary length 1500 mm  
bulb  $\varnothing$  4x120 mm



RIEBER 33063306

## Timers

### 3446106 TIMER 120 MINUTES

manually set mechanical timer  
manually set cycle 120 minutes  
contact capacity 15A 250V  
max temperature 85°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
complete with silkscreen printed plate and knob  
for Food-service trolley (RIEBER) BKW1 - BKW2



RIEBER 33351701

## Transformers

### 3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved




















RIEBER 33170101

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.jeth@lfspareparts.com](mailto:michael.jeth@lfspareparts.com)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)