



Spare parts for:

Cooking equipment



Suitable for:

SAGI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

SAGI



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



SAGI 32M7130

Ball valves and accessories

3526622 BALL VALVE GAS \varnothing 3/4" MF
ball valve
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium lever



SAGI 33A0910

Contactors

5023908 CONTACTOR SIEMENS 3RT1025-1AL20
17A 400V 7.5Kw - coil 230V 50/60Hz
3 normally open contacts



SAGI 32Z9250

5059050 AUXILIARY CONTACT SIEMENS 3RH1921
1 contact normally open
1 contact normally closed



Gaskets and seals

3186451 THERMOSTAT GASKET \varnothing 41 mm
internal hole \varnothing 18 mm - height 15 mm



SAGI 3150270



Handles

- 3242032 BLACK PLASTIC HANDLE 420 mm**
distance between mounting holes 200 mm



SAGI 36M3390

- 3242921 LH-RH CATCH WITHOUT LOCK 560 CR**
straight handgrip
base length 150x23x30h mm
mounting distance 110 mm



SAGI 36M0470

- 3242922 STRIKE FOR DOOR CATCH**



SAGI 36M0480

- 3242248 PLASTIC RED SUPPORT FOR HANDLE**
distance between fixing holes 20 mm



SAGI 36M2910

Heating elements

- 3455273 HEATING ELEMENT 1500/1780W 230/240V**
length 470 mm - width 305 mm
fittings \varnothing 1/4"



SAGI 32G1730

- 3355160 HEATING ELEMENT 1600W 220V**
length 585 mm - width 190 mm
fittings M14x1.5 mm
operating ambient: dry



SAGI 32G0071

- 3455274 HEATING ELEMENT 2400/2620W 230/240V**
external \varnothing 210 mm - fittings \varnothing 1/4"



SAGI 32G1550



Suitable for:

SAGI



3355105 HEATING ELEMENT 4200W 230/380V
 for boiler and wash tank
 immersed depth 340 mm
 flange external \varnothing 72 mm - with bulb-sheathing
 complete with gasket OR \varnothing 67 mm (3186014)



SAGI 32G0230

SAGI 32G0380

Suitable for:

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



3355159 HEATING ELEMENT 800W 220V
 length 395 mm - width 60 mm
 couplings \varnothing 1/4"
 operating ambient: dry



SAGI 32G0090

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



SAGI 36M0270

3053007 LEFTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



SAGI 36M0110

3053234 HINGE COVER
 distance between holes 95 mm - size 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



SAGI 36M0270

3053299 HINGE COVER
 distance between holes 77 mm - size 129x26 mm



3053006 RIGHTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



SAGI 36M0100

3053234 HINGE COVER
 distance between holes 95 mm - size 124x20 mm



3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



SAGI 36M0270

3053299 HINGE COVER
 distance between holes 77 mm - size 129x26 mm



Incandescent lamps and neon lamps

3221059 OVEN LAMP E27 40W 230V
 max temperature 300°C
 for OVEN and PIZZA OVEN



SAGI 32W2350

Knobs

3241037 BLACK KNOB \varnothing 68 mm
 D shaft hole 10x9 mm



SAGI 36M2390

3241500 BLACK-RED KNOB 30-100°C
 D shaft hole 6x4.6 mm



SAGI 6300482

3241055 FIXING CLIP
 for knob with \varnothing 8 mm hole



SAGI 3170290

3241385 GASKET FOR KNOB PIN 6x4.6 mm
 \varnothing external 17 mm - thickness 1,8 mm



SAGI 3150790




Suitable for:

SAGI



Suitable for:

3241399 GASKET FOR KNOB PIN 6x4.6 mm
external \varnothing 17 mm - thickness 4 mm



SAGI 3152240

3241088 RED INSERT FOR KNOB \varnothing 32 mm



SAGI 36M2800

Microswitches

3240149 MICROSWITCH FR508A 3A 400V



SAGI 32W3251

3240820 MICROSWITCH 16A 250V



SAGI 32W1320

3240152 BUSHING FOR MICROSWITCH




3240473 GASKET FOR BUSHING



5035454 MICRO SUPPORT
for WASHING MACHINE LF25



3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



3240153 ROD FOR MICROSWITCH



3240154 SPRING FOR MICROSWITCH ROD





OR and ORM gaskets

- 3186656 HEATING ELEMENT GASKET KIT**
consists of 2 silicone OR0152 gaskets
and 1 grease can



SAGI 60A0980

Pilot burners and accessories

- 3020106 PILOT WITH 0.25 mm Ø JET**



SAGI 33A0960

Probes

- 3445107 PTC PVC PROBE 3000 mm**
2-wire probe temperature range -30+80°C
bulb Ø 6x40 mm



SAGI 32V0150

Relays

- 3351021 POWER RELAY FINDER 62.82.8.230.0000**
230V 50/60Hz
2 exchange contacts 16A



SAGI 32Z2000

- 3351602 RELAY POWER FINDER 65.31.8.230.0300**
230V 50/60Hz
1 switch contact 30A



SAGI 32V3720



Suitable for:

SAGI



Suitable for:

Rotary switches

3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



SAGI 32W0490

Switches

3319940 SWTCH 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp and switch cover
max. temperature 120°C
mounting hole 22x30 mm



SAGI 32W2331

SAGI 32W2990

3319780 BLOCK CONNECTION WHITE 30x22 mm



3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



Tangential and radial fans

3526150 TANGENTIAL FAN 180 mm LH
25W 230V 50/60Hz - \varnothing 60 mm
operating temperature -30°+100°C



SAGI 32M5920

3526200 ELECTRONIC SPEED CONTROLLER 170W 230V
for tangential fan






Suitable for:

2102307 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm



3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



SAGI

Suitable for:

2102796 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for tangential fan 180 mm
with cables length 240 mm



7103628 HEATING ELEMENT 2000W 230V
length 195 mm - width 38 mm
for tangential ventilator 180 mm
with cable length 230 mm



Taps for tank refilling

3183049 NUT ϕ 3/8"



SAGI 36Q1110

3359100 WATER INLET TAP ϕ 3/8"MM



SAGI 33D0590

3759146 TAP KNOB - RED



SAGI 36M2640

SAGI 36M2641

3759137 TAP KNOB - BLUE





Suitable for:

SAGI



Suitable for:

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SAGI 32D0171

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SAGI 32D0250

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



SAGI 33A0900

3440039 THERMOCOUPLE SIT M9x1 150 cm



SAGI 33A0320

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SAGI 33A0320


3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SAGI 33A0320

Thermostats

3444056 SINGLE-PHASE THERMOSTAT 30-93°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
button bulb \varnothing 23.5 mm



SAGI 32Z0410

3186451 THERMOSTAT GASKET \varnothing 41 mm
internal hole \varnothing 18 mm - height 15 mm




SAGI 3150270



Suitable for:


5017402 THERMOSTAT THREE-PHASE 247°C
with automatic reset
capillary length covered 1200 mm - 16A 380V
bulb \varnothing 3x228 mm



SAGI 32Z5960

Suitable for:

3444067 THREE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 10A 400V
bulb \varnothing 6x130 mm



SAGI 32Z0130

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved




















SAGI 32Z3470

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **DENMARK**
www.lfspareparts724.dk
michael.jeth@lfspareparts.com
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us