



Spare parts for:

## Cooking equipment



Suitable for:

# SAMMIC



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# SAMMIC



Suitable for:

## Capacitors, electrical

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2050610

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2302620

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 6054512

**3068010 CAPACITOR  $\mu$ F 6.3 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



SAMMIC 4420032

## Contactors

**3454046 CONTACTOR ABB A16-40-00**  
30A - coil 230V 50/60Hz  
4 normally open contacts



SAMMIC 2300135

SAMMIC 2319447

**3351019 THERMAL RELAY ABB TA25DU**  
7.5÷11A  
1 normally open contact  
1 normally closed contact



SAMMIC 2141177

**3454042 CONTACTOR ABB A9-30-01**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



SAMMIC 2059435

SAMMIC 2600121

**3454045 CONTACTOR ABB A9-40-00**  
9A 400V 4Kw - coil 230V 50/60Hz  
4 normally open contacts



SAMMIC 2600123

SAMMIC 2600124



Suitable for:

## 3351018 THERMAL RELAY ABB TA25DU

4.5÷6.5A  
1 normally open contact  
1 normally closed contact



SAMMIC 2306358

Suitable for:

## 3351019 THERMAL RELAY ABB TA25DU

7.5÷11A  
1 normally open contact  
1 normally closed contact



SAMMIC 2141177

## 3351033 THERMAL RELAY ABB TA25DU

6÷8.5A  
1 normally open contact  
1 normally closed contact



SAMMIC 2141175

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Salamander (SAMMIC)  
SG652



SAMMIC 6503625

## Feet

### 3313040 ADJUSTABLE S/STEEL FOOT $\varnothing$ 1"1/2 x h 95mm

with fixed screw M10x25 mm  
adjustable height 95÷150 mm



SAMMIC 2310659



Suitable for:

# SAMMIC



Suitable for:

## Filters

**3160007 WATER FILTER ø 3/4"FF**



SAMMIC 2311738

## Fuses

**3049013 DELAY FUSE ø 5x20 mm - 10 PCS**  
250V 1A



SAMMIC 2149131

## Gastronorm pans

**3015023 S/STEEL DRIP TRAY GN 1/1 530x325xH20 mm**



SAMMIC 9051020

**3015024 S/STEEL DRIP TRAY GN 1/1 530x325xH40 mm**



SAMMIC 9051040

**3015025 S/STEEL DRIP TRAY GN 1/1 530x325xH65 mm**



SAMMIC 9051050

**3015029 S/STEEL DRIP TRAY GN 1/2 325x265xH20 mm**



SAMMIC 9053020

**3015031 S/STEEL DRIP TRAY GN 1/2 325x265xH65 mm**



SAMMIC 9053050

**3015021 S/STEEL DRIP TRAY GN 2/1 650x530xH40 mm**



SAMMIC 9050040

Suitable for:

**3015022 S/STEEL DRIP TRAY GN 2/1 650x530xH65 mm**



SAMMIC 9050050

Suitable for:

**3015026 S/STEEL DRIP TRAY GN 2/3 355x325xH20 mm**



SAMMIC 9052020

**3015027 S/STEEL DRIP TRAY GN 2/3 355x325xH40 mm**



SAMMIC 9052040

**3015028 S/STEEL DRIP TRAY GN 2/3 355x325xH65 mm**



SAMMIC 9052050

**3015020 S/STEEL DRIP TRAY 2/1 GN 650x530x20 mm**



SAMMIC 9050020

## Grids for refrigerator-oven

**3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm**  
thickness 7 mm



SAMMIC 9771700

**3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm**



SAMMIC 9770700


## Heating elements

**3755641 HEATING ELEMENT 1000W 230V**  
external ø 185 mm - couplings M12x1,25 mm



SAMMIC 6421011

**3755677 HEATING ELEMENT 1150W 240V**  
length 210 mm - width 225 mm  
height 30 mm  
for Panini grill electric (SAMMIC) GLD - GRD - GRL  
GRS



SAMMIC 6100053



Suitable for:

# SAMMIC



**5056321 HEATING ELEMENT 2000W 230V**  
length 235 mm - width 215 mm  
fittings M12x1.75 mm  
for Salamander (SAMMIC) SG652



SAMMIC 6131548

Suitable for:

**3755676 HEATING ELEMENT 850W 240V**  
length 210 mm - width 220 mm  
height 25 mm  
for Panini grill electric (SAMMIC) GLD - GRD - GRL  
GRS



SAMMIC 6100051

**3755675 WIRE HEATING ELEMENT**  
length 100 mm



SAMMIC 6100414

## Incandescent lamps and neon lamps

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



SAMMIC 6126042

## Indicator lights

**3221024 INDICATOR LAMP RED 230V**  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



SAMMIC 2309960

**3221337 ORANGE INDICATOR LAMP 250V**  
head  $\varnothing$  12 mm - hole  $\varnothing$  9 mm - 125°C  
wire connection length 200 mm



SAMMIC 6100026



## Knobs

**3241586 BLACK KNOB  $\varnothing$  42 mm**  
D shaft hole 6x4.6 mm



SAMMIC 6100412

## Lamp receptacles and spare parts

**3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  54 mm  
mounting hole  $\varnothing$  45 mm  
max temperature 300°C



SAMMIC 6126073

**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**  
lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C  
for OVEN



SAMMIC PORTALAM290

## Microswitches


**3240820 MICROSWITCH 16A 250V**



SAMMIC 6420114

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan  $\varnothing$  150 mm



SAMMIC VEN046





Suitable for:

# SAMMIC



Suitable for:

## Pliers for sandwiches und toasts

**3317051 GRILL PLIER**  
length 100 mm  
height 180 mm



SAMMIC 6100413

## Solenoid valves

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



SAMMIC 8100265

**3120008 SOLENOID VALVE 350 220/240V  $\varnothing$  14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  14 mm



SAMMIC 2304941

## Springs

**3250140 SPRING  $\varnothing$  27x110 mm**  
for SANDWICH PLATE GRS-GRD-GLD-GRL



SAMMIC 6100203

## Switches

**3319380 DOUBLE SINGLE POLE SWITCH 16A 250V**  
mounting hole 28x53 mm  
for Toaster (SAMMIC) TP-10



SAMMIC 6100408

**9319068 PUSH-BUTTON 1-POLE BLACK 10A 250V**  
max. temperature 100°C  
mounting hole 13x20 mm



SAMMIC 2052737





Suitable for:


**1319210 SWITCH 2-POLE WHITE 16A 250V**  
with indicator lamp  
silk-screen print 0-1  
max. temperature 120°C  
mounting hole 22x30 mm



SAMMIC 2310416

Suitable for:

**3319088 SWTCH 2-POLE ORANGE 16A 250V**  
16(4)A 250V  
with indicator lamp and push-button cover  
max. temperature 120°C  
mounting hole 22x30 mm



SAMMIC 2306538

**3319379 TRIPLE SINGLE POLE SWITCH 16A 250V**  
mounting hole 28x77 mm  
for Toaster (SAMMIC) TP-20



SAMMIC 6100410

## Thermostats

**3444009 KNOB BLACK ø 41 mm 0-120°C**  
D-shaped hole 6x4.6 mm  
for thermostat IMIT



SAMMIC 2309065

**3444008 KNOB BLACK ø 41 mm 0-90°C**  
D-shaped hole 6x4.6 mm  
for thermostat IMIT



SAMMIC 2309065

**3444628 SINGLE-PHASE THERMOSTAT 50-250°C**  
D-shaped pin ø 6x4.6 mm  
capillary length 800 mm  
bulb ø 3x180 mm  
for Panini grill electric (SAMMIC)  
GLD - GRD - GRL - GRS



SAMMIC 6100070

**3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C**  
D-shaped pin ø 6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb ø 6.5x95 mm



SAMMIC 2309068



Suitable for:

# SAMMIC



Suitable for:

## Timers

### 3446117 TIMER 15 MINUTES

manually set mechanical timer  
manually set cycle 15 minutes  
contact capacity 16(4)A 250V  
max temperature 85°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
complete with knob  
for Panini grill (SAMMIC)  
for Toaster (SAMMIC)




















SAMMIC 6100420

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)