



Spare parts for:

Cooking equipment



Suitable for:

SILANOS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:


SILANOS



Suitable for:

Bearings

1063005 BEARING 6201 DDU NSK
external \varnothing 32mm - internal \varnothing 12mm - thickness 10mm



SILANOS TR0050

Bulb sheathes

3187006 THERMOSTAT SHEATHING \varnothing 1/2"
bulb length 130 mm



SILANOS TR0298

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



SILANOS 901730

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



SILANOS 901740

Clamps

3449402 DOUBLE-WIRE CLAMP 7.8-8.3 - 100 PCS
for hoses \varnothing 7.8÷8.3 mm



SILANOS 902425

3449462 HOSE CLAMP 12-20
for pipes \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SILANOS 902440

Suitable for:

3449452 HOSE CLAMP 16-25
for pipes \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SILANOS 902450

Suitable for:

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SILANOS 902460

3449454 HOSE CLAMP 32-50
for pipes \varnothing 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SILANOS 902441

3449455 HOSE CLAMP 40-60
for pipes \varnothing 40÷60 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SILANOS 902480

3449456 HOSE CLAMP 50-70
for pipes \varnothing 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



SILANOS 902490

Contact thermostats

3444341 CONTACT THERMOSTAT 215°C 16A 250V
with manual reset - pin M4
for Panini grill electric (SILANOS)



SILANOS 907101



Suitable for:

SILANOS



Suitable for:

Contactors

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



SILANOS 907041

SILANOS 907043

SILANOS 907095

SILANOS 907096

SILANOS 907190

Feet

3313023 FOOT \varnothing 25x25 mm HOLE \varnothing 4 mm



SILANOS 904960

Fittings

3349343 NICHEL-PL.HOSE-END FITTING \varnothing 1/8" M \varnothing 8



SILANOS 907942

3349320 NICHEL-PLATED FITTING \varnothing 1/2" M-1/2" M



SILANOS TR2322

Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET \varnothing 54x42x2 mm



SILANOS 903300

Heating elements

3455472 HEATING ELEMENT QUARTZ 500W 110V
length 390 mm - \varnothing 10 mm
for Toaster electric (SILANOS) FA3



SILANOS 905590

SILANOS 907382

3355299 QUARTZ TUBE \varnothing 10x390 mm



SILANOS 907380

Suitable for:

3355327 HEATING ELEMENT 1000W 230V BOTTOM
length 180 mm - width 180 mm
for Panini grill electric (SILANOS) DOPPIA
DOPPIA RIGATA



SILANOS 905670

SILANOS 905671

Suitable for:

3355328 HEATING ELEMENT 1200W 230V TOP
length 265 mm - width 170 mm
for Panini grill electric (SILANOS) MEDIA RIGATA



SILANOS 905611

SILANOS 905615

3355329 HEATING ELEMENT 1400W 230V LOWER
length 185 mm - width 280 mm
for Panini grill (SILANOS)



SILANOS 905631


SILANOS 905635

5057418 HEATING ELEMENT 2000W 230V
length 160 mm - width 160 mm
fittings \varnothing 1/4"



SILANOS 905592

3355326 HEATING ELEMENT 750W 230V UPPER
length 175 mm - width 185 mm
for Panini grill electric (SILANOS) DOPPIA
DOPPIA RIGATA



SILANOS 905650

SILANOS 905651

5023892 HEATING ELEMENT 800W 230V
length 260 mm - width 210 mm
for Panini grill (SILANOS)



SILANOS 905683

3755769 QUARTZ HEATING ELEMENT 500W 115V
total length 365 mm - \varnothing 11.5 mm



SILANOS 905593

3355299 QUARTZ TUBE \varnothing 10x390 mm



SILANOS 907380

Hydraulic piping

3450152 HOSE RUBBER REINFORCED \varnothing 13/19 mm
internal \varnothing 13 mm - external \varnothing 19 mm
SOLD PER METER



SILANOS 907295

3450111 RUBBER PIPE \varnothing 10x17 mm - 5 m
operating temperature -40+100°C



SILANOS 907360



Suitable for:

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
operating temperature -40+100°C



SILANOS 907350

Suitable for:

1449681 SILICONE HOSE \varnothing 4x7 SHORE 60 - 5 m
alimentary



SILANOS 907272

SILANOS 907279

Indicator lights

3221180 GREEN INDICATOR LIGHT 400V
head \varnothing 10 mm - hole \varnothing 9 mm - 120°C



SILANOS 903632

SILANOS 903643

SILANOS 903647

3221183 GREEN PILOT LIGHT 400V
 \varnothing head 13.5 mm - hole \varnothing 10 mm - 150°C
universal application



SILANOS 903641

3221136 ORANGE INDICATOR LIGHT 400V
head \varnothing 10 mm - hole \varnothing 9 mm
for Sausage grill (SILANOS) ROLLY5 - ROLLY8



SILANOS 903629

SILANOS 903640

SILANOS 903642

3221624 ORANGE INDICATOR LIGHT 400V
head \varnothing 10 mm - hole \varnothing 9 mm
wire connection 200 mm long



SILANOS 903646

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F



SILANOS 902105

Ironmongery (screws,nuts,washers)

1186058 COGGED WASHER EXTERNAL M8
internal/external \varnothing 8.4/15 mm - thickness 0.8 mm
stainless steel - UNI 8842 A - DIN 6798 A



SILANOS 905890

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



SILANOS 902020



SILANOS



Suitable for:

1528030 MID HEXAGONAL NUT M6
stainless steel - UNI 5588 - DIN 934 - ISO 4032



SILANOS 902010

Suitable for:

3528075 SPIRAL SPRING WASHER M8
internal/external \varnothing 8.4/14.4 mm - thickness 4 mm
stainless steel - UNI 1751 - DIN 127 B



SILANOS 905940


Knobs

3241173 BLACK KNOB \varnothing 44 mm
D shaft hole 6x4.6 mm
for Toaster (SILANOS)



SILANOS 903940

3241174 BLACK KNOB \varnothing 44 mm
D shaft hole 6x4.6 mm
for Toaster (SILANOS)



SILANOS 903961

SILANOS 903973

3241165 KNOB BLACK \varnothing 50 mm 50°-250°C
D-shaped hole 6x4.6 mm
for Panini grill (SILANOS) ROLLY



SILANOS 903970

SILANOS 903972

OR and ORM gaskets

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



SILANOS TR0115

1186358 O-RING 03030 EPDM



SILANOS 904430

3067198 O-RING 04162 EPDM



SILANOS



Suitable for:

SILANOS



Suitable for:

Pliers for sandwiches und toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm



SILANOS 905030

Relays

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



SILANOS 905474

SILANOS 905475

SILANOS 905476

SILANOS 905479


Rotary switches

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm



SILANOS 901727

3057151 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max temperature 150°
D spindle \varnothing 6x4.6 mm
for Toaster electric (SILANOS) FA3



SILANOS 901720

Solenoid valves

3120541 SOLENOID VALVE L140B5 \varnothing 1/2"FF 24V
for water
normally closed
max. temperature 100°C
max. differential pressure 10 bar
coil 24V 50/60Hz



SILANOS TR0091

3120043 COIL SIRAI Z610A 24V 50/60Hz



SILANOS TR0020



Suitable for:


3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet \varnothing 10 mm



SILANOS 902410

Suitable for:

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



SILANOS 902390

Springs

3250009 LEFTHAND SPRING \varnothing 19x45 mm
for ELECTRIC PLATE SINGLE AND DOUBLE



SILANOS 904081

3250105 LEFTHAND SPRING \varnothing 20x56 mm
for MIDDLE PLATE



SILANOS 904101

3250104 RIGHTHAND SPRING \varnothing 20x56 mm
for MIDDLE PLATE



SILANOS 904100

3250008 RIGHTHAND SPRING \varnothing 19x45 mm
for ELECTRIC PLATE SINGLE AND DOUBLE



SILANOS 904080

Switches

3319271 BUTTON SUPPORT ELLIPT. 17x13 mm GRAY
mounting hole 21x17 mm - pale gray colour



SILANOS 909146

3319030 CHANGEOVER SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole 22x30 mm



SILANOS 903610

SILANOS 903613

3319165 SWITCH BIPOLAR YELLOW 16A 250V
16(4)A 250V
max. temperature 100°C
mounting hole 28x30 mm
for Sausage grill (SILANOS) ROLLYA5 - ROLLYA8



SILANOS 905325



Suitable for:

SILANOS



Suitable for:

Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C

plastic case
capillary length 1500 mm
bulb \varnothing 6x15 mm



SILANOS 907090

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SILANOS 904140

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SILANOS 904150

Thermostats

3444008 KNOB BLACK \varnothing 41 mm 0-90°C

D-shaped hole 6x4.6 mm
for thermostat IMIT



SILANOS 903982

2100284 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1
with complete tank sealing fitting M12x1



SILANOS 907135

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



SILANOS 907132

SILANOS 908326

3444006 THERMOSTAT SINGLE-PHASE TR2 0-210°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 15A 250V
bulb \varnothing 5x140 mm



SILANOS TR0441

Timers**3446137 TIMER 15 MINUTES M2**


mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
bipolar with contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for all models



SILANOS 907055

3241173


BLACK KNOB \varnothing 44 mm
D shaft hole 6x4.6 mm
for Toaster (SILANOS)



SILANOS 903940

3241174 BLACK KNOB \varnothing 44 mm

D shaft hole 6x4.6 mm
for Toaster (SILANOS)



SILANOS 903961

SILANOS 903973

Tool holder shafts**9742006 TOOL SHAFT FEATHER**

dimensions 6x6x25 mm




















SILANOS TR1045

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz