



Spare parts for:

## Cooking equipment



Suitable for:

# SOLYMAC



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:


# SOLYMAC



Suitable for:

## Burners, flame spreaders and accessories

**3025598 BURNER ø 106 mm**



SOLYMAC

**3025632 BURNER ø 108 mm**



SOLYMAC

**3025629 BURNER ø 119 mm**



SOLYMAC

**3025633 BURNER ø 135 mm**



SOLYMAC

**3025634 BURNER ø 143 mm**



SOLYMAC

**3025595 BURNER ø 83 mm**



SOLYMAC

**3025797 BURNER ASSEMBLY MOUNTING DISTANCE 110 mm**

with vertical flame  
4000-7000 Kcal/h  
height 90 mm - ø 80 mm - pipe ø 27 mm



SOLYMAC

**3025595 BURNER ø 83 mm**



SOLYMAC

**3025596 FLAME SPREADER ø 80 mm**



SOLYMAC



Suitable for:

Suitable for:

**3025756 BURNER ASSEMBLY MOUNTING DISTANCE 165 mm**  
with vertical flame  
4000-7000 Kcal/h  
height 90 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  27 mm

**3025595 BURNER  $\varnothing$  83 mm**



SOLYMAC

SOLYMAC


**3025596 FLAME SPREADER  $\varnothing$  80 mm**



SOLYMAC

**3025769 BURNER ASSEMBLY MOUNTING DISTANCE 185 mm**  
with vertical flame  
7000-9000 Kcal/h  
height 100 mm -  $\varnothing$  100 mm - pipe  $\varnothing$  34 mm

**3025598 BURNER  $\varnothing$  106 mm**



SOLYMAC

SOLYMAC

**3025627 FLAME SPREADER  $\varnothing$  100 mm**



SOLYMAC P2

SOLYMAC P2A

**3025799 BURNER ASSEMBLY MOUNTING DISTANCE 240 mm**  
with vertical flame  
4000-7000 Kcal/h  
height 90 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  27 mm

**3025595 BURNER  $\varnothing$  83 mm**



SOLYMAC

SOLYMAC



Suitable for:

**3025596 FLAME SPREADER  $\varnothing$  80 mm**



SOLYMAC

# SOLYMAC

Suitable for:



**3025768 BURNER ASSEMBLY MOUNTING DISTANCE 245 mm**  
with vertical flame  
5000-7000 kcal/h  
height 100 mm -  $\varnothing$  80 mm - pipe  $\varnothing$  34 mm



SOLYMAC

**3025624 FLAME SPREADER  $\varnothing$  80 mm**



SOLYMAC P1

SOLYMAC P1A

**3025770 BURNER ASSEMBLY MOUNTING DISTANCE 245 mm**  
with vertical flame  
7000-9000 Kcal/h  
height 100 mm -  $\varnothing$  100 mm - pipe  $\varnothing$  34 mm



SOLYMAC

**3025627 FLAME SPREADER  $\varnothing$  100 mm**



SOLYMAC P2


SOLYMAC P2A

**3025595 BURNER  $\varnothing$  83 mm**



SOLYMAC

**3025598 BURNER  $\varnothing$  106 mm**



SOLYMAC

Suitable for:

**3025707 BURNER ASSEMBLY MOUNTING DISTANCE 265 mm**  
with central flame  
15000-20000 Kcal/h  
height 80 mm -  $\varnothing$  200 mm - pipe  $\varnothing$  34 mm



SOLYMAC P760

Suitable for:

**3025693 BURNER CAP  $\varnothing$  135 mm**  
internal  $\varnothing$  91 mm - total height 58 mm




SOLYMAC P1171D

**3025695 BURNER CAP  $\varnothing$  170 mm**  
internal  $\varnothing$  117 mm - overall height 58 mm




SOLYMAC P1172D

**3025711 COMPLETE BURNER MOUNTING DISTANCE 430 mm**  
horizontal flame outlet  
ignition nozzle - 29000-50000 Kcal/h  
height 95 mm -  $\varnothing$  250 mm - pipe  $\varnothing$  48 mm



SOLYMAC LF3025711

**3025627 FLAME SPREADER  $\varnothing$  100 mm**



SOLYMAC P2

SOLYMAC P2A

**3025613 FLAME SPREADER  $\varnothing$  120 mm**



SOLYMAC P5A

**3025596 FLAME SPREADER  $\varnothing$  80 mm**



SOLYMAC

**3025624 FLAME SPREADER  $\varnothing$  80 mm**



SOLYMAC P1

SOLYMAC P1A


## Cast iron hot plates

**3311067 COOKING PLATE RIBBED 330x310 mm**  
made of cast iron



SOLYMAC P164

**3311068 COOKING PLATE RIBBED 550x350 mm**  
made of cast iron



SOLYMAC P166





Suitable for:

# SOLYMAC



Suitable for:

## 3311077 COOKING PLATE SMOOTH 550x350 mm

made of cast iron  
for Grill (SOLYMAC) - Series 800



SOLYMAC P167

## Complement accessories

## 3394315 IGNITER 470 mm



SOLYMAC P204

## Drain taps and accessories

## 3356116 DRAIN TAP $\varnothing$ 1"1/2F fixed connection $\varnothing$ 1"1/2"F - folding handle for Boiling pan (SOLYMAC)



SOLYMAC P61

## 3356115 DRAIN TAP $\varnothing$ 1"1/4F fixed connection $\varnothing$ 1"1/4"F - folding handle for Boiling pan (SOLYMAC)



SOLYMAC 3315A

## Electric hot plates

## 3311096 ELECTRIC HOT PLATE $\varnothing$ 180 mm 2000W 230V terminal block electric connections with STAINLESS steel edge for electric cooking top



SOLYMAC P49C

## 3311097 ELECTRIC HOT PLATE $\varnothing$ 180 mm 2000W 400V terminal block electric connections with STAINLESS steel edge for electric cooking top




SOLYMAC P49

Suitable for:

**3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**

terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



SOLYMAC P49B

Suitable for:

**3311071 ELECTRIC HOT PLATE 2500W 400V**

dimensions 300x300 mm  
tilting plate  
electric screw couplings  
for electric cooking top



SOLYMAC P50E

**3311054 ELECTRIC HOT PLATE 2600W 400V**


dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



SOLYMAC P50F

**3311105 ELECTRIC HOT PLATE 3500W 230V**

dimensions 300x300 mm  
radiant size 270x270 mm  
terminal block electric connections  
for pyroceramic cooking range CE841VRT



SOLYMAC P55

**3311074 ELECTRIC HOT PLATE 4000W 230V**

dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



SOLYMAC P50D

**3311075 ELECTRIC HOT PLATE 4000W 400V**

dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



SOLYMAC P50C

SOLYMAC P50G

## Electrical gas valves and accessories

**3526086 ELETTROSIT VALVE  $\varnothing$  3/4"FF**

inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz  
pilot connection and LOWER thermocouple



SOLYMAC P71



Suitable for:

# SOLYMAC



Suitable for:

## Energy regulators

### 3350026 ENERGY ADJUSTER


contact capacity 230V 13A - max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



SOLYMAC P82

### 3350067 ENERGY REGULATOR

contact capacity 24V 16A  
D-shaped pin ø 6x4.6 mm



SOLYMAC 160210

## Fryer baskets and accessories

### 3055186 FRYER BASKET 290x110x120 mm

made of chrome-plated iron



SOLYMAC P101

### 3055499 FRYER BASKET 310x240x160 mm

made of chrome-plated iron



SOLYMAC P100

## Gas burners

### 3025646 BURNER ASSEMBLY 400 mm

made of stainless steel  
total length 465 mm  
with fitting - gas jet M5x75 not included  
6kW  
for Boiling pan gas (SOLYMAC)  
for Grill gas (SOLYMAC)



SOLYMAC

## Gas taps and accessories

### 3348132 GAS TAP STN3R

with pilot flame  
fittings ø 3/8" M  
pin length 30 mm  
D-shaped pin ø 10x8 mm



SOLYMAC P66A

### 3348133 GAS TAP STN3R

with pilot flame  
fittings ø 3/8" M  
pin length 60 mm  
D-shaped pin ø 10x8 mm




SOLYMAC P66B





Suitable for:

- 3348015 GAS TAP 20/N**  
 without pilot flame  
 fittings  $\varnothing$  M16x1.5 mm  
 with flow regulator  
 D-shaped pin  $\varnothing$  8x6.5 mm



SOLYMAC P66D

Suitable for:

- 3348014 GAS TAP 20/S**  
 without pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 thermocouple fitting M8x1  
 D-shaped pin  $\varnothing$  8x6.5mm




SOLYMAC P67E

- 3348016 GAS TAP 21S**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 with flow regulator  
 thermocouple connection M9x1 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



SOLYMAC P67C

- 3348010 GAS TAP 22N/O**  
 with pilot flame  
 with horizontal flange  
 fittings  $\varnothing$  M20x1.5mm  
 with flow regulator  
 D-shaped pin  $\varnothing$  10x8 mm



SOLYMAC P66C

## Gas valves and accessories

- 3523092 MINISIT VALVE FOR FOOD-WARMER 40÷110°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x125 mm



SOLYMAC

SOLYMAC LF-5012829

- 3523093 MINISIT VALVE FOR FRYER 70÷210°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 length capillary 1300 mm  
 bulb  $\varnothing$  4x122 mm  
 without cover. knob and flanges



SOLYMAC P69

- 3523091 MINISIT VALVE FOR OVEN 70÷310°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1300 mm  
 bulb  $\varnothing$  4x75 mm  
 without cover. knob and flanges



SOLYMAC P68A



Suitable for:


# SOLYMAC



Suitable for:

## Gaskets for oven door

**3786314 FIBREGLASS GASKET 1800 mm**  
profile dimensions 20x20 mm  
max temperature 600°C  
COLOUR WHITE



SOLYMAC P95

SOLYMAC P95A

## Grids for kitchen

**3185211 PAN SUPPORT GRID 290x464 mm**  
for Pot stove (SOLYMAC) - Series 650



SOLYMAC P162

SOLYMAC P162EM

**3185212 PAN SUPPORT GRID 350x400 mm**  
for Pot stove (SOLYMAC) - Series 1000



SOLYMAC P163

**7102912 S/STEEL GRID 320x315 mm**  
for Pot stove gas (SOLYMAC)



SOLYMAC P161832

## Handles

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



SOLYMAC LF-3242042

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm



SOLYMAC



## Heating elements

**3455082 HEATING ELEMENT 1165W 230V**  
length 395 mm - width 75 mm  
fittings M12x1.5 mm  
for Salamander electric (SOLYMAC) SG3



SOLYMAC P35

**3455086 HEATING ELEMENT 12000W 230/400V**  
length 350 mm - width 250 mm  
height 205 mm  
for Fryer electric (SOLYMAC) GN47E - GN747E  
GN747T - Series 650 - Series 800



SOLYMAC P41

**3455053 HEATING ELEMENT 1666W 230V**  
length 435 mm - width 60 mm  
height 74 mm - fittings M14x1.5 mm  
for Grill electric (SOLYMAC) - Series 700  
Series 800



SOLYMAC P37

**3455083 HEATING ELEMENT 2000W 230V**  
length 540 mm - width 55 mm  
height 150 mm  
for Grill electric (SOLYMAC) - Series 1000  
Series 900



SOLYMAC P39

**3455054 HEATING ELEMENT 3000W 230V**  
length 300 mm - width 350 mm  
height 100 mm  
operating ambient: immersion  
for Bain-marie electric (SOLYMAC)  
for Boiling pan electric (SOLYMAC)




SOLYMAC P47

**3455055 HEATING ELEMENT 650W 230V**  
length 340 mm - width 50 mm  
fittings M12x1 mm  
operating ambient: immersion  
for Bain-marie electric (SOLYMAC)



SOLYMAC

**3455085 HEATING ELEMENT 7000W 230/400V**  
length 335 mm - width 250 mm  
height 205 mm  
for Fryer electric (SOLYMAC) GN47E - GN747E  
GN747T - Series 650 - Series 800



SOLYMAC P40

**3455050 HEATING ELEMENT 900W 230V**  
overall length 580 mm  
width 75 mm - connections M14x1.5 mm  
for OVEN-PIZZA OVEN  
for Oven under cooktop electric (SOLYMAC)  
Series 800 - Series 900



SOLYMAC P30



Suitable for:

**3455052 HEATING ELEMENT 900W 230V**  
overall length 415 mm  
inner length 370 mm  
width 110 mm - fittings M14x1 mm  
for Oven under cooktop electric (SOLYMAC)  
Series 650 - Series 700



SOLYMAC P31

Suitable for:


**3455084 HEATING ELEMENT 900W 230V**  
length 420 mm - width 45 mm  
fittings M12x1 mm  
operating ambient: immersion  
for Bain-marie electric (SOLYMAC)



SOLYMAC P34


## Hinges, catches and accessories

**3053391 CHROME PLATED HINGE 361**  
length 140 mm - mounting distance 30-35 mm  
for door thickness from 37 mm gasket included  
for Oven under cooktop (SOLYMAC) - Series 650  
Series 800 - Series 900



SOLYMAC FS14

**3053386 CHROME PLATED HINGE 402**  
length 96 mm - mounting distance 64-32 mm



SOLYMAC FS14A

## Incandescent lamps and neon lamps

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



SOLYMAC

**3221258 OVEN NEON LAMP Ba9s 1.5mA 230V**  
dimensions ø 10x28 mm



SOLYMAC P91A

## Indicator lights

**3221085 INDICATOR LAMP GREEN 230V**  
ø head 18 mm - ø hole 12 mm - 120°C



SOLYMAC

**Injectors****3500178 CONICAL GAS NOZZLE M17x1  $\varnothing$  0,80 mm**

SOLYMAC P75D080

**3500181 CONICAL GAS NOZZLE M17x1  $\varnothing$  0,95 mm**

SOLYMAC P75D09

SOLYMAC P75D095

**3500182 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,00 mm**

SOLYMAC P75D100

**3500184 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,15 mm**

SOLYMAC P75D115

**3500185 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,20 mm**

SOLYMAC P75D120

**3500186 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,30 mm**

SOLYMAC P75D130

**3500187 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,40 mm**

SOLYMAC P75D140

**3500188 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,50 mm**

SOLYMAC P75D150

**3500190 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,70 mm**

SOLYMAC P75D170

**3500191 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,80 mm**

SOLYMAC P75D180

**3500192 CONICAL GAS NOZZLE M17x1  $\varnothing$  1,90 mm**

SOLYMAC P75D190

**3500193 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,00 mm**

SOLYMAC P75D200



# SOLYMAC



Suitable for:

Suitable for:

**3500194 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,10 mm**

**3500195 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,20 mm**



SOLYMAC P75D210

SOLYMAC P75D220

**3500196 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,30 mm**

**3500197 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,40 mm**



SOLYMAC P75D230

SOLYMAC P75D240

**3500198 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,50 mm**

**3500199 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,60 mm**



SOLYMAC P75D250

SOLYMAC P75D260

**3500202 CONICAL GAS NOZZLE M17x1  $\varnothing$  2,90 mm**

**3500203 CONICAL GAS NOZZLE M17x1  $\varnothing$  3,00 mm**



SOLYMAC P75D290

SOLYMAC P75D300

**3500204 CONICAL GAS NOZZLE M17x1  $\varnothing$  3,10 mm**

**3500205 CONICAL GAS NOZZLE M17x1  $\varnothing$  3,20 mm**



SOLYMAC P75D310

SOLYMAC P75D320

**3500206 CONICAL GAS NOZZLE M17x1  $\varnothing$  3,30 mm**

**3500207 CONICAL GAS NOZZLE M17x1  $\varnothing$  3,50 mm**



SOLYMAC P75D330

SOLYMAC P75D350



Suitable for:

**3500208 CONICAL GAS NOZZLE M17x1 ø 3,60 mm**



SOLYMAC P75D360

Suitable for:

**3500209 CONICAL GAS NOZZLE M17x1 ø 3,80 mm**



SOLYMAC P75D380

## Knobs

**3241566 BLACK KNOB ø 50 mm 0-1-2-3**


D shaft hole 6x4.6 mm  
for EGO energy regulator



SOLYMAC P82A

**3444126 BLACK KNOB ø 50 mm 30-110°C**

D-shaped pin ø 6x4.6 mm  
for EGO thermostat



SOLYMAC P76B

**3444441 BLACK KNOB ø 50 mm 50-300°C**


D-shaped pin ø 6x4.6 mm  
for EGO thermostat



SOLYMAC P79B

**3241637 BLACK KNOB ø 50 mm 60°-200°C**


D shaft hole 6x4.6 mm  
for EGO thermostat



SOLYMAC P80A

**3241754 BLACK KNOB ø 70 mm**

with red pointer  
D shaft hole 10x8 mm  
for PEL valve



SOLYMAC

**3241400 BLACK KNOB ø 70 mm UNIVERSAL**

D shaft hole 10x8 mm



SOLYMAC P72G

**3241450 SELF-STICK DISK WITH PILOT SYMBOL**

external ø 63 mm  
for gas taps with pilot



SOLYMAC P72GA



# SOLYMAC



Suitable for:

**3241401 BLACK KNOB  $\varnothing$  70 mm UNIVERSAL**  
D shaft hole 8x6.5 mm



SOLYMAC P72L

SOLYMAC P72M

Suitable for:

**3241450 SELF-STICK DISK WITH PILOT SYMBOL**  
external  $\varnothing$  63 mm  
for gas taps with pilot



SOLYMAC P72GA

**3241875 BLACK KNOB  $\varnothing$  70 mm 1-2-3-4-5-6-7-8**  
D-shaped hole 10x8 mm  
for GAS TAP



SOLYMAC P72C

**3241755 BLACK KNOB  $\varnothing$  80 mm**  
square hole 5x5 mm  
for selector switch



SOLYMAC P72Q

**3241757 BLACK KNOB  $\varnothing$  80 mm**  
D-shaped hole 6x4.6 mm  
for FRYER thermostat



SOLYMAC P72N

**3241735 BLACK KNOB 2-3-4-5-6-7-8**  
for GAS VALVE GC1300




SOLYMAC P72D

**3241734 RED KNOB STOP**  
for GAS VALVE GC1300



SOLYMAC P72J

**3241756 RING FOR KNOB  $\varnothing$  92 mm**



SOLYMAC P1033


**3241450 SELF-STICK DISK WITH PILOT SYMBOL**  
external  $\varnothing$  63 mm  
for gas taps with pilot



SOLYMAC P72GA

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan ø 150 mm



SOLYMAC


## Pilot burners and accessories

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet ø 0.20 mm  
with 2 positions bracket



SOLYMAC P74

**3020424 PILOT BURNER OXYPILOT SIT 2 FLAMES**  
supplied without sparking plug  
with LPG nozzle  
with thermocouple fitting  
with sparking plug fitting




SOLYMAC P74E

**3020462 PILOT BURNER OXYPILOT SIT 2 FLAMES**  
supplied without sparking plug  
with NATURAL GAS nozzle



SOLYMAC P74D

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet ø 0.20 mm  
with 3 positions bracket



SOLYMAC P74B

**3020002 TWO-FLAME PILOT BURNER SIT**  
multigas with jet ø 0.20 mm  
with 2 positions bracket



SOLYMAC P74A



Suitable for:


# SOLYMAC



Suitable for:


## Rotary switches

**3057019 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




SOLYMAC

**3057001 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm




SOLYMAC P86C

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



SOLYMAC P87C

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



SOLYMAC P87

**3057258 SELECTOR SWITCH 2 POLES PR12 1102A4**  
contact capacity 12A 380V AC3 4Kw  
square shaft 5x5 mm  
start/stop function switch  
h 42 mm - width 40 mm  
depth 36 mm




SOLYMAC P83

SOLYMAC P83B

## Taps for tank refilling

**3359330 4-WAYS WATER INLET TAP  $\varnothing$  1/2"MM**  
fittings  $\varnothing$  1/2"MM




SOLYMAC P127



## Thermocouples and accessories

**3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.**  
GIUNTO M8x1



SOLYMAC P73D

**3440051 THERMOCOUPLE SIT M8x1 32 cm.THREAD M8x1**




SOLYMAC P73D

**3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.**  
GIUNTO M8x1



SOLYMAC P73D

**3440039 THERMOCOUPLE SIT M9x1 150 cm**



SOLYMAC P73B

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



SOLYMAC P73B

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



SOLYMAC P73B

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



SOLYMAC P73C

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



SOLYMAC P73C

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



SOLYMAC P73C



Suitable for:

# SOLYMAC




Suitable for:

## Thermostatic gas valves

### 3345006 THERMOSTATIC TAP 24ST

Adjustment temperature 120-320°C  
connections M20x1.5 mm  
thermocouple connection M9x1  
bulb ø 6x100 mm  
capillary length 1200 mm  
D-shaped pin ø 10x8 mm



SOLYMAC P70C


## Thermostats

**3241870 RING NUT ø 52 mm**  
chrome plated metal  
for EGO thermostate knob




SOLYMAC P79A

**3444974 SINGLE-PHASE THERMOSTAT 100-615°C**  
complete with switch  
D-shaped pin ø 6x4.6 mm  
covered capillary length 1100 mm - 16A 250V  
bulb ø 4x230 mm




SOLYMAC P709

**3444026 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb ø 6x80 mm




SOLYMAC P78

**3444698 SINGLE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin ø 6x4.6 mm  
capillary length 870 mm  
bulb ø 6x113 mm - with adapter nipple bland M9x1




SOLYMAC P76UL

**3444747 SINGLE-PHASE THERMOSTAT 50-250°C**  
D-shaped pin ø 6x4.6 mm  
capillary length 1150 mm - 16A 230V  
bulb ø 3.1x197 mm



SOLYMAC P79UL

**3744002 THERMOSTAT SINGLE-PHASE 230°C**  
with manual reset  
capillary length 1200 mm  
bulb ø 6x77 mm - with stuffing gland fitting M9x1  
with tank sealing fitting complete M12x1




SOLYMAC P78





Suitable for:


**3744110 THREE-PHASE THERMOSTAT 100-350°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



SOLYMAC P80


Suitable for:

**3444088 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1  
for Pasta cooker electric (SOLYMAC)  
GN4760




SOLYMAC P76

**3444694 THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm



SOLYMAC P79

**3444594 THREE-PHASE THERMOSTAT 65-200°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1




















SOLYMAC P77A

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)