




Spare parts for:

Cooking equipment

Suitable for:

TECNOINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

TECNOINOX



Suitable for:

Axial motors

- 3240501 AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



TECNOINOX RC01863000

Ball valves and accessories

- 3356052 DRAIN TAP ø 3/4" F**
lateral lever fitting
outlet internal ø 22 mm



TECNOINOX RC00080000

- 3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**
ø 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



TECNOINOX RC00079000

- 3526673 GAS/WATER VALVE ø 1" FF**
ball valve
heavy series with PN 40 total passage
aluminum lever



TECNOINOX RCK7060056

- 3526693 WATER VALVE ø 1" MF**
ball valve
heavy series with PN 25 total passage
aluminium lever



TECNOINOX RC00579000

Burners, flame spreaders and accessories

- 3025406 BURNER ø 120 mm**



TECNOINOX RC02186000

- 3025364 BURNER BOWL ø 78 mm**
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00377000



Suitable for:

TECNOINOX



3025363 FLAME SPREADER ø 120 mm
for Pot stove gas (TECNOINOX) PC35G - PC70G



TECNOINOX RC00375000

3025364 BURNER BOWL ø 78 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00377000

3025362 FLAME SPREADER ASSY. ø 120 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00374000

3025575 FLAME SPREADER ø 120 mm



TECNOINOX RC01832000

3025361 FLAME SPREADER ø 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00373000

Suitable for:

3025406 BURNER ø 120 mm



TECNOINOX RC02186000

3025575 FLAME SPREADER ø 120 mm



TECNOINOX RC01832000

3025364 BURNER BOWL ø 78 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00377000



Suitable for:

3025360 VENTURI ASSY. $\varnothing$ 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00372000

3025362 FLAME SPREADER ASSY. $\varnothing$ 120 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00374000

TECNOINOX



Suitable for:

3025360 VENTURI ASSY. $\varnothing$ 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00372000

Cables for piezo igniters

3001016 IGNITION LEAD 1000 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



TECNOINOX RCK6050610

3001028 IGNITION LEAD 500 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for sparking plug



TECNOINOX RCK6050051

3001018 IGNITION LEAD 600 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



TECNOINOX RC00123000

Capacitors, electrical

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



TECNOINOX RCK2013001

Contactors

3446555 CONTACTOR LOVATO BF0910A
coil 9A 400V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



TECNOINOX RC00485000

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



TECNOINOX RCK6046038

TECNOINOX RC00006208

3446591 CONTACTOR LOVATO BF3800A230
coil 38A 230V 50Hz 18.5Kw
3 normally open contacts



TECNOINOX RCK6046041

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



TECNOINOX 6208

Cooking baskets and accessories

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



TECNOINOX RCK2001110

3055337 PASTA COOKER BASKET 140x140x205 mm LEFT
made of STAINLESS STEEL



TECNOINOX RC01294000

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



TECNOINOX RCK2001110

3055338 PASTA COOKER BASKET 140x140x205 mm RIGHT
made of STAINLESS STEEL



TECNOINOX RC01293000

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



TECNOINOX RCK2001110



Suitable for:

TECNOINOX



3055339 PASTA COOKER BASKET 145x290x205 mm
made of stainless steel



TECNOINOX RCK01292000

Suitable for:

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



TECNOINOX RCK2001110

3055509 PASTA COOKER BASKET 160x290x230 mm
made of stainless steel



TECNOINOX RCK2003046

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



TECNOINOX RCK2001110

3055213 PASTA COOKER BASKET 163x143x230 mm LH
made of stainless steel



TECNOINOX RCK2003047

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



TECNOINOX RCK2001110

3055204 PASTA COOKER BASKET 163x143x230 mm RH
made of stainless steel



TECNOINOX RCK2003045

3055125 BLACK KNOB ø 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



TECNOINOX RCK2001110

Drain hoses

3356138 DRAIN TAP FITTING ø 1"MM
ø side outlet 28 mm - bracket 68x55x19 mm
fitting height 100 mm



TECNOINOX RCK2106617

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



TECNOINOX RC00079000

Electric hot plates

3311092 ELECTRIC HOT PLATE ø 145 mm 1500W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



TECNOINOX RC00764000

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



TECNOINOX RC00290000

3311166 ELECTRIC HOT PLATE ø 200 mm 1800W 230V


faston electric connections
complete with energy regulation
for glass-ceramic cooking top



TECNOINOX RC00931000

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



TECNOINOX RC01107000

3311087 ELECTRIC HOT PLATE ø 250 mm 2500W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top



TECNOINOX RC00932000

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top




TECNOINOX RC01110000

TECNOINOX 5051645

3311105 ELECTRIC HOT PLATE 3500W 230V

dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for pyroceramic cooking range CE841VRT



TECNOINOX RC01434000

3455404 OCTAGONAL ELECTRIC HOT PLATE ø 300 mm

3400/1400W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



TECNOINOX RC01605000



Suitable for:

TECNOINOX



Suitable for:

Electrical gas valves and accessories

3526079 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



TECNOINOX RCK7020070

3526300 VALVE 820 NOVA mV $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure range setting
outlet 5÷50 mbar
room temperature 0÷70°C
double wire thermopile power supply
(TPTH - TH terminal)
thermostat connection (TPTH - TH terminal)
suitable to replace the ITT valve
UB67 model



TECNOINOX RC30300014

Electronic printed-circuit boards

5024290 CIRCUIT KEY BOARD 190x55 mm
for Salamander electric (TECNOINOX) QSE40

5029640 CIRCUIT KEY BOARD 190x55 mm
for Salamander electric (TECNOINOX) QSE60



TECNOINOX RC01014000

TECNOINOX RC01015000

Energy regulators

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Salamander (TECNOINOX)
SEL - SEL1 - SEL2




TECNOINOX RCK6031023
TECNOINOX RC00937000

TECNOINOX RC00006501
TECNOINOX 006501

TECNOINOX RC00012000
TECNOINOX 00937

3350031 ENERGY ADJUSTER
contact capacity 400V 7A
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



TECNOINOX RC00486000

3350035 ENERGY ADJUSTER
 contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin $\varnothing$ 6x4.6 mm



TECNOINOX RC00938000

Suitable for:

Fryer baskets and accessories

5063167 FRYER BASKET 295x215x120 mm
 made of chrome-plated iron
 for Fryer (TECNOINOX) - Series FRS



TECNOINOX RC00678000

TECNOINOX 220620

3055436 FRYER BASKET 310x115x120 mm
 made of chrome plated iron



TECNOINOX RCK2012892

3055438 FRYER BASKET 310x145x120 mm
 made of chrome plated iron



TECNOINOX RCK2012895

3055437 FRYER BASKET 310x230x120 mm
 made of chrome plated iron



TECNOINOX RCK2012893

3055439 FRYER BASKET 310x300x120 mm
 made of chrome plated iron



TECNOINOX RCK2012896

Gas burners

3023284 BURNER VERTICAL LH 300x55 mm
 NICKEL PLATED



TECNOINOX RCK2112968

3023285 BURNER VERTICAL RH 300x55 mm
 NICKEL PLATED



TECNOINOX RCK2112967



Suitable for:

3023163 BURNER 495x200 mm
made of stainless steel
for Lava rock grill gas (TECNOINOX) GG35 - GG70



TECNOINOX RC05000000

5011864 BURNER 680x265 mm
made of STAINLESS steel
for Salamander gas (TECNOINOX) SG



TECNOINOX RC00117000

Suitable for:

3023144 BURNER 575x225 mm
made of stainless steel



TECNOINOX RCK2010924

3023286 CENTRAL BURNER VERTICAL 300x55mm
NICKEL PLATED



TECNOINOX RCK2112969

Gas taps and accessories

3348063 GAS TAP SABAF
with connection and olive
flange pipe connection $\varnothing$ 16 mm
outlet pipe fitting $\varnothing$ 1/4"
thermocouple connection M8x1
D-shaped pin $\varnothing$ 8x6.5 mm
for Bain-marie gas (TECNOINOX) BM35G - BM70G
for Fry top gas (TECNOINOX) FTL35G - FTL70G
FTR35G - FTR70G
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00369000

3348016 GAS TAP 215
with pilot flame
fittings $\varnothing$ M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin $\varnothing$ 8x6.5 mm
for Grill (TECNOINOX)
FTL8FG9



TECNOINOX RC05001400

TECNOINOX 50014

3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



TECNOINOX RCK7060012

3348003 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



TECNOINOX RC00126000

Suitable for:

Suitable for:

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



TECNOINOX RC07070036

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER $110 \div 190^{\circ}\text{C}$

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
 $3 \div 18$ mbar
ambient temperature $0 \div 80^{\circ}\text{C}$
capillary length 1050 mm
bulb $\varnothing$ 4x200 mm



TECNOINOX RC00446000

3526130 EUROSIT VALVE FOR OVEN $100 \div 340^{\circ}\text{C}$

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
 $3 \div 18$ mbar
ambient temperature $0 \div 120^{\circ}\text{C}$
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm



TECNOINOX RC30100080

3526127 FLANGE FOR KNOB EXTENSION



TECNOINOX RC00447000

3526133 VALVE EUROSIT FOR FRY TOP $60 \div 300^{\circ}\text{C}$

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range
outlet $3 \div 18$ mbar
ambient temperature $0 \div 80^{\circ}\text{C}$
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm
for Fry top gas (TECNOINOX)
FTC70G
for Fry top gas (TECNOINOX)
FTC70G7



TECNOINOX RC01171000



Suitable for:

TECNOINOX



Suitable for:

Gaskets for oven door

- 5022564 GASKET OVEN DOOR 560x310 mm**
made of silicone elastomer
with fastening clips
COLOUR: BLACK
for Oven under cooktop (TECNOINOX)



TECNOINOX RC01061000

Grids for kitchen

- 3185064 GRILL 320X530 mm**
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00376000

Handles

- 3242735 OVEN DOOR HANDLE**
distance between mounting holes 180 mm
for Salamander (TECNOINOX)
SE



TECNOINOX RC00003101

TECNOINOX 3101

- 3242336 OVEN DOOR HANDLE ø 28x90 mm M10**



TECNOINOX RC00004205

- 5001497 PLASTIC HANDLE 120 mm BLACK**
distance between holes 105 mm



TECNOINOX RCK5900143

- 5001432 SILKSCREENED BLACK RING ø 75 mm**
for water inlet pipe



TECNOINOX RCK5900274

Heating elements

3755830 CERAMIC HEATING ELEMENT 1000W 230V
length 240 mm - width 60 mm



TECNOINOX RC01098000

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm



TECNOINOX RC00288000

3355850 HEATING ELEMENT 1000W 230V
length 220 mm - width 95 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE80



TECNOINOX RC00003708

3355858 HEATING ELEMENT 1000W 230V
length 300 mm - width 120 mm
fittings M12x1.25 mm
for Toaster electric (TECNOINOX) TE3 - TE6



TECNOINOX RC00006000

3355859 HEATING ELEMENT 1000W 230V
length 220 mm - width 430 mm
flange 70x22 mm
for Toaster electric (TECNOINOX) TSP



TECNOINOX RC00171000

5039186 HEATING ELEMENT 1000W 230V
length 395 mm - width 60 mm
height 40 mm - connections $\varnothing$ 1/4"
for Grill electric (TECNOINOX)
for Oven under cooktop electric (TECNOINOX)



TECNOINOX RC00775000

TECNOINOX 00775

5027794 HEATING ELEMENT 1000W 400V
length 215 mm - width 100 mm
flange 106x32 mm
for Salamander electric (TECNOINOX) SE80



TECNOINOX RC00487000

3755858 HEATING ELEMENT 12000W 230/400V
length 325 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets



TECNOINOX RCK6002151

3186697 O-RING 0159 EPDM



TECNOINOX RCK6090145



Suitable for:

3186601 O-RING 04200 EPDM



TECNOINOX RC6090144

TECNOINOX



Suitable for:

3355824 HEATING ELEMENT 1300W 230V
length 330 mm - width 200 mm
2 flanges 40x18 mm
operating ambient: dry
for Bain-marie electric (TECNOINOX) BM35E - BM70E



TECNOINOX RC00269000

TECNOINOX 00269

3355836 HEATING ELEMENT 1300W 230V
length 475 mm - width 80 mm
height 50 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



TECNOINOX RC00286000

3755508 HEATING ELEMENT 1350W 230V
length 395 mm - width 60 mm
height 35 mm - fittings $\varnothing$ 1/4"
for Grill electric (TECNOINOX) GR35E



TECNOINOX RC00513000

5038770 HEATING ELEMENT 1350W 230V
length 450 mm - width 65 mm
height 40 mm - connections $\varnothing$ 1/4"
for Grill electric (TECNOINOX) GR35E7 - GR70E7
for Oven under cooktop electric (TECNOINOX)



TECNOINOX RC01111000

TECNOINOX 01111

3355860 HEATING ELEMENT 1500W 230V
length 220 mm - width 430 mm
flange 70x22 mm
for Toaster electric (TECNOINOX) TS1 - TS2



TECNOINOX RC00000613

3755506 HEATING ELEMENT 1500W 230V
length 270 mm - width 40 mm
height 180 mm - fittings $\varnothing$ 1/4"
with cables
for Fryer electric (TECNOINOX) FRF7-4,5KW
FR6-4,5KW



TECNOINOX RC00075000

3755599 HEATING ELEMENT 1600W 230V
length 365 mm - width 75 mm
total height 195 mm



TECNOINOX RC01250000

Suitable for:

3755859 HEATING ELEMENT 16500W 230/400V
length 325 mm - width 255 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets



TECNOINOX RCK6002152

3186601 O-RING 04200 EPDM



TECNOINOX RCK6090144

Suitable for:

3186697 O-RING 0159 EPDM



TECNOINOX RCK6090145

3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE60



TECNOINOX RC00003706

TECNOINOX 3706

3355285 HEATING ELEMENT 2000W 230V
length 255 mm - width 45 mm
height 200 mm - fittings ø 1/4"
for Fryer electric (TECNOINOX) FR35E - FR70E



TECNOINOX RC00282000

TECNOINOX 00282

3355847 HEATING ELEMENT 2000W 230V
length 230 mm - width 280 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE40



TECNOINOX RC00003804

3355848 HEATING ELEMENT 2000W 230V
length 230 mm - width 255 mm
flange 70x22 mm
for Salamander electric (TECNOINOX) SEF1 - SEF2
SEL1 - SEL2



TECNOINOX RC00000109

3755507 HEATING ELEMENT 2000W 230V
length 290 mm - width 50 mm
height 190 mm - fittings ø 1/4"
with cables
for Fryer electric (TECNOINOX) FRF7-6KW - FR6-6KW
PRACTICA



TECNOINOX RC00142000

3755502 HEATING ELEMENT 2200W 230V
length 270 mm - width 60 mm
height 180 mm - fittings ø 1/4"
with cables
for Fryer electric (TECNOINOX) FR4-2,2KW



TECNOINOX RC00049000



Suitable for:

TECNOINOX



3355889 HEATING ELEMENT 2500W 230V
external $\varnothing$ 190 mm - total height 70 mm
flange 70x22 mm



TECNOINOX RC00568000

Suitable for:

5023656 HEATING ELEMENT 2900W 230V
length 305 mm - width 215 mm
height 90 mm



TECNOINOX RC40400082

3755503 HEATING ELEMENT 3000W 230V
length 270 mm - width 60 mm
height 180 mm - fittings $\varnothing$ 1/4"
with cables
for Fryer electric (TECNOINOX) FR4-3KW



TECNOINOX RC00054000

3755504 HEATING ELEMENT 3400W 230V
length 275 mm - width 170 mm
height 180 mm - fittings $\varnothing$ 1/4"
with cables
for Fryer electric (TECNOINOX) FRF7-3,4KW
FR6-3,4KW



TECNOINOX RC00067000

5048854 HEATING ELEMENT 3600W 230V
length 290 mm - width 70 mm
height 245 mm - connections $\varnothing$ 1/4"
for Fryer electric (TECNOINOX) FRS35E7 - FRS70E7



TECNOINOX RC01276000

5023666 HEATING ELEMENT 4000/4355W 230/240V
length 490 mm - width 245 mm
for Salamander electric (TECNOINOX) QSE60



TECNOINOX RC01229000

Hinges, catches and accessories

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



TECNOINOX RC00804000

5026527 HINGE LH FOR OVEN
distance between holes 120 mm - overall length 155
height 148 mm
for Oven under cooktop (TECNOINOX)



TECNOINOX RC00803000

TECNOINOX RC00875000

TECNOINOX RC00876000

Suitable for:

Suitable for:

5026526 HINGE RH FOR OVEN

distance between holes 120 mm - overall length 155
height 148 mm
for Oven under cooktop (TECNOINOX)



TECNOINOX RC00802000

Ignitors

3001014 CAP WATERTIGHT PIEZO

made of silicone rubber
with ring : $\varnothing$ external 29 mm - $\varnothing$ internal 18 mm



TECNOINOX RC01685000

TECNOINOX RC01865000

3001007

PIEZO IGNITER

a $\varnothing$ 22 mm hole is needed for the assembly
2.4 mm $\varnothing$ male faston connector



TECNOINOX RCK6010047

3001020 PIEZO IGNITER

a $\varnothing$ 18 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



TECNOINOX RC00128000

3001029

PIEZO IGNITER

a hole $\varnothing$ 22 mm is required for installation
faston M $\varnothing$ 2.4 mm
for SNACK SERIES



TECNOINOX 40100130

Incandescent lamps and neon lamps

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V



TECNOINOX RC01856000

3221041

OVEN LAMP E14 15W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



TECNOINOX RC00566000

3221330 QUARTZ LAMP 1000W 230V

overall length 480 mm
glass length 338 mm



TECNOINOX RC00217000



Suitable for:

TECNOINOX



Suitable for:

Indicator lights

3221164 GREEN INDICATOR LAMP 230V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
dashboard mounting
for Salamander (TECNOINOX) - Series SE
Series SEF - Series SEL



TECNOINOX RC00006601

TECNOINOX RC00011000

TECNOINOX 6601

5008748 GREEN INDICATOR LAMP 230V
 $\varnothing$ head 10 mm - 150°C
wire connection length 250 mm



TECNOINOX RCK6061073

3221162 GREEN LAMP RECEPTACLE
head $\varnothing$ 14.5 mm - hole $\varnothing$ 10 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E
for Fryer electric (TECNOINOX) FR35E - FR70E
for Potato heater electric (TECNOINOX) SP35E



TECNOINOX RC00053000

5008747 INDICATOR LIGHT ORANGE 230V
head $\varnothing$ 10 mm - 150°C
wire connection length 250 mm



TECNOINOX RCK6061072

3221097 NEUTRAL INDICATOR LAMP 220V
head $\varnothing$ 8 mm - 120°C



TECNOINOX RC0005200

TECNOINOX RC00052000

TECNOINOX RC40200154

3221163 ORANGE LAMP RECEPTACLE
head $\varnothing$ 15 mm - hole $\varnothing$ 10 mm



TECNOINOX RC00034000

TECNOINOX RC00319000

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F



TECNOINOX RCK6090050

Knobs

3241247 BLACK KNOB
round hole $\varnothing$ 6 mm
for Fryer electric (TECNOINOX) FR35E - FR70E



TECNOINOX RC00329000

3241243 BLACK KNOB $\varnothing$ 39 mm
silk-screen printing 1-2-3-4-5-6-7-8-9-10
D shaft hole 6x4.6 mm
for Salamander (TECNOINOX) SE - SEF - SEL



TECNOINOX RC00006301


3241240 BLACK KNOB $\varnothing$ 39 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for Toaster (TECNOINOX)



TECNOINOX RC00001113

TECNOINOX RC00086000

3241353 BLACK KNOB $\varnothing$ 50 mm 30°-110°C
D shaft hole 6x4.6 mm



TECNOINOX RC00598000

3241260 BLACK KNOB $\varnothing$ 60 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Bain-marie gas (TECNOINOX) BM35G - BM70G
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00401000

3241414 BLACK KNOB $\varnothing$ 60 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm



TECNOINOX RC00289000

3241244 BLACK KNOB $\varnothing$ 60 mm 1-2-3-4-5-6
D shaft hole 6x4.6 mm
for Pot stove (TECNOINOX) PCC35E - PCC70E
for Potato heater (TECNOINOX) SP35E



TECNOINOX RC00287000

3241246 BLACK KNOB $\varnothing$ 60 mm 100-190°C
D shaft hole 6x4.6 mm
for Fryer electric (TECNOINOX) FR35E - FR70E



TECNOINOX RC00280000



TECNOINOX



Suitable for:

3241248 BLACK KNOB ø 60 mm 100-300°C
D shaft hole 6x4.6 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E



TECNOINOX RC00284000

Suitable for:

3241245 BLACK KNOB ø 60 mm 30-90°C
D shaft hole 6x4.6 mm
for Bain-marie electric (TECNOINOX) BM35E - BM70E



TECNOINOX RC00268000

3241871 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for GAS TAP



TECNOINOX RC00127000

3241401 BLACK KNOB ø 70 mm UNIVERSAL
D shaft hole 8x6.5 mm



TECNOINOX RC05001300

3241309 KNOB BLACK ø 50 mm 0-1-2-3
D-shaped hole 6x4.6 mm
for energy adjuster EGO



TECNOINOX

5051651 KNOB BLACK ø 60 mm 1-2-3-4-5-6-7
D-shaped hole 8x6.5 mm
for Fryer gas (TECNOINOX) FR35G - FR70G




TECNOINOX RC00448000

5061174 KNOB BLACK ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



TECNOINOX RC01887000


5058346 KNOB BLUE ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Bain-marie gas (TECNOINOX)
for Fry top gas (TECNOINOX)
for Lava rock grill (TECNOINOX)
for Pasta cooker gas (TECNOINOX)
for Pot stove gas (TECNOINOX)



TECNOINOX RC01153000

TECNOINOX 01153

5058345 KNOB BLUE ø 70 mm 150-290°C
D-shaped hole 8x6.5 mm
for Oven under cooktop gas (TECNOINOX)



TECNOINOX RC01152000

Lamp receptacles and spare parts

- 3221233 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 42 mm**
thread $\varnothing$ 33 mm - overall height 26 mm



TECNOINOX

- 3221613 LAMP RECEPTACLE FOR QUARTZ LAMP**
length 70 mm - width 50 mm
height 70 mm



TECNOINOX RC00218000

- 3221330 QUARTZ LAMP 1000W 230V**
overall length 480 mm
glass length 338 mm



TECNOINOX RC00217000


- 3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**
lamp glass $\varnothing$ 42 mm
mounting hole $\varnothing$ 38 mm
max temperature 300°C



TECNOINOX RC00805000

Magnets

- 3242354 DOOR LOCK MAGNET**
distance between magnetic part holes 74 mm
distance between holes of strike plate 54 mm



TECNOINOX RCK5900352

Microswitches

- 3240439 MICROSWITCH XTD22J 16A 400V**



TECNOINOX RC00039000

TECNOINOX RC00283000

TECNOINOX 00283

- 3240410 MICROSWITCH 16(4)A 250V**



TECNOINOX RC01853000



Suitable for:

TECNOINOX



Suitable for:

3240820 MICROSWITCH 16A 250V



TECNOINOX RCK6043085

TECNOINOX RC00204000


Motors

3240620 FAN MOTOR 47W 230V 50Hz
complete with impeller fan ø 150 mm



TECNOINOX RC00229000

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



TECNOINOX RC00565000

OR and ORM gaskets

3186697 O-RING 0159 EPDM



TECNOINOX RCK6090145

3186601 O-RING 04200 EPDM



TECNOINOX RCK6090144

Pilot burners and accessories

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



TECNOINOX RCK7050028

3020082 OLIVE FOR 12 mm ø PIPE



TECNOINOX RCK7070025

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 2 positions bracket



TECNOINOX RC01140000

3020054 PILOT JET ø 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000



Suitable for:

3020055 PILOT JET $\varnothing$ 0.35 mm



TECNOINOX RC00436000

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087

3020036 PILOT BURNER SIT 3 FLAMES

multigas type with nozzle $\varnothing$ 0.35 mm
with 3 position bracket



TECNOINOX RCK7090023

TECNOINOX RC30100005

3020055 PILOT JET $\varnothing$ 0.35 mm



TECNOINOX RC00436000

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087

TECNOINOX



Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



TECNOINOX RCK6010046

TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050

3020054 PILOT JET $\varnothing$ 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm
total length 65 mm



TECNOINOX RCK6010046

TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050



TECNOINOX



Suitable for:

3020201 PILOT GAS JET $\varnothing$ 0.14 mm



TECNOINOX RCK7042014

TECNOINOX RC01219000

Suitable for:

3020202 PILOT GAS JET $\varnothing$ 0.27 mm



TECNOINOX RCK7042013

3020449 PILOT GAS JET $\varnothing$ 0.54 mm



TECNOINOX RCK7042008

3020054 PILOT JET $\varnothing$ 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

3020055 PILOT JET $\varnothing$ 0.35 mm



TECNOINOX RC00436000

3020131 PIPE OLIVE $\varnothing$ 8 mm



TECNOINOX RC01451000

3020146 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



TECNOINOX RC01169000

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



TECNOINOX RCK6010046

TECNOINOX RC00120000

TECNOINOX RC30100050

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



TECNOINOX RCK7090028

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



TECNOINOX RCK6010046

TECNOINOX RC00120000

TECNOINOX RC30100050

3020011 THREE-FLAME PILOT BURNER
 without sparking plug, gas jet
 with pipe fitting and pilot pipe olive
 with thermocouple connection
 with sparking plug fitting



TECNOINOX RCK7090026

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
 male faston M4x1 mm
 total length 65 mm



TECNOINOX RCK6010046
 TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050

3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet $\varnothing$ 0.20 mm
 with 3 positions bracket



TECNOINOX RC00119000

3020054 PILOT JET $\varnothing$ 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

3020055 PILOT JET $\varnothing$ 0.35 mm



TECNOINOX RC00436000

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
 male faston M4x1 mm
 total length 65 mm



TECNOINOX RCK6010046
 TECNOINOX RC30100054

TECNOINOX RC00120000

TECNOINOX RC30100050

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
 faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



TECNOINOX RCK6010087



Suitable for:

TECNOINOX



3020005 TWO-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket
for Fryer gas (TECNOINOX) - Series FR



TECNOINOX RC00445000

3020055 PILOT JET $\varnothing$ 0.35 mm



TECNOINOX RC00436000

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087

3020296 TWO-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.35 mm
with 2 positions bracket



TECNOINOX RC01187000

3020055 PILOT JET $\varnothing$ 0.35 mm



TECNOINOX RC00436000

Suitable for:

3020054 PILOT JET $\varnothing$ 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



TECNOINOX RCK6010046

TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054

3020054 PILOT JET $\varnothing$ 0.20 mm



TECNOINOX RCK7042005

TECNOINOX RC00435000

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



TECNOINOX RCK6010046

TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RC30100054



Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX



Suitable for:

TECNOINOX RCK6010087

Rating-plates

7102817 CONTROL PLATE ADHESIVE 100x53 mm



TECNOINOX RCK2011256

5029641 CONTROL PLATE STICKER 130x67 mm
for Salamander electric (TECNOINOX) QSE60



TECNOINOX RC01017000

TECNOINOX 01017

5036846 CONTROL PLATE STICKER 87x67 mm
for Salamander electric (TECNOINOX) QSE40



TECNOINOX RC01016000

TECNOINOX 01016

Relays

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



TECNOINOX RC00001213

TECNOINOX RC00774000



Suitable for:

TECNOINOX



Suitable for:


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
for the connection between selector switch and the



TECNOINOX

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm
back connection for thermostat




TECNOINOX RC40100006

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



TECNOINOX RCK6030007


3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm



TECNOINOX RCK6030015

TECNOINOX RC00037000

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




TECNOINOX RC00070000

3057190 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 600V - max 75°C
rectangular shaft 4x5 mm




TECNOINOX RCK6030003

5022563 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Oven under cooktop electric (TECNOINOX)
for Pasta cooker electric (TECNOINOX)
for Pot stove electric (TECNOINOX)




TECNOINOX RC01071000

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm




TECNOINOX RC01482000

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



TECNOINOX RC40100004

3057092 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



TECNOINOX RC00291000

3057146 SELECTOR SWITCH 0-7 POSITIONS
contact capacity 16A 400V - max 150°C
rectangular pin 4x5 mm



TECNOINOX RCK6030030

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE ø 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



TECNOINOX RC30300022

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



TECNOINOX RCK6041059

TECNOINOX RC00862000

Sparking and detection plugs

3020448 ROUND SPARKING PLUG ø 6x55 mm
female connection 2.8x0.8 mm
overall length 82 mm



TECNOINOX RC00861000

3806007 ROUND SPARKING PLUG ø 6.5x45 mm
male faston M4x1 mm
overall length 60 mm



TECNOINOX RC01168000



Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



TECNOINOX RCK6010046
TECNOINOX RC30100054

Suitable for:

3020230 ROUND SPARKING PLUG $\varnothing$ 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



TECNOINOX RC00120000

TECNOINOX RC30100050

TECNOINOX RCK6010061

3020128 SPARKING PLUG ROUND $\varnothing$ 6x32 mm
connection $\varnothing$ 2.4 mm
with silicone lead 770 mm
overall length with cable 800 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (TECNOINOX) PC70G



TECNOINOX RC00368000

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



TECNOINOX RCK6010087

Switches

1319336 DOOR SAFETY SWITCH 16A 250V




TECNOINOX RC00092000

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



TECNOINOX

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V
with indicator lamp and switch cover
screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



TECNOINOX RC00004702

TECNOINOX RC00021000

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



TECNOINOX

Suitable for:

3319944 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



TECNOINOX RC00000210

Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



TECNOINOX

3319090 SWTCH 2-POLE GREEN 16A 250V
16(4)A 250V
with indicator lamp and switch cover
max. temperature 120°C
mounting hole 22x30 mm



TECNOINOX RC00200000

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



TECNOINOX

Taps for tank refilling

5024440 KIT WATER INLET TAP $\varnothing$ 1/2"FF
complete with bracket, knob and nuts
for Pasta cooker electric (TECNOINOX)
for Pasta cooker gas (TECNOINOX)



TECNOINOX RC00583000

3242233 TAP KNOB - BLACK
D-shape hole $\varnothing$ 9x8 mm



TECNOINOX RCK2001250

3356111 WATER INLET TAP $\varnothing$ 1/2"FF
for Bratt pan electric (TECNOINOX) BS80FE7
BS80IE7



TECNOINOX RC30200008

3359120 WATER INLET TAP $\varnothing$ 1/2"FF
D shaft 9x8 mm



TECNOINOX RCK7060018

5001432 SILKSCREENED BLACK RING $\varnothing$ 75 mm
for water inlet pipe



TECNOINOX RCK5900274



Suitable for:

3242233 TAP KNOB - BLACK
D-shape hole $\varnothing$ 9x8 mm



TECNOINOX RC02001250

TECNOINOX



Suitable for:

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



TECNOINOX RC00194000

TECNOINOX RC01521000

TECNOINOX 00194

Thermocouples and accessories

3440064 NUT FOR THERMOCOUPLE M8x1



TECNOINOX RC00865000

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



TECNOINOX RC00118000

TECNOINOX 00118

3440079 THERMOCOUPLE M8x1 75 cm COUPLING M6x1



TECNOINOX RC00367000

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



TECNOINOX RC00864000

3440038 THERMOCOUPLE SIT M9x1 120 cm



TECNOINOX RC40400100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



TECNOINOX RC40400100



Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



TECNOINOX RC40400100

Suitable for:

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



TECNOINOX RCK6010055

TECNOINOX RC00118000

3440035 THERMOCOUPLE SIT M9x1 60 cm.



TECNOINOX RCK6010055

TECNOINOX RC00118000

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



TECNOINOX RCK6010055

TECNOINOX RC00118000

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



TECNOINOX RCK6010057

TECNOINOX RC40400110

3440036 THERMOCOUPLE SIT M9x1 85 cm.



TECNOINOX RCK6010057

TECNOINOX RC40400110

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



TECNOINOX RCK6010057

TECNOINOX RC40400110

3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm



TECNOINOX RC01483000


3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



TECNOINOX RC00118000

TECNOINOX 00118

3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



TECNOINOX RC00118000

TECNOINOX 00118



Suitable for:

TECNOINOX




Suitable for:

Thermostatic gas valves

3345018 THERMOSTATIC TAP 25ST

operating temperature 100-300°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x75 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm



TECNOINOX 01133

Thermostats

3444784 SINGLE-PHASE THERMOSTAT 100-175°C

D-shaped pin ø 6x4.6 mm
covered capillary length 1470 mm - 16A 230V
bulb ø 6x130 mm



TECNOINOX RC00038000

3444352 SINGLE-PHASE THERMOSTAT 130°C

with manual reset
covered capillary length 870 mm - 16A 250V
bulb ø 6x129 mm




TECNOINOX RC00007803

TECNOINOX RC00427000

TECNOINOX 7803

3444239 SINGLE-PHASE THERMOSTAT 240°C


with manual reset
capillary length covered 860 mm - 16A 250V
bulb ø 6x77 mm - with stuffing gland fitting M10x1



TECNOINOX RCK2011140

3444145 SINGLE-PHASE THERMOSTAT 50-310°C

D-shaped pin ø 6x4.6 mm
capillary length covered 1600 mm - 16A 250V
bulb ø 4x120 mm
for OVEN



TECNOINOX RC40100042

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm



TECNOINOX RC00569000

TECNOINOX RC00769000

3444376 SINGLE-PHASE THERMOSTAT 95-190°C

D-shaped pin ø 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb ø 6x100 mm - with adapter nipple band M10x1



TECNOINOX RCK6010005

Suitable for:

5025572 TERMOSTATO THREE-PHASE 180°C
manual reset
covered capillary length 3000 mm - 20A 400V
bulb $\varnothing$ 4x125 mm



TECNOINOX RC40100041

5020718 THERMOSTAT SINGLE-PHASE 240°C
complete with cut-off thermocouple
manual reset
covered capillary length 860 mm - 16A 250V
bulb $\varnothing$ 6x77 mm - with adapter nipple gland M10x1




TECNOINOX RCK2010152

5056753 THERMOSTAT THREE-PHASE 50-273°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 380V
bulb $\varnothing$ 3x226 mm
complete with silicone sheathing 580 mm



TECNOINOX RC01610000

3444375 THREE-PHASE THERMOSTAT 225°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 6x90 mm - with adapter nipple band M10x1



TECNOINOX RCK6010037


Suitable for:

3744140 TERMOSTATO THREE-PHASE 360°C
manual reset
covered capillary length 1490 mm
bulb $\varnothing$ 3x190 mm



TECNOINOX


5035531 THERMOSTAT THREE-PHASE 167°C
with manual reset
covered capillary length 900 mm - 20A 380V
bulb $\varnothing$ 6x88 mm
for Bratt pan electric (TECNOINOX)
for Pasta cooker electric (TECNOINOX)



TECNOINOX RC00001007

TECNOINOX 1007

3444028 THREE-PHASE THERMOSTAT 105-185°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 2800 mm - 10A 400V
bulb $\varnothing$ 4x235 mm




TECNOINOX RC00064000

TECNOINOX RC00281000

TECNOINOX 00281

3444143 THREE-PHASE THERMOSTAT 240°C
with manual reset
capillary length 1600 mm - 10A 400V
bulb $\varnothing$ 6x85 mm



TECNOINOX RC0045000



Suitable for:

TECNOINOX



3444368 THREE-PHASE THERMOSTAT 245°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 6x80 mm



TECNOINOX RC00450000

TECNOINOX 00450

Suitable for:

3444351 THREE-PHASE THERMOSTAT 295°C
with manual reset
covered capillary 1800 mm - 10A 400V
bulb ø 4x125 mm - 10A 400V
for TECNOINOX OVEN
for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750




TECNOINOX RC00063000

TECNOINOX 00063


TECNOINOX 81401059

3444076 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb ø 6x130 mm



TECNOINOX RC00274000

3444088 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin ø 6x4.6 mm
capillary length covered 900 mm - 10A 400V
bulb ø 6x130 mm - with stuffing gland fitting M9x1



TECNOINOX RC00274000

3444298 THREE-PHASE THERMOSTAT 337°C
with manual reset
covered capillary length 850 mm - 10A 400V
button bulb ø 14x10 mm



TECNOINOX RC00238000

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb ø 3x190 mm
for Fry top electric (TECNOINOX)
FTC35E - FTC70E - FTL35E - FTL70E - FTR35E
FTR70E




TECNOINOX RC00305000

3444632 THREE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1800 mm - 20A 300V
bulb ø 4x120 mm
for Bratt pan electric (TECNOINOX)



TECNOINOX RC40100062

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb ø 3x220 mm
for Fry top (TECNOINOX)
Series 700
for Oven under cooktop (TECNOINOX)
Series 700




TECNOINOX RC0028500

TECNOINOX RC00285000

Timers

3446153 TIMER 15 MINUTES IT/ITS

mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



TECNOINOX RC00000713

TECNOINOX RC00022000

3446137 TIMER 15 MINUTES M2


mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
bipolar with contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for all models



TECNOINOX RC00022000

3446008 TIMER 30 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
30 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Salamander (TECNOINOX) - Series QSEF




TECNOINOX RC01261000

TECNOINOX 01261

3446007 TIMER 60 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
60 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



TECNOINOX RC00576000

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.jeth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |