

Spare parts for:

Cooking equipment



Suitable for:





This catalogue is automatically generated. Therefore, the sequence of the items might not be always shown at best. Updates will be issued in case of additions and/or amendments. Suitable **universal spare parts** may not be included







Suitable for: Measuring tools

3394169 DIGITAL THERMOHYGROMETER TESTO 610 BLACK

battery powered measurement unit selectable in °C/°F/%UR temperature sensor NTC accuracy ÿ0.5°C/ÿ0.9°F/ÿ2.5%UR resolution 0.1°C/0.1°F/0.1%UR recall of temperature and min. and max. humidity HOLD memory push button temperature range -10+50°C/14+122°F relative humidity range 0+100%UR measuring speed 1" dimensions 119x46x25 mm complete with case



TESTO 0560-0610

3394168 DIGITAL THERMOMETER TESTO 810 BLACK battery powered measurement unit selectable in degrees °C/°F NTC temperature sensor - infrared sensor infrared accuracy ÿ2°C/ÿ3.6°F resolution 0.1°C/0.1°F temperature secall and min_maximum humid

temperature recall and min. maximum humidity HOLD memory push button infrared temperature range -30+300°C/-20+575°F air probe temperature range -10+50°C/14+122°F measuring speed 0.5" adjustable emissivity from 0.2 to 0.99 dimensions 119x46x25 mm complete with case



TESTO 0560-0810

3394161 MINITHERMOMETER IMMERSION TESTO 905 battery powered measurement unit selectable in degrees °C/°F

thermocouple sensor type K accuracy ÿ1°C/ÿ1.8°F temperature scale -50+350°C/-58+662°F brief temperature scale -50+500°C/-58+930°F battery life 1000 hours approx. working temperature 0+40°C/32+104°F



TESTO 0560-9051

TESTO 0560-9055

3394164 DIGITAL THERMOMETER TESTO 106 WHITE

battery powered immersion/penetration probe measurement unit selectable in degrees °C/°F accuracy from ÿ0.5 to ÿ1°C resolution 0.1°C HOLD memory push button temperature range -50+275°C/-58+527°F temperature range -20+50°C battery life 350 hours approx dimensions 220x35x20 mm complete with case food-safe



TESTO 0563-1063

3394162 MINITHERMOMETER IMMERSION TESTO 0526

battery powered and auto power off measurement unit selectable in degrees °C/°F resolution from 0.1°C to 1°C - accuracy ÿ1°C measuring cycle 1" - 0N/0FF push button temperature scale -50+250°C/-58+482°F battery life 1 year approx. with spike probe 213 mm complete with case



TESTO 0560-1111 TESTO 0900-0526 3394166 MINITHERMOMETER INFRARED TESTO 805 battery powered measurement field -25+250°C

dimensions 80x31x19 mm



TESTO 0563-8051







3394160 TESTER FOR COOKING OIL TESTO 265

battery powered capacitive oil sensor (%TPM) - PTC (°C) measurement field 0.5-40 %TPM - +40°+210°C display of exceeding maximum and minimum temperature oil working temperature +40+210°C dimensions 302x35x21 mm



TESTO 0563-0265

TESTO 0563-2700

Suitable for: 3394163

3394163 THERMOMETER FOR FOOD TESTO 926 WHITE

battery powered probe type T (Cu-CuNi) or NTC if immersion/ penetration radio probes are used measuring field -50+400°C temperature range -20+50°C dimensions 182x64x40 mm



TESTO 0563-9262

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

