



Spare parts for:

## Dispensing equipment



Suitable for:

# CELLI



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*

Rel. 2015-10161152





Suitable for:

CELLI



Suitable for:

## Booster pumps

### 1330016 ROTARY VANE PUMP PROCON $\varnothing$ 3/8" NPT

clamp connection  
flow rate 200 l/h  
equipped with balanced bypass  
with built-in filter  
connection  $\varnothing$  3/8" conical NPT



CELLI 1060

### 3122498 ROTARY VANE PUMP PROCON $\varnothing$ 3/8" NPT

clamp connection  
flowrate 300 L/h  
with filter  
C01304



CELLI 001061

CELLI 1061

### 1330007 ROTARY VANE PUMP ROTOFLOW $\varnothing$ 3/8" NPT

steel body  
clamp connection  
delivery 300 liter/h  
with balance by-pass  
fittings  $\varnothing$  3/8" NPT  
homologation N.S.F.



CELLI 5318

## Brushes

### 3394247 TAP CLEANING BRUSH



CELLI 20820

## Clamping tools

### 3394246 TOOTHED KEY FOR PRE-MIX TAPS



CELLI 8128



**Clamps**

**3449140 HOSE CLAMP  $\varnothing$  10.8-13.3 mm**



CELLI 5313

**3449141 HOSE CLAMP  $\varnothing$  11.5-14 mm**



CELLI 5312

**3449142 HOSE CLAMP  $\varnothing$  12.0-14.5 mm**



CELLI 5311

**3449139 HOSE CLAMP  $\varnothing$  8,8-10.5 mm**



CELLI 13994

**3449147 HOSE CLAMP  $\varnothing$  9.6-11.3 mm**



CELLI 5314

**3449145 SCREW HOSE CLAMP  $\varnothing$  12/17 mm**



CELLI 1716

**3449146 SCREW HOSE CLAMP  $\varnothing$  7.4/10 mm**



CELLI 1713

**3449144 SCREW HOSE CLAMP  $\varnothing$  9.6/14 mm**



CELLI 1715

**3449143 SCREW HOSE CLAMP  $\varnothing$  9/12 mm**



CELLI 1714

**3449138 SMOOTH INSIDE CLAMP  $\varnothing$  7.0/8.7 mm**



CELLI 5315

**3449137 1 LUG HOSECLIP  $\varnothing$  8.7 mm**



CELLI 1690



Suitable for:

CELLI



Suitable for:

## Complement accessories


**3394245 FOB DETECTOR TECFLO**  
connections 3/8" JG



CELLI 41738

## Condensers

**3123088 CONDENSER STFT 12118 1x170 mm**  
output 745W DT15°C  
190x60x190h mm



CELLI 31359

**3123093 CONDENSER STFT 12118 1x170 mm**  
output 470W DT15°C  
190x30x190h mm



CELLI 31358

**3123089 CONDENSER STFT 14121 1x200 mm**  
output 1000W DT15°C  
220x60x220h mm




CELLI 31360

**3123092 CONDENSER STFT 14121 1x200 mm**  
output 665W DT15°C  
220x30x220h mm




CELLI 45889

**3123090 CONDENSER STFT 16224 1x230 mm**  
output 1385W DT15°C  
250x60x250h mm



CELLI 28636

**3123091 CONDENSER STFT 18227 1x250 mm**  
output 1985W DT15°C  
280x60x280h mm



CELLI 31361

## Detergents

**3092073 PLASTIC WASH DRUM 5 L**  
with bayonet mount head adaptor



CELLI 8235



## Dispenser taps and accessories

**3357036 BLACK POLYCARBONATE SPOUT**  $\varnothing$  8 mm  
for FC brass/stainless steel taps



CELLI 26105

**3357032 CHROMEPLATED TAP FC2 WITH COMPENSATOR**  
threaded connection 5/8 - shaft length 35 mm  
shaft hole  $\varnothing$  10 mm  
with knob return spring  
for beer not water



CELLI 46225

**3357030 CHROMEPLATED TAP FC4 WITH COMPENSATOR**  
threaded connection 5/8 - shaft length 35 mm  
shaft hole  $\varnothing$  7 mm  
with knob return spring  
for beer not water



CELLI 45274

**3357037 GASKET ASSY FOR FC TAPS**  
with compensator



CELLI 37639

**3357033 PLASTIC TAP FC4 WITH COMPENSATOR**  
threaded connection 5/8 - shaft length 35 mm  
hole  $\varnothing$  24 mm  
with knob return spring  
for drinks and wine



CELLI 47359

**3357029 PREMIX TAP CELLI WITH COMPENSATOR**  
connection 7/15" - hole  $\varnothing$  36 mm  
with knob return spring



CELLI 47335

CELLI 47336

**3357028 S/STEEL TAP FC4 WITH COMPENSATOR**  
threaded connection 5/8 - shaft length 35 mm  
shaft hole  $\varnothing$  7 mm  
with knob return spring  
for water



CELLI 52727

**3357035 STAINLESS STEEL SPOUT**  $\varnothing$  10 mm  
for FC tap



CELLI 8060



Suitable for:


CELLI



Suitable for:

## Drip trays for refrigeration

**3015048 CHROMEPLATED GLASSFOUNTAIN ASSY**



CELLI 31402

**3015078 WATER DRAIN SET**  
overall length 94 mm  
base  $\varnothing$  31 mm - hose end  $\varnothing$  14 mm



CELLI 31004

**3015045 STAINLESS STEEL DRIP TRAY 300x180xh30 mm**  
overcounter



CELLI 62359

**3015046 STAINLESS STEEL DRIP TRAY 300x180xh30 mm**  
overcounter, with central glassfountain and drainer



CELLI 62367

**3015044 STAINLESS STEEL DRIP TRAY 500x220xh30 mm**  
overcounter



CELLI 30945

**3015047 STAINLESS STEEL DRIP TRAY 500x220xh30 mm**  
overcounter, with central glassfountain and drainer



CELLI 33981

**3015078 WATER DRAIN SET**  
overall length 94 mm  
base  $\varnothing$  31 mm - hose end  $\varnothing$  14 mm



CELLI 31004

## Electronic boxes

**3445271 LEVEL CONTROL BOX GICAR 9.1.41.38G**  
230V 50/60Hz  
with pump protection



CELLI 9304

**3445270 LEVEL CONTROL BOX GICAR 9.1.41.45G**  
230V 50/60Hz 4 min delay  
for level control or ice bank



CELLI 64147



## Fittings

**3349234 ADAPTER WITH STEM JG PI061206S**  
stem  $\varnothing$  3/8" - tube  $\varnothing$  3/16"



CELLI 24211

**3349198 ADAPTER WITH STEM JG PI061210S**  
stem  $\varnothing$  3/8" - tube  $\varnothing$  5/16"



CELLI 7771

**3349199 ADAPTER WITH STEM JG PI061610S**  
stem  $\varnothing$  1/2" - tube  $\varnothing$  5/16"



CELLI 27029

**3349202 ADAPTER WITH STEM JG PI061612S**  
stem  $\varnothing$  1/2" - tube  $\varnothing$  3/8"



CELLI 8834

**3349196 ADAPTER WITH STEM JG PM060806E**  
stem  $\varnothing$  8 mm - tube  $\varnothing$  6 mm



CELLI 9313

**3349128 ADJUSTER ELBOW JG PI211210S**  
hose  $\varnothing$  3/8"-5/16"



CELLI 7053

**3349129 ADJUSTER ELBOW JG PI211610S**  
hose  $\varnothing$  1/2"-5/16"



CELLI 38634

**3349130 ADJUSTER ELBOW JG PI211612S**  
hose  $\varnothing$  1/2"-3/8"



CELLI 10511

**3349123 ADJUSTER STRAIGHT JG PI201210S**  
hose  $\varnothing$  3/8"-5/16"



CELLI 7046

**3349124 ADJUSTER STRAIGHT JG PI201610S**  
hose  $\varnothing$  1/2"-5/16"



CELLI 8831



Suitable for:

**3349125** ADJUSTER STRAIGHT JG PI201612S  
hose  $\varnothing$  1/2"-3/8"



CELLI 8830

# CELLI



Suitable for:

**3349182** BALL VALVE JG PPSV041212W  
pipe  $\varnothing$  3/8



CELLI 36197

**3349113** BARBED CROSS-SHAPED NIPPLE  $\varnothing$  7 mm  
stainless steel



CELLI 40330

**3349612** BARBED JOINT NIPPLE 10x10 mm  
stainless steel



CELLI 9837

**3349115** BARBED JOINT NIPPLE 4.3x4.3 mm  
stainless steel



CELLI 2276

**3349117** BARBED JOINT NIPPLE 7x10 mm  
stainless steel



CELLI 26389

**3349114** BARBED JOINT NIPPLE 7x4.3 mm  
stainless steel



CELLI 2277

**3349116** BARBED JOINT NIPPLE 7x7 mm  
stainless steel



CELLI 2278

**3349112** BARBED T-TYPE NIPPLE 7x7x7 mm  
stainless steel



CELLI 2282

**3349164** CAP NUT 1/2  
spanner 16



CELLI 2867

**3349163** CAP NUT 7/16  
spanner 14



CELLI 2861

**3349139** CONNECTION STRAIGHT JG PI011202S  
M1/4"BSPT - hose  $\varnothing$  3/8"



CELLI 11385





**3349142 CONNECTION STRAIGHT JG PI011203S**  
M3/8"BSPT - hose  $\varnothing$  3/8"



CELLI 8276

Suitable for:

**3349144 CONNECTION STRAIGHT JG PI011603S**  
M3/8"BSPT - hose  $\varnothing$  1/2"



CELLI 11282

**3349145 CONNECTION STRAIGHT JG PI011604S**  
M1/2"BSPT - hose  $\varnothing$  1/2"



CELLI 26766

**3349121 CONNECTION STRAIGHT JG PI0412S**  
hose  $\varnothing$  3/8"



CELLI 7040

**3349230 CONNECTION STRAIGHT JG PI0416S**  
hose  $\varnothing$  1/2"



CELLI 8832

**3349583 CONNECTION STRAIGHT JG PI451014CS**  
F1/2"BSP cone end - hose  $\varnothing$  5/16"



CELLI 12823

**3349582 CONNECTION STRAIGHT JG PI451014FS**  
F1/2"BSP flat end - hose  $\varnothing$  5/16"



CELLI 12822

**3349581 CONNECTION STRAIGHT JG PI451015CS**  
F5/8"BSP cone end - hose  $\varnothing$  5/16"



CELLI 12819

**3349195 CONNECTION STRAIGHT JG PI451015FS**  
F5/8"BSP flat end - hose  $\varnothing$  5/16"



CELLI 12818

**3349186 CONNECTION STRAIGHT JG PI4512C5S**  
F1/2"-16UNS - hose  $\varnothing$  3/8"



CELLI 11298

**3349192 CONNECTION STRAIGHT JG PI4512F4S**  
F7/16"UNF - hose  $\varnothing$  3/8"



CELLI 7101

**3349228 CONNECTION STRAIGHT JG PI451213S**  
F3/8"BSP flat end - hose  $\varnothing$  3/8"



CELLI 11300



Suitable for:

# CELLI



**3349584 CONNECTION STRAIGHT JG PI451214CS**  
F1/2" BSP cone end - hose  $\varnothing$  3/8"



CELLI 12821

Suitable for:

**3349194 CONNECTION STRAIGHT JG PI451214FS**  
F1/2" BSP flat end - hose  $\varnothing$  3/8"



CELLI 12820

**3349232 CONNECTION STRAIGHT JG PI451215CS**  
F5/8" BSP cone end - hose  $\varnothing$  3/8"



CELLI 12817

**3349193 CONNECTION STRAIGHT JG PI451215FS**  
F5/8" BSP flat end - hose  $\varnothing$  3/8"



CELLI 12816

**3010230 CONNECTION STRAIGHT JG PM0408S**  
hose  $\varnothing$  5/16"



CELLI 7045

**3349185 CONNECTION STRAIGHT JG PM4508C5S**  
F1/2"-16UNS - hose  $\varnothing$  5/16"



CELLI 11316

**3349191 CONNECTION STRAIGHT JG PM4508F4S**  
F7/16" UNF - hose  $\varnothing$  5/16"



CELLI 11299

**3349174 CONNECTOR BULKHEAD JG NCPI1212S-P**  
hose  $\varnothing$  3/8"



CELLI 66738

CELLI 8279

**3349171 CONNECTOR ELBOW JG SUPERSEAL SI421012S**  
hose  $\varnothing$  5/16"ss-3/8"



CELLI 11261

**3349169 CONNECTOR STRAIGHT JG SUPERSEAL SI041012**  
hose  $\varnothing$  5/16"ss-3/8"



CELLI 11258

**3349170 CONNECTOR STRAIGHT JG SUPERSEAL SI041212**  
hose  $\varnothing$  3/8"ss-3/8"



CELLI 11280

**3349167 CONNECTOR STRAIGHT JG SUPERSEAL SM410808**  
hose  $\varnothing$  5/16"ss-5/16"ss



CELLI 11302



Suitable for:

**3349238 CONNECTOR U JG PIUB16S**  
hose  $\varnothing$  1/2"



CELLI 24856

Suitable for:

**3349225 CONNECTOR Y JG PI2312S**  
hose  $\varnothing$  3/8"



CELLI 7049

**3349126 ELBOW CONNECTION JG PI0312S**  
hose  $\varnothing$  3/8"



CELLI 7051

**3349127 ELBOW CONNECTION JG PI0316S**  
hose  $\varnothing$  1/2"



CELLI 11281

**3349122 ELBOW CONNECTION JG PM0308S**  
hose  $\varnothing$  5/16"



CELLI 7052

**3349209 ELBOW CONNECTION WITH STEM JG PI221210S**  
stem  $\varnothing$  3/8" - hose  $\varnothing$  5/16"



CELLI 7359

**3349215 ELBOW CONNECTION WITH STEM JG PI221212S**  
stem  $\varnothing$  3/8" - hose  $\varnothing$  3/8"



CELLI 8446

**3349216 ELBOW CONNECTION WITH STEM JG PI221616S**  
stem  $\varnothing$  1/2" - hose  $\varnothing$  1/2"



CELLI 11253

**3349565 ELBOW HOSE-END FITTING JG PM220808E**  
tang  $\varnothing$  8 mm - pipe  $\varnothing$  8 mm



CELLI 46469

**3349241 ELBOW NIPPLE 90° WITH 1/2" END**  
stainless steel  
hose-end fitting 7x8 mm



CELLI 6901



Suitable for:

**3349133 FITTING ELBOW JG SUPERSEAL SI031012S**  
hose  $\varnothing$  5/16"ss-3/8"



CELLI 11260

# CELLI



Suitable for:

**3349134 FITTING ELBOW JG SUPERSEAL SI401210S**  
hose  $\varnothing$  3/8"ss-5/16"ss



CELLI 28328

**3349131 FITTING ELBOW JG SUPERSEAL SM030808S**  
hose  $\varnothing$  5/16"ss-5/16"



CELLI 39747

**3349132 FITTING ELBOW JG SUPERSEAL SM400808S**  
hose  $\varnothing$  5/16"ss-5/16"ss mm



CELLI 11259

**3349178 FITTING TEE JG PI0212S**  
hose  $\varnothing$  3/8"



CELLI 7048

**3349179 FITTING TEE JG PI0216S**  
hose  $\varnothing$  1/2"



CELLI 8835

**3349177 FITTING TEE JG PM0208S**  
hose  $\varnothing$  5/16"



CELLI 7047

**3349162 HEX NUT 1/2"**  
spanner 26



CELLI 2888

**3349161 HEX NUT 5/8"**  
spanner 26



CELLI 3795

**3349184 NON-RETURN VALVE JG 3/8SCV**  
pipe  $\varnothing$  9.52 mm



CELLI 24855

**3349560 STEM FOR HOSE-END FITTING JG PI251008S**  
stem  $\varnothing$  5/16" - tail  $\varnothing$  1/4"m



CELLI 11319

**3349648 STEM HOSE END FITTING JG PI251212S**  
stem  $\varnothing$  3/8" - connection  $\varnothing$  3/8"



CELLI 7041



Suitable for:

**3349561 STEM HOSE-END ELBOW JG PI291008S**  
stem  $\varnothing$  5/16" - hose stem  $\varnothing$  1/4"



CELLI 7442

Suitable for:

**3349223 STEM HOSE-END ELBOW JG PI291208S**  
stem  $\varnothing$  3/8" - hose stem  $\varnothing$  1/4"



CELLI 8364

**3349222 STEM HOSE-END ELBOW JG PI291210S**  
stem  $\varnothing$  3/8" - hose stem  $\varnothing$  5/16"



CELLI 11254

**3349236 STEM HOSE-END FITTING JG PI251208S**  
stem  $\varnothing$  3/8" - connection  $\varnothing$  1/4"



CELLI 8363

**3349218 STEM HOSE-END FITTING JG PI251210S**  
stem  $\varnothing$  3/8" - connection  $\varnothing$  5/16"



CELLI 11320

**3349219 STEM HOSE-END FITTING JG PI251216S**  
stem  $\varnothing$  3/8" - connection  $\varnothing$  1/2" mm



CELLI 51465

**3349221 STEM HOSE-END FITTING JG PI251612S**  
stem  $\varnothing$  1/2" - connection  $\varnothing$  3/8"



CELLI 7042

**3349235 STEM HOSE-END FITTING JG PM250808S**  
stem  $\varnothing$  5/16" - tail  $\varnothing$  5/16"



CELLI 7361

**3349120 STRAIGHT ADAPTER JG PM200806E**  
pipe  $\varnothing$  8-6 mm



CELLI 10421

**3349138 STRAIGHT FITTING JG PM010612E**  
M1/4"BSP - pipe  $\varnothing$  6 mm



CELLI 8642

**3010143 STRAIGHT FITTING JG PM010812E**  
M1/4"BSP - pipe  $\varnothing$  8 mm



CELLI 7362

**3010183 STRAIGHT FITTING JG PM010813E**  
M3/8"BSP - pipe  $\varnothing$  8 mm



CELLI 7363



Suitable for:

# CELLI



**3349119** **STRAIGHT FITTING JG PM0406E**  
pipe  $\varnothing$  6 mm



CELLI 7443

Suitable for:

**3349189** **STRAIGHT FITTING JG PM450812E**  
F1/4" BSP - pipe  $\varnothing$  8 mm



CELLI 13292

**3349166** **STRAIGHT FITTING JG SUPERSEAL SM040608E**  
pipe  $\varnothing$  6ss-8 mm



CELLI 11301

**3349107** **STRAIGHT NIPPLE WITH FLAT STEM 5/8"**  
brass nickelplated  
barbed hose 4.3 mm



CELLI 2228

**3349146** **STRAIGHT NIPPLE WITH FLAT STEM 5/8"**  
brass nickelplated  
barbed hose 7 mm



CELLI 2241

**3349106** **STRAIGHT NIPPLE WITH STEM 1/2"**  
brass nickelplated  
barbed hose 7 mm



CELLI 2237

**3349111** **STRAIGHT NIPPLE WITH STEM 1/2"**  
stainless steel  
hose-end fitting 7x8 mm



CELLI 6900

**3349104** **STRAIGHT NIPPLE WITH STEM 5/8"**  
brass nickelplated  
barbed hose 7 mm



CELLI 2242

**3349240** **STRAIGHT NIPPLE WITH 5/8" END**  
stainless steel  
hose-end fitting 7x8 mm



CELLI 6911

**3349158** **STRAIGHT NIPPLE 1/2"**  
stainless steel  
barbed hose 4.5 mm



CELLI 2254



Suitable for:

**3349159 STRAIGHT NIPPLE 1/2"**  
stainless steel  
barbed hose 7.3 mm



CELLI 2255

Suitable for:

**3349156 STRAIGHT NIPPLE 7/16"**  
stainless steel  
barbed hose 4.5 mm



CELLI 2250

**3349157 STRAIGHT NIPPLE 7/16"**  
stainless steel  
barbed hose 7.3 mm



CELLI 2251

**3349176 T-FITTING JG PM0206E**  
pipe  $\varnothing$  6 mm



CELLI 8644

**3349204 TERMINAL STEM FITTING JG PI051213S**  
M3/8"BSP - stem  $\varnothing$  9.52 mm



CELLI 11297

**3349585 TERMINAL STEM FITTING JG PM050611E**  
M1/8"BSP - stem  $\varnothing$  6 mm



CELLI 9916

**3349207 TERMINAL STEM FITTING JG PM050813E**  
M3/8"BSP - stem  $\varnothing$  8 mm



CELLI 7446

**3349578 TERMINAL STEM FITTING JG PM051202S**  
M1/4"BSPT - stem  $\varnothing$  3/8"



CELLI 11399

**3349224 Y FITTING JG PM2306E**  
pipe  $\varnothing$  6 mm



CELLI 46603

**3349229 Y FITTING JG PM2308S**  
pipe  $\varnothing$  8 mm



CELLI 7050



Suitable for:

**3349147 90° CURVED NIPPLE WITH STEM 5/8"**  
brass nickelplated  
barbed hose 4.3 mm



CELLI 4709

Suitable for:

**3349148 90° CURVED NIPPLE WITH STEM 5/8"**  
brass nickelplated  
barbed hose 7 mm



CELLI 2244

**3349155 90° CURVED NIPPLE WITH STEM 5/8"**  
stainless steel  
hose-end fitting 7x8 mm



CELLI 6908

**Gaskets and seals**

**3786175 ALUMINIUM GASKET FOR PRESSURE GAUGE**  
for CO2 N2  
ø 6.6x10.5x2 mm



CELLI 1767

**3786173 CONICAL NYLON GASKET 1/2 BSF RED**  
for COCA COLA



CELLI 1905

**3786172 CONICAL NYLON GASKET 7/16" WHITE**



CELLI 1904

**3786174 NYLON GASKET FOR REDUCER CO2**  
ø 17x10xh2 mm



CELLI 1765

**3786176 PVC GASKET FOR REDUCER N2**  
ø 18.5x8x3 mm



CELLI 11534

**3786177 SOFT PVC GASKET 1/2"G**  
ø 18x13.5x2 mm



CELLI 1906

CELLI 76405





Suitable for:

Suitable for:

**3786178 SOFT PVC GASKET 5/8"G**  
ø 20x13.2x2 mm



CELLI 1907

## Hydraulic piping

**3449123 HOSE MDP 6.7x9.5 mm - 100 m BLUE**



CELLI 27863

**3449125 HOSE MDP 6.7x9.5 mm - 100 m GREEN**



CELLI 27867

**3449121 HOSE MDP 6.7x9.5 mm - 100 m NEUTRAL**



CELLI 27859

**3449122 HOSE MDP 6.7x9.5 mm - 100 m RED**




CELLI 27860

**3449124 HOSE MDP 6.7x9.5 mm - 100 m YELLOW**



CELLI 27861

**3449119 HOSE MDP 8x4 mm - 100 m NEUTRAL**



CELLI 11317

**3449120 HOSE MDP 9.5x12.7 mm - 100 m NEUTRAL**



CELLI 11318



Suitable for:

**CELLI**



Suitable for:

## Inlet hoses

**3449107 HIGH PRESSURE HOSE SK 1000 mm**  
for CO2 regulator - 1/2/3 ways  
with plate and 4 screws



CELLI 31852

## Level regulators

**3445272 CONTROL BOX GIEMME 01.05.0002 230V**  
for level control or ice shelf



CELLI 4782

## Motors

**3240808 MOTOAGITATOR EBM M2E068-DF11-43**  
230V 50Hz 45W 2500rpm



CELLI 3544

**3240807 MOTOAGITATOR EBM M4S068-BF08-24**  
230V 50/60Hz 5,8W 1300 Rpm



CELLI 2126

**3240809 MOTOAGITATOR EBM WITH PUMP CELLI**  
P2E067-AA82-09  
230V 50/60Hz 64W 2600Rpm  
capacitor 2  $\mu$ F  
total head 6.5 m - flowrate 11L/min  
inlet and outlet 1/2"



CELLI 42000

**3240774 MOTOAGITATOR MIX20-23 CRO INC BB**  
230V 50/60Hz 18W 2800 Rpm  
shaft length 150 mm  
blade  $\varnothing$  44 mm



CELLI



Suitable for:


**3240806 MOTOAGITATOR TRIAL AAA20C-010**  
230V 50/60Hz



CELLI 52522

Suitable for:

**3240803 MOTOR MIXER WITH PUMP SAMEC MID-7**  
230V 50Hz 64W 2750 Rpm  
inlet and outlet 1/2"



CELLI 61210

**3240804 MOTOR MIXER WITH PUMP SAMEC STR 7**  
230V 50Hz 50W 2800 Rpm  
inlet and outlet 1/2"



CELLI 48926

**3240805 MOTOR RPM C027702 230V 200W**  
50Hz 2.1A 1340 Rpm  
capacitor 4  $\mu$ F (not included)




CELLI 48396

**3240816 MOTOR SISME 1/4HP 230V 190W**  
50Hz 1400 Rpm  
with ignition capacitor 8  $\mu$ F  
clamp pump connection




CELLI 45880

**3240811 MOTOR ULKA 1/4HP 230V 180W**  
50Hz 1400 Rpm  
with ignition capacitor 12.5  $\mu$ F  
clamp pump connection



CELLI 2123

**3240802 MOTOR ULKA 1/8HP 230V 120W**  
50Hz 1400 Rpm  
with ignition capacitor 8  $\mu$ F  
clamp pump connection



CELLI 26880

## Pressure gauges

**3245012 PRESSURE GAUGE CO2 HP 0-250 bar 1/4G**  
in compliance with DIN regulations



CELLI 22059

**3245011 PRESSURE GAUGE CO2/N2 LP 0-10 bar 1/4G**  
check line at 4.8 in compliance with DIN regulatio



CELLI 22058



Suitable for:

**CELLI**



**3245009 PRESSURE GAUGE CO2/N2 LP 0-6 bar 1/4G**  
check line at 4.8 bar in compliance with DIN regul



CELLI 22057

Suitable for:

**3245013 PRESSURE GAUGE N2 HP 0-400 bar 1/4G**  
in compliance with DIN regulations



CELLI 23986

## Pressure reducers

**3349096 BALLCOCK VALVE 7/16"F-7/16"M**



CELLI 1011

**3350040 PRESSURE REGULATOR CO2 1x1/2"G**  
safety valve at 7 bar  
outlet with tap



CELLI 51573

**3350037 PRESSURE REDUCER REPAIR ASSY**  
with internal regulation valve  
version from 2004



CELLI 60451

**3350041 PRESSURE REGULATOR CO2 1x3/4"G**  
safety valve at 3 bar  
outlet with tap



CELLI 51572

**3350042 PRESSURE REGULATOR CO2 1x7/16"**  
safety valve at 4.8 bar



CELLI 47952

**3350043 PRESSURE REGULATOR CO2 2x7/16"**  
safety valve at 4 bar



CELLI 47953

**3349095 Y-MIXER FOR REDUCER CO2**  
2outlets 7/16"M with ball valve  
1 inlet 7/16"F



CELLI 1012



## Pressure switches

**3350038** DEPRESSURE SWITCH FOR CO2 N2  
F3/8G-F1/4G for wine



CELLI 9218

**3320901** PRESSURE CONTROL 016-H6703  
for low pressure



CELLI 2079

## Pump motors

**3122497** ELECTROPUMP SHURFLO SUK-0209 230V  
with pressure switch, tumer and by-pass  
for wine/water



CELLI 19746

**3122496** ELECTROPUMP SHURFLO 8095-911-269  
230V 50/60Hz  
for carbonation



CELLI 43148

**3122495** PNEUMATIC PUMP SHURFLO 166-296-28  
syrup outlet tang 9.5 mm



CELLI 27394

## Quick couplings

**3213010** FLAT-TYPE KEG HEAD CELLI  
inlet - outlet 5/8"  
short handle



CELLI 57627

CELLI 69317

CELLI 82271

**3213003** GASKET ASSY F/GUINNESS KEG COUPLER MOD.



CELLI 52246

**3213002** QUICK CONNECTION COCA COLA GAS 1/2"BSF



CELLI 6388

**3213004** QUICK CONNECTION COCA COLA LIQUID 1/2"BSF



CELLI 6389



Suitable for:

**3213005 QUICK CONNECTION JOLLY GAS 7/16**



CELLI 6089

**CELLI**



Suitable for:

**3213006 QUICK CONNECTION JOLLY LIQUID 7/16**



CELLI 6387

**3213012 SHORT HANDLE KIT F/KEG COUPLERS FITTING**  
new version CELLI 2004



CELLI 48688

CELLI 64971

CELLI 72422

## Spout columns for beverage equipment

**3059033 BAR-GUN FOR SELTZ**



CELLI 3686

## Thermostats

**3444835 RANCO THERMOSTAT K14 P0152**  
2 contacts 6A 250V  
capillary 2000 mm  
D-shaped pin  $\varnothing$  6x4.6 mm  
COLD -2,5°C - WARM +6°C



CELLI 50286

**3444837 RANCO THERMOSTAT K50 H2005**  
2 contacts 6A 250V  
capillary 1500 mm  
D-shaped pin  $\varnothing$  6x4.6 mm



CELLI 17112

**3444834 RANCO THERMOSTAT K50 L3251**  
2 contacts 6A 250V  
capillary 2000 mm  
D-shaped pin  $\varnothing$  6x4.6 mm  
COLD +1°C - WARM +11°C



CELLI 2078

**3444836 THERMOSTAT RANCO 016-6999**  
icebank control





















CELLI 2077

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
  -  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
  -  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)