



Spare parts for:

Dispensing equipment



Suitable for:

SODASTREAM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

SODASTREAM



Suitable for:

Booster pumps

1330005 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

compact model
clamp connection
flowrate 100L/h
with balanced bypass
N.S.F. Approved
CA104



SODASTREAM 001175

1330002 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

clamp connection
flowrate 200 L/h
equipped with balanced bypass
NSF approved
PA204



SODASTREAM 002369

3122587 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

clamp connection
flowrate 300 L/h
with balanced bypass
N.S.F. approved
PA304



SODASTREAM 003192

3122588 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

clamp connection
flowrate 200 L/h
N.S.F. approved
PA210



SODASTREAM 002365

Clamping tools

3394254 BEER TAP KEY CEM



SODASTREAM 001139

3394253 PINCER FOR OETIKER CLAMPS



SODASTREAM 001140

Clamps

3449140 HOSE CLAMP ø 10.8-13.3 mm



SODASTREAM 000408

3449141 HOSE CLAMP ø 11.5-14 mm



SODASTREAM 001068



SODASTREAM



Suitable for:

3449142 HOSE CLAMP $\varnothing$ 12.0-14.5 mm



SODASTREAM 000410

Suitable for:

3449139 HOSE CLAMP $\varnothing$ 8,8-10.5 mm



SODASTREAM 000772

3449147 HOSE CLAMP $\varnothing$ 9.6-11.3 mm



SODASTREAM 000409

3449145 SCREW HOSE CLAMP $\varnothing$ 12/17 mm



SODASTREAM 001455

3449146 SCREW HOSE CLAMP $\varnothing$ 7.4/10 mm



SODASTREAM 001452

3449144 SCREW HOSE CLAMP $\varnothing$ 9.6/14 mm



SODASTREAM 001454

3449143 SCREW HOSE CLAMP $\varnothing$ 9/12 mm



SODASTREAM 001453

3449138 SMOOTH INSIDE CLAMP $\varnothing$ 7.0/8.7 mm



SODASTREAM 000407

3449137 1 LUG HOSECLIP $\varnothing$ 8.7 mm



SODASTREAM 000405

Complement accessories

3394255 CYLINDER WALL FIXING BRACKET



SODASTREAM 001697



Suitable for:


SODASTREAM



Suitable for:

Condensers

3123088 CONDENSER STFT 12118 1x170 mm
output 745W DT15°C
190x60x190h mm



SODASTREAM 002114

3123093 CONDENSER STFT 12118 1x170 mm
output 470W DT15°C
190x30x190h mm



SODASTREAM 001217

3123089 CONDENSER STFT 14121 1x200 mm
output 1000W DT15°C
220x60x220h mm



SODASTREAM 001059

3123095 PLASTIC FAN SHROUD CF21
dimensions 210x215 mm



SODASTREAM 003750

3123092 CONDENSER STFT 14121 1x200 mm
output 665W DT15°C
220x30x220h mm




SODASTREAM 001060

3123095 PLASTIC FAN SHROUD CF21
dimensions 210x215 mm



SODASTREAM 003750

3123090 CONDENSER STFT 16224 1x230 mm
output 1385W DT15°C
250x60x250h mm



SODASTREAM 001218

3123096 PLASTIC FAN SHROUD CF24
dimensions 240x245 mm



SODASTREAM 003490

3123095 PLASTIC FAN SHROUD CF21
dimensions 210x215 mm



SODASTREAM 003750

3123096 PLASTIC FAN SHROUD CF24
dimensions 240x245 mm



SODASTREAM 003490

Detergents

3092072 DETERGENT SUPER IGIENIC 13 kg
for beer line cleaning
please see the attached documentation for use



SODASTREAM 000820

3092073 PLASTIC WASH DRUM 5 L
with bayonet mount head adaptor



SODASTREAM 004954


Dispenser taps and accessories

3357044 BLACK PLASTIC HANDLE EVO1



SODASTREAM 005697

3357046 BRIX CUPS 1092
5/1 ratio



SODASTREAM 002319

3357054 CHROME-PLATED EVO1 TAP W/COMPENSATOR
threaded connection 5/8 - shaft length 35 mm
shaft hole $\varnothing$ 10 mm
without foaming function



SODASTREAM 009364

3359309 MEDIUM PORCELAIN HANDLE 3/8"W
length 135 mm



SODASTREAM 000851

3357043 S/STEEL ECO TAP WITH COMPENSATOR
threaded connection 5/8 - shaft length 35 mm
shaft hole $\varnothing$ 10 mm
with knob return spring



SODASTREAM 006666

SODASTREAM 011926

3357042 TAP EVO1 W/COMPENSATOR CHROME PLATED
threaded fitting 5/8 - shaft length 56 mm
shaft hole $\varnothing$ 10 mm
with knob return spring



SODASTREAM 008675

SODASTREAM 013419

3357048 TAP W/COMPENSATOR CHROME PLATED
threaded fitting 1/2 - shaft length 56 mm
shaft hole $\varnothing$ 10 mm



SODASTREAM 000577

SODASTREAM 010876

3357051 TAP W/COMPENSATOR GOLD PLATED
threaded fitting 5/8 - shaft length 39 mm
shaft hole $\varnothing$ 9 mm
plastic spout - without foaming function



SODASTREAM 006130

SODASTREAM 010765

SODASTREAM 013834



Suitable for:

SODASTREAM



Suitable for:

Dispensing taps for beverage

3359314 PURE WATER FAUCET 1 LEVER CHROMEPLATED



SODASTREAM 005138

3359316 PURE WATER FAUCET 3 LEVERS CHROMEPLATED
with air mix nozzle



SODASTREAM 005767

Drip trays for refrigeration

3015049 GLASSFOUNTAIN ASSY WITH DRAINAGE



SODASTREAM 002841

3015051 WATER DISCHARGE KIT FOR SRIP TRAY



SODASTREAM 001831

3015052 S/STEEL DRIPTRAY 220x150xh30 mm
overcounter



SODASTREAM 002699

3015054 S/STEEL DRIPTRAY 400x220xh30 mm
overcounter



SODASTREAM 002701

3015056 S/STEEL DRIPTRAY 400x220xh30 mm
overcounter with lateral glassfountain and drainag



SODASTREAM 002710

3015055 S/STEEL RECESSED DRIPTRAY 400x220 mm
with lateral glass freshner and drainhole



SODASTREAM 002712

3015045 STAINLESS STEEL DRIP TRAY 300x180xh30 mm
overcounter



SODASTREAM 000456

3015051 WATER DISCHARGE KIT FOR SRIP TRAY



SODASTREAM 001831

Electronic boxes

- 3445275 ELECTRONIC CONTROL BOX CEM RL**
for level control and pump protection



SODASTREAM 001219

Fittings

- 3349183 BALL VALVE JG PPSV011223W**
M3/8"NPTF - pipe $\varnothing$ 9.52 mm



SODASTREAM 004039

- 3349182 BALL VALVE JG PPSV041212W**
pipe $\varnothing$ 9.52 mm



SODASTREAM 001921

- 3349113 BARBED CROSS-SHAPED NIPPLE $\varnothing$ 7 mm**
stainless steel



SODASTREAM 002287

- 3349115 BARBED JOINT NIPPLE 4.3x4.3 mm**
stainless steel



SODASTREAM 000722

- 3349117 BARBED JOINT NIPPLE 7x10 mm**
stainless steel



SODASTREAM 003065

- 3349114 BARBED JOINT NIPPLE 7x4.3 mm**
stainless steel



SODASTREAM 001693

- 3349116 BARBED JOINT NIPPLE 7x7 mm**
stainless steel



SODASTREAM 000720

- 3349112 BARBED T-TYPE NIPPLE 7x7x7 mm**
stainless steel



SODASTREAM 000726



SODASTREAM



Suitable for:

3349171 BENT FITTING JG SUPERSEAL SI421012S
pipe $\varnothing$ 8ss-9.52 mm



SODASTREAM 001919

Suitable for:

3349174 BULKHEAD FITTING JG NCPI1212S-P
pipe $\varnothing$ 9.52 mm



SODASTREAM 002051

3349173 BULKHEAD FITTING JG NC2478-P
pipe $\varnothing$ 6 mm



SODASTREAM 004580

3349175 BULKHEAD FITTING JG PI1216S
pipe $\varnothing$ 12.7 mm



SODASTREAM 001930

3349164 CAP NUT 1/2
spanner 16



SODASTREAM 000711

3349163 CAP NUT 7/16
spanner 14



SODASTREAM 000710

3349180 CROSS SHAPED FITTING JG PI4712S
pipe $\varnothing$ 9.52 mm



SODASTREAM 004125

3349231 ELBOW ADAPTER JG PI211208S
pipe $\varnothing$ 9.52-6.35 mm



SODASTREAM 004090

3349128 ELBOW ADAPTER JG PI211210S
pipe $\varnothing$ 9.52-8 mm



SODASTREAM 001925

3349129 ELBOW ADAPTER JG PI211610S
pipe $\varnothing$ 12.7-8 mm



SODASTREAM 001924

3349130 ELBOW ADAPTER JG PI211612S
pipe $\varnothing$ 12.7-9.52 mm



SODASTREAM 001591

3349126 ELBOW FITTING JG PI0312S
pipe $\varnothing$ 9.52 mm



SODASTREAM 001030

Suitable for:

3349127 ELBOW FITTING JG PI0316S
pipe $\varnothing$ 12.7 mm



SODASTREAM 001586

Suitable for:

3349122 ELBOW FITTING JG PM0308S
pipe $\varnothing$ 8 mm



SODASTREAM 001937

3349133 ELBOW FITTING JG SUPERSEAL SI031012S
pipe $\varnothing$ 8ss-9.52 mm



SODASTREAM 001038

3349134 ELBOW FITTING JG SUPERSEAL SI401210S
pipe $\varnothing$ 9.52ss-8ss mm



SODASTREAM 001589

3349131 ELBOW FITTING JG SUPERSEAL SM030808S
pipe $\varnothing$ 8ss-8 mm



SODASTREAM 001037

3349132 ELBOW FITTING JG SUPERSEAL SM400808S
pipe $\varnothing$ 8ss-8ss mm



SODASTREAM 001587

3349204 ELBOW HOSE-END FITTING JG PI051213S
M3/8"BSP - tail $\varnothing$ 9.52 mm



SODASTREAM 003479

3349209 ELBOW HOSE-END FITTING JG PI221210S
tang $\varnothing$ 9.52 mm - pipe $\varnothing$ 8 mm



SODASTREAM 001588

3349215 ELBOW HOSE-END FITTING JG PI221212S
tang $\varnothing$ 9.52 mm - pipe $\varnothing$ 9.52 mm



SODASTREAM 001029

3349216 ELBOW HOSE-END FITTING JG PI221616S
tang $\varnothing$ 12.7 mm - pipe $\varnothing$ 12.7 mm



SODASTREAM 001923

3349223 ELBOW HOSE-END FITTING JG PI291208S
tang $\varnothing$ 9.52 mm - tail $\varnothing$ 6.35 mm



SODASTREAM 002052

3349222 ELBOW HOSE-END FITTING JG PI291210S
tang $\varnothing$ 9.52 mm - tail $\varnothing$ 8 mm



SODASTREAM 001044



SODASTREAM



Suitable for:

3349207 ELBOW HOSE-END FITTING JG PM050813E
M3/8"BSP - tail ø 8 mm



SODASTREAM 005882

Suitable for:

3349208 ELBOW HOSE-END FITTING JG PM220606E
tang ø 6 mm - pipe ø 6 mm



SODASTREAM 004581

3349217 ELBOW HOSE-END FITTING JG PM221010E
tang ø 10 mm - pipe ø 10 mm



SODASTREAM 002405

3349177 FITTING TEE JG PM0208S
pipe ø 8 mm



SODASTREAM 001940

3349162 HEX NUT 1/2"
spanner 26



SODASTREAM 000659

3349161 HEX NUT 5/8"
spanner 26



SODASTREAM 000658

3349234 HOSE-END ADAPTER JG PI061206S
tang ø 9.52 mm - pipe ø 4.76 mm



SODASTREAM 003536

3349197 HOSE-END ADAPTER JG PI061208S
tang ø 9.52 mm - pipe ø 6.35 mm



SODASTREAM 004124

3349198 HOSE-END ADAPTER JG PI061210S
tang ø 9.52 mm - pipe ø 8 mm



SODASTREAM 001934

3349199 HOSE-END ADAPTER JG PI061610S
tang ø 12.7 mm - pipe ø 8 mm



SODASTREAM 001933

3349202 HOSE-END ADAPTER JG PI061612S
tang ø 12.7 mm - pipe ø 9.52 mm



SODASTREAM 001932

3349233 HOSE-END ADAPTER JG PM060604E
tang ø 6 mm - pipe ø 4 mm



SODASTREAM 004895



Suitable for:

SODASTREAM



3349196 HOSE-END ADAPTER JG PM060806E
tang $\varnothing$ 8 mm - pipe $\varnothing$ 6 mm



SODASTREAM 004960

Suitable for:

3349236 HOSE-END FITTING JG PI251208S
tang $\varnothing$ 9.52 mm - tail $\varnothing$ 6.35 mm



SODASTREAM 004220

3349218 HOSE-END FITTING JG PI251210S
tang $\varnothing$ 9.52 mm - tail $\varnothing$ 8 mm



SODASTREAM 001045

3349219 HOSE-END FITTING JG PI251216S
tang $\varnothing$ 9.52 mm - tail $\varnothing$ 12.7 mm



SODASTREAM 004451

3349221 HOSE-END FITTING JG PI251612S
tang $\varnothing$ 12.7 mm - tail $\varnothing$ 9.52 mm



SODASTREAM 003478

3349235 HOSE-END FITTING JG PM250808S
tang $\varnothing$ 8 mm - tail $\varnothing$ 8 mm



SODASTREAM 004217

3349220 HOSE-END FITTING JG PM251008E
tang $\varnothing$ 10 mm - tail $\varnothing$ 8 mm



SODASTREAM 002404

3349184 NON-RETURN VALVE JG 3/8SCV
pipe $\varnothing$ 9.52 mm



SODASTREAM 003605

3349237 NON-RETURN VALVE JG 6SCV
pipe $\varnothing$ 6 mm



SODASTREAM 004990

3349165 REDUCTION BUSHING 5/8" Mx1/2" F



SODASTREAM 001538

3349123 STRAIGHT ADAPTER JG PI201210S
pipe $\varnothing$ 9.52-8 mm



SODASTREAM 001928

3349124 STRAIGHT ADAPTER JG PI201610S
pipe $\varnothing$ 12.7-8 mm



SODASTREAM 001927



SODASTREAM



Suitable for:

3349125 STRAIGHT ADAPTER JG PI2016125
pipe $\varnothing$ 12.7-9.52 mm



SODASTREAM 001926

Suitable for:

3349120 STRAIGHT ADAPTER JG PM200806E
pipe $\varnothing$ 8-6 mm



SODASTREAM 005883

3349140 STRAIGHT FITTING JG PI010823S
M3/8"NPTF - pipe $\varnothing$ 6.35 mm



SODASTREAM 005898

3349139 STRAIGHT FITTING JG PI011202S
M1/4"BSPT - pipe $\varnothing$ 9.52 mm



SODASTREAM 001942

3349142 STRAIGHT FITTING JG PI011203S
M3/8"BSPT - pipe $\varnothing$ 9.52 mm



SODASTREAM 001943

3349144 STRAIGHT FITTING JG PI011603S
M3/8"BSPT - pipe $\varnothing$ 12.7 mm



SODASTREAM 001944

3349145 STRAIGHT FITTING JG PI011604S
M1/2"BSPT - pipe $\varnothing$ 12.7 mm



SODASTREAM 001945

3349121 STRAIGHT FITTING JG PI0412S
pipe $\varnothing$ 9.52 mm



SODASTREAM 001039

3349230 STRAIGHT FITTING JG PI0416S
pipe $\varnothing$ 12.7 mm



SODASTREAM 001935

3349195 STRAIGHT FITTING JG PI451015FS
F5/8"BSP flat end - pipe $\varnothing$ 8 mm



SODASTREAM 001948

3349186 STRAIGHT FITTING JG PI4512C5S
F1/2"-16UNS - pipe $\varnothing$ 9.52 mm



SODASTREAM 003776

3349192 STRAIGHT FITTING JG PI4512F4S
F7/16"UNF - pipe $\varnothing$ 9.52 mm



SODASTREAM 001040

Suitable for:

3349228 STRAIGHT FITTING JG PI451213S
F3/8" BSP flat end - pipe $\varnothing$ 9.52 mm



SODASTREAM 003477

Suitable for:

3349194 STRAIGHT FITTING JG PI451214FS
F1/2" BSP flat end - pipe $\varnothing$ 9.52 mm



SODASTREAM 003489

3349232 STRAIGHT FITTING JG PI451215CS
F5/8" BSP tapered end - pipe $\varnothing$ 9.52 mm



SODASTREAM 004626

3349193 STRAIGHT FITTING JG PI451215FS
F5/8" BSP flat end - pipe $\varnothing$ 9.52 mm



SODASTREAM 001041

3349187 STRAIGHT FITTING JG PI451222S
F1/4" NPTF - PIPE $\varnothing$ 9.52 mm



SODASTREAM 004041

3349135 STRAIGHT FITTING JG PM010611E
M1/8" BSP - pipe $\varnothing$ 6 mm



SODASTREAM 004991

3349138 STRAIGHT FITTING JG PM010612E
M1/4" BSP - pipe $\varnothing$ 6 mm



SODASTREAM 004805

3349137 STRAIGHT FITTING JG PM010802E
M1/4" BSPT - pipe $\varnothing$ 8 mm



SODASTREAM 004502

3349141 STRAIGHT FITTING JG PM010803S
M3/8" BSPT - pipe $\varnothing$ 8 mm



SODASTREAM 001941

3349136 STRAIGHT FITTING JG PM010811E
M1/8" BSP - pipe $\varnothing$ 8 mm



SODASTREAM 005139

3349143 STRAIGHT FITTING JG PM011013E
M3/8" BSP - pipe $\varnothing$ 10 mm



SODASTREAM 002406

3349119 STRAIGHT FITTING JG PM0406E
pipe $\varnothing$ 6 mm



SODASTREAM 004370



SODASTREAM



Suitable for:

3349188 STRAIGHT FITTING JG PM450612E
F1/4" BSP - pipe ø 6 mm



SODASTREAM 004169

Suitable for:

3349185 STRAIGHT FITTING JG PM4508C5S
F1/2"-16UNS - pipe ø 8 mm



SODASTREAM 004215

3349191 STRAIGHT FITTING JG PM4508F4S
F7/16" UNF - pipe ø 8 mm



SODASTREAM 001592

3349189 STRAIGHT FITTING JG PM450812E
F1/4" BSP - pipe ø 8 mm



SODASTREAM 003537

3349169 STRAIGHT FITTING JG SUPERSEAL SI041012S
pipe ø 8ss-9.52 mm



SODASTREAM 001034

3349170 STRAIGHT FITTING JG SUPERSEAL SI041212S
pipe ø 9.52ss-9.52 mm



SODASTREAM 004744

3349166 STRAIGHT FITTING JG SUPERSEAL SM040608E
pipe ø 6ss-8 mm



SODASTREAM 004214

3349168 STRAIGHT FITTING JG SUPERSEAL SM040808S
pipe ø 8ss-8 mm



SODASTREAM 001920

3349167 STRAIGHT FITTING JG SUPERSEAL SM410808E
pipe ø 8ss-8ss



SODASTREAM 001035

3349107 STRAIGHT NIPPLE WITH FLAT STEM 5/8"
brass nickelplated
barbed hose 4.3 mm



SODASTREAM 000680

3349146 STRAIGHT NIPPLE WITH FLAT STEM 5/8"
brass nickelplated
barbed hose 7 mm



SODASTREAM 000681

Suitable for:

3349106 STRAIGHT NIPPLE WITH STEM 1/2"
brass nickelplated
barbed hose 7 mm



SODASTREAM 000678

3349111 STRAIGHT NIPPLE WITH STEM 1/2"
stainless steel
hose-end fitting 7x8 mm



SODASTREAM 000701

3349104 STRAIGHT NIPPLE WITH STEM 5/8"
brass nickelplated
barbed hose 7 mm



SODASTREAM 000675

3349158 STRAIGHT NIPPLE 1/2"
stainless steel
barbed hose 4.5 mm



SODASTREAM 000717

3349159 STRAIGHT NIPPLE 1/2"
stainless steel
barbed hose 7.3 mm



SODASTREAM 000715

3349227 STRAIGHT NIPPLE 1/4"F
stainless steel
with barbed hose 9 mm



SODASTREAM 001963

3349156 STRAIGHT NIPPLE 7/16"
stainless steel
barbed hose 4.5 mm



SODASTREAM 000714

3349157 STRAIGHT NIPPLE 7/16"
stainless steel
barbed hose 7.3 mm



SODASTREAM 000712

3349178 T-FITTING JG PI0212S
pipe ø 9.52 mm



SODASTREAM 001031



SODASTREAM



Suitable for:

3349179 T-FITTING JG PI0216S
pipe ø 12.7 mm



SODASTREAM 001938

Suitable for:

3349176 T-FITTING JG PM0206E
pipe ø 6 mm



SODASTREAM 004120

3349203 TAIL HOSE-END FITTING JG PI051212S
M1/4"BSP - tail ø 9.52 mm



SODASTREAM 004632

3349118 THREAD JOINT NIPPLE 7/16\"Mx7/16\"M
stainless steel



SODASTREAM 000725

3349238 U FITTING JG PIUB16S
pipe ø 12.7



SODASTREAM 001033

3349225 Y FITTING JG PI2312S
pipe ø 9.52 mm



SODASTREAM 001032

3349224 Y FITTING JG PM2306E
pipe ø 6 mm



SODASTREAM 004286

3349229 Y FITTING JG PM2308S
pipe ø 8 mm



SODASTREAM 004040

3349154 90° CURVED NIPPLE WITH FLAT STEM 1/2"
brass nickelplated
barbed hose 7 mm



SODASTREAM 000672

3349147 90° CURVED NIPPLE WITH STEM 5/8"
brass nickelplated
barbed hose 4.3 mm



SODASTREAM 000662



Suitable for:

SODASTREAM



3349148 90° CURVED NIPPLE WITH STEM 5/8"
brass nickelplated
barbed hose 7 mm



SODASTREAM 000663

Suitable for:

3349155 90° CURVED NIPPLE WITH STEM 5/8"
stainless steel
hose-end fitting 7x8 mm



SODASTREAM 000686

Flowmeters

3455020 DIGIT LITERCOUNTER DIGITFLOW 8000T-L
fittings F3/8"npt
battery powered 2 batteries AAA 1.5V
3 diplays (capacity-time-flowrate)



SODASTREAM 005157

Gaskets and seals

3786173 CONICAL NYLON GASKET 1/2 BSF RED
for COCA COLA



SODASTREAM 000719

3786172 CONICAL NYLON GASKET 7/16" WHITE



SODASTREAM 000718

3786214 CO2 PRESSURE REDUCER WASHER
ø 17x12xh2 mm



SODASTREAM 001057

3786213 KIT SPARE PARTS WASHERS FOR EVO TAPS



SODASTREAM 005017

3786177 SOFT PVC GASKET 1/2"G
ø 18x13.5x2 mm



SODASTREAM 000770

3786178 SOFT PVC GASKET 5/8"G
ø 20x13.2x2 mm



SODASTREAM 000769



Suitable for:

SODASTREAM



Suitable for:

Hydraulic piping

3449131 COPPER RECIRCULATION 8x0.75 mm
length 500 mm



SODASTREAM 001078

3449123 HOSE MDP 6.7x9.5 mm - 100 m BLUE



SODASTREAM 002520

3449125 HOSE MDP 6.7x9.5 mm - 100 m GREEN



SODASTREAM 002522

3449121 HOSE MDP 6.7x9.5 mm - 100 m NEUTRAL



SODASTREAM 001295

3449122 HOSE MDP 6.7x9.5 mm - 100 m RED



SODASTREAM 002515

3449124 HOSE MDP 6.7x9.5 mm - 100 m YELLOW




SODASTREAM 002521

3449118 HOSE MDP 6x4 mm - 100 m BLUE



SODASTREAM 005204

3449119 HOSE MDP 8x4 mm - 100 m NEUTRAL



SODASTREAM 001291

3449120 HOSE MDP 9.5x12.7 mm - 100 m NEUTRAL



SODASTREAM 002514

3449134 1-WAY S/STEEL PRODUCT LINE 7x8
nut 5/8 - with recirculation
for hole 130/150 - shaft 35 mm



SODASTREAM 001075

Inlet hoses

3449127 HIGH PRESSURE HOSE FOR CO2 REDUCER
length 1300 mm
fittings 1/2" M - 1/2" F



SODASTREAM 000462

3449128 HIGH PRESSURE HOSE FOR N2 REDUCER
length 1300 mm
fittings 1/2" M - 1/2" F



SODASTREAM 000463

Labels for control panels

3399110 ROUND CHROMEPLATED BADGE HOLDER ø 90 mm
spacer ring 5/8



SODASTREAM 006568


3399128 THREADED PIECE M5x16 mm



SODASTREAM 002538

Motors

3240846 MOTOAGITATOR CEM MC-AR
230V 50Hz 34W 2800 Rpm



SODASTREAM 002230

3240806 MOTOAGITATOR TRIAL AAA20C-010
230V 50/60Hz



SODASTREAM 005928

3240845 MOTOAGITATOR WITH PUMP CEM HB
230V 50Hz 58W 2780 Rpm
total head 6 m



SODASTREAM 001900

3240839 MOTOAGITATOR WITH PUMP CEM MC-13
230V 50Hz 76W 0.65A 2780 Rpm
total head 13 m



SODASTREAM 001277


SODASTREAM 009479

3240844 MOTOAGITATOR WITH PUMP CEM MC-8P
230V 50Hz 38W 2800 Rpm
total head 8 m



SODASTREAM 001901

3240847 MOTOAGITATOR WITH PUMP SPC51 TOTTON
230V 50Hz



SODASTREAM 007664

SODASTREAM 011105



SODASTREAM



Suitable for:

3240211 MOTOR ELCO VN 10-20 PENTAVALENT
230V 50/60Hz 10/38W 1300rpm



SODASTREAM 000479

Suitable for:

3240902 MOTOR ELCO VN 16-25 PENTAVALENT
230V 50/60Hz 16/65W 1300rpm



SODASTREAM 002322

3240210 MOTOR ELCO VN 5-13 PENTAVALENT
230V 50/60Hz 5/32W 1300rpm



SODASTREAM 000311

3240849 MOTOR RPM C019205 230V 165W
50Hz 1.6A 1360Rpm
with ignition capacitor 8 μ F
clamp pump connection



SODASTREAM 002360

SODASTREAM 010920

3240848 MOTOR ULKA MIGNON 1/8HP 230V 120W
50Hz 1400Rpm
with ignition capacitor 6.3 μ F
clamp pump connection




SODASTREAM 003686

3240811 MOTOR ULKA 1/4HP 230V 180W
50Hz 1400 Rpm
with ignition capacitor 12.5 μ F
clamp pump connection



SODASTREAM 001674

3240802 MOTOR ULKA 1/8HP 230V 120W
50Hz 1400 Rpm
with ignition capacitor 8 μ F
clamp pump connection



SODASTREAM 003932

Pressure gauges

3245012 PRESSURE GAUGE CO2 HP 0-250 bar 1/4G
in compliance with DIN regulations



SODASTREAM 001048

3245011 PRESSURE GAUGE CO2/N2 LP 0-10 bar 1/4G
check line at 4.8 in compliance with DIN regulatio



SODASTREAM 001047



Suitable for:

SODASTREAM



- 3245014 PRESSURE GAUGE H2O**
rear fitting 1/4
scale 0-10 bar
dia 64 mm



SODASTREAM 002297

Pressure reducers

- 3349096 BALLCOCK VALVE 7/16"F-7/16"M**



SODASTREAM 000649

- 3350051 CO2 PRESSURE REDUCER 0-6 bar**
JG joint 6 mm



SODASTREAM 005134

SODASTREAM 007220

- 3350049 H2O DIAPHRAGM PRESSURE REDUCER**
3/8Fx3/8F
outlet pressure 3 bar
adjustable



SODASTREAM 002296

- 3350053 PLASTIC REDUCER SUPPORT SHAFT**



SODASTREAM 007077

- 3350042 PRESSURE REGULATOR CO2 1x7/16"**
safety valve at 4.8 bar



SODASTREAM 000458

SODASTREAM 006877


SODASTREAM 013514

- 3350043 PRESSURE REGULATOR CO2 2x7/16"**
safety valve at 4 bar



SODASTREAM 006879

- 3349095 Y-MIXER FOR REDUCER CO2**
2outlets 7/16"M with ball valve
1 inlet 7/16"F



SODASTREAM 000650



Suitable for:

SODASTREAM



Suitable for:

Pump motors

3122593 ELECTROPUMP AQUATEC CAR6001
24V 50Hz with transformer
for carbonation
100L/h



SODASTREAM 007349

3122600 ELECTROPUMP ITT-AMETEK 600230V150
230V 50/60Hz
for carbonation
in/out 3/8" F



SODASTREAM 009474

SODASTREAM 9474

3122589 IMMERSED ELECTROPUMP NEWA MAXI JET 750
230V 50Hz 7.5W
flowrate 670 L/h



SODASTREAM 000960

3122594 PNEUMATIC PUMP SHURFLO 166-257-42
for beer



SODASTREAM 002233

3122495 PNEUMATIC PUMP SHURFLO 166-296-28
syrup outlet tang 9.5 mm



SODASTREAM 002231

Quick couplings

3213002 QUICK CONNECTION COCA COLA GAS 1/2"BSF



SODASTREAM 002044

3213004 QUICK CONNECTION COCA COLA LIQUID 1/2"BSF



SODASTREAM 002045

3213005 QUICK CONNECTION JOLLY GAS 7/16



SODASTREAM 002042

3213006 QUICK CONNECTION JOLLY LIQUID 7/16



SODASTREAM 002043

Spout columns for beverage equipment

3059033 BAR-GUN FOR SELTZ



SODASTREAM 004946

SODASTREAM 012331

3059036 DISPENSING TOWER AIRONE 1 WAY
chromeplated - with delivery pipes



SODASTREAM 000415

SODASTREAM 005821

3059039 DISPENSING TOWER AIRONE 2 WAYS
chromeplated - with delivery pipes



SODASTREAM 000420

SODASTREAM 005823

3059035 DISPENSING TOWER FENICE 1 WAY
in aluminium - with delivery pipes



SODASTREAM 008411

3059037 DISPENSING TOWER GABBIANO 1 WAY
chromeplated - with delivery pipes



SODASTREAM 004936

SODASTREAM 011404

3059034 DISPENSING TOWER VIPER 1 WAY
chromeplated - with delivery pipes



SODASTREAM 006363

3059046 FIXING BRASS NUT 1"



SODASTREAM 001225

3059045 S/STEEL ELLIPTIC RING ASSY ø 150 mm
length 650 mm - without holes



SODASTREAM 003346

Technical gases

3170045 CO2 CYLINDER ADAPTOR



SODASTREAM 007884

3235102 CYLINDER CO2 600 g
alimentary carbon dioxide



SODASTREAM 004579



Suitable for:

SODASTREAM



Suitable for:

Thermostats

3444837 RANCO THERMOSTAT K50 H2005

2 contacts 6A 250V
capillary 1500 mm
D-shaped pin $\varnothing$ 6x4.6 mm



SODASTREAM 001095

3444919 THERMOSTAT RANCO K50 P1115

2 contacts 6A 250V
capillary 2000 mm
COLD +1.5°C - WARM +11.0°C
D shaft $\varnothing$ 6x4.6 mm



SODASTREAM 000196

3444836 THERMOSTAT RANCO 016-6999

icebank control



SODASTREAM 000854

Water purification filters

3600032 FILTER CARTRIDGE EVERPURE AC

for water treatment for TECHNICAL purposes
it provides effect, reduction of tastes and odours
it retains impurities up to 0.5 microns
suitable for cold water: 2-38°C
diameter 79 mm - overall height 260 mm
operating range 2800 litres
operating pressure 0.7-8.5 bar
flow rate 1.9 L/min



SODASTREAM 004806

3600106 FILTER CARTRIDGE EVERPURE MC2

for water treatment for TECHNICAL purposes
it provides effective reduction of chlorine,
reduction of water tastes and odours
it retains impurities up to 0.5 microns
suitable for cold water: 2-38°C
diameter 79 mm - overall height 525 mm
operating range 34000 litres
operating pressure 0.7-8.5 bar
flow rate 6.3 l/min



SODASTREAM 002278

3600001 FILTER CARTRIDGE EVERPURE 4C

for water treatment for TECHNICAL purposes
it provides effective reduction of chlorine,
reduction of water tastes and odours
it retains impurities up to 0.5 microns
suitable for cold water: 2-38°C
diameter 79 mm - overall height 375 mm
operating range 11300 litres
operating pressure 0.7-8.5 bar
flow rate 1.9 l/min



SODASTREAM 002277

3600104 QUICK CONNECTION HEAD QL2-HO

with mounting bracket
without closing tap



SODASTREAM 002276



Suitable for:

SODASTREAM



3092332 SCALEKLEEN SPECIAL CARTRIDGE



SODASTREAM 007758

Suitable for:

3010216 UV WATER PURIFIER QL2-4C/UV
for water treatment for TECHNICAL purposes
connections $\varnothing$ 3/8"
max water temperature 38°C
max pressure 10 Bar
cartridge flow rate LC 114 L/H
UV rays flow rate 228 l/h
operating range 11300 L.
UV lamp 240V 50Hz
for WATER DISPENSERS



SODASTREAM 003030

Water valves

3525024 ANTI-FLOODING VALVE WATER BLOCK

connections $\varnothing$ 3/4"F-3/4"M
min flow rate 2 l/min - max 30 l/min
water temperature +2°C/70°C
operating pressure 0.2/10 bar
TUV - WRAS approved
Water Block is an anti-flooding safety device that controls the passage of a nominal water volume between 5-50 litres.
Its function is to measure the number of litres passing through it. If such amount exceeds the set value, the Water Block blocks the water flow and stops the delivery until user intervention.
Electric current is not needed.
Not suitable for the USA market.



SODASTREAM 004890

3525025 RESET DEVICE FOR ANTI-FLOODING VALVE



SODASTREAM 005090

3525025 RESET DEVICE FOR ANTI-FLOODING VALVE



SODASTREAM 005090

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide



LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi - info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com



EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com



LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de



LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com



OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru



LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es



LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch



LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk



AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com



AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at



BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com



BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com



CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz



DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com



JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp



SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com



TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com



USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us