



Spare parts for:

Food processing equipment



Suitable for:

ABM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

ABM



Suitable for:

Accident prevention devices-protections

9014171 POLYCARBONATE CARRIAGE PROTECTION

max.overall dimensions 235x235 mm
distance between holes 156 mm
for Slicer (ABM) 935G



ABM

9716010 POLYCARBONATE CARRIAGE PROTECTION

max.overall dimensions 180x220 mm
distance between holes 165 mm
for Slicer (ABM)



ABM

Bearings

9004011 BEARING 607 ZZ MOUNTED ON BUSHING

external teflon bushing
external \varnothing 24 mm - internal \varnothing 7 mm - thickness 7 mm
for Slicer (ABM)
for Slicer (ARSA)
for Slicer (BIZERBA)
for Slicer (GENERAL MACHINE)
for Slicer (KOLOSSAL)



ABM

Belts

9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES

for Slicer (ABM)
for Slicer (CELME)
for Slicer (ESSEDUE) 300
for Slicer (MARWEL) 30E
for Slicer (RGV) 250 - 250S
for Slicer (RHENINGHAUS-TECMAL) STELLINA
for Slicer (SAMMIC) GC-275
for Slicer (SIRMAN) CANOVA250CE - CANOVA275CE
CANOVA300CE - MINI250CE



ABM

9003529 V BELT 8x355 mm T14

for Slicer (ABM) 250AGS - 275AGS - 300I
for Slicer (ABO) 300V
for Slicer (FAC) 300
for Slicer (ITALIANA MACCHI) 330
for Slicer (LEO)
for Slicer (SIRMAN) 350



ABM

9003531 V BELT 8x400 mm T15 3/4

for Slicer (ABM) AGS330 - AGS350S - 935S



ABM

9003534 V BELT 8x430 mm T17

for Slicer (ABM) AS300V - AS350V - 835 - 837



ABM



ABM



Suitable for:

9003535 V BELT 8x450 mm T17 3/4
for Slicer (ABM) 275 - 300M



ABM

9003537 V BELT 8x530 mm T20 3/4
for Slicer (ABM) 330 - 350 - 370V - 835 - 837
937



ABM

9003504 V-BELT 6x280 mm
for (OMEGA)
for (RHENINGHAUS-TECMAL)
for Slicer (ABM)
for Slicer (ABO) 220
for Slicer (FAC) 220



ABM

Suitable for:

9003536 V BELT 8x475 mm T18 3/4
for Slicer (ABM) AS275V - AS300V
for Slicer (AUREA) 370I
for Slicer (ITALIANA MACCHI) 330 - 350 - 370
for Slicer (SIRMAN) 300V



ABM

9003542 V BELT 8x710 mm T28
for Slicer (ABM) 330 - 350V



ABM

9003539 V-BELT 8x580 mm T23
for Slicer (ABM) AS330 - 350



ABM

Blades for meat slicer

9006558 BLADE 300-40-4-254 MOD.C W/EXTRACT.HOLES
B = external \varnothing 300 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 254 mm
4 fixing screws
with extraction holes
forged 100CR6 stainless steel



ABM

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES
B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



ABM



Suitable for:

ABM



9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



ABM

Suitable for:

9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



ABM

9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C

B = external \varnothing 220 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 180 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35



ABM

9006520 ST. STEEL BLADE \varnothing 275-40-4-218 MOD.C

B = external \varnothing 275 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 218 mm
4 fastening screws
100CR6 forged stainless steel



ABM

9006527 ST. STEEL BLADE \varnothing 300-40-4-254 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 254 mm
4 fastening screws
100CR6 forged stainless steel



ABM

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel



ABM

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



ABM

9006545 ST. STEEL BLADE \varnothing 370-57-4-300 MOD.C

B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
100CR6 forged stainless steel



ABM



Suitable for:

ABM



Suitable for:

9006503 WHEEL TYPE BLADE \varnothing 330-25.4 mm MOD.A

external \varnothing 330 mm
central hole \varnothing 25.4 mm
100CR6 forged stainless steel



ABM

Bushes

9002550 GLACIER BUSH \varnothing 22-19x22 mm

external \varnothing 22 mm
internal \varnothing 19 mm
height 22 mm
for Slicer (ABM) AGS300



ABM

Eccentrics

9707021 PLASTIC ECCENTRIC ABM \varnothing 90 mm

internal hole 18 mm - overall height 35 mm
grooving 8 mm
for Slicer (ABM) 2350S - 800G - 800V - 835 - 837



ABM Z9CAM

Emeries for blades

9013003 CUP GRINDERS 40-12-10

A = external \varnothing 40 mm
B = hole \varnothing 12 mm
H = height 10 mm
COARSE GRAIN



ABM

9013220 EMERY WHEEL WITH STEP AND HUB 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
COARSE GRAIN
for Slicer (ABM) AGS350
for Slicer (HOBART) TI33 - 1712 - 2350
for Slicer (SIRMAN) GEMMA330 - GEMMA350 - SELCE350
SELCE370 - VASBS350 - VASBS370 - VCS350
VCS370



ABM



Suitable for:

5033433 RIMMED GRINDER 45-10-8

A = external \varnothing 45 mm
B = hole \varnothing 10 mm
H = height 8 mm
COARSE GRAIN



ABM

9013209 RIMMED GRINDERS WITH HUB 45-6-8

A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (FAC) F300E
for Slicer (GENERAL MACHINE) GL - GLS - GXL
for Slicer (MISTRO) B33 - GS350
for Slicer (RGV) 250A - 350



ABM

9013219 RIMMED GRINDERS WITH HUB 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
FINE GRAIN
for Slicer (ABM) AGS350
for Slicer (BERKEL) CX350
for Slicer (FIA-BOSTON) STIL
for Slicer (HOBART) TI33 - 1712 - 2350
for Slicer (OMAS) TGI330 - TGI350



ABM

ABM



Suitable for:

9013202 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
COARSE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



ABM

9013210 RIMMED GRINDERS WITH HUB 45-6-8


A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 8 mm
COARSE GRAIN
for Slicer (FAC) F300E
for Slicer (GENERAL MACHINE) GL - GLS - GXL
for Slicer (HOBART) TA30
for Slicer (MISTRO) B33 - GS350
for Slicer (RGV) 250A - 350



ABM

9013105 RIMMED GRINDERS 40-10-8

A = external \varnothing 40 mm
B = hole \varnothing 10 mm
H = height 8 mm
FINE GRAIN
for Slicer (ABM) 900



ABM



ABM



Suitable for:

9251004 RIMMED GRINDERS 45-10-7

A = external \varnothing 45 mm
B = hole \varnothing 10 mm
H = height 7 mm
FINE GRAIN



ABM

Suitable for:

9013128 RIMMED GRINDERS 50-6-9

A = external \varnothing 50 mm
B = hole \varnothing 6 mm
H = height 9 mm
COARSE GRAIN



ABM

9013152 RIMMED GRINDERS 52-10-8

A = external \varnothing 52 mm
B = hole \varnothing 10 mm
H = height 8 mm
COARSE GRAIN
for Slicer (ABM) 90



ABM

9013148 STEPPED EMERY WHEEL 45-6-10

A = \varnothing external \varnothing 45 mm
B = \varnothing hole \varnothing 6 mm
H = height 10 mm
FINE GRAIN
for Slicer (ABM) AGS350
for Slicer (SIRMAN) AUTOMATICA300 - GEMMA300
GEMMA300CE - QUARZO250 - QUARZO275 - QUARZO300
VAS250CE - VAS275 - VCO250CE - VCO275CE
VCO300CE - VCS300CE



ABM

Gear Protectors

9010001 GEAR PROTECTION BIZERBA



ABM

Knobs

9007462 BLACK TIMER KNOB \varnothing 18x155 mm

pin \varnothing 18x95 mm
knob \varnothing 67 mm
mounting frame \varnothing 68 mm



ABM



Suitable for:

ABM



Suitable for:

Microswitches

9014014 MAGNETIC MICROSWITCH \varnothing 6x29 mm
 0.5A 250V - contact NO
 with cable length 750 mm
 for Slicer (ABM) B1200 - F2000 - F3000 - F4000
 HB3000
 for Slicer (SO.WE.BO.) - Series CS



ABM Z9AMR

Pins

9011000 PIN FOR SLICER BLADE COVER
 square part 12x12 mm - hole \varnothing 8 mm
 fastening thread M12 - overall height 16 mm
 for Slicer (ABM) 300 - 370 - 937



ABM

9011001 PIN FOR SLICER BLADE COVER
 square part 15x15 mm - hole \varnothing 8 mm
 fastening thread M12 - overall height 23 mm
 for Slicer (ABM) 350 - 370
 for Slicer (OMS) 350 - 370



ABM

Slice protectors

9009500 STAINLESS STEEL SLICE GUARD FOR SLICER
 external dimensions 100x118 mm
 distance between holes 70 mm
 for Slicer (ABM) AGS250 - AGS275 - AGS300



ABM

9009504 STAINLESS STEEL SLICE GUARD FOR SLICER
 external dimensions 192x116 mm
 distance between holes 129 mm
 for Slicer (ABM) 350 - 370



ABM

Tie rods for blade cover

9013536 BLADE COVER TIE ROD SHAFT 140mm PITCH M8
 for Slicer (ABM) AG250



ABM

9013539 BLADE COVER TIE ROD SHAFT 170mm PITCH M8
 micro support \varnothing 13x35 mm
 for Slicer (ABM) AS350 - AS370



ABM



Suitable for:

9714010 BLADE COVER TIE ROD SHAFT 170mm PITCH M8

micro support \varnothing 12x30 mm
for Slicer (ABM) 350 - 370



ABM

ABM



Suitable for:

9013532 BLADE COVER TIE ROD SHAFT 195mm PITCH M6

micro support \varnothing 10x70 mm
for Slicer (AMB) AGI300 - AGI330 - GE116



ABM