



Spare parts for:

Food processing equipment



Suitable for:

ABO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ABO



Suitable for:

Accident prevention devices-protections

- 9716009 POLYCARBONATE CARRIAGE PROTECTION**
 maximum overall dimensions 250x350 mm
 for Slicer (ABO) 350



ABO

Bearings

- 9063036 BEARING 608 Z MOUNTED ON BUSHING**
 external nylon bushing
 external \varnothing 28 mm - internal \varnothing 8 mm -thickness 9 mm
 for Slicer (ABO)
 for Slicer (AGHETTO UNIVERSAL)
 for Slicer (OMEGA)
 for Slicer (REGINA)



ABO

- 9004000 BEARING 608 ZZ**
 external \varnothing 22 mm - internal \varnothing 8 mm -thickness 7 mm
 for Slicer (ABO)
 for Slicer (GENERAL MACHINE)



ABO

- 9063026 BEARING 638 Z MOUNTED ON BUSHING**
 external nylon bushing
 external \varnothing 24 mm -internal \varnothing 10 mm-thickness 10 mm
 for Slicer (ABO) 350



ABO

Belts

- 9062090 BELT MULTIGRIP J 432 H28 11 GROOVES**
 for Slicer (ABO) 370
 for Slicer (CEG) 370
 for Slicer (MARWEL) AZ350 - AZ390
 for Slicer (OMEGA)



ABO

- 9003656 MULTIGRIP BELT TB2 310 H20 9 GROOVES**
 for Slicer (ABO) 300G



ABO




ABO



Suitable for:

9062095 MULTIGRIP BELT TB2 330 H22 10 GROOVES
 for Slicer (ABO) 300I
 for Slicer (GENERAL MACHINE) 300 - 330 - 350I



ABO

Suitable for:

9003664 MULTIGRIP BELT 400 TB2 H16 7 GROOVES
 for Slicer (ABO) 300V
 for Slicer (ADMIRAL) G35 - G37
 for Slicer (CELME)
 for Slicer (FIMAR) 350G
 for Slicer (LEO)



ABO

9003544 V BELT 10x355 mm Z14
 for Slicer (ABO) 330G - 350G - 370G
 for Slicer (OMEGA) V33



ABO

9003506 V BELT 6x320 mm Y343
 for Slicer (ABO)
 for Slicer (ATOMA) 220
 for Slicer (FAC)
 for Slicer (OMAS)
 for Slicer (OMEGA) PASTORE250
 for Slicer (REGINA)
 for Slicer (SWINFORD) 275 - 300



ABO

9003507 V BELT 6x330 mm Y352
 for Slicer (ABO) 220 - 250 - 275 - 300G - 300V
 for Slicer (AGHETTO UNIVERSAL) 275G
 for Slicer (ATOMA)
 for Slicer (LEO) 275 - 300
 for Slicer (OBERWERK)
 for Slicer (OMEGA) AG300
 for Slicer (SWINFORD)



ABO

9003512 V BELT 6x372 mm Y394
 for Slicer (ABO) 300V - 330 - 350 - 370
 for Slicer (LARIO CURIONI) 275
 for Slicer (LEO) 350
 for Slicer (OMEGA) V330AS
 for Slicer (RHENINGHAUS-TECMAL)



ABO

9003514 V BELT 6x380 mm Y411
 for Slicer (ABO)
 for Slicer (LEO) 350
 for Slicer (SWINFORD) 300



ABO

9003516 V BELT 6x425 mm Y441
 for Slicer (ABO) 350 - 370V
 for Slicer (OBERWERK) 275V
 for Slicer (SWINFORD)



ABO



Suitable for:

9003529 V BELT 8x355 mm T14
 for Slicer (ABM) 250AGS - 275AGS - 300I
 for Slicer (ABO) 300V
 for Slicer (FAC) 300
 for Slicer (ITALIANA MACCHI) 330
 for Slicer (LEO)
 for Slicer (SIRMAN) 350



ABO

9003528 V-BELT 8x315 mm T12 1/5
 for Slicer (ABO) 300G
 for Slicer (ARSA) 300V - 330
 for Slicer (FAC) 250I
 for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS
 for Slicer (OMAS) GF
 for Slicer (OMEGA)
 for Slicer (REGINA) 250 - 275 - 300



ABO

ABO



Suitable for:

9003502 V-BELT 6x250 mm
 for Slicer (ABO) MIGNON



ABO

Blade guides

9016402 BLADE GUIDE ø 40 mm ABO
 external ø 40 mm
 height 10 mm
 for Bone bandsaw (ABO)



ABO

9016413 COMPLETE BLADE GUIDE ABO
 for Bone bandsaw (ABO)



ABO

Blades for meat slicer

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES
 B = external ø 300 mm
 D = central hole ø 57 mm
 C = blade internal ø 254 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



ABO

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES
 B = external ø 330 mm
 D = central hole ø 57 mm
 C = blade internal ø 270 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



ABO



Suitable for:

ABO



9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



ABO

Suitable for:

9006509 ST. STEEL BLADE \varnothing 220-25.4-4-180 MOD.C


B = external \varnothing 220 mm
D = central hole \varnothing 25.4 mm
C = blade internal \varnothing 180 mm
4 fastening screws
100CR6 forged stainless steel



ABO

9006517 ST. STEEL BLADE \varnothing 275-25.4-4-220 MOD.C

B = external \varnothing 275 mm
D = central hole \varnothing 25.4 mm
C = blade internal \varnothing 220 mm
4 fastening screws
100CR6 forged stainless steel



ABO

9006520 ST. STEEL BLADE \varnothing 275-40-4-218 MOD.C

B = external \varnothing 275 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 218 mm
4 fastening screws
100CR6 forged stainless steel



ABO

9006528 ST. STEEL BLADE \varnothing 300-57-4-254 MOD.C


B = external \varnothing 300 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 254 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E - TGI330



ABO

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel



ABO

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



ABO

9006515 STAINL. STEEL BLADE \varnothing 250-40-3-210 MOD.C

B = external \varnothing 250 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 210 mm
3 fastening screws
forged 100CR6 stainless steel



ABO



Suitable for:

ABO

Suitable for:



Bushes

9002551 GLACIER BUSH \varnothing 14-12x15 mm

external \varnothing 14 mm
internal \varnothing 12 mm
height 15 mm



ABO

9002552 GLACIER BUSH \varnothing 18-16x10 mm

external \varnothing 18 mm
internal \varnothing 16 mm
height 10 mm



ABO

9002500 GLACIER BUSH \varnothing 25-22x25 mm

external \varnothing 25 mm
internal \varnothing 22 mm
height 25 mm
for Slicer (BRAHER) MAT292 - MAT320 - MAT350



ABO

Emeries for blades

9013000 CUP GRINDERS 40-7-10

A = external \varnothing 40 mm
B = hole \varnothing 7 mm
H = height 10 mm
FINE GRAIN



ABO

9013013 CUP GRINDERS 48-14.3-15

A = external \varnothing 48 mm
B = hole \varnothing 14.3 mm
H = height 15 mm
COARSE GRAIN
for Slicer (ABO) MIA300
for Slicer (ARSA) G - GP
for Slicer (CEG) AG300 - BF - VX350
for Slicer (OMAS) A31 - C300 - C350



ABO

9013132 RIMMED GRINDERS 50-7-8

A = external \varnothing 50 mm
B = hole \varnothing 7 mm
H = height 8 mm
COARSE GRAIN



ABO

9013143 RIMMED GRINDERS 51-14.3-7

A = external \varnothing 51 mm
B = hole \varnothing 14.3 mm
H = height 7 mm
FINE GRAIN
for Slicer (ABO) MIA300
for Slicer (BERKEL) LP320
for Slicer (CEG) AG300 - BF300
for Slicer (OMAS) C350CE



ABO

Gear Protectors

9010003 COMPLETE GEAR PROTECTION OMAS

ABO

9010002 GEAR PROTECTION ANICINO BIZERBA

ABO

Gears

9005520 COMPLETE 31-TOOTH GEAR IN NYLON

external \varnothing 63 mm
internal \varnothing 38 mm
height 20 mm
6 fittings
gear protection \varnothing 8 mm
for REGINA SLICER
for Slicer (REGINA)



ABO

Handles

9014157 PLATE-PUSHING HANDLE 125 mm
distance between mounting holes 26 mm
thread \varnothing 5 mm
for Slicer (ABO)



ABO

Knobs

9007462 BLACK TIMER KNOB \varnothing 18x155 mm

pin \varnothing 18x95 mm
knob \varnothing 67 mm
mounting frame \varnothing 68 mm



ABO LF-9242046



Suitable for:

ABO

Suitable for:



Pins

9015001 PIN FOR MEAT MINCER 22 ABO

shaft \varnothing 11 mm
square part 12.6x12.6 mm
thread \varnothing 14x20 mm
flange \varnothing 20 mm



ABO

9015002 PIN FOR MEAT MINCER 32 ABO

shaft \varnothing 13 mm
square part 14.2x14.2 mm
thread \varnothing 21.8x22 mm
flange \varnothing 26 mm



ABO

9011004 PIN FOR SLICER BLADE COVER

hexagonal part side 19 mm - hole \varnothing 7 mm
fastening thread M12 - overall height 63 mm
cylindrical part \varnothing 12x45 mm
for Slicer (ABO) 330



ABO

Rolls for graters and spares

9016501 GRATER ROLLER ABO

external \varnothing 83 mm - internal \varnothing 79 mm
roller length 150 mm



ABO

Scrapers and accessories

9016066 SCRAPER FOR BONE BANDSAW

for Bone bandsaw (ABO)



ABO

9016070 SCRAPER FOR BONE BANDSAW

for Bone bandsaw (ABO)



ABO



Sharpeners

9000004 BLADE SHARPENER ABO
with cover
mounting distance 46 mm



ABO

Slice protectors

9009505 BIG/SMALL SLICE GUARD FOR SLICER
external dimensions large 110x73 mm
distance between holes large 83 mm
external dimensions small 90x63 mm
small distance between holes 63 mm
for Slicer (ABO)



ABO

9711011 PLEXIGLAS SLICE GUARD FOR SLICER
external dimensions 110x73 mm
distance between holes 84 mm
for ABO SLICER 250



ABO

9711010 PLEXIGLASS SLICE GUARD FOR SLICER
external dimensions 90x64 mm
distance between holes 63 mm
for Slicer (ABO)



ABO

Tie rods for blade cover

9013531 BLADE COVER TIE ROD SHAFT 146mm PITCH M6
for Slicer (OMS) 220
for Slicer (RGV) DOLLY250 - DOLLY250/S



ABO LF-9714009

9013500 BLADE COVER TIE ROD SHAFT 183mm PITCH M7
for Slicer (ABO)



ABO



ABO



Suitable for:

9714024 **BLADE COVER TIE ROD SHAFT 187mm PITCH M7**
for Slicer (ABO) 350

Suitable for:

9013501 **BLADE COVER TIE ROD SHAFT 257mm PITCH M7**
for Slicer (ABO)



ABO



ABO