



Spare parts for:

Food processing equipment



Suitable for:

ALA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

ALA



Suitable for:

Belts

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES

for Slicer (ALA) F300E - 8300
 for Slicer (BOSTON) 300
 for Slicer (FAC) 350V
 for Slicer (FIA-BOSTON) 300
 for Slicer (GENERAL MACHINE) 350I
 for Slicer (SIRMAN) AGATA300 - AUTOMATICA300CE
 AUTOMATICA330CE - GEMMA300 - GEMMA300CE
 GEMMA300UL - GEMMA330 - GEMMA330CE
 GEMMA330UL - GEMMA350CE - GEMMA350UL
 PALLADIO300CE - PALLADIO330CE - PALLADIO350CE



ALA 4582101903

Blades for meat slicer

9006523 ST. STEEL BLADE ø 300-40-3-245 MOD.C

B = external ø 300 mm
 D = central hole ø 40 mm
 C = blade internal ø 245 mm
 3 fastening screws
 100CR6 forged stainless steel
 for Slicer (ALA 2000) F300E - 8300 - 8300CE - 9300
 9300CE
 for Slicer (RGV) DOLLY300/S



ALA 4031133990

9710056 ST. STEEL BLADE ø 250-40-3-218 MOD.C

B = external ø 250 mm
 D = ø central hole 40 mm
 C = blade internal ø 218 mm
 locking screws n°3
 100CR6 shaped STAINLESS STEEL
 for Slicer (ALA 2000) 827MI
 for Slicer (CELME) GPE250



ALA 4031102980

Capacitors

3068014 CAPACITOR µF 8 450V 50/60Hz

operating temperature -25+85°C
 in compliance with EEC 93/68 and 92/31 regulations
 for Slicer (ALA) F300E - 8300 - 9300
 for Slicer (BRAHER) ELEKG250 - ELEKG275 - ELEKK220
 USA250 - USA280 - USA300 - USA320
 for Slicer (RGV) DOLLY250 - DOLLY250S



ALA 1045205003

Electronic printed-circuit boards

9014026 SINGLE-PHASE PUSH-BUTTON PANEL KIT 0.5HP

external dimensions 115x38 mm
complete with quick connection push-button
for small SLICER
for Slicer (ESSEDUE) 300E
for Slicer electric (BERMEN) AR30F



ALA

Emeries for blades

9013201 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
FINE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



ALA

9013202 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
COARSE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



ALA

9013209 RIMMED GRINDERS WITH HUB 45-6-8

A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (FAC) F300E
for Slicer (GENERAL MACHINE) GL - GLS - GXL
for Slicer (MISTRO) B33 - GS350
for Slicer (RGV) 250A - 350



ALA

9013213 RIMMED GRINDERS WITH HUB 50-6-8

A = external \varnothing 50 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (ALA 2000) F300E
for Slicer (FAC) F300E - F300I
for Slicer (HOBART) 230I
for Slicer (OMAS) A300 - A31E - A310 - GL - TN
for Slicer (RHENINGHAUS-TECMAL) HF350 - MONDIAL280



ALA



Suitable for:

ALA



Suitable for:

Motors

9240078 MOTOR H40-510 230V 50Hz
1.15A - 1380rpm - capacitor 8 μ F
shaft \varnothing 15 mm - 10 grooves
for Slicer (ALA 2000) - Series 800 - 827MI
for Slicer (RGV) DOLLY250 - DOLLY250S



ALA 1044302042

9240079 MOTOR H70-681 230V 50Hz
1.7A - 1380rpm
shaft \varnothing 15x30 mm
fixing plate 50x17 mm - thread M5
for Slicer (ALA 2000) F300E - 8300
for Slicer (RGV) DOLLY300 - DOLLY300S
for Slicer electric (SIMPLEX) FA300



ALA 1044302043