



Spare parts for:

Food processing equipment



Suitable for:

ARSA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ARSA



Suitable for:

Accident prevention devices-protections

9716008 POLYCARBONATE CARRIAGE PROTECTION
max.overall dimensions 123x250 mm
for Slicer (ARSA)



ARSA

9716011 POLYCARBONATE CARRIAGE PROTECTION
max.overall dimensions 260x300 mm
for Slicer (ARSA)



ARSA

9716012 POLYCARBONATE CARRIAGE PROTECTION
max.overall dimensions 300x300 mm
distance between holes 230 mm
for Slicer (ARSA)



ARSA

Bearings

9004011 BEARING 607 ZZ MOUNTED ON BUSHING
external teflon bushing
external \varnothing 24 mm - internal \varnothing 7 mm -thickness 7 mm
for Slicer (ABM)
for Slicer (ARSA)
for Slicer (BIZERBA)
for Slicer (GENERAL MACHINE)
for Slicer (KOLOSSAL)



ARSA

9063019 BEARING 626 Z MOUNTED ON BUSHING
external nylon bushing
external \varnothing 25 mm -internal \varnothing 6 mm-thickness 7.3 mm
for Slicer (ARSA)
for Slicer (CEG)
for Slicer (OMAS)
for Slicer (OMEGA)



ARSA

Belts

9003552 V BELT 10x670 mm Z27
for Slicer (ARSA) 300



ARSA

9003528 V-BELT 8x315 mm T12 1/5
for Slicer (ABO) 300G
for Slicer (ARSA) 300V - 330
for Slicer (FAC) 250I
for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS
for Slicer (OMAS) GF
for Slicer (OMEGA)
for Slicer (REGINA) 250 - 275 - 300



ARSA



Blades for meat slicer

9006558 BLADE 300-40-4-254 MOD.C W/EXTRACT.HOLES

B = external \varnothing 300 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 254 mm
 4 fixing screws
 with extraction holes
 forged 100CR6 stainless steel



ARSA

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = external \varnothing 300 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 254 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



ARSA

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES

B = external \varnothing 330 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 270 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



ARSA

9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external \varnothing 350 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 280 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



ARSA

9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external \varnothing 370 mm
 D = central hole \varnothing 57 mm
 C = blade internal \varnothing 300 mm
 4 fastening screws
 with extraction holes
 100CR6 forged stainless steel



ARSA

9006512 ST. STEEL BLADE \varnothing 250-40-3-200-190 MOD.F

B = external \varnothing 250 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 200 mm
 A = rise element \varnothing 190 mm
 3 fastening screws
 100CR6 forged stainless steel
 for Slicer (BERKEL) AV35-NEW SERIES



ARSA



Suitable for:

ARSA



9006529 ST. STEEL BLADE \varnothing 300-40-3-250-240 MOD.F

B = external \varnothing 300 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 250 mm
A = rise element \varnothing 240 mm
3 fastening screws
100CR6 forged stainless steel



ARSA

Suitable for:

9006527 ST. STEEL BLADE \varnothing 300-40-4-254 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 254 mm
4 fastening screws
100CR6 forged stainless steel



ARSA

9006528 ST. STEEL BLADE \varnothing 300-57-4-254 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 254 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E - TGI330



ARSA

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel



ARSA

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



ARSA

9006545 ST. STEEL BLADE \varnothing 370-57-4-300 MOD.C

B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
100CR6 forged stainless steel



ARSA



Emeries for blades

9013004 CUP GRINDERS 43-8-10

A = external \varnothing 43 mm
 B = hole \varnothing 8 mm
 H = height 10 mm
 COARSE GRAIN
 for Slicer (ARSA) LASER
 for Slicer (REGINA) 300



ARSA

9013013 CUP GRINDERS 48-14.3-15

A = external \varnothing 48 mm
 B = hole \varnothing 14.3 mm
 H = height 15 mm
 COARSE GRAIN
 for Slicer (ABO) MIA300
 for Slicer (ARSA) G - GP
 for Slicer (CEG) AG300 - BF - VX350
 for Slicer (OMAS) A31 - C300 - C350



ARSA

9013119 RIMMED GRINDERS 45-8-10

A = external \varnothing 45 mm
 B = hole \varnothing 8 mm
 H = height 10 mm
 FINE GRAIN
 for Slicer (ARSA) 350



ARSA

9013143 RIMMED GRINDERS 51-14.3-7


A = external \varnothing 51 mm
 B = hole \varnothing 14.3 mm
 H = height 7 mm
 FINE GRAIN
 for Slicer (ABO) MIA300
 for Slicer (BERKEL) LP320
 for Slicer (CEG) AG300 - BF300
 for Slicer (OMAS) C350CE



ARSA

9013110 STEPPED EMERY WHEEL 43-8-10

A = external \varnothing 43 mm
 B = hole \varnothing 8 mm
 H = height 10 mm
 FINE GRAIN
 for Slicer (ARSA) G - GP - LASER
 for Slicer (REGINA) 300
 for Slicer (SIRMAN) VASBS300CE



ARSA



Suitable for:

ARSA



Suitable for:

Gears

9005503 31-TOOTH GEAR IN TEFLON

external \varnothing 63 mm
internal \varnothing 36 mm
height 20 mm
6 fittings
gear protection \varnothing 8 mm
for Slicer (ARSA) Z31



ARSA

9005527 31-TOOTH GEAR IN TEFLON

external \varnothing 62.5 mm
internal \varnothing 36 mm
height 17 mm
6 fittings
gear protection \varnothing 8 mm
for Slicer (OMAS)



ARSA

9212022 5-THREADED WORM SCREW

external \varnothing 27 mm
hole \varnothing 14 mm
overall height 33 mm
for Slicer (ARSA)



ARSA

Knobs

9007449 BLACK TIMER KNOB \varnothing 14x110 mm

pin \varnothing 14x58 mm
knob \varnothing 66 mm
mounting frame \varnothing 68 mm
for Slicer (ARSA)



ARSA LF-5100127

ARSA

9007450 BLACK TIMER KNOB \varnothing 14x134 mm

pin \varnothing 14x74 mm
knob \varnothing 66 mm
mounting frame \varnothing 68 mm
clockwise numbering
for Slicer (ARSA)



ARSA

Pulleys

9318012 COMPLETE PULLEY GROUP

external \varnothing 82 mm - \varnothing blade fastening 57 mm
4 fastening holes mounting distance 50 mm
shaft overall length 50 mm
shaft \varnothing 17/25 mm
for Slicer (ARSA) 330 - 350 - 350I - 350V



ARSA



Switches

9319714 PUSH-BUTT.PANEL 2 BUT. I-STOP GREEN-RED

16A 250V
2 normally open contacts
mounting hole 22x30 mm
for Slicer (ARSA)
for Slicer (DUE GI)



ARSA

9319712 PUSH-BUTT.PANEL 2 BUT. STOP-I GREEN-RED

16A 250V
2 normally open contacts
mounting hole 22x30 mm
for Slicer (RGV)



ARSA

9319716 PUSH-BUTTON PANEL 2 BUTTONS BLACK-RED

16A 250V
2 normally open contacts
mounting hole 22x30 mm
for Slicer (ARSA)



ARSA

9014064 RED MUSHROOM PUSH-BUTTON 4A 400V

1 normally closed contact
mounting hole \varnothing 22 mm
for Cutter (DITO ELECTROLUX) K120 - K180
for Cutter (ZANUSSI) K120 - K180
for Kneader (DITO ELECTROLUX) PSR100
for Kneader (ZANUSSI) PSR100
for Planetary machine (DITO ELECTROLUX) MB40
XBE60 - XBE80
for Planetary machine (ZANUSSI) MB40 - XBE60
XBE80
for Potato peeler (DITO ELECTROLUX) T10 - T15
for Potato peeler (ZANUSSI) T10 - T15
for Vacuum packer (DITO ELECTROLUX) MVS
for Vacuum packer (ZANUSSI) MVS
for Vegetables/mozzarella cutter (DITO ELECTROLUX)



ARSA

Tie rods for blade cover

9013502 BLADE COVER TIE ROD SHAFT 220mm PITCH M6

clamp under knob \varnothing 14x10 mm
for Slicer (ARSA) GP300 - GP330 - GP350



ARSA

9013503 BLADE COVER TIE ROD SHAFT 230mm PITCH M8

for Slicer (ARSA) A350 - A370



ARSA