



Spare parts for:

Food processing equipment



Suitable for:

BERKEL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

BERKEL



Suitable for:

Accident prevention devices-protections

9716022 POLYCARBONATE CARRIAGE PROTECTION

max. overall dimensions 295x230 mm
for Slicer (BERKEL) 115



BERKEL

Bearings

9063020 BEARING 608 Z MOUNTED ON BUSHING

external nylon bushing
external \varnothing 25 mm - internal \varnothing 8 mm - thickness 10 mm
for Slicer (BERKEL)



BERKEL

Belts

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES

for Slicer (ALA) F300E - 8300
for Slicer (BOSTON) 300
for Slicer (FAC) 350V
for Slicer (FIA-BOSTON) 300
for Slicer (GENERAL MACHINE) 350I
for Slicer (SIRMAN) AGATA300 - AUTOMATICA300CE
AUTOMATICA330CE - GEMMA300 - GEMMA300CE
GEMMA300UL - GEMMA330 - GEMMA330CE
GEMMA330UL - GEMMA350CE - GEMMA350UL
PALLADIO300CE - PALLADIO330CE - PALLADIO350CE



BERKEL

9062046 SMOOTH BELT T150 635 H35

for Slicer (BERKEL) 115



BERKEL

9062047 SMOOTH BELT T150 650 H35

for Slicer (BERKEL) 21



BERKEL

9003557 V BELT 10x600 mm Z23 3/4

for Slicer (BERKEL)
for Slicer (MARWEL) AG390
for Slicer (OMAS) TN250



BERKEL



BERKEL



Suitable for:

9062074 V-BELT 13x457 mm A18
for Slicer (BERKEL) 834



BERKEL

Suitable for:

9003510 V-BELT 6x352 mm Y381
for Slicer (ABO) 330 - 350 - 370G
for Slicer (BERKEL) 730 - 935 - 937
for Slicer (CEG) BF
for Slicer (LEO) 300 - 330
for Slicer (RHENINGHAUS-TECMAL)



BERKEL

Blade guides

9016408 BLADE GUIDE ø 34.5 mm BERKEL
external ø 34.5 mm
height 16 mm
for Bone bandsaw (BERKEL)



BERKEL

9016409 BLADE GUIDE ø 38/35 mm BERKEL
external ø 38 mm
internal ø 35 mm
height 16 mm
for Bone bandsaw (BERKEL)



BERKEL

Blades for meat slicer

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES
B = external ø 330 mm
D = central hole ø 57 mm
C = blade internal ø 270 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



BERKEL

9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES
B = external ø 350 mm
D = central hole ø 57 mm
C = blade internal ø 280 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel




BERKEL

9006522 ST. STEEL BLADE ø 296-58-4-240 MOD.C
B = external ø 296 mm
D = central hole ø 58 mm
C = blade internal ø 240 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) 834



BERKEL

9006532 ST. STEEL BLADE ø 330-40-3-270 MOD.C
B = external ø 330 mm
D = central hole ø 40 mm
C = blade internal ø 270 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) 935
for Slicer (LEO) 935



BERKEL



BERKEL



Suitable for:

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel



BERKEL

Suitable for:

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



BERKEL

Bushes

9002531 NYLON BUSHING \varnothing 17-12x30 mm

external \varnothing 17 mm
internal \varnothing 12 mm.
height 30 mm



BERKEL

Castors, rollers and accessories

9004020 TEFLON CARRIAGE WHEEL \varnothing 29-6x13 mm

internal brass bushing
external \varnothing 29 mm
internal \varnothing 6 mm
height 13 mm



BERKEL

Covers for sharpener

9002700 COVER BERKEL AV35

aluminum made
dimensions 131x105 mm
for Slicer (BERKEL) AV35



BERKEL



Suitable for:

BERKEL




Suitable for:

Electronic printed-circuit boards

9014032 ELECTRONIC POWER BOARD 230/380V

external dimensions 100x85 mm
for Slicer (BERKEL) AV35 - GTV28



BERKEL

Emeries for blades

9013006 CUP GRINDERS 45-6-15

A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 15 mm
COARSE GRAIN
for Slicer (BERKEL) 835
for Slicer (FIA-BOSTON) MAX
for Slicer (GENERAL MACHINE) GLE - GLS - GXL
for Slicer (RHENINGHAUS-TECMAL) HF350
for Slicer (SIRMAN) GEMMA300



BERKEL

9013017 CUP GRINDERS 50-10-12

A = external \varnothing 50 mm
B = hole \varnothing 10 mm
H = height 12 mm
COARSE GRAIN
for Slicer (ITALIANA MACCHI) G370E



BERKEL

9013022 CUP GRINDERS 51-14.3-15

A = external \varnothing 51 mm
B = hole \varnothing 14.3 mm
H = height 15 mm
COARSE GRAIN
for Slicer (BERKEL) 114
for Slicer (OMAS) C350



BERKEL

9013020 CUP GRINDERS 51-8-12

A = external \varnothing 51 mm
B = hole \varnothing 8 mm
H = height 12 mm
COARSE GRAIN
for Slicer (BERKEL) AV35 - GF400 - GF800 - TV350
for Slicer (KOLOSSAL) MIP330 - MIP350
for Slicer (MANCONI) MIP330 - MIP350
for Slicer (REGINA) 350
for Slicer (RGV) 350



BERKEL



Suitable for:

BERKEL



9013029 CUP GRINDERS 51-8-12
 A = external \varnothing 51 mm
 B = hole \varnothing 8 mm
 H = height 12 mm
 FINE GRAIN
 for Slicer (BERKEL) AV35
 for Slicer (RGV) DOLLY300S



BERKEL

9013024 CUP GRINDERS 55-12-15
 A = external \varnothing 55 mm
 B = hole \varnothing 12 mm
 H = height 15 mm
 COARSE GRAIN
 giant type



BERKEL

9013023 CUP GRINDERS 55-6-15
 A = external \varnothing 55 mm
 B = hole \varnothing 6 mm
 H = height 15 mm
 COARSE GRAIN
 giant type
 for Slicer (BERKEL) 807 - 834



BERKEL

9013028 CUP GRINDERS 64-14.3-19
 A = external \varnothing 64 mm
 B = hole \varnothing 14.3 mm
 H = height 19 mm
 COARSE GRAIN
 giant type
 for Slicer (BERKEL) 7/12



BERKEL

9013025 CUP-SHAPED EMERY WHEEL 55-14.3-15
 A = external \varnothing 55 mm
 B = hole \varnothing 14.3 mm
 H = height 15 mm
 COARSE GRAIN
 giant type



BERKEL

9013205 RIMMED GRINDERS WITH HUB 42-8-9
 A = external \varnothing 42 mm
 B = hole \varnothing 8 mm
 H = height 9 mm
 FINE GRAIN



BERKEL

9013211 RIMMED GRINDERS WITH HUB 46-8-8
 A = external \varnothing 46 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 FINE GRAIN
 for Slicer (BERKEL) AV35 - GF400 - GF800 - TV350
 for Slicer (FIA-BOSTON) ECO - STIL CE



BERKEL

9013219 RIMMED GRINDERS WITH HUB 50-8-8
 A = external \varnothing 50 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 FINE GRAIN
 for Slicer (ABM) AGS350
 for Slicer (BERKEL) CX350
 for Slicer (FIA-BOSTON) STIL
 for Slicer (HOBART) TI33 - 1712 - 2350
 for Slicer (OMAS) TGI330 - TGI350



BERKEL



BERKEL



Suitable for:

9013009 RIMMED GRINDERS 42-8-8.5

A = external \varnothing 42 mm
B = hole \varnothing 8 mm
H = height 8.5 mm
COARSE GRAIN
beveled type
for Slicer (BERKEL) GF350 - MP - 829



BERKEL

Suitable for:

9013127 RIMMED GRINDERS 48-14.3-8

A = external \varnothing 48 mm
B = hole \varnothing 14.3 mm
H = height 8 mm
FINE GRAIN
for Slicer (OMAS) A31 - C300 - C350



BERKEL

9013138 RIMMED GRINDERS 50-10-10

A = external \varnothing 50 mm
B = hole \varnothing 10 mm
H = height 10 mm
FINE GRAIN
for Slicer (BERKEL) 114
for Slicer (ITALIANA MACCHI) G370E



BERKEL

9013129 RIMMED GRINDERS 50-6-7

A = external \varnothing 50 mm
B = hole \varnothing 6 mm
H = height 7 mm
FINE GRAIN
for Slicer (BERKEL) 834



BERKEL

9013135 RIMMED GRINDERS 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
FINE GRAIN
for Slicer (BERKEL) 935 - 937
for Slicer (IRONWEED) MARK - SIDRAC
for Slicer (SWEDLHINGHAUS) 3350



BERKEL

9013136 RIMMED GRINDERS 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
COARSE GRAIN
for Slicer (BERKEL) 935 - 937
for Slicer (CELME) 350
for Slicer (IRONWEED) G330 - MARK - MASTER
SIDRAC



BERKEL

9013137 RIMMED GRINDERS 50-9.6-7

A = external \varnothing 50 mm
B = hole \varnothing 9.6 mm
H = height 7 mm
FINE GRAIN
for Slicer (BERKEL) 114



BERKEL

9013143 RIMMED GRINDERS 51-14.3-7

A = external \varnothing 51 mm
B = hole \varnothing 14.3 mm
H = height 7 mm
FINE GRAIN
for Slicer (ABO) MIA300
for Slicer (BERKEL) LP320
for Slicer (CEG) AG300 - BF300
for Slicer (OMAS) C350CE



BERKEL




Suitable for:

BERKEL



9013147 RIMMED GRINDERS 63-14.3-10

A = external \varnothing 63 mm
B = hole \varnothing 14.3 mm
H = height 10 mm
FINE GRAIN
for Slicer (BERKEL) 7/12



BERKEL

Suitable for:

9013130 STEPPED EMERY WHEEL 50-6-8

A = external \varnothing 50 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (BERKEL) 807 - 835



BERKEL

Feet

9012007 SUCKER FOOT FEMALE CONNECTION M10

hole length 20 mm
base \varnothing 47x39 mm



BERKEL

Gears

9014795 SCROLL HOLDER

overall length 142 mm
maximum \varnothing 44 mm
for Slicer (BERKEL) X22



BERKEL

9005023 25-TOOTH GEAR IN TEFLON

external \varnothing 55 mm
internal \varnothing 32 mm
height 19 mm
5 fittings
for Slicer (BERKEL) 835STF
for Slicer (FIA-BOSTON) Z25
for Slicer (OMAS)
since 1/01/99
MEAT370



BERKEL

9005024 30-TOOTH GEAR IN TEFLON

external \varnothing 59 mm
internal \varnothing 32 mm
height 19 mm
5 fittings
for Slicer (BERKEL) 835STF



BERKEL

9005510 31-TOOTH GEAR IN NYLON

external \varnothing 63 mm
internal \varnothing 40 mm
height 16 mm
5 fittings
gear protection \varnothing 6 mm
for Slicer (BERKEL) AV35



BERKEL



Suitable for:

BERKEL



Suitable for:

Knobs

9007005 ALUMINUM TIMER KNOB \varnothing 76 mm
without pin
internal \varnothing 55 mm
for Slicer (BERKEL) 834



BERKEL

9007562 BLACK KNOB \varnothing 17x67 mm HOLE \varnothing 6 mm
without pin
for Slicer (BERKEL)



BERKEL

9007565 BLACK KNOB \varnothing 32x100 mm PITCH M16
without pin
for Slicer (BERKEL) VOLANO



BERKEL

9007560 BLACK OVAL KNOB \varnothing 16.5x54 mm PITCH M6
with pin length 8 mm
for Slicer (BERKEL)



BERKEL

9007462 BLACK TIMER KNOB \varnothing 18x155 mm
pin \varnothing 18x95 mm
knob \varnothing 67 mm
mounting frame \varnothing 68 mm



BERKEL

Meat hold arm

9004500 RACK 215x30 mm



BERKEL



Suitable for:

BERKEL



Suitable for:

Pins

9015009 PIN FOR MEAT MINCER 22 ARTEX-BERKEL

shaft \varnothing 11 mm
square part 12.6x12.6 mm
thread \varnothing 14x23 mm
flange \varnothing 20 mm



BERKEL

9015015 PIN FOR MEAT MINCER 22 TYPE 6 BERKEL

shaft \varnothing 12.1 mm
square part 12.6x12.6 mm
thread \varnothing 16x14 mm
flange \varnothing 20 mm



BERKEL

9015016 PIN FOR MEAT MINCER 22 TYPE 7 BERKEL

shaft \varnothing 12.1 mm
square part 12.6x12.6 mm
thread \varnothing 18x22 mm
flange \varnothing 25 mm



BERKEL

9015012 PIN FOR MEAT MINCER 3 BERKEL

shaft \varnothing 12.1 mm
square part 12.6x12.6 mm
thread \varnothing 16x25 mm
flange \varnothing 25 mm



BERKEL

9015008 PIN FOR MEAT MINCER 32 ARTEX-BERKEL

shaft \varnothing 13 mm
square part 14.2x14.2 mm
thread \varnothing 20x22 mm
flange \varnothing 30 mm



BERKEL

9010501 PLATE RELEASING PIN 45 mm

thread \varnothing 12 mm
for Slicer (KOLOSSAL)



BERKEL

Slice protectors

9711008 ALUMINUM SLICE GUARD

complete with hinge
external dimensions 255x85 mm
distance between holes 153 mm
for Slicer (BERKEL) 12



BERKEL

9711009 ALUMINUM SLICE GUARD

complete with hinge
external dimensions 300x150 mm
distance between holes 185 mm
for Slicer (BERKEL) 21



BERKEL



Springs

9008503 CONICAL SPRING FOR RUBBER BUFFER



BERKEL

9008505 RUBBER BUFFER FOR CONICAL SPRING

coupling \varnothing 13x10 mm
overall length 18 mm



BERKEL

9008502 SPRING FOR CARRIAGE

external \varnothing 39 mm
internal \varnothing 32 mm
height 35 mm



BERKEL

Switches

9006080 BLACK BIPOLAR SWITCH 16A 250V

with frame
max temperature 120°C
mounting hole 22x30 mm



BERKEL

9014061 GREEN BIPOLAR PUSH-BUTTON 2A 250V

with lamp socket
1 normally closed contact
1 normally open contact
mounting hole \varnothing 22 mm
for Slicer (BERKEL) AV35 - 28GTV



BERKEL

9014060 RED BIPOLAR PUSH-BUTTON 2A 250V

with lamp socket
1 normally closed contact
1 normally open contact
mounting hole \varnothing 22 mm
for Slicer (BERKEL) AV35 - 28GTV



BERKEL

9006081 THREE-PHASE SWITCH 10A 380V for Slicer (BERKEL) 12



BERKEL



Suitable for:

BERKEL



Suitable for:

Tie rods for blade cover

9714033 **BLADE COVER TIE ROD SHAFT 165mm PITCH M8**

knob \varnothing 49 mm - shaft \varnothing 7x164 mm
micro support \varnothing 15x18 mm
thread length 12 mm
for Slicer (BERKEL) AV35



BERKEL

Water tight seals and rings

9186052 **RETAINER SPRING RING 40x28x7 mm**

for Potato peeler (FAMA) LT15
for Potato peeler (FIMAR) PL16 - PL4 - PL8
for Potato peeler (ROGA) PL100 - PL15 - PL200
PL4 - PL400 - PL8
for Potato peeler (SAP) PL100/4 - PL200/8
PL400/15
for Potato peeler (ZANUSSI) PP15 - PP4 - PP8
for Vegetables/mozzarella cutter (ANGELO PO) TV1
TV1M - TV2L
for Vegetables/mozzarella cutter (FIMAR) FNT
for Vegetables/mozzarella cutter (ZANUSSI) TRS1V



BERKEL 827-00209