



Spare parts for:

## Food processing equipment



Suitable for:

# CEG



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

**CEG**



Suitable for:

## Abrasive discs for potato peeler

**9735031 ABRASIVE DISC FOR MUSSEL CLEAN.**  $\varnothing$  285 mm  
fixing hole  $\varnothing$  25 mm  
for Potato peeler (CEG) PL5



CEG 010566

**9720028 ABRASIVE DISC POTATO PEELER**  $\varnothing$  345 mm  
for Potato peeler (CEG) PL10



CEG

**5023694 VEGETABLE CHOPPER DISC Z7 GRATER**  
external  $\varnothing$  205 mm - central hole  $\varnothing$  18.5 mm  
for Vegetables/mozzarella cutter (CEG) MASTER



CEG

**9735030 VEGETABLE CHOPPER EJECTOR DISC**  
external  $\varnothing$  200 mm - with groove 25x20 mm  
for Vegetables/mozzarella cutter (CEG) MASTER



CEG

## Abrasive sheets & clothes potato peelers

**9720029 ABRASIVE SHEET FOR POTATO PEELER**  
external  $\varnothing$  350 mm  
height 173 mm  
for Potato peeler (CEG) PL10



CEG

## Accident prevention devices-protections

**9716024 POLYCARBONATE CARRIAGE PROTECTION**  
max. overall dimensions 150x260 mm  
distance between holes 80 mm  
for Slicer (CEG) BF



CEG

**Bearings**

**9063031 BEARING  $\varnothing$  20 mm**  
 external  $\varnothing$  20 mm - internal  $\varnothing$  5 mm - thic kn.8 mm  
 for Slicer (CEG)  
 for Slicer (OMEGA)



CEG

**9063019 BEARING 626 Z MOUNTED ON BUSHING**  
 external nylon bushing  
 external  $\varnothing$  25 mm -internal  $\varnothing$  6 mm-thickness 7.3 mm  
 for Slicer (ARSA)  
 for Slicer (CEG)  
 for Slicer (OMAS)  
 for Slicer (OMEGA)



CEG

**9063037 BEARING 626 ZZ**  
 external  $\varnothing$  19 mm-internal  $\varnothing$  6 mm-thickness 6 mm  
 for Slicer (CEG)  
 for Slicer (CELME)  
 for Slicer (OBERWERK)  
 for Slicer (OMEGA)



CEG

**Belts**

**9062090 BELT MULTIGRIP J 432 H28 11 GROOVES**  
 for Slicer (ABO) 370  
 for Slicer (CEG) 370  
 for Slicer (MARWEL) AZ350 - AZ390  
 for Slicer (OMEGA)



CEG

**9003507 V BELT 6x330 mm Y352**  
 for Slicer (ABO) 220 - 250 - 275 - 300G - 300V  
 for Slicer (AGHETTO UNIVERSAL) 275G  
 for Slicer (ATOMA)  
 for Slicer (LEO) 275 - 300  
 for Slicer (OBERWERK)  
 for Slicer (OMEGA) AG300  
 for Slicer (SWINFORD)



CEG



Suitable for:

**CEG**



Suitable for:

**9003510 V-BELT 6x352 mm Y381**  
 for Slicer (ABO) 330 - 350 - 370G  
 for Slicer (BERKEL) 730 - 935 - 937  
 for Slicer (CEG) BF  
 for Slicer (LEO) 300 - 330  
 for Slicer (RHENINGHAUS-TECMAL)



CEG

### Blade guides

**9016056 BLADE GUIDE ø 30 mm CEG**  
 external ø 30 mm  
 height 2 mm  
 for Bone bandsaw (CEG) SE240



CEG

**9016390 BLADE GUIDE ø 30 mm CEG**  
 external ø 30 mm  
 height 3 mm  
 for Bone bandsaw (CEG) SI320



CEG

**9016391 BLADE GUIDE ø 30 mm CEG**  
 external ø 30 mm  
 height 2 mm  
 for Bone bandsaw (CEG)



CEG

**9016403 BLADE GUIDE ø 44 mm CEG**  
 external ø 44 mm  
 height 11 mm  
 for Bone bandsaw (CEG)



CEG

### Complement accessories

**9394432 CHOPPING BOARD 500x400 h25 mm W/RETAINER**



CEG

**9394431 CHOPPING BOARD 700x400 h25 mm W/RETAINER**



CEG

**Eccentrics**

**9707008 ALUMINUM ECCENTRIC CEG  $\varnothing$  80 mm**  
 internal hole  $\varnothing$  18 mm - grooving 8 mm  
 for Slicer (CEG) BF350CE



CEG

**5046926 PLASTIC ECCENTRIC CEG  $\varnothing$  86 mm**  
 internal hole  $\varnothing$  14 mm - groove 8 mm  
 for Slicer (CEG) BF300E - BF350E



CEG 0159-99

**9707009 PLASTIC ECCENTRIC GENERAL  $\varnothing$  87 mm**  
 internal hole  $\varnothing$  14 mm - groove 8 mm  
 with external stopping notch  
 for Slicer (GENERAL MACHINE) 350S - 370S



CEG 0159-99

**Electronic printed-circuit boards**

**9014045 ELECTRONIC POWER BOARD 230/380V**  
 external dimensions 130x65 mm  
 for Slicer (BERMEN) 350  
 for Slicer (CEG) - Series TE



CEG

**9014034 3-PHASE ELECTRONIC POWER BOARD**  
 external dimensions 110x105 mm  
 for Bone bandsaw (CEG)  
 for Slicer (CEG) - Series GM - Series MGM  
 Series TG



CEG


**Emeries for blades**

**9013013 CUP GRINDERS 48-14.3-15**  
 A = external  $\varnothing$  48 mm  
 B = hole  $\varnothing$  14.3 mm  
 H = height 15 mm  
 COARSE GRAIN  
 for Slicer (ABO) MIA300  
 for Slicer (ARSA) G - GP  
 for Slicer (CEG) AG300 - BF - VX350  
 for Slicer (OMAS) A31 - C300 - C350



CEG

**9013100 RIMMED GRINDERS 40-6-10**  
 A = external  $\varnothing$  40 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 10 mm  
 FINE GRAIN



CEG



Suitable for:

# CEG



## 9013143 RIMMED GRINDERS 51-14.3-7

A = external  $\varnothing$  51 mm  
B = hole  $\varnothing$  14.3 mm  
H = height 7 mm  
FINE GRAIN  
for Slicer (ABO) MIA300  
for Slicer (BERKEL) LP320  
for Slicer (CEG) AG300 - BF300  
for Slicer (OMAS) C350CE



CEG LF-5041209

CEG

## 9731001 RIMMED GRINDERS 59-14.3-7.5

A = external  $\varnothing$  59 mm  
B = hole  $\varnothing$  14.3 mm  
H = height 7.5 mm  
FINE GRAIN  
for Slicer (CEG) VX350  
for Slicer (OMEGA) VXCE



CEG

## 9013113 STEPPED EMERY WHEEL 45-6-9

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 9 mm  
COARSE GRAIN  
for Slicer (ALA 2000) F300E  
for Slicer (CEG) AG250 - AM300  
for Slicer (FAC) F300E - F300I  
for Slicer (OMS) GIADA - 250 - 300  
for Slicer (SIRMAN) AUTOMATICA300CE - QUARZO250  
QUARZO250CE - QUARZO275 - QUARZO275CE  
QUARZO300 - QUARZO300CE




CEG

## Feet

## 9012010 BLACK RUBBER FOOT

length 12 mm  
base  $\varnothing$  25 mm



CEG

## 9313008 SUCTION FOOT WITH SHAFT M8

height without thread 48 mm  
base  $\varnothing$  48 mm  
for Slicer (ANGELO PO) AFC30MS - AFC30S - AFC35MS  
AFC35S - AFT30MS - AFT30S - AFT30VS - AFT33MS  
AFT33S - AFT33VS - AFT35MS - AFT35S - AFT35VS  
for Slicer (CEG) BFAUTOMATICA - BF350E




CEG





**Gaskets and seals**

**5009872 COVER GASKET**  
length 1120 mm  
for Potato peeler (CEG) PL10



CEG 0127-66

**9720711 DOOR GASKET**  
external dimensions 170x150 mm  
internal dimensions 120x92 mm  
for Potato peeler (EMMEPI) PEL15  
for Potato peeler (FAMA) LT15  
for Potato peeler (FIMAR) PL16 - PL8  
for Potato peeler (ROGA) PL15 - PL200 - PL400  
PL8 - PL80N  
for Potato peeler (SIRMAN) PP15EXPOCE - PP8EXPOCE  
for Potato peeler (ZANUSSI) PP15 - PP8



CEG

**Greases**

**9709001 OIL FOR VACUUM MACHINES 1L**



CEG

**Handles**

**9014158 CARRIAGE HANDLE**  
for Slicer (CEG) BF350E



CEG

**Knobs**

**9007500 BLACK TIMER KNOB  $\varnothing$  18x110 mm**  
pin  $\varnothing$  18x50 mm  
knob  $\varnothing$  66 mm  
mounting frame  $\varnothing$  69 mm  
for Slicer (CEG)  
for Slicer (SIRMAN) AGATA250 - AGATA275 - AGATA300  
AGATA300V - AGATA330CE - AGATA350 - AGATA350CE



CEG

**9007501 BLACK TIMER KNOB  $\varnothing$  18x121 mm**  
pin  $\varnothing$  18x56 mm  
knob  $\varnothing$  66 mm  
mounting frame  $\varnothing$  69 mm  
for Slicer (CEG) BF - DM



CEG



Suitable for:

**9007462 BLACK TIMER KNOB  $\varnothing$  18x155 mm**  
pin  $\varnothing$  18x95 mm  
knob  $\varnothing$  67 mm  
mounting frame  $\varnothing$  68 mm  
for Slicer (NOAW)



CEG

## CEG



Suitable for:

**9007566 OVAL KNOB  $\varnothing$  32x110 mm HOLE  $\varnothing$  21 mm**  
without pin  
for Grater (CEG)



CEG

## Meat rammers

**9014166 MEAT MINCER MASHER  $\varnothing$  50x165 mm**  
internal solid  
for Meat mincer (CEG) - Series TA - Series TU



CEG

## Pins

**9015023 PIN FOR MEAT MINCER 22 CEG**  
shaft  $\varnothing$  11 mm  
square part 12.6x12.6 mm  
eccentric pin  $\varnothing$  16x32 mm  
eccentric flange  $\varnothing$  22 mm



CEG

**9015025 PIN FOR MEAT MINCER 22 CEG**  
shaft  $\varnothing$  11 mm  
square part 12.6x12.6 mm  
pin  $\varnothing$  20x32 mm  
oval flange  $\varnothing$  20x32 mm



CEG

**9015026 PIN FOR MEAT MINCER 32 CEG**  
shaft  $\varnothing$  13 mm  
square part 14.2x14.2 mm  
thread  $\varnothing$  20x25 mm  
pitch 10 - 3/4" gas  
conical flange  $\varnothing$  23-20 mm



CEG

**9015027 PIN FOR MEAT MINCER 32 CEG**  
shaft  $\varnothing$  13 mm  
square part 14.2x14.2 mm  
pin  $\varnothing$  20x32 mm  
oval flange  $\varnothing$  20x32 mm



CEG



Suitable for:

Suitable for:

**9011018 PIN FOR SLICER BLADE COVER**  
 key insert 19 mm - hole  $\varnothing$  6 mm  
 fastening thread M16 - overall height 19 mm  
 for Slicer (OMEGA) 350  
 for Slicer (RGV) 300 - 300S



CEG

## Rotary switches

**9006085 THREE-PHASE REVERSING SWITCH**  
 contact capacity 12A 600V - max 60/75°C  
 shaft 7x8 mm  
 input connection 2-5-8  
 output connection 1-4-6



CEG

**9006084 THREE-PHASE SWITCH**  
 contact capacity 16A 600V - max 60/75°C  
 shaft 7x8 mm  
 input connection 1-3-5  
 output connection 2-4-6



CEG

## Scrapers and accessories

**9016395 SCRAPER FOR BONE BANDSAW**  
 with teflon tip  
 for Bone bandsaw (CEG)



CEG

**9016058 SCRAPER FOR BONE BANDSAW 58 mm SET**  
 with teflon tip  
 for Bone bandsaw (CEG) SM280 - SO200



CEG

**9016057 SCRAPER FOR BONE BANDSAW 61 mm**  
 with teflon tip  
 for Bone bandsaw (CEG)



CEG

**9016396 SCRAPER FOR BONE BANDSAW 64 mm**  
 with teflon tip  
 for Bone bandsaw (CEG)



CEG



Suitable for:

**CEG**



Suitable for:

## Timers

### 9721006 **TIMER 5 MINUTES KIT**

complete with knob  
mechanical movement with balance wheel  
manually set mechanical timer  
5 minutes manually set cycle  
contact capacity 16(3)A 250V  
max temperature 125°C  
squared pin 3x3 mm  
for Potato peeler (AUREA) PLP10 - PLP15 - PLP23  
PLP32 - PLP6 - PVM10 - PVM15 - PVM23 - PVM32  
PVM6



CEG