



Spare parts for:

**Food processing equipment**



Suitable for:

**CELME**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


# CELME



Suitable for:

## Abrasive discs for potato peeler

**9735011 VEGETABLE CHOPPER EJECTOR DISC**  
external  $\varnothing$  200 mm - with pin groove 26x20 mm  
for Vegetables/mozzarella cutter (LA MINERVA)  
C/ETV - C/ETVS



CELME


**9735032 VEGETABLE CHOPPER EJECTOR DISC**  
external  $\varnothing$  200 mm - with hole for plug 20x27 mm  
for Vegetables/mozzarella cutter (CELME)



CELME 505557


## Accident prevention devices-protections

**9716027 POLYCARBONATE CARRIAGE PROTECTION**  
max.overall dimensions 150x240 mm  
distance between holes 80 mm  
for Slicer (CELME) 300GPR



CELME

**9716029 POLYCARBONATE CARRIAGE PROTECTION**  
max.overall dimensions 150x300 mm  
distance between holes 90 mm  
for Slicer (CELME) 350GPR



CELME

**9716065 POLYCARBONATE CARRIAGE PROTECTION**  
max.overall dimensions 210x178 mm  
distance between holes 49 mm  
for Slicer (CELME) GPE250



CELME 80327



## Bearings

### 3063005 BEARING 6202 2RS NSK

external  $\varnothing$  35 mm - internal  $\varnothing$  15 mm - thickness 11 mm  
 for Cutter (GAM) PRATIC3  
 for Kneader (FAMA) KG5 - KG8  
 for Meat mincer (FIMAR) TR8D  
 for Pizza dough stretcher (FIMAR) FIP30 - FIP40  
 FIP42 - FI30 - FI32 - FI40 - FI42 - FPP30  
 FPP40 - FP30 - FP40  
 for Pizza dough stretcher (IGF) B30 - B40 - L30  
 L40  
 for Potato peeler (DITO ELECTROLUX) T5S  
 for Potato peeler (ZANUSSI) T5S  
 for Slicer (BRAHER) USA250 - USA280 - USA300  
 USA320  
 for Slicer (FIMAR) HL250 - HL275 - HS250 - HS300  
 H220 - H250 - H275 - H300 - V250



CELME 755620

### 3063120 BEARING 6202 2RS SKF

$\varnothing$  ext. 35 mm -  $\varnothing$  int. 15 mm - thickness 11 mm  
 for Cutter (GAM) PRATIC3  
 for Kneader (FAMA) KG5 - KG8  
 for Meat mincer (FIMAR) TR8D  
 for Pizza dough stretcher (FIMAR) FIP30 - FIP40  
 FIP42 - FI30 - FI32 - FI40 - FI42 - FPP30  
 FPP40 - FP30 - FP40  
 for Pizza dough stretcher (IGF) B30 - B40 - L30  
 L40  
 for Potato peeler (DITO ELECTROLUX) T5S  
 for Potato peeler (ZANUSSI) T5S  
 for Slicer (BRAHER) USA250 - USA280 - USA300  
 USA320  
 for Slicer (FIMAR) HL250 - HL275 - HS250 - HS300  
 H220 - H250 - H275 - H300 - V250



CELME 755620

### 9063037 BEARING 626 2Z

external  $\varnothing$  19 mm - internal  $\varnothing$  6 mm - thickness 6 mm  
 for Slicer (CEG)  
 for Slicer (CELME)  
 for Slicer (OBERWERK)  
 for Slicer (OMEGA)



CELME

## Belts

### 5027946 BELT MULTIGRIP TB2 360 H26 12 GROOVES

for Vegetables/mozzarella cutter (FIMAR) TAS



CELME

### 9003662 MULTIGRIP BELT TB2 360 H16 7 GROOVES

for Slicer (CELME)  
 for Slicer (FAC) 300I  
 for Slicer (FAMA) 302  
 for Slicer (NOAW) 350G  
 for Slicer (RHENINGHAUS-TECMAL) STAR  
 for Slicer (SIRMAN) AGATA250 - AGATA275 - MIRRA275  
 MIRRA275CE - MIRRA300 - MIRRA300CE  
 MIRRA300UL - QUARZO250 - QUARZO250CE  
 QUARZO250UL - QUARZO275 - QUARZO275CE  
 QUARZO300 - QUARZO300CE



CELME



# CELME



Suitable for:

## 9003661 MULTIGRIP BELT TB2 360 H20 9 GROOVES

for Slicer (CELME) 330  
for Slicer (FAC) 250V - 330  
for Slicer (IRONWEED) 300I  
for Slicer (NOAW) 300G - 350G - 370G  
for Slicer (SWEDLHINGHAUS) 300 - 330



CELME

Suitable for:

## 9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES

for Slicer (ALA) F300E - 8300  
for Slicer (BOSTON) 300  
for Slicer (FAC) 350V  
for Slicer (FIA-BOSTON) 300  
for Slicer (GENERAL MACHINE) 350I  
for Slicer (NOAW) 300GE  
for Slicer (SIRMAN) AGATA300 - AUTOMATICA300CE  
AUTOMATICA330CE - GEMMA300 - GEMMA300CE  
GEMMA300UL - GEMMA330 - GEMMA330CE  
GEMMA330UL - GEMMA350CE - GEMMA350UL  
PALLADIO300CE - PALLADIO330CE - PALLADIO350CE



CELME 81481

## 9062050 MULTIGRIP BELT TB2 400 H24 11 GROOVES

for Slicer (ADMIRAL)  
for Slicer (CELME) 350



CELME

## 9003665 MULTIGRIP BELT 430 TB2 H20 9 GROOVES

for Slicer (CELME)  
for Slicer (GENERAL MACHINE) 350V



CELME

## 9003505 V-BELT 6x300 mm

for Slicer (CELME) 250  
for Slicer (OMEGA) 275  
for Slicer (REGINA) 220 - 250



CELME

## 9062093 V-BELT 6x315 mm

for Slicer (CELME)



CELME

## 9003540 V-BELT 8x600 mm T23 1/2


for Slicer (CELME) MECT



CELME

**Blade protectors for slicers**

**9710080 BLADE COVER CELME GPR300**  
 external  $\varnothing$  253 mm - square pin 12x12 mm  
 thread internal  $\varnothing$  6 mm  
 for Slicer (CELME) GPR300



CELME 42708

**Blades for meat slicer**

**9006510 ST. STEEL BLADE  $\varnothing$  220-40-3-180 MOD.C**  
 B = external  $\varnothing$  220 mm  
 D = central hole  $\varnothing$  40 mm  
 C = blade internal  $\varnothing$  180 mm  
 3 fastening screws  
 100CR6 forged stainless steel  
 for Slicer (BERKEL) AV35



CELME 17154

**9710056 ST.STEEL BLADE  $\varnothing$  250-40-3-218 MOD.C**  
 B= external  $\varnothing$  250 mm  
 D=  $\varnothing$  central hole 40 mm  
 C= blade internal  $\varnothing$  218 mm  
 locking screws n°3  
 100CR6 shaped STAINLESS STEEL  
 for Slicer (ALA 2000) 827MI  
 for Slicer (CELME) GPE250



CELME 17311

**9006515 STAINL. STEEL BLADE  $\varnothing$  250-40-3-210 MOD.C**  
 B = external  $\varnothing$  250 mm  
 D = central hole  $\varnothing$  40 mm  
 C = blade internal  $\varnothing$  210 mm  
 3 fastening screws  
 forged 100CR6 stainless steel  
 for Slicer (NOAW) TAS



CELME

**Covers for sharpener**

**9002703 COVER LEO S350**  
 plastic made  
 for Slicer (CELME) 350 - 370  
 for Slicer (LEO) S350 - 300I - 300V - 330I - 330V  
 350I - 350V - 370I - 370V



CELME



Suitable for:

# CELME



Suitable for:


## Eccentrics

**9005017 ALUMINUM ECCENTRIC CELME  $\varnothing$  48 mm**  
internal hole  $\varnothing$  12 mm - grooving 5 mm  
for Slicer (CELME) 220 - 250



CELME

**9005025 PLASTIC ECCENTRIC CELME  $\varnothing$  76 mm**  
internal hole  $\varnothing$  14 mm - grooving 8.5 mm  
with external locking notch  
for Slicer (CELME) GPR250 - GPR300 - GPR350  
GPR370 - VPR300 - VPR350 - VPR370



CELME

## Emeries for blades

**9013003 CUP GRINDERS 40-12-10**  
A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  12 mm  
H = height 10 mm  
COARSE GRAIN



CELME

**9013201 RIMMED GRINDERS WITH HUB 40-6-7.8**  
A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  6 mm  
H = height 7.8 mm  
FINE GRAIN  
for Slicer (ALA 2000) 8300  
for Slicer (CELME) 220  
for Slicer (RGV) 250  
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



CELME

**9013202 RIMMED GRINDERS WITH HUB 40-6-7.8**  
A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  6 mm  
H = height 7.8 mm  
COARSE GRAIN  
for Slicer (ALA 2000) 8300  
for Slicer (CELME) 220  
for Slicer (RGV) 250  
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



CELME

**9013209 RIMMED GRINDERS WITH HUB 45-6-8**  
A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
FINE GRAIN  
for Slicer (FAC) F300E  
for Slicer (GENERAL MACHINE) GL - GLS - GXL  
for Slicer (MISTRO) B33 - GS350  
for Slicer (RGV) 250A - 350



CELME



# CELME



Suitable for:

## 9013210 RIMMED GRINDERS WITH HUB 45-6-8

A = external  $\varnothing$  45 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 8 mm  
 COARSE GRAIN  
 for Slicer (FAC) F300E  
 for Slicer (GENERAL MACHINE) GL - GLS - GXL  
 for Slicer (HOBART) TA30  
 for Slicer (MISTRO) B33 - GS350  
 for Slicer (RGV) 250A - 350




CELME

Suitable for:

## 9013123 RIMMED GRINDERS 45-8-7

A = external  $\varnothing$  45 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 7 mm  
 FINE GRAIN  
 for Slicer (CELME) GRP350  
 for Slicer (IRONWEED) G330  
 for Slicer (MANCONI) MIP330 - MIP350  
 for Slicer (RHENINGHAUS-TECMAL) 370



CELME

## 9013136 RIMMED GRINDERS 50-8-8

A = external  $\varnothing$  50 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 8 mm  
 COARSE GRAIN  
 for Slicer (BERKEL) 935 - 937  
 for Slicer (CELME) 350  
 for Slicer (IRONWEED) G330 - MARK - MASTER  
 SIDRAC



CELME

## Feet

### 9012015 SUCTION FOOT WITH SHAFT M5

length 10 mm  
 base  $\varnothing$  35x26 mm



CELME 80138

### 9012016 SUCTION FOOT WITH SHAFT M6

length 9 mm  
 base  $\varnothing$  47x42 mm  
 for Slicer (SIRMAN) MAINZ



CELME 80510

## Handles

### 9242041 CARRIAGE HANDLE DISTANCE BW HOLES 110 mm

width 25 mm - height 42 mm  
 thread M5 - length 125 mm  
 for Slicer (CELME) GPR300



CELME 80490



Suitable for:

# CELME



Suitable for:

## Knobs

**9007519 BLACK KNOB  $\varnothing$  63 mm PITCH M12**  
without pin  
for Slicer (CELME)



CELME

**9242040 BLACK KNOB SLIDEWAY  $\varnothing$  67 mm**  
internal  $\varnothing$  12 mm  
for Slicer (CELME) GPR300



CELME 80509

**5022095 BLACK LATERAL KNOB WITH PIN  $\varnothing$  25 mm**  
thread  $\varnothing$  8 mm - overall length 61 mm  
for Vegetables/mozzarella cutter (CELME) CHEF 200  
CHEF 300



CELME CLPERN0041

CELME 515609

**9241020 BLACK TIMER KNOB  $\varnothing$  12x102 mm**  
pin  $\varnothing$  12x46 mm  
knob  $\varnothing$  57 mm  
mounting frame  $\varnothing$  61 mm  
for Slicer (CELME) 250 - 300



CELME

**9007454 BLACK TIMER KNOB  $\varnothing$  12x63 mm**  
pin  $\varnothing$  12x17 mm  
knob  $\varnothing$  40 mm  
mounting frame  $\varnothing$  55 mm  
for Slicer (CELME) 220



CELME 80134

**9007455 BLACK TIMER KNOB  $\varnothing$  12x97 mm**  
pin  $\varnothing$  12x31 mm  
knob  $\varnothing$  57 mm  
mounting frame  $\varnothing$  61 mm  
for Slicer (CELME) 250 - 300



CELME 80303

**9242040 BLACK KNOB SLIDEWAY  $\varnothing$  67 mm**  
internal  $\varnothing$  12 mm  
for Slicer (CELME) GPR300



CELME 80509





Suitable for:

**CELME**



Suitable for:

## Lids for potato peeler

**9734013 CUTTER LID ø 188 mm**  
complete with magnet  
for Cutter (GAM) PRATIC3



CELME

**9734014 CUTTER LID ø 255 mm**  
complete with magnet  
for Cutter (GAM) PRATIC5 - PRATIC8



CELME

## Meat rammers

**9014161 MEAT MINCER MASHER ø 51x130 mm**  
internally hollow  
for Meat mincer (CELME) 22



CELME 805559

## Motors

**9240083 MOTOR P40 230V 50Hz**  
shaft ø 15x25 mm  
for Slicer (CELME) - Series FAP - FA250 - GPE250  
Series GPR



CELME 60308D

**9240081 MOTOR P60 230V 50Hz**  
shaft ø 15x30 mm  
for Slicer (CELME) - Series FAP - Series GPR  
GPR300 - S300



CELME 60504E

**9240084 MOTOR 568M-A038-001-93 220V 50Hz**  
1380rpm  
shaft ø 15x20 mm  
for Slicer (CELME) FAMILY220 - GE220



CELME 60148



Suitable for:

# CELME



Suitable for:

## Sharpeners

**9701005 BLADE SHARPENER CELME GPR300**  
without cover  
mounting distance 89 mm



CELME 50127

## Slice protectors

**9711017 ALUMINUM SLICE GUARD**  
external dimensions 130x90 mm  
distance between holes 56 mm  
for Slicer (CELME) AF300



CELME 16501

**9711018 STAINLESS STEEL SLICE GUARD FOR SLICER**  
external dimensions 165x90 mm  
distance between holes 86 mm  
for Slicer (CELME) 350  
for Slicer (LEO) 350



CELME

## Switches

**9319088 DOUBLE GREEN/RED SWITCH 16A 250V**  
mounting hole 22x30 mm  
for Slicer (CELME) FAP300 - GPE250



CELME 60433

**9014068 PUSH-BUTT.PANEL 0-I WHITE-BLACK 16A 250V**  
1 normally closed contact  
1 normally open contact  
with indicator lamp  
mounting hole  $\varnothing$  22 mm  
for Bone bandsaw (HUDSON) SEG.235  
for Cutter (HUDSON) CUT.03 - CUT.05 - CUT.09  
CUT.15  
for Food processing accessories (HUDSON) DAN - DVM  
for Grater (HUDSON) GR.94/IND - GR.94/12  
GR.94/22 - MRG.12/81  
for Kneader (GAM) S16 - S20 - S30 - S40  
for Meat mincer (HUDSON) TC.12/89 - TC.22/89  
TC.32/89  
for Potato peeler (HUDSON) PE.04 - PE.08 - PE.12  
PE.20 - PE.25



CELME 60959



Suitable for:

Suitable for:

## Tie rods for blade cover

**9013504** **BLADE COVER TIE ROD SHAFT 125mm PITCH M6**  
micro support 45 mm  
for Slicer (CELME) FAMILY220 - 220 - 250



CELME 80173

**9013030** **BLADE COVER TIE ROD SHAFT 177mm PITCH M6**  
micro support  $\varnothing$  12x67 mm  
for Slicer (CELME) 300G - 300V



CELME 80492

**9013540** **BLADE COVER TIE ROD SHAFT 240mm PITCH M7**  
micro support  $\varnothing$  20x25 mm  
for Slicer (CELME) GRP350 - GRP370



CELME

**9714022** **BLADE COVER TIE ROD SHAFT 155mm PITCH M6**  
micro support  $\varnothing$  10x58 mm  
for Slicer (CELME) 250



CELME

**9714011** **BLADE COVER TIE ROD SHAFT 215mm PITCH M7**  
micro support  $\varnothing$  20x95 mm  
for Slicer (CELME) VPR350 - VPR370



CELME