



Spare parts for:

**Food processing equipment**



Suitable for:

**DAMPA**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# DAMPA



Suitable for:

## Belts

**9003852 TOOTHED BELT 225 L 075 H19**  
for Slicer (DAMPA)



DAMPA

## Blades for meat slicer

**9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES**

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



DAMPA

**9006510 ST. STEEL BLADE  $\varnothing$  220-40-3-180 MOD.C**

B = external  $\varnothing$  220 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  180 mm  
3 fastening screws  
100CR6 forged stainless steel  
for Slicer (BERKEL) AV35



DAMPA

**9006519 ST. STEEL BLADE  $\varnothing$  275-40-3-220 MOD.C**

B = external  $\varnothing$  275 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  220 mm  
3 fastening screws  
100CR6 forged stainless steel



DAMPA

**9006523 ST. STEEL BLADE  $\varnothing$  300-40-3-245 MOD.C**

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  245 mm  
3 fastening screws  
100CR6 forged stainless steel  
for Slicer (ALA 2000) F300E - 8300 - 8300CE - 9300  
9300CE  
for Slicer (RGV) DOLLY300/S



DAMPA

**9006535 ST. STEEL BLADE  $\varnothing$  330-57-4-270 MOD.C**

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
100CR6 forged stainless steel



DAMPA

**9006538 ST. STEEL BLADE  $\varnothing$  350-57-4-280 MOD.C**

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E



DAMPA



Suitable for:

# DAMPA



Suitable for:

## Electronic printed-circuit boards

### 9390060 SINGLE-PHASE ELECTRONIC POWER BOARD

external dimensions 71x74 mm  
for Slicer (OMAS) GL300E



DAMPA S3290

## Emeries for blades

### 9013213 RIMMED GRINDERS WITH HUB 50-6-8

A = external  $\varnothing$  50 mm

B = hole  $\varnothing$  6 mm

H = height 8 mm

FINE GRAIN

for Slicer (ALA 2000) F300E

for Slicer (FAC) F300E - F300I

for Slicer (HOBART) 2301

for Slicer (OMAS) A300 - A31E - A310 - GL - TN

for Slicer (RHENINGHAUS-TECMAL) HF350 - MONDIAL280



DAMPA

### 9013214 RIMMED GRINDERS WITH HUB 50-6-8

A = external  $\varnothing$  50 mm

B = hole  $\varnothing$  6 mm

H = height 8 mm

COARSE GRAIN

for Slicer (FIA-BOSTON) STIL

for Slicer (OMAS) A300 - A31E - GL - TN

for Slicer (RGV) 350

for Slicer (RHENINGHAUS-TECMAL) MONDIAL280



DAMPA