



Spare parts for:

**Food processing equipment**



Suitable for:

**DUPLEX-AGUSTONI**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11260942





Suitable for:


# DUPLEX-AGUSTONI



Suitable for:

## Abrasive discs for potato peeler

**9735013 ABRASIVE DISC FOR POTATO PEELER  $\varnothing$  270 mm**  
 fixing hole  $\varnothing$  24 mm - with pin groove 13x46 mm  
 for Potato peeler (DUPLEX-AGUSTONI)  
 since 1/01/99  
 till 1/01/99  
 OCEA3



DUPLEX-AGUSTONI 28-15914

**9720606 ABRASIVE DISC FOR POTATO PEELER  $\varnothing$  275 mm**  
 fixing hole  $\varnothing$  24 mm - with pin groove 13x44 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT4  
 for Potato peeler (ZANUSSI) MP12



DUPLEX-AGUSTONI 28-15906

**9735014 ABRASIVE DISC FOR POTATO PEELER  $\varnothing$  310 mm**  
 fixing hole  $\varnothing$  24 mm - with pin groove 13x46 mm  
 for Potato peeler (DUPLEX-AGUSTONI)  
 since 1/01/99  
 till 1/01/99  
 OCEA5 - OCEA5P - OCEA5S



DUPLEX-AGUSTONI 28-15916

**9720607 ABRASIVE DISC FOR POTATO PEELER  $\varnothing$  315 mm**  
 fixing hole  $\varnothing$  24 mm - with pin groove 13x44 mm  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT6  
 for Potato peeler (ZANUSSI) MP20



DUPLEX-AGUSTONI 28-15907

**9720608 ABRASIVE DISC FOR POTATO PEELER  $\varnothing$  340 mm**  
 fixing hole  $\varnothing$  24 mm - with pin groove 13x44 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT8C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT8



DUPLEX-AGUSTONI 28-15908

**9735016 ABRASIVE DISC FOR POTATO PEELER  $\varnothing$  370 mm**  
 fixing hole  $\varnothing$  24 mm - with pin groove 13x46 mm  
 for Potato peeler (DUPLEX-AGUSTONI)  
 since 1/01/99  
 till 1/01/99  
 OCEA15 - OCEA15P - OCEA15S



DUPLEX-AGUSTONI 28-15920

**9735012 ABRASIVE DISC FOR POTATO PEELER  $\varnothing$  375 mm**  
 fixing hole  $\varnothing$  24 mm - with pin groove 13x44 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT15C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15



DUPLEX-AGUSTONI 28-15910

**9720609 ABRASIVE DISC FOR POTATO PEELER  $\varnothing$  430 mm**  
 fixing hole  $\varnothing$  24 mm - with pin groove 13x44 mm  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT20  
 for Potato peeler (ZANUSSI) MP50




DUPLEX-AGUSTONI 28-15911

## Bearings

### 9063008 BEARING 6005 2Z

external  $\varnothing$  47 mm -internal  $\varnothing$  25 mm-thickness 12 mm  
for OEM KNEADER F201/1-VE201/2  
for AGUSTONI PLANETARY P302-P302SM-P402-P402SM  
for Kneader (OEM) F201/1 - VE201/2  
for Planetary machine (DUPLEX-AGUSTONI) P302  
P302SM - P402 - P402SM



DUPLEX-AGUSTONI 52-21305

### 1063911 BEARING 6202 2Z

external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm  
for Planetary machine (DUPLEX-AGUSTONI) P302  
P302SM - P402 - P402SM  
for Planetary machine (SANTOS) 27  
for Vegetables/mozzarella cutter (AUREA) TV75  
TV9 - TV98



DUPLEX-AGUSTONI 52-21310

### 3063017 BEARING 6203 2RS NSK

external  $\varnothing$  40 mm -internal  $\varnothing$  17 mm-thickness 12 mm  
for Bone bandsaw (FIMAR) SE1550 - SE1830  
for Bone bandsaw (HUDSON) SEG.235  
for Bone bandsaw (SIRMAN)  
for Cutter (DITO ELECTROLUX) K35  
for Kneader (FIMAR) IM12 - IM18 - IM7  
for Meat mincer (FIMAR) 12 - 22  
for Pizza dough stretcher (FIMAR) SI320 - SI420  
SI520  
for Planetary machine (DITO ELECTROLUX) XBE10  
XBM10  
for Potato peeler (DITO ELECTROLUX) CD4 - CD8  
PL4 - PL8 - T10S - T15S  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
EXPORT4 - EXPORT6 - EXPORT8



DUPLEX-AGUSTONI 52-21312

### 3063121 BEARING 6203 2RS SKF

$\varnothing$  ext. 40 mm -  $\varnothing$  int. 17 mm - thickness 12 mm  
for Bone bandsaw (FIMAR) SE1550 - SE1830  
for Bone bandsaw (HUDSON) SEG.235  
for Bone bandsaw (SIRMAN) PL4  
for Cutter (DITO ELECTROLUX) K35  
for Kneader (FIMAR) IM12 - IM18 - IM7  
for Meat mincer (FIMAR) 12 - 22  
for Pizza dough stretcher (FIMAR) SI320 - SI420  
SI520  
for Planetary machine (DITO ELECTROLUX) XBE10  
XBM10  
for Potato peeler (DITO ELECTROLUX) CD4 - CD8  
PL4 - PL8 - T10S - T15S  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
EXPORT4 - EXPORT6 - EXPORT8



DUPLEX-AGUSTONI 52-21312

## Belts

### 9062031 TOOTHED BELT 425 RPP5 H30

for Potato peeler (DUPLEX-AGUSTONI) OCEA10  
OCEA10SP - OCEA15 - OCEA15SP - OCEA3 - OCEA5  
OCEA5SP  
for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 67-25612

### 9062056 V-BELT 13x686 A27

for Planetary machine (DUPLEX-AGUSTONI) P302  
P302SM



DUPLEX-AGUSTONI 67-25587



Suitable for:

Suitable for:


**9062057 V-BELT 13x750 A29 1/2**  
 for Planetary machine (DUPLEX-AGUSTONI) P402  
 P402SM



DUPLEX-AGUSTONI 67-25590

## Doors

**9386004 POTATO PEELER OUTLET DOOR**  
 complete with gasket  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT6  
 EXPORT8 - OCEA10 - OCEA10P - OCEA10S - OCEA5  
 OCEA5P - OCEA5S  
 for Potato peeler (ZANUSSI) MP20



DUPLEX-AGUSTONI 22-15163


**9386005 POTATO PEELER OUTLET DOOR**  
 complete with gasket  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - OCEA15 - OCEA15P  
 OCEA15S



DUPLEX-AGUSTONI 22-15164

## Electronic printed-circuit boards

**9014049 ELECTRONIC POWER BOARD 230/400V**  
 external dimensions 102x95 mm  
 for Grater (FIMAR) - Series 12  
 for Meat mincer (ANGELO PO) TG12 - TG12X - TG12XE  
 for Meat mincer (FIMAR) - Series 12 - Series 22  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Pizza dough stretcher (FIMAR) SI320 - SI420  
 SI520  
 for Planetary machine (FIMAR) IP10 - IP20  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 98-99738

**9014139 POTATO PEELER CONTROL BOARD 230/400V**  
 complete with cable  
 external dimensions 180x182x110 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT15C  
 EXPORT4C - EXPORT8C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8



DUPLEX-AGUSTONI 44-19952



Suitable for:

Suitable for:

## Gaskets and seals

### 9186036 COVER GASKET

circumference 1310 mm - cross-section  $\varnothing$  12 mm  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT15C  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
OCEA15 - OCEA15P - OCEA15S



DUPLEX-AGUSTONI 56-22677

### 9720750 COVER GASKET

circumference 980 mm - cross-section  $\varnothing$  12 mm  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT4  
OCEA3  
for Potato peeler (ZANUSSI) MP12



DUPLEX-AGUSTONI 56-22669

### 9720751 COVER GASKET

circumference 1100 mm - cross-section  $\varnothing$  12 mm  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT6  
OCEA5 - OCEA5P - OCEA5S  
for Potato peeler (ZANUSSI) MP20



DUPLEX-AGUSTONI 56-22675

### 9720752 COVER GASKET

circumference 1200 mm - cross-section  $\varnothing$  12 mm  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT8C  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT8  
OCEA10 - OCEA10P - OCEA10S



DUPLEX-AGUSTONI 56-22676

### 9720753 COVER GASKET

circumference 1500 mm - cross-section  $\varnothing$  10/12 mm  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT20  
EXPORT25  
for Potato peeler (ZANUSSI) MP50



DUPLEX-AGUSTONI 56-22673

DUPLEX-AGUSTONI 56-22674

### 9186037 DOOR GASKET

length 480 mm  
cross-section 13x16.5 mm scarf  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C



DUPLEX-AGUSTONI 56-22686

### 9186038 DOOR GASKET

length 600 mm  
cross-section 13x16.5 mm scarf  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT8C



DUPLEX-AGUSTONI 56-22688

### 9720703 DOOR GASKET

circumference 480 mm - cross-section  $\varnothing$  12 mm  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT4  
OCEA3  
for Potato peeler (ZANUSSI) MP12



DUPLEX-AGUSTONI 56-22687



# DUPLEX-AGUSTONI



Suitable for:

Suitable for:

**9720704 DOOR GASKET**  
 circumference 500 mm - cross-section  $\varnothing$  10 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT15C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT6 - EXPORT8  
 OCEA10 - OCEA10SP - OCEA15 - OCEA15SP - OCEA5  
 OCEA5SP  
 for Potato peeler (SAMMIC) M-5  
 for Potato peeler (ZANUSSI) MP20 - MP50

**9720706 DOOR GASKET  $\varnothing$  260 mm**  
 section 12x17 mm  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT20



DUPLEX-AGUSTONI 56-22697

DUPLEX-AGUSTONI 56-22690

## Handles

**9242016 POTATO PEELER COVER CLOSING HANDLE**  
 distance between mounting holes 23 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8 - OCEA10 - OCEA10SP - OCEA15  
 OCEA15SP - OCEA3 - OCEA5 - OCEA5SP  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 22-15159

## Lamps

**9221004 GREEN INDICATOR LIGHT 24V**  
 head  $\varnothing$  13 mm - hole  $\varnothing$  10 mm  
 wire connection length 200 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Planetary machine (DUPLEX-AGUSTONI) P302SM  
 P3023 - P402 - P402SM  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8 - OCEA10 - OCEA10SP - OCEA15  
 OCEA15SP - OCEA3 - OCEA5 - OCEA5SP  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50

**9221003 WHITE INDICATOR LIGHT 24V**  
 head  $\varnothing$  13 mm - hole  $\varnothing$  10 mm  
 wire connection length 200 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 98-99727

DUPLEX-AGUSTONI 98-99723



Suitable for:

# DUPLEX-AGUSTONI



Suitable for:

## Lids for potato peeler

**9734024 COVER FOR POTATO PEELER ø 325 mm**  
complete with gasket  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT4  
OCEA3  
for Potato peeler (ZANUSSI) MP12



DUPLEX-AGUSTONI 22-15126

**9734025 COVER FOR POTATO PEELER ø 362 mm**  
complete with gasket  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT6  
OCEA5 - OCEA5P - OCEA5S  
for Potato peeler (ZANUSSI) MP20



DUPLEX-AGUSTONI 22-15128

**9734026 COVER FOR POTATO PEELER ø 385 mm**  
complete with gasket  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT8C  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT8  
OCEA10 - OCEA10P - OCEA10S



DUPLEX-AGUSTONI 22-15130

**9734027 COVER FOR POTATO PEELER ø 425 mm**  
complete with gasket  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT15C  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
OCEA15 - OCEA15P - OCEA15S



DUPLEX-AGUSTONI 22-15205

**9734028 COVER FOR POTATO PEELER ø 492 mm**  
complete with gasket  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT20  
EXPORT25  
for Potato peeler (ZANUSSI) MP50



DUPLEX-AGUSTONI 22-15146

## Meat rammers

**9014160 MEAT MINCER MASHER ø 50x100 mm**  
internally hollow  
for Meat mincer (FIMAR) AB12AT - AB12L - AB12R  
AB12T - AB22AE - AB22AT - AB8D - TR12C - TR12S  
TR12TS - TR22C - TR22RS - TR22RSQ0 - TR22TE  
TR22TS - TR22TSQ0 - TR32TS - TR8D



DUPLEX-AGUSTONI 66-24927



## Microswitches

**9240030 MAGNETIC MICROSWITCH  $\varnothing$  10x20 mm**  
 curved head 0.5A 100VDC/125VDC 10W - contact NO  
 with cable length 980 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Planetary machine (DUPLEX-AGUSTONI) P302  
 P302SM - P402 - P402SM  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8 - OCEA10 - OCEA10P - OCEA10S - OCEA15  
 OCEA15P - OCEA15S - OCEA3 - OCEA5 - OCEA5P  
 OCEA5S  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50

**3240139 MAGNETIC MICROSWITCH E5101V**  
 0.04A 250V - contact NO - head 32x13x8 mm  
 with cable length 530 mm  
 for Kneader (PASQUINI)



DUPLEX-AGUSTONI 98-99636

DUPLEX-AGUSTONI 98-99640

DUPLEX-AGUSTONI

**9240046 MICROSWITCH MAGNET  $\varnothing$  25x6 mm**



DUPLEX-AGUSTONI

## OR and ORM gaskets

**3061007 O-RING 04362 EPDM**



DUPLEX-AGUSTONI 56-22704

## Potentiometers

**9057011 COMPLETE POTENTIOMETER**  
 complete with knob  
 with cable length 160 mm  
 shaft  $\varnothing$  6 mm  
 for Potato peeler (DUPLEX-AGUSTONI) OCEA10P  
 OCEA10S - OCEA15P - OCEA15S - OCEA5P - OCEA5S



DUPLEX-AGUSTONI 98-99752



## Rolls for graters and spares

**9016522 GRATER ROLLER MOD.10 DUPLEX**  
external  $\varnothing$  78 mm - external  $\varnothing$  fitting 35 mm  
pin  $\varnothing$  12 mm - roller length 138 mm



DUPLEX-AGUSTONI 30-16163

**9016506 GRATER ROLLER MOD.22 DUPLEX**  
external  $\varnothing$  119 mm - fitting external  $\varnothing$  44 mm  
pin  $\varnothing$  12 mm - roller length 190 mm



DUPLEX-AGUSTONI 30-16165

## Rotary switches

**9057010 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 690V - max 75°C  
square shaft 5x5 mm  
for Potato peeler (DUPLEX-AGUSTONI) OCEA10P  
OCEA15P - OCEA5P  
for Potato peeler (ZANUSSI)



DUPLEX-AGUSTONI 98-99551

## Safety control devices f.food process.

**9014047 SAFETY DEVICE 400V 3HP DOUBLE SPEED**  
double speed only for DAHALANDER  
max. load 3Hp 12(6)A 400V  
power supply 400V 50/60Hz  
power supply 400V 50/60Hz  
box dimension 115x155x75 mm  
power cord with plug PE1664 IP44  
preset cable for in-line microswitch  
touch-sensitive button GREEN/RED/GREEN  
in compliance with EC regulation  
for MEAT MINCER with DAHILANDER motors



DUPLEX-AGUSTONI



Suitable for:

Suitable for:

## Scrolls

**9014669 COMPLETE ALUMINUM SCROLL 22 DUPLEX**  
 scroll  $\varnothing$  65x131 mm - clamp  $\varnothing$  44 mm  
 fitting pin length 33 mm  
 for Meat mincer (DUPLEX-AGUSTONI)



DUPLEX-AGUSTONI 26-15726

**9014673 COMPLETE STAIN.STEEL SCROLL 22 DUPLEX**  
 scroll  $\varnothing$  65x131 mm - fitting  $\varnothing$  44x26 mm  
 for Meat mincer (DUPLEX-AGUSTONI)



DUPLEX-AGUSTONI 26-15724

## Solenoid valves

**3120504 SOLENOID VALVE 319 24V  $\varnothing$  10 mm**  
 solenoid valve 90° - 24V 50Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



DUPLEX-AGUSTONI 98-99567

## Switches

**9319046 GREEN START PUSH-BUTTON 10A 600V**  
 1 normally open contact  
 silk-screen printing "I"  
 mounting hole  $\varnothing$  23 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8 - OCEA3  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 98-99685

**3319089 PUSH-BUTTON PANEL 592-2905**  
 with 5 switches



DUPLEX-AGUSTONI 2.90.6015

DUPLEX-AGUSTONI 44-19946



# DUPLEX-AGUSTONI



Suitable for:

## 9319045 RED PUSH-BUTTON WITH BLOCK 10A 600V

1 normally closed contact  
 mounting hole  $\varnothing$  22 mm  
 for Meat mincer (ZANUSSI) M/MR22 - M/MR32  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Planetary machine (DUPLEX-AGUSTONI) P302  
 P302SM - P402 - P402SM  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8 - OCEA10 - OCEA10SP - OCEA15  
 OCEA15SP - OCEA3 - OCEA5 - OCEA5SP  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 98-99670

Suitable for:

## 9319047 WHITE START PUSH-BUTTON 10A 600V

1 normally open contact  
 silk-screen printing "I"  
 mounting hole  $\varnothing$  22 mm  
 for Potato peeler (DUPLEX-AGUSTONI) OCEA10  
 OCEA10SP - OCEA15 - OCEA15SP - OCEA5 - OCEA5SP  
 for Potato peeler (ZANUSSI) MP20 - MP50



DUPLEX-AGUSTONI 98-99686

## Timers

## 9446011 TIMER TF024 24V 50/60Hz

180 seconds  
 for Potato peeler (DUPLEX-AGUSTONI) OCEA10P  
 OCEA10S - OCEA15P - OCEA15S - OCEA5P - OCEA5S



DUPLEX-AGUSTONI 98-99740

## 9721006 TIMER 5 MINUTES KIT

complete with knob  
 mechanical movement with balance wheel  
 manually set mechanical timer  
 5 minutes manually set cycle  
 contact capacity 16(3)A 250V  
 max temperature 125°C  
 squared pin 3x3 mm  
 for Potato peeler (AUREA) PLP10 - PLP15 - PLP23  
 PLP32 - PLP6 - PVM10 - PVM15 - PVM23 - PVM32  
 PVM6



DUPLEX-AGUSTONI

## 9446012 TIMER 7 MINUTES KIT

complete with knob  
 mechanical movement with balance wheel  
 manually set mechanical timer  
 7 minutes manually set cycle  
 contact capacity 16(3)A 250V  
 max temperature 125°C  
 squared pin  $\varnothing$  6x4.6 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8 - OCEA10 - OCEA15 - OCEA3 - OCEA5  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 98-99750



## Water tight seals and rings

### 9014136 OIL SEAL 12-22-32

external  $\varnothing$  40 mm - internal  $\varnothing$  25 mm - height 7 mm  
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
EXPORT8C  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
EXPORT8 - OCEA10 - OCEA10SP - OCEA15  
OCEA15SP - OCEA3 - OCEA5 - OCEA5SP  
for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 47-20725

### 9186034 RETAINER SPRING RING 46x25x7 mm

for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
EXPORT8C  
for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
EXPORT8  
for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



DUPLEX-AGUSTONI 47-20730

## Whisks, hooks and flat beaters

### 9740043 ALUMINUM HOOK WITH ADJUSTABLE $\varnothing$

total height with coupling 350 mm  
for Planetary machine (DUPLEX-AGUSTONI) P302  
P302SM



DUPLEX-AGUSTONI 54-22280

### 9740044 ALUMINUM HOOK WITH ADJUSTABLE $\varnothing$

total height with coupling 420 mm  
for Planetary machine (DUPLEX-AGUSTONI) P402  
P402SM



DUPLEX-AGUSTONI 54-22282