



Spare parts for:

Food processing equipment



Suitable for:

ESSEDUE



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11260951





Suitable for:


ESSEDUE



Suitable for:

Accident prevention devices-protections

9716030 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 195x225 mm
 distance between holes 110 mm
 for Slicer (ESSEDUE) 300CE
 for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
 GC-300



ESSEDUE

9716071 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 195x225 mm
 bottom width 150 mm
 distance between holes 112 mm
 for Slicer (ESSEDUE) 300I



ESSEDUE

Belts

9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES
 for Slicer (ABM)
 for Slicer (CELME)
 for Slicer (ESSEDUE) 300
 for Slicer (MARWEL) 30E
 for Slicer (RGV) 250 - 250S
 for Slicer (RHENINGHAUS-TECMAL) STELLINA
 for Slicer (SAMMIC) GC-275
 for Slicer (SIRMAN) CANOVA250CE - CANOVA275CE
 CANOVA300CE - MINI250CE



ESSEDUE


Blades for meat slicer

9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C
 B = external \varnothing 220 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 180 mm
 3 fastening screws
 100CR6 forged stainless steel
 for Slicer (BERKEL) AV35



ESSEDUE

9006518 ST. STEEL BLADE \varnothing 275-40-3-218 MOD.C
 B = external \varnothing 275 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 218 mm
 3 fastening screws
 100CR6 forged stainless steel



ESSEDUE



Suitable for:

Suitable for:

9006523 ST. STEEL BLADE \varnothing 300-40-3-245 MOD.C

B = external \varnothing 300 mm

D = central hole \varnothing 40 mm

C = blade internal \varnothing 245 mm

3 fastening screws

100CR6 forged stainless steel

for Slicer (ALA 2000) F300E - 8300 - 8300CE - 9300

9300CE

for Slicer (RGV) DOLLY300/S



ESSEDUE

Bushes

9704005 BUSHING \varnothing 25-18x22 mm

external \varnothing 25 mm

internal \varnothing 18 mm

height 22 mm

for Slicer (ESSEDUE) 250



ESSEDUE

Eccentrics

9005011 PLASTIC ECCENTRIC ESSEDUE \varnothing 56 mm

internal hole \varnothing 12 mm - groove 6 mm

with external stopping notch

for Slicer (ESSEDUE) 220 - 250 - 275



ESSEDUE



Suitable for:

ESSEDUE



Suitable for:

Emeries for blades

9013201 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external \varnothing 40 mm
 B = hole \varnothing 6 mm
 H = height 7.8 mm
 FINE GRAIN
 for Slicer (ALA 2000) 8300
 for Slicer (CELME) 220
 for Slicer (RGV) 250
 for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



ESSEDUE

9013202 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external \varnothing 40 mm
 B = hole \varnothing 6 mm
 H = height 7.8 mm
 COARSE GRAIN
 for Slicer (ALA 2000) 8300
 for Slicer (CELME) 220
 for Slicer (RGV) 250
 for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



ESSEDUE

9013209 RIMMED GRINDERS WITH HUB 45-6-8

A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 FINE GRAIN
 for Slicer (FAC) F300E
 for Slicer (GENERAL MACHINE) GL - GLS - GXL
 for Slicer (MISTRO) B33 - GS350
 for Slicer (RGV) 250A - 350



ESSEDUE

9013210 RIMMED GRINDERS WITH HUB 45-6-8

A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 COARSE GRAIN
 for Slicer (FAC) F300E
 for Slicer (GENERAL MACHINE) GL - GLS - GXL
 for Slicer (HOBART) TA30
 for Slicer (MISTRO) B33 - GS350
 for Slicer (RGV) 250A - 350



ESSEDUE

9013213 RIMMED GRINDERS WITH HUB 50-6-8

A = external \varnothing 50 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 FINE GRAIN
 for Slicer (ALA 2000) F300E
 for Slicer (FAC) F300E - F300I
 for Slicer (HOBART) 2301
 for Slicer (OMAS) A300 - A31E - A310 - GL - TN
 for Slicer (RHENINGHAUS-TECMAL) HF350 - MONDIAL280



ESSEDUE

9013214 RIMMED GRINDERS WITH HUB 50-6-8

A = external \varnothing 50 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 COARSE GRAIN
 for Slicer (FIA-BOSTON) STIL
 for Slicer (OMAS) A300 - A31E - GL - TN
 for Slicer (RGV) 350
 for Slicer (RHENINGHAUS-TECMAL) MONDIAL280



ESSEDUE



Suitable for:

ESSEDUE



Suitable for:

Handles

9014150 CARRIAGE HANDLE DISTANCE BW HOLES 114 mm
thread \varnothing 6 mm - length 132 mm
for Slicer (FIMAR) HL300 - HS250 - HS300 - H220
H250 - H275 - H300 - H330 - H350 - H370 - V250



ESSEDUE

Knobs

9241015 BLACK TIMER KNOB \varnothing 12x87 mm
pin \varnothing 12x23 mm
knob \varnothing 54 mm
mounting frame \varnothing 62 mm
for Slicer (ESSEDUE) 250 - 275 - 300



ESSEDUE

9007456 BLACK TIMER KNOB \varnothing 12x88 mm
pin \varnothing 12x31 mm
knob \varnothing 48 mm
mounting frame \varnothing 50 mm
for Slicer (ESSEDUE)



ESSEDUE

Pins

3324029 PIN FOR SLICER BLADE COVER
hexagonal part side 24 mm - hole \varnothing 6 mm
blade cover connection 10 mm - overall height 19 mm
for Slicer (ESSEDUE) 300I



ESSEDUE

9710048 PIN FOR SLICER BLADE COVER
hexagonal part side 19 mm - hole \varnothing 6 mm
blade cover connection 10 mm - overall height 15 mm
for Slicer (ESSEDUE) 220 - 250



ESSEDUE

Sharpeners

9000011 BLADE SHARPENER ESSEDUE 220
without cover
shaft \varnothing 10x42 mm - mounting distance 95 mm



ESSEDUE

9000012 BLADE SHARPENER ESSEDUE 250
without cover
shaft \varnothing 10x58 mm - mounting distance 95 mm
for Slicer (ESSEDUE) 220 - 250



ESSEDUE



Suitable for:

ESSEDUE



Suitable for:

9701101 BLADE SHARPENER ESSEDUE 300 NO CE
without cover
shaft \varnothing 10x71 mm - distance 95 mm
for SLICER NO CE without stopping ring



ESSEDUE

Tie rods for blade cover

9013505 BLADE COVER TIE ROD SHAFT 170mm PITCH M6
micro support \varnothing 10x59 mm
for Slicer (ESSEDUE) 220 - 220CE - 250 - 250CE
275CE - 300CE
for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
GC-300



ESSEDUE

9714020 BLADE COVER TIE ROD SHAFT 170mm PITCH M6
for Slicer (ESSEDUE) 220 - 250



ESSEDUE

9013542 BLADE COVER TIE ROD SHAFT 200mm PITCH M6
micro support \varnothing 10x76 mm
for Slicer (ESSEDUE) 300



ESSEDUE