



Spare parts for:

Food processing equipment



Suitable for:

FIA-BOSTON



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

FIA-BOSTON



Suitable for:

Accident prevention devices-protections

9014155 BLACK ARM HANDLE \varnothing 32.5 mm
 thread \varnothing 10 mm - clamp \varnothing 64 mm
 for Slicer (RGV) DOLLYVS350/S - PROFVS350/F
 for Slicer (SIRMAN) - Series AGATA
 Series AUTOMATICA - Series GEMMA - Series LEONARDO
 Series MIRRA - Series OPALE - Series SELCE
 Series VAS - Series VCO - Series VCS



FIA-BOSTON

9716034 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 155x255 mm
 distance between holes 90 mm
 for Slicer (FIA-BOSTON) 350



FIA-BOSTON

Belts

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES
 for Slicer (ALA) F300E - 8300
 for Slicer (BOSTON) 300
 for Slicer (FAC) 350V
 for Slicer (FIA-BOSTON) 300
 for Slicer (GENERAL MACHINE) 350I
 for Slicer (NOAW) 300GE
 for Slicer (SIRMAN) AGATA300 - AUTOMATICA300CE
 AUTOMATICA330CE - GEMMA300 - GEMMA300CE
 GEMMA300UL - GEMMA330 - GEMMA330CE
 GEMMA330UL - GEMMA350CE - GEMMA350UL
 PALLADIO300CE - PALLADIO330CE - PALLADIO350CE



FIA-BOSTON

9003551 V BELT 10x540 mm Z21 1/4
 for Slicer (ATOMA) A35
 for Slicer (SWEDLHINGHAUS)



FIA-BOSTON

9003546 V-BELT 10x424 mm Z16 3/4
 for Slicer (FIA-BOSTON) 350
 for Slicer (ITALIANA MACCHI) 370
 for Slicer (OMEGA) V33



FIA-BOSTON



Suitable for:

FIA-BOSTON



Suitable for:

Blades for meat slicer

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = external \varnothing 300 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 254 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



FIA-BOSTON

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



FIA-BOSTON

9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



FIA-BOSTON

9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



FIA-BOSTON

9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C

B = external \varnothing 220 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 180 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35



FIA-BOSTON

9006525 ST. STEEL BLADE \varnothing 300-40-3-254 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 254 mm
3 fastening screws
100CR6 forged stainless steel



FIA-BOSTON

9006526 ST. STEEL BLADE \varnothing 300-40-3-254-240 MOD.F

B = external diameter 300 mm
D = central hole diameter 40 mm.
C = blade internal diameter 254 mm.
A = rise element diameter 240 mm
3 fastening screws
100CR6 forged stainless steel



FIA-BOSTON

9006528 ST. STEEL BLADE \varnothing 300-57-4-254 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 254 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E - TGI330



FIA-BOSTON



FIA-BOSTON



Suitable for:

9006532 ST. STEEL BLADE \varnothing 330-40-3-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 270 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) 935
for Slicer (LEO) 935



FIA-BOSTON

Suitable for:

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel



FIA-BOSTON

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



FIA-BOSTON

9006545 ST. STEEL BLADE \varnothing 370-57-4-300 MOD.C

B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
100CR6 forged stainless steel



FIA-BOSTON

9006515 STAINL. STEEL BLADE \varnothing 250-40-3-210 MOD.C

B = external \varnothing 250 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 210 mm
3 fastening screws
forged 100CR6 stainless steel
for Slicer (NOAW) TAS



FIA-BOSTON

Eccentrics

9005016 PLASTIC ECCENTRIC ATOMA \varnothing 70 mm

internal hole \varnothing 12 mm - groove 10 mm
with lateral ear
for Slicer (ATOMA)
for Slicer (FIA-BOSTON)



FIA-BOSTON



Suitable for:

FIA-BOSTON



Suitable for:

Electronic printed-circuit boards

9390047 CONTROL BOARD FOR CHANGE OVER SWITCH KIT

external dimensions 58x52 mm
complete with cables
for Slicer (FAC) - Series 195 - Series 250



FIA-BOSTON

Emeries for blades

9013023 CUP GRINDERS 55-6-15

A = external \varnothing 55 mm
B = hole \varnothing 6 mm
H = height 15 mm
COARSE GRAIN
giant type
for Slicer (BERKEL) 807 - 834



FIA-BOSTON

9013213 RIMMED GRINDERS WITH HUB 50-6-8

A = external \varnothing 50 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (ALA 2000) F300E
for Slicer (FAC) F300E - F300I
for Slicer (HOBART) 2301
for Slicer (OMAS) A300 - A31E - A310 - GL - TN
for Slicer (RHENINGHAUS-TECMAL) HF350 - MONDIAL280



FIA-BOSTON

9013214 RIMMED GRINDERS WITH HUB 50-6-8


A = external \varnothing 50 mm
B = hole \varnothing 6 mm
H = height 8 mm
COARSE GRAIN
for Slicer (FIA-BOSTON) STIL
for Slicer (OMAS) A300 - A31E - GL - TN
for Slicer (RGV) 350
for Slicer (RHENINGHAUS-TECMAL) MONDIAL280



FIA-BOSTON

9013219 RIMMED GRINDERS WITH HUB 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
FINE GRAIN
for Slicer (ABM) AGS350
for Slicer (BERKEL) CX350
for Slicer (FIA-BOSTON) STIL
for Slicer (HOBART) TI33 - 1712 - 2350
for Slicer (OMAS) TGI330 - TGI350



FIA-BOSTON



FIA-BOSTON



Suitable for:

Suitable for:

9013221 RIMMED GRINDERS WITH HUB 50-9.6-10

A = external \varnothing 50 mm
B = hole \varnothing 9.6 mm
H = height 10 mm
FINE GRAIN
giant type
for Slicer (FIA-BOSTON) BM - H350 - MAX350



FIA-BOSTON

9013021 RIMMED GRINDERS 51-9.6-12

A = external \varnothing 51 mm
B = hole \varnothing 9.6 mm
H = height 12 mm
COARSE GRAIN
for Slicer (FIA-BOSTON) BM - H - MAX350



FIA-BOSTON

9013150 STEPPED EMERY WHEEL 48-6-8

A = external \varnothing 48 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (FIA-BOSTON) MAX



FIA-BOSTON

9013130 STEPPED EMERY WHEEL 50-6-8

A = external \varnothing 50 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (BERKEL) 807 - 835



FIA-BOSTON

Gears

9005504 29-TOOTH GEAR IN BAKELITE

external \varnothing 59 mm
internal \varnothing 35 mm
height 20 mm
feather 3.5x3.5 mm
for Slicer (ATOMA)



FIA-BOSTON

9005505 30-TOOTH GEAR IN BAKELITE

external \varnothing 59 mm
internal \varnothing 35 mm
height 20 mm
5 fittings
gear protection \varnothing 10 mm
for Slicer (ATOMA)



FIA-BOSTON



Suitable for:

FIA-BOSTON



Suitable for:

Switches

9319715 PUSH-BUTT.PANEL 2 BUT. I-O WHITE-BLACK

16A 250V

2 normally open contacts

mounting hole 22x30 mm

for Slicer (FAC)

for Slicer (FIA-BOSTON)

for Slicer (RGV) DOLLY300S - DOLLY350A



FIA-BOSTON