



Spare parts for:

Food processing equipment



Suitable for:

GENERAL MACHINE



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

GENERAL MACHINE



Suitable for:

Accident prevention devices-protections

9716028 CARRIAGE GUARD

max.overall dimensions 155x275 mm
distance between holes 68 mm
for Slicer (GENERAL MACHINE) GTL370



GENERAL MACHINE

Bearings

9004011 BEARING 607 ZZ MOUNTED ON BUSHING

external teflon bushing
external $\varnothing$ 24 mm - internal $\varnothing$ 7 mm -thickness 7 mm
for Slicer (ABM)
for Slicer (ARSA)
for Slicer (BIZERBA)
for Slicer (GENERAL MACHINE)
for Slicer (KOLOSSAL)
for Slicer (NOAW)



GENERAL MACHINE

9004000

BEARING 608 ZZ

external $\varnothing$ 22 mm - internal $\varnothing$ 8 mm -thickness 7 mm
for Slicer (ABO)
for Slicer (GENERAL MACHINE)



GENERAL MACHINE

Belts

9062020 BELT MULTIGRIP TB2 330 H12 5 GROOVES

for Slicer (GENERAL MACHINE) 250I
for Slicer (MISTRO) 220
for Slicer (OMS) 220I
for Slicer (RHENINGHAUS-TECMAL) STELLINA220
STELLINA250
for Slicer (SAMMIC) GC-220 - GC-250




GENERAL MACHINE

9062095

MULTIGRIP BELT TB2 330 H22 10 GROOVES

for Slicer (ABO) 300I
for Slicer (GENERAL MACHINE) 300 - 330 - 350I



GENERAL MACHINE



GENERAL MACHINE



Suitable for:

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES

for Slicer (ALA) F300E - 8300
for Slicer (BOSTON) 300
for Slicer (FAC) 350V
for Slicer (FIA-BOSTON) 300
for Slicer (GENERAL MACHINE) 350I
for Slicer (NOAW) 300GE
for Slicer (SIRMAN) AGATA300 - AUTOMATICA300CE
AUTOMATICA330CE - GEMMA300 - GEMMA300CE
GEMMA300UL - GEMMA330 - GEMMA330CE
GEMMA330UL - GEMMA350CE - GEMMA350UL
PALLADIO300CE - PALLADIO330CE - PALLADIO350CE



GENERAL MACHINE

Suitable for:

9003665 MULTIGRIP BELT 430 TB2 H20 9 GROOVES

for Slicer (CELME)
for Slicer (GENERAL MACHINE) 350V



GENERAL MACHINE

9003528 V-BELT 8x315 mm T12 1/5

for Slicer (ABO) 300G
for Slicer (ARSA) 300V - 330
for Slicer (FAC) 250I
for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS
for Slicer (OMAS) GF
for Slicer (OMEGA)
for Slicer (REGINA) 250 - 275 - 300



GENERAL MACHINE

Blades for meat slicer

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = external $\varnothing$ 300 mm
D = central hole $\varnothing$ 57 mm
C = blade internal $\varnothing$ 254 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



GENERAL MACHINE

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES

B = external $\varnothing$ 330 mm
D = central hole $\varnothing$ 57 mm
C = blade internal $\varnothing$ 270 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



GENERAL MACHINE



GENERAL MACHINE



Suitable for:

9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external ø 350 mm
D = central hole ø 57 mm
C = blade internal ø 280 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



GENERAL MACHINE

Suitable for:

9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external ø 370 mm
D = central hole ø 57 mm
C = blade internal ø 300 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



GENERAL MACHINE

9006510 ST. STEEL BLADE ø 220-40-3-180 MOD.C

B = external ø 220 mm
D = central hole ø 40 mm
C = blade internal ø 180 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35



GENERAL MACHINE

9006520 ST. STEEL BLADE ø 275-40-4-218 MOD.C

B = external ø 275 mm
D = central hole ø 40 mm
C = blade internal ø 218 mm
4 fastening screws
100CR6 forged stainless steel



GENERAL MACHINE

9006525 ST. STEEL BLADE ø 300-40-3-254 MOD.C

B = external ø 300 mm
D = central hole ø 40 mm
C = blade internal ø 254 mm
3 fastening screws
100CR6 forged stainless steel



GENERAL MACHINE

9006528 ST. STEEL BLADE ø 300-57-4-254 MOD.C

B = external ø 300 mm
D = central hole ø 57 mm
C = blade internal ø 254 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E - TGI330



GENERAL MACHINE

9006535 ST. STEEL BLADE ø 330-57-4-270 MOD.C

B = external ø 330 mm
D = central hole ø 57 mm
C = blade internal ø 270 mm
4 fastening screws
100CR6 forged stainless steel



GENERAL MACHINE

9006538 ST. STEEL BLADE ø 350-57-4-280 MOD.C

B = external ø 350 mm
D = central hole ø 57 mm
C = blade internal ø 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



GENERAL MACHINE



GENERAL MACHINE



Suitable for:

9006545 ST. STEEL BLADE ø 370-57-4-300 MOD.C

B = external ø 370 mm
D = central hole ø 57 mm
C = blade internal ø 300 mm
4 fastening screws
100CR6 forged stainless steel



GENERAL MACHINE

Suitable for:

9006547 ST. STEEL BLADE ø 385-57-4-315 MOD.C

B = external ø 385 mm
D = central hole ø 57 mm
C = blade internal ø 315 mm
4 fastening screws
100CR6 forged stainless steel



GENERAL MACHINE

Eccentrics

9707009 PLASTIC ECCENTRIC GENERAL ø 87 mm

internal hole ø 14 mm - groove 8 mm
with external stopping notch
for Slicer (GENERAL MACHINE) 350S - 370S



GENERAL MACHINE

9707012 PLASTIC ECCENTRIC GENERAL ø 90 mm

internal hole 14 mm - groove 8 mm
for Slicer (GENERAL MACHINE) ASE370 - 370AC
370AS



GENERAL MACHINE

Electronic printed-circuit boards

9390063 ELECTRONIC POWER BOARD 230/400V

external dimensions 116x108 mm
for Slicer (GENERAL MACHINE) - Series GLE
Series GLS



GENERAL MACHINE

Emeries for blades

9013020 CUP GRINDERS 51-8-12

A = external ø 51 mm
B = hole ø 8 mm
H = height 12 mm
COARSE GRAIN
for Slicer (BERKEL) AV35 - GF400 - GF800 - TV350
for Slicer (KOLOSSAL) MIP330 - MIP350
for Slicer (MANCONI) MIP330 - MIP350
for Slicer (REGINA) 350
for Slicer (RGV) 350



GENERAL MACHINE

9013201 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external ø 40 mm
B = hole ø 6 mm
H = height 7.8 mm
FINE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



GENERAL MACHINE



GENERAL MACHINE



Suitable for:

9013202 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external $\varnothing$ 40 mm
B = hole $\varnothing$ 6 mm
H = height 7.8 mm
COARSE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



GENERAL MACHINE

Suitable for:

9013209 RIMMED GRINDERS WITH HUB 45-6-8

A = external $\varnothing$ 45 mm
B = hole $\varnothing$ 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (FAC) F300E
for Slicer (GENERAL MACHINE) GL - GLS - GXL
for Slicer (MISTRO) B33 - GS350
for Slicer (RGV) 250A - 350



GENERAL MACHINE

9013210 RIMMED GRINDERS WITH HUB 45-6-8

A = external $\varnothing$ 45 mm
B = hole $\varnothing$ 6 mm
H = height 8 mm
COARSE GRAIN
for Slicer (FAC) F300E
for Slicer (GENERAL MACHINE) GL - GLS - GXL
for Slicer (HOBART) TA30
for Slicer (MISTRO) B33 - GS350
for Slicer (RGV) 250A - 350



GENERAL MACHINE

9013123 RIMMED GRINDERS 45-8-7

A = external $\varnothing$ 45 mm
B = hole $\varnothing$ 8 mm
H = height 7 mm
FINE GRAIN
for Slicer (CELME) GRP350
for Slicer (IRONWEED) G330
for Slicer (MANCONI) MIP330 - MIP350
for Slicer (RHENINGHAUS-TECMAL) 370



GENERAL MACHINE

Gears

9005525 31-TOOTH GEAR IN NYLON

external $\varnothing$ 64 mm
internal $\varnothing$ 36 mm
height 20 mm
6 fittings
gear protection $\varnothing$ 6 mm
for Slicer (GENERAL MACHINE)



GENERAL MACHINE



GENERAL MACHINE



Suitable for:

Suitable for:

Knobs

9242056 BLACK TIMER KNOB $\varnothing$ 12x82 mm

pin $\varnothing$ 12x32 mm
knob $\varnothing$ 47 mm
mounting frame $\varnothing$ 60 mm
for Slicer (FAC) 220 - 250E
for Slicer (RGV)



GENERAL MACHINE

9007450 BLACK TIMER KNOB $\varnothing$ 14x134 mm

pin $\varnothing$ 14x74 mm
knob $\varnothing$ 66 mm
mounting frame $\varnothing$ 68 mm
clockwise numbering
for Slicer (ARSA)



GENERAL MACHINE

9241018 BLACK TIMER KNOB $\varnothing$ 14x158 mm

pin $\varnothing$ 14x93 mm
knob $\varnothing$ 67 mm
mounting frame $\varnothing$ 68 mm
for Slicer (GENERAL MACHINE)



GENERAL MACHINE

Pins

9011012 PIN FOR SLICER BLADE COVER

hexagonal part side 13 mm - hole $\varnothing$ 8 mm
fastening thread M8 - overall height 25 mm
for Slicer (GENERAL MACHINE) 350 - 370
for Slicer (KOLOSSAL) 350 - 380



GENERAL MACHINE

Protection plates

9007002 NEUTRAL TIMER BEZEL

top $\varnothing$ 68.5 mm
bottom $\varnothing$ 39 mm
central hole 18 mm
height 23 mm



GENERAL MACHINE



GENERAL MACHINE



Suitable for:

Suitable for:

Switches

9319718 PUSH-BUTT.PANEL 2 BUT.ON-OFF GREEN-BLACK

16A 250V

2 normally open contacts

mounting hole 22x30 mm

for Slicer (GENERAL MACHINE)



GENERAL MACHINE

Tie rods for blade cover

9714008 BLADE COVER TIE ROD PIN 150 mm PITCH M6

for Slicer (FB FABBA) 275GL

for Slicer (GENERAL MACHINE) 220 - 250 - 300



GENERAL MACHINE

9013532 BLADE COVER TIE ROD SHAFT 195mm PITCH M6

micro support ø 10x70 mm

for Slicer (AMB) AGI300 - AGI330 - GE116



GENERAL MACHINE

9714013 BLADE COVER TIE ROD SHAFT 195mm PITCH M8

micro support ø 13x55 mm

for Slicer (GENERAL MACHINE) 300 - 330G



GENERAL MACHINE

9013533 BLADE COVER TIE ROD SHAFT 217mm PITCH M6

for Slicer (AMB) AGR350 - AGR370 - GF47

for Slicer (GENERAL MACHINE) 350G - 370G



GENERAL MACHINE