



Spare parts for:

## Food processing equipment



Suitable for:

# IGF



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

IGF

Suitable for:



## Bearings

### 9063012 BEARING 6004 DDU NSK

external  $\varnothing$  42mm - internal  $\varnothing$  20mm - thickness 12mm  
 for Bone bandsaw (SIRMAN) SO2400  
 for Cutter (ROBOT COUPE) ECL52  
 for Grater (FIMAR) GR8D  
 for Kneader (FIMAR) IM12 - IM18  
 for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30  
 TAURO35 - TAURO40  
 for Meat mincer (EVEREST) TC22P  
 for Meat mincer (FIMAR) TR8D  
 for Planetary machine (FIMAR) IP10 - IP20  
 for Potato peeler (FAMA) FP-103  
 for Potato peeler (PASQUINI) PSP700CE10KG  
 PSP700CE15KG - PSP70010KG - PSP70015KG  
 for Vegetables/mozzarella cutter (ROBOT COUPE)  
 CL55D



IGF 2200/S16Z04

### 3063018 BEARING 6200 DDU NSK

external  $\varnothing$  30mm - internal  $\varnothing$  10mm - thickness 9mm  
 for Bone bandsaw (LA MINERVA) C165 - E165  
 for Pizza dough stretcher (IGF) B30 - B40 - L30  
 L40  
 for Slicer (BRAHER) MAT292 - MAT320 - MAT350



IGF 2300/B30Z37  
IGF 2300/L40PZ35

IGF 2300/B40Z37  
IGF 2300/L40Z37

IGF 2300/L30Z37

### 3063005 BEARING 6202 DDU NSK

external  $\varnothing$  35mm - internal  $\varnothing$  15mm - thickness 11mm  
 for Cutter (GAM) PRATIC3  
 for Kneader (FAMA) KG5 - KG8  
 for Meat mincer (FIMAR) TR8D  
 for Pizza dough stretcher (FIMAR) FIP30 - FIP40  
 FIP42 - FI30 - FI32 - FI40 - FI42 - FPP30  
 FPP40 - FP30 - FP40  
 for Pizza dough stretcher (IGF) B30 - B40 - L30  
 L40  
 for Potato peeler (DITO ELECTROLUX) T5S  
 for Potato peeler (ZANUSSI) T5S  
 for Slicer (BRAHER) USA250 - USA280 - USA300  
 USA320  
 for Slicer (FIMAR) HL250 - HL275 - HS250 - HS300  
 H220 - H250 - H275 - H300 - V250



IGF 2300/B30Z41  
IGF 2300/L40Z41

IGF 2300/B40Z41

IGF 2300/L30Z41

### 3063120 BEARING 6202 2RSH SKF

external  $\varnothing$  35mm - internal  $\varnothing$  15mm - thickness 11mm  
 for Cutter (GAM) PRATIC3  
 for Kneader (FAMA) KG5 - KG8  
 for Meat mincer (FIMAR) TR8D  
 for Pizza dough stretcher (FIMAR) FIP30 - FIP40  
 FIP42 - FI30 - FI32 - FI40 - FI42 - FPP30  
 FPP40 - FP30 - FP40  
 for Pizza dough stretcher (IGF) B30 - B40 - L30  
 L40  
 for Potato peeler (DITO ELECTROLUX) T5S  
 for Potato peeler (ZANUSSI) T5S  
 for Slicer (BRAHER) USA250 - USA280 - USA300  
 USA320  
 for Slicer (FIMAR) HL250 - HL275 - HS250 - HS300  
 H220 - H250 - H275 - H300 - V250



IGF 2300/B30Z41  
IGF 2300/L40Z41

IGF 2300/B40Z41

IGF 2300/L30Z41



Suitable for:

**1063901 BEARING 6204 DDU NSK**

external  $\varnothing$  47mm - internal  $\varnothing$  20mm - thickness 14mm  
for Kneader (BAKERMIX) MIX203.B  
for Kneader (GAM) A30  
for Kneader (IGF) 2200/S25 - 2200/S38  
for Kneader (OEM) F201/1 - F501/2  
for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30  
for Meat mincer (FIMAR) 12C - 12TS - 22C - 22TE  
for Mussel cleaner (LA MINERVA) C/E560C - C/E565C  
for Planetary machine (SIGMA) BM10 - BM20 - BM30  
for Potato peeler (ANGELO PO) MPK10 - MPK20 - MPK5  
for Potato peeler (LA MINERVA) C/560 - C/565  
C/570 - C/71  
for Potato peeler (OEM) PC6 - PC8 - PLP10 - PLP15  
PLP23 - PLP32 - PL10 - PL15 - PL23 - PV10  
PV15 - PV23



IGF 2200/S25Z02

IGF 2200/S38Z02

**IGF**



Suitable for:

**3063122 BEARING 6204 2RSH SKF**

external  $\varnothing$  47mm - internal  $\varnothing$  20mm - thickness 14mm  
for Kneader (GAM) A30  
for Kneader (IGF) 2200/S25 - 2200/S38  
for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30  
for Meat mincer (FIMAR) 12C - 12TS - 22C - 22TE  
for Mussel cleaner (LA MINERVA) C/E560C - C/E565C  
for Planetary machine (SIGMA) BM10 - BM20 - BM30  
for Potato peeler (ANGELO PO) MPK10 - MPK20 - MPK5  
C/570 - C/71  
for Slicer (BRAHER) MAT292 - MAT320 - MAT350  
for Vegetables/mozzarella cutter (DITO ELECTROLUX)  
TRS



IGF 2200/S25Z02

IGF 2200/S38Z02

**9720017 BEARING 6302 DDU NSK**

external  $\varnothing$  42mm - internal  $\varnothing$  15mm - thickness 13mm  
for Mussel cleaner (FIMAR) LCN10 - LCN18 - LCN5  
for Potato peeler (ANGELO PO) P10 - P10M - P102  
P20 - P202 - P5  
for Potato peeler (FIMAR) PLN - PPN  
for Vegetables/mozzarella cutter (ANGELO PO) TV1  
TV1M - TV2L  
for Vegetables/mozzarella cutter (FIMAR) FNT




IGF 2200/S16Z02

**Belts**

**9062014 LONG BELT  $\varnothing$  8x645 mm**

external  $\varnothing$  215 mm  
for Pizza dough stretcher (KLEMOR) B30 - L30




IGF 2300/B30Z14

IGF 2300/L30Z14

**9062018 LONG BELT  $\varnothing$  8x884 mm**

external  $\varnothing$  290 mm  
for Pizza dough stretcher (IGF) B40P - L40P



IGF 2300/B40PZ11

IGF 2300/L40PZ11



Suitable for:

# IGF




**9062016 LONG BELT ø 8x895 mm**  
 external ø 295 mm  
 for Pizza dough stretcher (KLEMOR) B40 - L40  
 for Pizza dough stretcher (GAM) 2300/R40E  
 for Pizza dough stretcher (IGF) 2300/L40



IGF 2300/B40Z14

IGF 2300/L40Z14


**9062015 SHORT BELT ø 8x540 mm**  
 external ø 180 mm  
 for Pizza dough stretcher (KLEMOR) B30 - L30  
 for Pizza dough stretcher (PIZZA GROUP) P30A



IGF 2300/B30Z19

IGF 2300/L30Z19

**9062019 SHORT BELT ø 8x620 mm**  
 external ø 205 mm  
 for Pizza dough stretcher (IGF) B40P - L40P



IGF 2300/B40PZ16

IGF 2300/L40PZ16

**9062017 SHORT BELT ø 8x635 mm**  
 external ø 210 mm  
 for Pizza dough stretcher (KLEMOR) B40 - L40



IGF 2300/B40Z19

IGF 2300/L40Z19

## Electronic printed-circuit boards

**9014029 ELECTR.CIRCUIT BOARD F/KIT 230/400V 5HP**  
 external dimensions 100x80 mm  
 power supply 230/400V 50/60Hz  
 for ALTERING KIT 9014021-9721000-9721004  
 for Grater (SIRMAN)  
 since 1/01/04  
 GFCE - GF2CE  
 for Meat mincer (FAMA) - Series 12CE  
 Series 12CEUNGER - Series 22CE - Series 22CEUNGER  
 for Meat mincer (SIRMAN)  
 since 1/01/04  
 TCG12ECE - TCG22ECE - TC12ECE - TC22ECE  
 for Potato peeler (SIRMAN) PPJ10CE - PPJ20CE  
 for Vegetables/mozzarella cutter (FAMA)  
 Series CE



IGF

**9390007 ELECTRON.CONTROL CIRCUIT BOARD 70x80 mm**  
 for Kneader (IGF) 2400/S12



IGF 2400/S12Z33

**9390008 ELECTRON.CONTROL CIRCUIT BOARD 87x87 mm**  
 for Kneader (IGF) 2400/S38



IGF 2400/S38Z33

**9390009 ELECTRONIC POWER BOARD 120x60 mm**  
 for Pizza dough stretcher (IGF) B30 - B40



IGF 2300/B30Z10

IGF 2300/B40Z10



**IGF**



Suitable for:

**9390010 ELECTRONIC POWER BOARD 125x60 mm**  
for Pizza dough stretcher (IGF) L30 - L40




IGF 2300/L30Z10

IGF 2300/L40Z10

Suitable for:

**9014129 ELECTRONIC POWER BOARD 230V**  
external dimensions 95x83 mm  
for Meat mincer (FAMA) - Series 12CE  
Series 12CEUNGER - Series 22CE - Series 22CEUNGER  
for Vegetables/mozzarella cutter (FAMA)  
Series CE



IGF

## Emeries for blades

**9013130 STEPPED EMERY WHEEL 50-6-8**

A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
FINE GRAIN  
for Slicer (BERKEL) 807 - 835



IGF

## Gears

**9014054 BIG GEAR  $\varnothing$  64 mm**  
internal  $\varnothing$  16 mm - number of teeth 40  
for Meat mincer (FAMA) - Series CE - Series EXPORT  
Series 12CE - 22 - 32  
for Vegetables/mozzarella cutter (FAMA)  
Series CE - Series EXPORT



IGF

**9212017 BOSS-TO-BOSS GEAR**  
internal  $\varnothing$  26 mm  
for Pizza dough stretcher (FIMAR) FIP30 - FIP40  
FI30 - FI40 - FPP30 - FPP40 - FP30 - FP40  
for Pizza dough stretcher (IGF) B30 - B40 - L30  
L40  
for Pizza dough stretcher (PIZZA GROUP) M35 - P30  
P30A - P30AE - P30T - P30TA - P35TA - P40  
P40A - P40AE - P40T - P40TA - P40TAE - P45A  
P45HTA - P45TA



IGF 2300/B30Z35  
IGF 2300/L40PZ33

IGF 2300/B40Z35  
IGF 2300/L40Z35

IGF 2300/L30Z35



Suitable for:

**9014052 BRONZE GEAR ø 34 mm**

internal ø 15 mm - number of teeth 19  
for Meat mincer (FAMA) - Series 8CE  
Series 8EXPORT



IGF

**5032788 EXTERNAL GEAR**

extern.ø 47 mm - hole ø 14 mm - height 34 mm  
male gear - total teeth 19  
for Pizza dough stretcher (IGF) 2300/L30  
2300/L40



IGF 2300/B40PZ34

IGF 2300/L30Z36

IGF 2300/L40Z36

**9014055 SMALL GEAR ø 25 mm**

internal ø 10 mm - number of teeth 13  
for Meat mincer (FAMA) - Series CE - Series EXPORT  
Series 12CE - 22 - 32  
for Meat mincer (SIRMAN) TCG12 - TCG22E  
for Vegetables/mozzarella cutter (FAMA)  
Series CE - Series EXPORT



IGF

**IGF**



Suitable for:

**9014053 DOUBLE GEAR ø 70/31.6 mm**

large gear external ø 70 mm  
teeth number 41  
small gear external ø 31.6 mm  
18 teeth  
for FAMA MOZZARELLA CUTTER CE-EXPORT  
for FAMA MEAT MINCER 12-22-32 CE-EXPORT  
for FAMA SHROUDED MEAT MINCER 12-22-32 CE-EXPORT  
for FAMA MEAT MINCER-GRATER CAR. 12 CE-EXPORT  
for FAMA MEAT MINCER-GRATER CAR. 22 CE-EXPORT  
for FAMA MEAT MINCER-GRATER 12-22 CE-EXPORT  
for Meat mincer (FAMA) - Series CE - Series EXPORT  
Series 12CE - 22 - 32  
for Vegetables/mozzarella cutter (FAMA)  
Series CE - Series EXPORT



IGF

**5030496 INTERNAL GEAR**

external ø 47 mm - hole ø 25 mm - height 34 mm  
male gear - total teeth 19  
for Pizza dough stretcher (IGF) 2300/B30  
2300/B40 - 2300/L30 - 2300/L40



IGF 2300/L30Z43

IGF 2300/L40Z43

**9212024 THICKNESS ADJUSTER 48x43 mm**

for Pizza dough stretcher (IGF) B40 - L40  
2300/L30



IGF 2300/L30Z40

IGF 2300/L40PZ38

IGF 2300/L40Z40





**Inlet holes for meat mincers**

**9014546 CAST IR.MEAT MINCER MOUTH 12 FAMA**  
 thread  $\varnothing$  80 mm  
 coupling external  $\varnothing$  73x95 mm  
 overall length 136 mm  
 rear hole  $\varnothing$  33 mm  
 MODEL FOR TWO-NOTCH BLADES  
 for Meat mincer (FAMA) - Series 12CE  
 Series 12EXPORT



IGF

**9014126 CAST IR.MEAT MINCER MOUTH 12 UNGER FAMA**  
 thread  $\varnothing$  80 mm  
 coupling external  $\varnothing$  72x95 mm  
 overall length 157 mm  
 rear hole  $\varnothing$  33.5 mm  
 MODEL FOR TWO-NOTCH BLADES



IGF

**9014059 CAST IR.MEAT MINCER MOUTH 22FAMA**  
 thread  $\varnothing$  94 mm  
 coupling external  $\varnothing$  81x93.5 mm  
 overall length 148 mm  
 rear hole  $\varnothing$  36 mm  
 MODEL FOR TWO-NOTCH BLADES



IGF

**9014125 S/STEEL MEAT MINCER MOUTH 12 FAMA**  
 thread  $\varnothing$  82 mm  
 coupling external  $\varnothing$  72x93 mm  
 overall length 135 mm  
 rear hole  $\varnothing$  33 mm  
 MODEL FOR TWO-NOTCH BLADES



IGF

**Knives for meat mincers**

**9014607 S.STEEL KNIFE F/M.MINCER MOD.22 HUNGER**  
 model UNGER INTERCHANGEABLE BLADES H82/22  
 oval hole 17x13 mm



IGF

**9014602 STAINLESS STEEL KNIFE F/MEAT MINCER 22**  
 model ENTERPRISE 22 self-sharpening  
 external  $\varnothing$  73 mm - square hole 13x13 mm



IGF

**Knobs**

**9016043 BLACK INLET HOLDING HANDLE  $\varnothing$  40 mm**  
 with pin pitch M8  
 with pin length 25 mm  
 for Meat mincer (FAMA) 8



IGF

**9007003 BLACK INLET HOLDING HANDLE  $\varnothing$  60 mm**  
 with pin pitch M10  
 with pin length 25 mm  
 for Meat mincer (FAMA) - Series 12CE - 22



IGF



Suitable for:

IGF

Suitable for:



## Lids for potato peeler

**9734014 CUTTER LID ø 255 mm**  
complete with magnet  
for Cutter (GAM) PRATIC5 - PRATIC8



IGF

**9016045 PLASTIC COVER ø 98 mm**  
for MOTOR COVER-GRATER UNIT



IGF

## Meat hold arm

**9016053 CHEESE PRESSING LEVER 12-22**  
complete with pin and screw  
for Meat mincer (FAMA) - Series 12CE  
Series 12EXPORT - Series 22CE - Series 22EXPORT



IGF

## Microswitches

**9014016 MAGNETIC MICROSWITCH E5101A**  
0.5A 250V - contact NO - head 32x13x8 mm  
with cable length 750 mm  
for Meat mincer (FAMA) TGI8 - TG8  
for Vegetables/mozzarella cutter (SIRMAN)  
TMCOPALLCE - TMCOPINOXCE



IGF

**9240011 MICROSWITCH CAP**  
for Kneader (IGF) 2200/S12 - 2200/S16 - 2200/S25  
2200/S38 - 2200/S42 - 2200/S70



IGF 2200/S07Z15

IGF 2200/S25Z15

IGF 2200/S70Z15

IGF 2200/S12Z15

IGF 2200/S38Z15

IGF 2200/S16Z15

IGF 2200/S42Z15

**9014051 MICROSWITCH 12A 250V**  
for Cutter (SIRMAN) C4CE - C4VTCE - C4VVCE - C6CE  
C6VTCE - C6VVCE - C9VVCE



IGF





Suitable for:

**3803077 MICROSWITCH 16A 250V**

for Kneader (IGF) 2200/S12 - 2200/S16 - 2200/S25  
2200/S38 - 2200/S42 - 2200/S70 - 2400/S12  
2400/S16 - 2400/S25 - 2400/S38



- IGF 2200/S07Z16
- IGF 2200/S25Z16
- IGF 2200/S70Z16
- IGF 2400/S16Z22
- IGF 2400/S25Z46
- IGF 2200/S12Z16
- IGF 2200/S38Z16
- IGF 2400/S12Z22
- IGF 2400/S16Z46
- IGF 2400/S38Z22
- IGF 2200/S16Z16
- IGF 2200/S42Z16
- IGF 2400/S12Z46
- IGF 2400/S25Z22
- IGF 2400/S38Z46

# IGF



Suitable for:

**9240011 MICROSWITCH CAP**

for Kneader (IGF) 2200/S12 - 2200/S16 - 2200/S25  
2200/S38 - 2200/S42 - 2200/S70



- IGF 2200/S07Z15
- IGF 2200/S25Z15
- IGF 2200/S70Z15
- IGF 2200/S12Z15
- IGF 2200/S38Z15
- IGF 2200/S16Z15
- IGF 2200/S42Z15

## Pins

**9015018 CONVEYOR SHAFT 12-22 FAMA**

external  $\varnothing$  25 mm - overall length 78 mm  
for Meat mincer (FAMA) - Series 12CE  
Series 12EXPORT - Series 22CE - Series 22EXPORT



IGF

**9015069 PIN FOR MEAT MINCER 12 FAMA**

shaft  $\varnothing$  9.9 mm  
square part 11.5x11.5 mm  
thread  $\varnothing$  12x20 mm



IGF

**9015070 PIN FOR MEAT MINCER 22 FAMA**

shaft  $\varnothing$  11 mm  
square part 12.6x12.6 mm  
thread  $\varnothing$  12x20 mm



IGF

**9015071 PIN FOR MEAT MINCER 32 FAMA**

shaft  $\varnothing$  13 mm  
square part 14.2x14.2 mm  
thread  $\varnothing$  20x25 mm  
flange  $\varnothing$  25 mm



IGF

**9015074 PIN FOR MEAT MINCER 8 FAMA-FIMAR**

shaft  $\varnothing$  8.5 mm  
square part 10x10 mm  
thread  $\varnothing$  10x16 mm



IGF



Suitable for:

# IGF



Suitable for:

## Pizza dough stretchers rolls and spares

**9733006** **BOTTOM EXTERNAL ROLLER**  $\varnothing$  46x307 mm  
for Pizza dough stretcher (IGF) B30 - L30



IGF 2300/B30Z30

IGF 2300/L30Z30

**9733012** **BOTTOM EXTERNAL ROLLER**  $\varnothing$  49x408 mm  
for Pizza dough stretcher (IGF) B40 - B40P - L40  
L40P



IGF 2300/B40PZ28  
IGF 2300/L40Z30

IGF 2300/B40Z30

IGF 2300/L40PZ28

**9733005** **BOTTOM INTERNAL ROLLER**  $\varnothing$  49x307 mm  
for Pizza dough stretcher (IGF) B30 - L30



IGF 2300/B30Z29

IGF 2300/L30Z29

**9733007** **BOTTOM INTERNAL ROLLER**  $\varnothing$  49x408 mm  
for Pizza dough stretcher (IGF) B40 - L40



IGF 2300/B40PZ27  
IGF 2300/L40Z29

IGF 2300/B40Z29

IGF 2300/L40PZ27

**9733010** **TOP EXTERNAL ROLLER**  $\varnothing$  46x307 mm  
for Pizza dough stretcher (IGF) B40P - L40P



IGF 2300/B40PZ48

IGF 2300/L40PZ48

**9733002** **TOP EXTERNAL ROLLER**  $\varnothing$  48x176 mm  
for Pizza dough stretcher (IGF) B30 - L30



IGF 2300/B30Z50

IGF 2300/L30Z50

**9733004** **TOP EXTERNAL ROLLER**  $\varnothing$  48x217 mm  
for Pizza dough stretcher (IGF) B40 - L40



IGF 2300/B40Z50

IGF 2300/L40Z50

**9733009** **TOP INTERNAL ROLLER**  $\varnothing$  46x307 mm  
for Pizza dough stretcher (IGF) B40P - L40P



IGF 2300/B40PZ44

IGF 2300/L40PZ44

**9733001** **TOP INTERNAL ROLLER**  $\varnothing$  48x176 mm  
for Pizza dough stretcher (IGF) B30 - L30



IGF 2300/B30Z46

IGF 2300/L30Z46

**9733003** **TOP INTERNAL ROLLER**  $\varnothing$  48x217 mm  
for Pizza dough stretcher (IGF) B40 - L40



IGF 2300/B40Z46

IGF 2300/L40Z46



Suitable for:

**IGF**



Suitable for:

## Plates for mincers

**9015740 INOX PLATE MOD.H82/22/10 UNGER**  
model H82/22 UNGER self-sharpening  
ejection hole  $\varnothing$  10 mm  
external  $\varnothing$  81.6 mm - central hole  $\varnothing$  22,2 mm



IGF

**9015731 INOX PLATE MOD.H82/22/2 UNGER**  
model H82/22 UNGER self-sharpening  
ejection hole  $\varnothing$  2 mm  
external  $\varnothing$  81.6 mm - central hole  $\varnothing$  22,2 mm



IGF

## Rating-plates

**9399005 CONTROL PLATE**  
dimensions 85x75 mm  
for Kneader (IGF) 2400/S12



IGF 2400/S12Z34

**9399006 CONTROL PLATE**  
dimensions 106x90 mm  
for Kneader (IGF) 2400/S38



IGF 2400/S38Z34

## Rolls for graters and spares

**9733527 GRATER ROLLER MOD.8 FIMAR**  
external  $\varnothing$  60 mm -  $\varnothing$  central hole 20 mm  
roller length 112 mm (without flanges)



IGF

**9016042 GRATER ROLLER PUNCHED MOD.12-22 FAMA**  
external  $\varnothing$  75 mm -  $\varnothing$  central hole 26 mm  
roller length 142 mm (without flanges)



IGF

**9016041 ST.STEEL ROLLER F/GRATER MOD.12-22 FAMA**  
external  $\varnothing$  75 mm - central hole  $\varnothing$  26 mm  
roller length 142 mm (without flange)



IGF



Suitable for:

IGF



Suitable for:

## Rotary switches

**9057003 SELECTOR SWITCH 0-2 POSITIONS -2 SPEEDS**  
 contact capacity 16A 600V - ma 60/75°C  
 shaft 7x8 mm  
 for Kneader (IGF) 2200/S16 - 2200/S25 - 2200/S38  
 2200/S42 - 2200/S70 - 2400/S12 - 2400/S16  
 2400/S25 - 2400/S38



IGF 2200/S07Z36	IGF 2200/S12Z35	IGF 2200/S12Z36
IGF 2200/S16Z35	IGF 2200/S16Z36	IGF 2200/S25Z35
IGF 2200/S25Z36	IGF 2200/S38Z35	IGF 2200/S38Z36
IGF 2200/S42Z35	IGF 2200/S42Z36	IGF 2200/S70Z35
IGF 2200/S70Z36	IGF 2400/S12Z67	IGF 2400/S12Z68
IGF 2400/S16Z67	IGF 2400/S16Z68	IGF 2400/S25Z67
IGF 2400/S25Z68	IGF 2400/S38Z67	IGF 2400/S38Z68

**9057004 SINGLE-PHASE SEL.SWITCH 0-1 POSITIONS**  
 contact capacity 16A 600V - max 60/75°C  
 shaft 7x8 mm  
 input connection 1-3  
 output connection 2-4  
 for Kneader (IGF) 2200/S16 - 2200/S42 - 2400/S12  
 2400/S16 - 2400/S25 - 2400/S38



IGF 2200/S12MZ35	IGF 2200/S16MZ35	IGF 2200/S25MZ35
IGF 2200/S38MZ35	IGF 2200/S42MZ35	IGF 2400/S12MZ68
IGF 2400/S16MZ68	IGF 2400/S25MZ68	IGF 2400/S38MZ68

**9057005 THREE-PHASE SELECTOR SW. 0-1 POSITIONS**  
 contact capacity 16A 600V - max 60/75°C  
 shaft 7x8 mm  
 input connection 1-3-5  
 output connection 2-4-6  
 for Kneader (IGF) 2200/S12 - 2200/S16 - 2200/S25  
 2200/S38 - 2200/S42 - 2200/S70 - 2400/S12  
 2400/S16 - 2400/S25 - 2400/S38



IGF 2200/S07TZ35	IGF 2200/S12TZ35	IGF 2200/S16TZ35
IGF 2200/S25TZ35	IGF 2200/S38TZ35	IGF 2200/S42TZ35
IGF 2400/S12TZ68	IGF 2400/S16TZ68	IGF 2400/S25TZ68
IGF 2400/S38TZ68		

## Scrolls

**9014122 COMPLETE ALUMINUM SCROLL 22 FAMA**  
 scroll  $\varnothing$  64x130 mm - clamp  $\varnothing$  33 mm  
 fitting pin length 31 mm  
 for Meat mincer (FAMA) - Series 22CE  
 Series 22EXPORT



IGF

**9014124 COMPLETE CAST IRON SCROLL UNGER 22 FAMA**  
 scroll  $\varnothing$  64x130 mm - clamp  $\varnothing$  32 mm  
 fitting pin length 54 mm  
 for Meat mincer (FAMA) - Series 22CE  
 Series 22EXPORT



IGF



Suitable for:

**9014702 COMPLETE CAST IRON SCROLL 12 FAMA**  
scroll  $\varnothing$  54x120 mm - fitting  $\varnothing$  30x10 mm  
fitting pin length 29 mm  
for Meat mincer (FAMA) - Series 12CE  
Series 12EXPORT



IGF

**9014120 COMPLETE STAINLESS STEEL SCROLL 12 FAMA**  
scroll  $\varnothing$  54x120 mm - clamp  $\varnothing$  30 mm  
fitting pin length 29 mm  
for Meat mincer (FAMA) - Series 12CE  
Series 12EXPORT



IGF

**9014058 COMPLETE STAINLESS STEEL SCROLL 8 FAMA**  
scroll  $\varnothing$  45x112 mm - fitting  $\varnothing$  25x11 mm  
fitting height 10.4 mm  
for Meat mincer (FAMA) - Series 8CE  
Series 8EXPORT



IGF

**IGF**



Suitable for:

**9014705 COMPLETE CAST IRON SCROLL 22 FAMA**  
scroll  $\varnothing$  64x130 mm - fitting  $\varnothing$  33 mm  
fitting pin length 31 mm  
for Meat mincer (FAMA) - Series 22CE  
Series 22EXPORT



IGF

**9014123 COMPLETE STAINLESS STEEL SCROLL 22 FAMA**  
scroll  $\varnothing$  64x130 mm - clamp  $\varnothing$  30 mm  
fitting pin length 31 mm  
for Meat mincer (FAMA) - Series 22CE  
Series 22EXPORT



IGF

## Springs

**9250005 DOUGH SCRAPING SPRINGS  $\varnothing$  20/17x80 mm**  
for PIZZA STRETCHER L30-L40-B30-B40



IGF 2300/B30Z27  
IGF 2300/L40PZ25

IGF 2300/B40Z27  
IGF 2300/L40Z27

IGF 2300/L30Z27



Suitable for:

IGF



Suitable for:

## Switches

**9319021 BLUE SWITCH 10A 600V**  
 1 normally open contact  
 with push-button cap  
 mounting hole  $\varnothing$  22 mm  
 for Pizza dough stretcher (IGF) 2300/B30  
 2300/B40



IGF 2300/B30Z06

IGF 2300/B40Z06

**9319020 DIGITAL RECTAN.PUSH-BUTTON PANEL OFF-ON**  
 with cable  
 external dimensions 60x70 mm  
 for Pizza dough stretcher (IGF) 2300/L30  
 2300/L40



IGF 2300/L30Z06

IGF 2300/L40Z06

**9014057 DIGITAL RECTANGULAR PUSH-BUTT.PANEL O-I**  
 with cable  
 external dimensions 67x40 mm  
 for Meat mincer (FAMA) - Series 8CE



IGF

**9014068 PUSH-BUTT.PANEL O-I WHITE-BLACK 16A 250V**  
 1 normally closed contact  
 1 normally open contact  
 with indicator lamp  
 mounting hole  $\varnothing$  22 mm  
 for Bone bandsaw (HUDSON) SEG.235  
 for Cutter (HUDSON) CUT.03 - CUT.05 - CUT.09  
 CUT.15  
 for Food processing accessories (HUDSON) DAN - DVM  
 for Grater (HUDSON) GR.94/IND - GR.94/12  
 GR.94/22 - MRG.12/81  
 for Kneader (GAM) S16 - S20 - S30 - S40  
 for Meat mincer (HUDSON) TC.12/89 - TC.22/89  
 TC.32/89  
 for Potato peeler (HUDSON) PE.04 - PE.08 - PE.12  
 PE.20 - PE.25



IGF

## Water tight seals and rings

**9014136 OIL SEAL 40x25x7 mm**  
 external  $\varnothing$  40 mm - internal  $\varnothing$  25 mm - height 7 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8 - OCEA10 - OCEA10SP - OCEA15  
 OCEA15SP - OCEA3 - OCEA5 - OCEA5SP  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



IGF





Suitable for:

IGF

Suitable for:



## Wheels and accessories

9522201 ALUMINIUM MINCER WHEEL MOD.12 FAMA



IGF

9016044 FAMA ALUMINUM WHEEL MOD.22



IGF

## Whisks, hooks and flat beaters

9740029 CHROME-PLATED HOOK  $\varnothing$  16 mm  
overall height with fitting 295 mm  
for Kneader (IGF) 2200/S07



IGF 2200/S07Z06

9740031 CHROME-PLATED HOOK  $\varnothing$  20 mm  
overall height with coupling 315 mm  
for Kneader (IGF) 2400/S12 - 2400/S16



IGF 2400/S12Z13

IGF 2400/S16Z13

9740030 CHROME-PLATED IRON HOOK  $\varnothing$  20 mm  
overall height with coupling 315 mm  
for Kneader (IGF) 2200/S12 - 2200/S16



IGF 2200/S12Z06

IGF 2200/S16Z06