



Spare parts for:

**Food processing equipment**



Suitable for:

**OMEGA**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11261223





Suitable for:

# OMEGA



Suitable for:

## Accident prevention devices-protections

### 9014175 POLYCARBONATE CARRIAGE PROTECTION

max. overall dimensions 200x260 mm  
distance between holes 120 mm  
for Slicer (OMEGA) 350



OMEGA

## Bearings

### 9063031 BEARING $\varnothing$ 20 mm

external  $\varnothing$  20 mm - internal  $\varnothing$  5 mm - thickn. 8 mm  
for Slicer (CEG)  
for Slicer (OMEGA)



OMEGA

### 9004001 BEARING 607 ZZ

external  $\varnothing$  19 mm - internal  $\varnothing$  7 mm - thickness 6 mm  
for Slicer (OMEGA)



OMEGA

### 9063036 BEARING 608 Z MOUNTED ON BUSHING

external nylon bushing  
external  $\varnothing$  28 mm - internal  $\varnothing$  8 mm - thickness 9 mm  
for Slicer (ABO)  
for Slicer (AGHETTO UNIVERSAL)  
for Slicer (OMEGA)  
for Slicer (REGINA)



OMEGA

### 9004012 BEARING 608 ZZ MOUNTED ON BUSHING

external teflon bushing  
external  $\varnothing$  26 mm - internal  $\varnothing$  8 mm - thickness 7 mm  
for Slicer (OMEGA) V33



OMEGA



Suitable for:

## 9063005 BEARING 6205 2RS

external  $\varnothing$  52 mm -internal  $\varnothing$  25 mm-thickness 15 mm  
 for Grater (SIRMAN)  
 since 1/01/03  
 GF  
 for Kneader (OEM) FX/RVE - F301/2  
 for Kneader (PIZZA GROUP) - Series TF - Series TR TRM22  
 for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30  
 for Meat mincer (FAMA) - Series 12CE  
 for Planetary machine (DITO ELECTROLUX) BE20  
 BM20 - XBM40  
 for Planetary machine (SIGMA) BM10 - BM20 - BM30  
 for Planetary machine (ZANUSSI) BE20 - BM20  
 XBM40  
 for Potato peeler (DITO ELECTROLUX) T10S - T15S



OMEGA LF-5049922

Suitable for:

## 9063019 BEARING 626 Z MOUNTED ON BUSHING

external nylon bushing  
 external  $\varnothing$  25 mm -internal  $\varnothing$  6 mm-thickness 7.3 mm  
 for Slicer (ARSA)  
 for Slicer (CEG)  
 for Slicer (OMAS)  
 for Slicer (OMEGA)



OMEGA

## 9063037 BEARING 626 2Z

external  $\varnothing$  19 mm-internal  $\varnothing$  6 mm-thickness 6 mm  
 for Slicer (CEG)  
 for Slicer (CELME)  
 for Slicer (OBERWERK)  
 for Slicer (OMEGA)



OMEGA

## Belts

### 9062090 BELT MULTIGRIP J 432 H28 11 GROOVES

for Slicer (ABO) 370  
 for Slicer (CEG) 370  
 for Slicer (MARWEL) AZ350 - AZ390  
 for Slicer (OMEGA)



OMEGA

### 9003751 MULTIGRIP BELT J 381 H21 8 GROOVES

for Slicer (OBERWERK) 300 - 330  
 for Slicer (RHENINGHAUS-TECMAL)



OMEGA



Suitable for:

**9003764 MULTIGRIP BELT J 457 H24 9 GROOVES**  
for Slicer (OMEGA) PL5



OMEGA

**9003757 MULTIGRIP BELT J 508 H24 9 GROOVES**  
for Slicer (IRONWEED)  
for Slicer (ITALIANA MACCHI) 370V  
for Slicer (OBERWERK)  
for Slicer (OMEGA)  
for Slicer (OMS) 300C  
for Slicer (VANDALL)  
for Vegetables/mozzarella cutter (LA MINERVA)  
C/ETV - C/ETVS



OMEGA

**9003506 V BELT 6x320 mm Y343**  
for Slicer (ABO)  
for Slicer (ATOMA) 220  
for Slicer (FAC)  
for Slicer (OMAS)  
for Slicer (OMEGA) PASTORE250  
for Slicer (REGINA)  
for Slicer (SWINFORD) 275 - 300



OMEGA

**9003512 V BELT 6x372 mm Y394**  
for Slicer (ABO) 300V - 330 - 350 - 370  
for Slicer (LARIO CURIONI) 275  
for Slicer (LEO) 350  
for Slicer (OMEGA) V330AS  
for Slicer (RHENINGHAUS-TECMAL)



OMEGA

# OMEGA



Suitable for:

**9003756 MULTIGRIP BELT J 483 H21 8 GROOVES**  
for Slicer (NOAW) 300V  
for Slicer (OMEGA) 370VX  
for Vegetables/mozzarella cutter (SIRMAN) TM  
TMALL



OMEGA

**9003544 V BELT 10x355 mm Z14**  
for Slicer (ABO) 330G - 350G - 370G  
for Slicer (OMEGA) V33



OMEGA

**9003507 V BELT 6x330 mm Y352**  
for Slicer (ABO) 220 - 250 - 275 - 300G - 300V  
for Slicer (AGHETTO UNIVERSAL) 275G  
for Slicer (ATOMA)  
for Slicer (LEO) 275 - 300  
for Slicer (OBERWERK)  
for Slicer (OMEGA) AG300  
for Slicer (SWINFORD)



OMEGA

**9003515 V BELT 6x400 mm Y425**  
for Slicer (AGHETTO UNIVERSAL) 275V  
for Slicer (OMEGA)  
for Slicer (RHENINGHAUS-TECMAL) 330



OMEGA



# OMEGA



Suitable for:

**9062053 V-BELT 10x375 mm Z14 3/4**  
for Slicer (OMEGA) V33



OMEGA

Suitable for:

**9003546 V-BELT 10x424 mm Z16 3/4**  
for Slicer (FIA-BOSTON) 350  
for Slicer (ITALIANA MACCHI) 370  
for Slicer (OMEGA) V33



OMEGA

**9003547 V-BELT 10x438 mm Z17 1/4**  
for Slicer (OMEGA) V33



OMEGA

**9003549 V-BELT 10x475 mm Z18 3/4**  
for Slicer (NOAW) 350 - 350V  
for Slicer (OMEGA) V33  
for Slicer (OMS) 350G



OMEGA

**9003504 V-BELT 6x280 mm**  
for (OMEGA)  
for (RHENINGHAUS-TECMAL)  
for Slicer (ABM)  
for Slicer (ABO) 220  
for Slicer (FAC) 220



OMEGA

**9003505 V-BELT 6x300 mm**  
for Slicer (CELME) 250  
for Slicer (OMEGA) 275  
for Slicer (REGINA) 220 - 250



OMEGA

**9003528 V-BELT 8x315 mm T12 1/5**  
for Slicer (ABO) 300G  
for Slicer (ARSA) 300V - 330  
for Slicer (FAC) 250I  
for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS  
for Slicer (OMAS) GF  
for Slicer (OMEGA)  
for Slicer (REGINA) 250 - 275 - 300



OMEGA



Suitable for:

# OMEGA



Suitable for:

## Blades for meat slicer

### 9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



OMEGA

### 9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



OMEGA

### 9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES


B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



OMEGA

### 9006510 ST. STEEL BLADE $\varnothing$ 220-40-3-180 MOD.C

B = external  $\varnothing$  220 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  180 mm  
3 fastening screws  
100CR6 forged stainless steel  
for Slicer (BERKEL) AV35



OMEGA

### 9006528 ST. STEEL BLADE $\varnothing$ 300-57-4-254 MOD.C


B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E - TGI330



OMEGA

### 9006535 ST. STEEL BLADE $\varnothing$ 330-57-4-270 MOD.C

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
100CR6 forged stainless steel



OMEGA

### 9006538 ST. STEEL BLADE $\varnothing$ 350-57-4-280 MOD.C

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E



OMEGA

### 9006545 ST. STEEL BLADE $\varnothing$ 370-57-4-300 MOD.C

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
100CR6 forged stainless steel



OMEGA





Suitable for:

Suitable for:

## 9006546 ST. STEEL BLADE $\varnothing$ 380-57-4-310 MOD.C

B = external  $\varnothing$  380 mm  
 D = central hole  $\varnothing$  57 mm  
 C = blade internal  $\varnothing$  310 mm  
 4 fastening screws  
 100CR6 forged stainless steel



OMEGA

## Covers for sharpener

### 9002701 COVER ITALIANA MACCHI AV350 CE

plastic made  
 upper rectangular part dimensions 135x160 mm  
 for Slicer (OMEGA) AV350CE - VX350CE - VX380CE



OMEGA

## Eccentrics

### 9707014 PLASTIC ECCENTRIC NOAW $\varnothing$ 84 mm

internal hole  $\varnothing$  18 mm - groove 8 mm  
 for Slicer (NOAW) 370G  
 for Slicer (OMEGA)



OMEGA

## Emeries for blades

### 9013010 CUP GRINDERS 45-8-11

A = external  $\varnothing$  45 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 11 mm  
 COARSE GRAIN  
 for Slicer (KOLOSSAL) MIP350  
 for Slicer (MANCONI) MIP350  
 for Slicer (RHENINGHAUS-TECMAL) 370



OMEGA

### 9013013 CUP GRINDERS 48-14.3-15

A = external  $\varnothing$  48 mm  
 B = hole  $\varnothing$  14.3 mm  
 H = height 15 mm  
 COARSE GRAIN  
 for Slicer (ABO) MIA300  
 for Slicer (ARSA) G - GP  
 for Slicer (CEG) AG300 - BF - VX350  
 for Slicer (OMAS) A31 - C300 - C350



OMEGA




Suitable for:

# OMEGA



## 9013100 RIMMED GRINDERS 40-6-10

A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  6 mm  
H = height 10 mm  
FINE GRAIN



OMEGA

Suitable for:

## 9013140 RIMMED GRINDERS 50-12-10

A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  12 mm  
H = height 10 mm  
FINE GRAIN



OMEGA

## 9013143 RIMMED GRINDERS 51-14.3-7

A = external  $\varnothing$  51 mm  
B = hole  $\varnothing$  14.3 mm  
H = height 7 mm  
FINE GRAIN  
for Slicer (ABO) MIA300  
for Slicer (BERKEL) LP320  
for Slicer (CEG) AG300 - BF300  
for Slicer (OMAS) C350CE



OMEGA LF-5041209

OMEGA

## 9731001 RIMMED GRINDERS 59-14.3-7.5

A = external  $\varnothing$  59 mm  
B = hole  $\varnothing$  14.3 mm  
H = height 7.5 mm  
FINE GRAIN  
for Slicer (CEG) VX350  
for Slicer (OMEGA) VXCE



OMEGA

## 9013147 RIMMED GRINDERS 63-14.3-10

A = external  $\varnothing$  63 mm  
B = hole  $\varnothing$  14.3 mm  
H = height 10 mm  
FINE GRAIN  
for Slicer (BERKEL) 7/12



OMEGA

## 9013148 STEPPED EMERY WHEEL 45-6-10

A =  $\varnothing$  external  $\varnothing$  45 mm  
B =  $\varnothing$  hole  $\varnothing$  6 mm  
H = height 10 mm  
FINE GRAIN  
for Slicer (ABM) AGS350  
for Slicer (SIRMAN) AUTOMATICA300 - GEMMA300  
GEMMA300CE - QUARZO250 - QUARZO275 - QUARZO300  
VAS250CE - VAS275 - VCO250CE - VCO275CE  
VCO300CE - VCS300CE



OMEGA



Suitable for:

Suitable for:

## 9013113 STEPPED EMERY WHEEL 45-6-9

A = external  $\varnothing$  45 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 9 mm  
 COARSE GRAIN  
 for Slicer (ALA 2000) F300E  
 for Slicer (CEG) AG250 - AM300  
 for Slicer (FAC) F300E - F300I  
 for Slicer (OMS) GIADA - 250 - 300  
 for Slicer (SIRMAN) AUTOMATICA300CE - QUARZO250  
 QUARZO250CE - QUARZO275 - QUARZO275CE  
 QUARZO300 - QUARZO300CE



OMEGA

## Gaskets and seals

### 5009872 COVER GASKET

length 1120 mm  
 for Potato peeler (CEG) PL10



OMEGA

## Knobs

### 9007508 BLACK KNOB FOR CARRIAGE $\varnothing$ 60 mm M10

without pin  
 for Slicer (OMEGA)  
 for Slicer (SIRMAN)



OMEGA

### 9007509 BLACK KNOB FOR CARRIAGE $\varnothing$ 66 mm M12

without pin  
 for Slicer (OMEGA)



OMEGA

### 9241701 BLACK TIMER KNOB $\varnothing$ 18x121 mm

pin  $\varnothing$  18x58 mm  
 knob  $\varnothing$  66 mm  
 mounting frame  $\varnothing$  69 mm  
 for Slicer (OMEGA) DM370



OMEGA

### 9007462 BLACK TIMER KNOB $\varnothing$ 18x155 mm

pin  $\varnothing$  18x95 mm  
 knob  $\varnothing$  67 mm  
 mounting frame  $\varnothing$  68 mm  
 for Slicer (NOAW)



OMEGA



Suitable for:

**9007504 BLACK TIMER KNOB  $\varnothing$  18x320 mm**  
pin  $\varnothing$  18x250 mm  
knob  $\varnothing$  66 mm  
mounting frame  $\varnothing$  69 mm  
for Slicer (OMEGA) VX380



OMEGA

# OMEGA



Suitable for:

**9007503 TIMER KNOB  $\varnothing$  18x205 mm**  
bezel  $\varnothing$  69 mm  
for SLICER model VX350



OMEGA

## Pins

**9015023 PIN FOR MEAT MINCER 22 CEG**  
shaft  $\varnothing$  11 mm  
square part 12.6x12.6 mm  
eccentric pin  $\varnothing$  16x32 mm  
eccentric flange  $\varnothing$  22 mm



OMEGA

**9015025 PIN FOR MEAT MINCER 22 CEG**  
shaft  $\varnothing$  11 mm  
square part 12.6x12.6 mm  
pin  $\varnothing$  20x32 mm  
oval flange  $\varnothing$  20x32 mm



OMEGA

**9015026 PIN FOR MEAT MINCER 32 CEG**  
shaft  $\varnothing$  13 mm  
square part 14.2x14.2 mm  
thread  $\varnothing$  20x25 mm  
pitch 10 - 3/4" gas  
conical flange  $\varnothing$  23-20 mm



OMEGA

**9015027 PIN FOR MEAT MINCER 32 CEG**  
shaft  $\varnothing$  13 mm  
square part 14.2x14.2 mm  
pin  $\varnothing$  20x32 mm  
oval flange  $\varnothing$  20x32 mm



OMEGA

**9011018 PIN FOR SLICER BLADE COVER**  
key insert 19 mm - hole  $\varnothing$  6 mm  
fastening thread M16 - overall height 19 mm  
for Slicer (OMEGA) 350  
for Slicer (RGV) 300 - 300S



OMEGA

**9010502 PLATE RELEASING PIN 85 mm**  
thread  $\varnothing$  14 mm



OMEGA



Suitable for:

# OMEGA



Suitable for:

## Slice protectors

### 9711013 PLEXIGLAS SLICE GUARD FOR SLICER

external dimensions 200x77 mm  
distance between holes 143 mm  
for Slicer (OMEGA) VX350CE



OMEGA

## Tie rods for blade cover

### 9013520 BLADE COVER TIE ROD SHAFT 140mm PITCH M8

for Slicer (OMEGA) 330V



OMEGA

### 9013519 BLADE COVER TIE ROD SHAFT 180mm PITCH M6

hose with counterboring  $\varnothing$  18x42 mm  
for Slicer (OMEGA) 350



OMEGA

### 9714017 BLADE COVER TIE ROD SHAFT 215mm PITCH M8

micro support  $\varnothing$  18x30 mm  
for Slicer (OMEGA) 350VX



OMEGA

### 9714018 BLADE COVER TIE ROD SHAFT 225mm PITCH M8

micro support  $\varnothing$  18x35 mm  
for Slicer (OMEGA) 350VXCE



OMEGA