



Spare parts for:

Food processing equipment



Suitable for:

RGV



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

RGV



Suitable for:

Accident prevention devices-protections

3242695 BLACK ARM HANDLE $\varnothing$ 25 mm
 thread $\varnothing$ 6 mm - clamp $\varnothing$ 73 mm
 for Slicer (RGV) DOLLY250 - DOLLY250/S - OLIMPIA22
 OLIMPIA25
 for Slicer (NOAW) TAS



RGV 00000000298

9014155 BLACK ARM HANDLE $\varnothing$ 32.5 mm
 thread $\varnothing$ 10 mm - clamp $\varnothing$ 64 mm
 for Slicer (RGV) DOLLYVS350/S - PROFVS350/F
 for Slicer (SIRMAN) - Series AGATA
 Series AUTOMATICA - Series GEMMA - Series LEONARDO
 Series MIRRA - Series OPALE - Series SELCE
 Series VAS - Series VCO - Series VCS



RGV 00000000452

9716006 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 150x180 mm
 distance between holes 110 mm
 for Slicer (RGV) DOLLY275A - DOLLY300 - DOLLY300S
 LADY275A



RGV 162

9716007 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 145x195 mm
 distance between holes 105 mm
 for Slicer (RGV) DOLLY250 - DOLLY250S - LADY220
 LADY250 - LADY275 - LUSSO220 - LUSSO250
 LUSSO275



RGV 00000000924

9716020 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 140x230 mm
 distance between holes 112 mm
 for Slicer (RGV)



RGV

9716021 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 150x210 mm
 distance between holes 112 mm
 for Slicer (RGV) 350S



RGV 588

9014112 PROTECTION FOR OVAL PUSH-BUTTON
 in silicone rubber
 external dimensions 58x34 mm
 for PUSH-BUTTON PANEL with touch-sensitive STOP
 for PUSH-BUTTON PANEL NEW TYPE
 for Meat mincer (BRAHER) P32 - P98
 for Slicer (RGV) DOLLY300/S



RGV 653

Bearings

1063901 BEARING 6204 2RS NSK

external $\varnothing$ 47 mm - internal $\varnothing$ 20 mm - thickness 14 mm
for Kneader (GAM) A30
for Kneader (IGF) 2200/S25 - 2200/S38
for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30
for Meat mincer (FIMAR) 12C - 12TS - 22C - 22TE
for Mussel cleaner (LA MINERVA) C/E560C - C/E565C
for Planetary machine (SIGMA) BM10 - BM20 - BM30
for Potato peeler (ANGELO PO) MPK10 - MPK20 - MPK5
for Potato peeler (LA MINERVA) C/560 - C/565
C/570 - C/71
for Slicer (BRAHER) MAT292 - MAT320 - MAT350
for Vegetables/mozzarella cutter (DITO ELECTROLUX)
TRS



RGV 00000000632

3063122

BEARING 6204 2RS SKF

$\varnothing$ ext. 47 mm - $\varnothing$ int. 20 mm - thickness 14 mm
for Kneader (GAM) A30
for Kneader (IGF) 2200/S25 - 2200/S38
for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30
for Meat mincer (FIMAR) 12C - 12TS - 22C - 22TE
for Mussel cleaner (LA MINERVA) C/E560C - C/E565C
for Planetary machine (SIGMA) BM10 - BM20 - BM30
for Potato peeler (ANGELO PO) MPK10 - MPK20 - MPK5
for Potato peeler (LA MINERVA) C/560 - C/565
C/570 - C/71
for Slicer (BRAHER) MAT292 - MAT320 - MAT350
for Vegetables/mozzarella cutter (DITO ELECTROLUX)
TRS



RGV 00000000632

Belts

9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES

for Slicer (ABM)
for Slicer (CELME)
for Slicer (ESSEDUE) 300
for Slicer (MARWEL) 30E
for Slicer (RGV) 250 - 250S
for Slicer (RHENINGHAUS-TECMAL) STELLINA
for Slicer (SAMMIC) GC-275
for Slicer (SIRMAN) CANOVA250CE - CANOVA275CE
CANOVA300CE - MINI250CE



RGV 861

Blades for meat slicer

9006508 ST. STEEL BLADE $\varnothing$ 195-30-3-155 MOD.C

B = external $\varnothing$ 195 mm
D = central hole $\varnothing$ 30 mm
C = blade internal $\varnothing$ 155 mm
3 fastening screws
100CR6 forged stainless steel



RGV

9006510

ST. STEEL BLADE $\varnothing$ 220-40-3-180 MOD.C

B = external $\varnothing$ 220 mm
D = central hole $\varnothing$ 40 mm
C = blade internal $\varnothing$ 180 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35



RGV 00000000855



Suitable for:

RGV



9006518 ST. STEEL BLADE ø 275-40-3-218 MOD.C

B = external ø 275 mm
D = central hole ø 40 mm
C = blade internal ø 218 mm
3 fastening screws
100CR6 forged stainless steel



RGV 00000000713

9006523 ST. STEEL BLADE ø 300-40-3-245 MOD.C

B = external ø 300 mm
D = central hole ø 40 mm
C = blade internal ø 245 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (ALA 2000) F300E - 8300 - 8300CE - 9300
9300CE
for Slicer (RGV) DOLLY300/S



RGV 1205

RGV 636

9006524 ST. STEEL BLADE ø 300-40-3-250 MOD.C

B = external ø 300 mm
D = central hole ø 40 mm
C = blade internal ø 250 mm
3 fastening screws
100CR6 forged stainless steel



RGV 00000000636

9006538 ST. STEEL BLADE ø 350-57-4-280 MOD.C

B = external ø 350 mm
D = central hole ø 57 mm
C = blade internal ø 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



RGV

9006515 STAINL. STEEL BLADE ø 250-40-3-210 MOD.C

B = external ø 250 mm
D = central hole ø 40 mm
C = blade internal ø 210 mm
3 fastening screws
forged 100CR6 stainless steel
for Slicer (NOAW) TAS



RGV 00000000142



Suitable for:

RGV



Suitable for:

Capacitors


- 3068014 CAPACITOR μ F 8 450V 50/60Hz**
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations
for Slicer (ALA) F300E - 8300 - 9300
for Slicer (BRAHER) ELEKG250 - ELEKG275 - ELEKK220
USA250 - USA280 - USA300 - USA320
for Slicer (RGV) DOLLY250 - DOLLY250S



RGV 182

Eccentrics

- 9005012 PLASTIC ECCENTRIC $\varnothing$ 75 mm**
internal hole $\varnothing$ 18 mm - grooving 8 mm
for Slicer (RGV)



RGV

- 9707011 PLASTIC ECCENTRIC RGV $\varnothing$ 56 mm**
internal hole $\varnothing$ 12 mm - grooving 6.5 mm
for Slicer (RGV) 220 - 250 - 275



RGV 830

Electronic printed-circuit boards

- 9390062 ELECTRONIC POWER BOARD 220V**
external dimensions 90x50 mm
for Slicer (RGV)



RGV

- 9390201 PROTECTION CIRCUIT BOARD KIT 220V**
external dimensions 52x50xh23 mm
complete with cables
for Slicer (RGV) DOLLY275 - DOLLY300S



RGV 00000000297

- 3390328 SINGLE-PHASE PUSH-BUTTON PANEL KIT**
external dim. 75x33 mm
complete with quick connection push-button
for Slicer (RGV) DOLLY330 - DOLLY350 - DOLLY370
300/S



RGV 00000000359

- 9014026 SINGLE-PHASE PUSH-BUTTON PANEL KIT 0.5HP**
external dimensions 115x38 mm
complete with quick connection push-button
for small SLICER
for Slicer (ESSEDUE) 300E
for Slicer electric (BERMEN) AR30F



RGV



Suitable for:

RGV



Suitable for:

Emeries for blades

9013020 CUP GRINDERS 51-8-12

A = external $\varnothing$ 51 mm

B = hole $\varnothing$ 8 mm

H = height 12 mm

COARSE GRAIN

for Slicer (BERKEL) AV35 - GF400 - GF800 - TV350

for Slicer (KOLOSSAL) MIP330 - MIP350

for Slicer (MANCONI) MIP330 - MIP350

for Slicer (REGINA) 350

for Slicer (RGV) 350



RGV

9013029 CUP GRINDERS 51-8-12

A = external $\varnothing$ 51 mm


B = hole $\varnothing$ 8 mm

H = height 12 mm

FINE GRAIN

for Slicer (BERKEL) AV35

for Slicer (RGV) DOLLY300S



RGV 721

9013201 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external $\varnothing$ 40 mm

B = hole $\varnothing$ 6 mm

H = height 7.8 mm

FINE GRAIN

for Slicer (ALA 2000) 8300

for Slicer (CELME) 220

for Slicer (RGV) 250

for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



RGV

9013202 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external $\varnothing$ 40 mm

B = hole $\varnothing$ 6 mm

H = height 7.8 mm

COARSE GRAIN

for Slicer (ALA 2000) 8300

for Slicer (CELME) 220

for Slicer (RGV) 250

for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



RGV

9013209 RIMMED GRINDERS WITH HUB 45-6-8

A = external $\varnothing$ 45 mm

B = hole $\varnothing$ 6 mm

H = height 8 mm

FINE GRAIN

for Slicer (FAC) F300E

for Slicer (GENERAL MACHINE) GL - GLS - GXL

for Slicer (MISTRO) B33 - GS350

for Slicer (RGV) 250A - 350



RGV

9013210 RIMMED GRINDERS WITH HUB 45-6-8

A = external $\varnothing$ 45 mm

B = hole $\varnothing$ 6 mm

H = height 8 mm

COARSE GRAIN

for Slicer (FAC) F300E

for Slicer (GENERAL MACHINE) GL - GLS - GXL

for Slicer (HOBART) TA30

for Slicer (MISTRO) B33 - GS350

for Slicer (RGV) 250A - 350



RGV



Suitable for:

RGV



9013214 RIMMED GRINDERS WITH HUB 50-6-8

A = external $\varnothing$ 50 mm
B = hole $\varnothing$ 6 mm
H = height 8 mm
COARSE GRAIN
for Slicer (FIA-BOSTON) STIL
for Slicer (OMAS) A300 - A31E - GL - TN
for Slicer (RGV) 350
for Slicer (RHENINGHAUS-TECMAL) MONDIAL280



RGV

9013135 RIMMED GRINDERS 50-8-8

A = external $\varnothing$ 50 mm
B = hole $\varnothing$ 8 mm
H = height 8 mm
FINE GRAIN
for Slicer (BERKEL) 935 - 937
for Slicer (IRONWEED) MARK - SIDRAC
for Slicer (SWEDLHINGHAUS) 3350



RGV

9013151 RIMMED GRINDERS 51-8-7.5

A = external $\varnothing$ 51 mm
B = hole $\varnothing$ 8 mm
H = height 7.5 mm
FINE GRAIN



RGV 720

Feet

9012018 SUCTION FOOT WITH SHAFT M8

length 15 mm
base $\varnothing$ 47x33 mm
for Slicer (RGV) 300 - 300S



RGV

Knobs

5030602 BLACK KNOB $\varnothing$ 28x75 mm PITCH MA6

with pin 9 mm length
for Slicer (RGV) LADY22 - LADY25GL - LUSSO22
LUSSO25G/A - OLIMPIA22 - OLIMPIA25



RGV 00000000825

9242056 BLACK TIMER KNOB $\varnothing$ 12x82 mm

pin $\varnothing$ 12x32 mm
knob $\varnothing$ 47 mm
mounting frame $\varnothing$ 60 mm
for Slicer (FAC) 220 - 250E
for Slicer (RGV)



RGV



Suitable for:

RGV



9007505 BLACK TIMER KNOB ø 14x125 mm
pin ø 14x55 mm
knob ø 62 mm
mounting frame ø 70 mm
for Slicer (RHENINGHAUS-TECMAL) BETA - MONDIAL



RGV

Suitable for:

9007500 BLACK TIMER KNOB ø 18x110 mm
pin ø 18x50 mm
knob ø 66 mm
mounting frame ø 69 mm
for Slicer (CEG)
for Slicer (SIRMAN) AGATA250 - AGATA275 - AGATA300
AGATA300V - AGATA330CE - AGATA350 - AGATA350CE



RGV 00000000631

Meat hold arm

5033216 MEAT-HOLDING ARM
for Slicer (RGV) LUSS0195GL



RGV 00000009201

9703044 MEAT-HOLDING ARM
locking pin external ø 22 mm
locking pin internal ø 12 mm
for Slicer (RGV) DOLLY300CE - DOLLY350CE



RGV 9686

9703048 MEAT-HOLDING ARM
locking pin external ø 21 mm
locking pin internal ø 12 mm
for Slicer (RGV) DOLLY250 - DOLLY250/S



RGV 9206

3242695 BLACK ARM HANDLE ø 25 mm
thread ø 6 mm - clamp ø 73 mm
for Slicer (RGV) DOLLY250 - DOLLY250/S - OLIMPIA22
OLIMPIA25
for Slicer (NOAW) TAS



RGV 00000000298

Motors

9240078 MOTOR H40-510 230V 50Hz
1.15A - 1380rpm - capacitor 8 µF
shaft ø 15 mm - 10 grooves
for Slicer (ALA 2000) - Series 800 - 827MI
for Slicer (RGV) DOLLY250 - DOLLY250S



RGV 510

9240079 MOTOR H70-681 230V 50Hz
1.7A - 1380rpm
shaft ø 15x30 mm
fixing plate 50x17 mm - thread M5
for Slicer (ALA 2000) F300E - 8300
for Slicer (RGV) DOLLY300 - DOLLY300S
for Slicer electric (SIMPLEX) FA300



RGV 9680

Sharpeners

9000042 BLADE SHARPENER RGV

with knob - without cover
for Slicer (ALA 2000) 960 - 965 - 980 - 985
for Slicer (RHENINGHAUS-TECMAL) BETA - MONDIAL
START



RGV 9168

Slice protectors

5030604 ALUMIN.BUTTON F/Slice PROT./MEAT HOLDER

external $\varnothing$ 14 mm - $\varnothing$ thread 6 mm - height 13 mm
for Slicer (RGV) LADY22GL - LADY25GL - LUSS022ACE
LUSS022GCE - LUSS025ACE - LUSS025GCE



RGV 00000000623

Switches

9319095 PROTECTION FOR OVAL PUSH-BUTTON

length 55 mm - width 30 mm - height 26 mm
for Slicer (RGV) DOLLY250 - DOLLY250S - DOLLY300S



RGV 00000000285

9319715 PUSH-BUTT.PANEL 2 BUT. I-O WHITE-BLACK

16A 250V
2 normally open contacts
mounting hole 22x30 mm
for Slicer (FAC)
for Slicer (FIA-BOSTON)
for Slicer (RGV) DOLLY300S - DOLLY350A



RGV 00000000296

9319717 PUSH-BUTT.PANEL 2 BUT. I-STOP GREEN-RED

16A 250V
2 normally open contacts
mounting hole 22x30 mm
for Slicer (RGV)



RGV

9319712 PUSH-BUTT.PANEL 2 BUT. STOP-I GREEN-RED

16A 250V
2 normally open contacts
mounting hole 22x30 mm
for Slicer (RGV)



RGV



Suitable for:

RGV



Suitable for:

Tie rods for blade cover

9013528 BLADE COVER TIE ROD SHAFT 155mm PITCH M6
for Slicer (RGV) DOLLY250 - DOLLY250/S
for Slicer (RHENINGHAUS-TECMAL) LUXOR



RGV 777

9714023 BLADE COVER TIE ROD SHAFT 200mm PITCH M6
micro support ø 10x50 mm
for Slicer (RGV) 350S



RGV