



Spare parts for:

Food processing equipment



Suitable for:

SAMMIC



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

SAMMIC



Suitable for:

Abrasive discs for potato peeler

9735027 ABRASIVE DISC FOR POTATO PEELER $\varnothing$ 328 mm
fixing hole $\varnothing$ 16 mm - con pin groove 6x28 mm
for Potato peeler (SAMMIC) PP-12 - PP-6 - PPC-12
PPC-6



SAMMIC 2003698

SAMMIC 2003740

SAMMIC 2003755

9735028 ABRASIVE DISC FOR POTATO PEELER $\varnothing$ 385 mm
fixing hole $\varnothing$ 19 mm - con pin groove
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2001203

SAMMIC 2001417

9710035 FC SMOOTH BLADE
max.overall dimensions 93x30 mm
distance between mounting holes 82 mm
for Vegetables/mozzarella cutter (SAMMIC) CA-300
CA-400



SAMMIC 2019078

9710036 FCC SMOOTH BLADE
max.overall dimensions 114x53 mm
for Vegetables/mozzarella cutter (SAMMIC) CA-300
CA-400



SAMMIC 2019080

9710034 FCE SMOOTH BLADE COUPLE
max.overall dimensions 88x30 mm
distance between mounting holes 75 mm
for Vegetables/mozzarella cutter (SAMMIC) CA-300
CA-400



SAMMIC 2019072

9735056 POTATO PEELER KNIVES DISK $\varnothing$ 395 mm
boss external $\varnothing$ 45.5 mm
for POTATO PEELER PE15



SAMMIC 2000004

5049218 VEGETABLE CHOPPER DISK CUBES 10x10x10 mm
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010285

9735050 VEGETABLE CHOPPER DISK CUBES 10x10x10 mm
external dimensions 215x223 mm
for VEGETABLE CHOPPER CA400



SAMMIC 1010330



Suitable for:

9735051 VEGETABLE CHOPPER DISK CUBES 16x16x16 mm
external dimensions 215x223 mm
for VEGETABLE CHOPPER CA400



SAMMIC 1010335

Suitable for:

9735052 VEGETABLE CHOPPER DISK CUBES 20x20x20 mm
external dimensions 215x223 mm
for VEGETABLE CHOPPER CA400




SAMMIC 1010332

9735055 VEGETABLE CHOPPER DISK CUBES 20x20x20 mm
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010290

9735054 VEGETABLE CHOPPER DISK CUBES 8x8x8 mm
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010280

9735048 VEGETABLE CHOPPER DISK CURVE SLICES 2 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010225

5049216 VEGETABLE CHOPPER DISK CURVE SLICES 3 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010230

9735049 VEGETABLE CHOPPER DISK CURVE SLICES 5 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010232

9735046 VEGETABLE CHOPPER DISK GRATER FC02
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010295

9735047 VEGETABLE CHOPPER DISK GRATER FC03
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010300

5050967 VEGETABLE CHOPPER DISK GRATER Z2
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010253

SAMMIC 1010310



Suitable for:

SAMMIC



5046950 VEGETABLE CHOPPER DISK GRATER Z3
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010255

SAMMIC 1010311

5049217 VEGETABLE CHOPPER DISK GRATER Z4
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010257

SAMMIC 1010312

9735040 VEGETABLE CHOPPER DISK SLICES 1 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER




SAMMIC 1010215

9735039 VEGETABLE CHOPPER DISK SLICES 14 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER




SAMMIC 1010250

9735041 VEGETABLE CHOPPER DISK SLICES 2 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER




SAMMIC 1010220

5046949 VEGETABLE CHOPPER DISK SLICES 3 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010222

5049215 VEGETABLE CHOPPER DISK SLICES 6 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010235

SAMMIC 1010407

9735038 VEGETABLE CHOPPER DISK SLICES 8 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010240

SAMMIC 1010400

9735045 VEGETABLE CHOPPER DISK STRIPS 10x10 mm
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010275

9735053 VEGETABLE CHOPPER DISK STRIPS 10x10 mm
external dimensions 215x223 mm
for VEGETABLE CHOPPER CA400



SAMMIC 1010340



Suitable for:

5039585 VEGETABLE CHOPPER DISK STRIPS 2x2 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010205

Suitable for:

5049214 VEGETABLE CHOPPER DISK STRIPS 4x4 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010210

9735043 VEGETABLE CHOPPER DISK STRIPS 6x6 mm
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010265

9735042 VEGETABLE CHOPPER DISK STRIPS 8x8 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 19 mm
for VEGETABLE CHOPPER



SAMMIC 1010208

9735044 VEGETABLE CHOPPER DISK STRIPS 8x8 mm
external dimensions 210x230 mm
for VEGETABLE CHOPPER



SAMMIC 1010270

9100048 VEGETABLE CHOPPER EJECTOR DISC
external $\varnothing$ 188 mm - fitting $\varnothing$ 28x23 mm
for Vegetables/mozzarella cutter (DITO ELECTROLUX) TRS
for Vegetables/mozzarella cutter (SAMMIC) CA-300 CA-400
for Vegetables/mozzarella cutter (ZANUSSI) TR22 TV02 - TV03



SAMMIC 2050621

Abrasive sheets & clothes potato peelers

9736007 ABRASIVE BLADE FOR POTATO PEELER
height 185 mm - length 1000 mm
for Potato peeler (SAMMIC) M-10



SAMMIC 2009233

9736009 ABRASIVE BLADE FOR POTATO PEELER
height 225 mm - length 1440 mm
for Potato peeler (SAMMIC) M-25 - M-25T



SAMMIC 2009216



Suitable for:


SAMMIC



Suitable for:

Accident prevention devices-protections

- 9716030 POLYCARBONATE CARRIAGE PROTECTION**
max.overall dimensions 195x225 mm
distance between holes 110 mm
for Slicer (ESSEDUE) 300CE
for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
GC-300



SAMMIC 6052645

Bearings

- 3063092 ABRASIVE DISC BEARINGS KIT**
for Potato peeler (SAMMIC) M-10 - M-15 - PE15



SAMMIC 2009231

- 3063090 BEARING FOR VACUUM PUMP 40m3**
external $\varnothing$ 37 mm - internal $\varnothing$ 15 mm - thickn.15 mm
for Vacuum packer (SAMMIC) V-641T



SAMMIC 2149052

- 9063024 BEARING KIT 6205/6004/6203 2RS**
2 bearings 6205 2RS - 1 bearing 6004 2RS
1 bearing 6203 2RS
for Planetary machine (SAMMIC) BM-11



SAMMIC 2509313

- 9063022 BEARING KIT 6207 2RS**
3 BEARINGS 6207 2RS with bushings
for Planetary machine (SAMMIC) BM-42



SAMMIC 2509233

- 9063025 BEARING SET 6203 2RS/6201 2RS**
1 bearing 6303 2RS - 3 bearings 6201 2RS
for Planetary machine (SAMMIC) BM-5



SAMMIC 2509367

- 9063023 BEARING SET 6206/6006 2RS**
2 bearings 6206 2RS - 1 bearing 6006 2RS
plus bushing
for Planetary machine (SAMMIC) BM-22



SAMMIC 2509149



Suitable for:

Suitable for:

3063089 VACUUM PUMP BEARING SET 60/100m3

external ø 30 mm - internal ø 25 mm - altezza 38 mm
bushing external ø 30 mm - bushing internal ø 25 mm
bushing height 38.5 mm
for Vacuum packer (SAMMIC) V-821SGI100



SAMMIC 2149053

Belts

9062020 BELT MULTIGRIP TB2 330 H12 5 GROOVES

for Slicer (GENERAL MACHINE) 250I
for Slicer (MISTRO) 220
for Slicer (OMS) 220I
for Slicer (RHENINGHAUS-TECMAL) STELLINA220
STELLINA250
for Slicer (SAMMIC) GC-220 - GC-250



SAMMIC 6052518

9062064 MULTIGRIP BELT J 1065 H23 9 GROOVES

for Planetary machine (SAMMIC) BE-20



SAMMIC 2504632

9062029 MULTIGRIP BELT J 483 H19 7 GROOVES

for Potato peeler (ANGELO PO) MPK5
for Potato peeler (LA MINERVA) C/E560 - C/560
for Slicer (MARWEL) AS275 - AS300
for Slicer (SIRMAN) 300V
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2050618

SAMMIC 2059006

9720007 MULTIGRIP BELT J 483 H28 11 GROOVES

for Potato peeler (AUREA) PC8 - PLP15 - PLP23
PL15 - PL19 - PL23 - PVM12 - PVM18 - PVM23
PV15 - PV23
for Vegetables/mozzarella cutter (SAMMIC) CA-400



SAMMIC 2050619

9062071 MULTIGRIP BELT J 508 H14 5 GROOVES

for Cutter (SAMMIC) SK-3



SAMMIC 2052110

9720003 MULTIGRIP BELT J 559 H28 11 GROOVES

for Mussel cleaner (FIMAR) LCN10 - LCN18 - LCN5
for Potato peeler (ANGELO PO) P10 - P10M - P102
P20 - P202 - P5
for Potato peeler (FIMAR) PLN - PPN
for Potato peeler (SAMMIC) M-10 - M-15 - PE15
for Vegetables/mozzarella cutter (ANGELO PO) TV1
TV1M - TV2L
for Vegetables/mozzarella cutter (AUREA) TV9/75
TV98
for Vegetables/mozzarella cutter (FIMAR) FNT



SAMMIC 2001277



Suitable for:

SAMMIC



9062072 MULTIGRIP BELT J 813 H16 6 GROOVES
for Planetary machine (SAMMIC) BE-10



SAMMIC 2504446

Suitable for:

9062065 MULTIGRIP BELT J 864 H11 4 GROOVES
for Cutter (SAMMIC) SK-5 - SK-8



SAMMIC 2052740

9062068 MULTIGRIP BELT J 864 H35 14 GROOVES
for Potato peeler (SAMMIC) M-25 - M-26
for Potato peeler (ZANUSSI) TI25 - T25E



SAMMIC 2000300

9062066 MULTIGRIP BELT J 895 H16 6 GROOVES
for Potato peeler (SAMMIC) PP-12 - PP-6 - PPC-12
PPC-6



SAMMIC 2003733

SAMMIC 2003866

9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES
for Slicer (ABM)
for Slicer (CELME)
for Slicer (ESSEDUE) 300
for Slicer (MARWEL) 30E
for Slicer (RGV) 250 - 250S
for Slicer (RHENINGHAUS-TECMAL) STELLINA
for Slicer (SAMMIC) GC-275
for Slicer (SIRMAN) CANOVA250CE - CANOVA275CE
CANOVA300CE - MINI250CE



SAMMIC 6052520

9003660 MULTIGRIP BELT TB2 345 H16 7 GROOVES
for Slicer (OMAS) 300TNCE
for Slicer (SAMMIC) GC-300
for Slicer (SIRMAN) MIRRA220 - 220C - 220CCE
220CCEDOM - 220CE - 220CEDOM - 220CUL - 220UL
250 - 250C - 250CCE - 250CCEDOM - 250CE
250CEDOM - 250CUL - 250UL - 275C - 275CCE
275CCEDOM



SAMMIC 6052527

9062073 TOOTHED BELT 048NV 900W20 H21
for Planetary machine (SAMMIC) BM-11 - BM-21
BM-22



SAMMIC 2502625

9062069 TOOTHED BELT 137NV 1120W25 H26
for Planetary machine (SAMMIC) BM-41 - BM-42



SAMMIC 2503368

9062070 TOOTHED BELT 180 XL 050 H13
for Potato peeler (SAMMIC) M-5



SAMMIC 2003918

9100063 TOOTHED BELT 240 XL 050 H13
for Planetary machine (DITO ELECTROLUX) BE5
for Planetary machine (SAMMIC) BM-5
for Planetary machine (ZANUSSI) BE5



SAMMIC 2502217



Suitable for:

SAMMIC



Suitable for:

Blade protectors for slicers

3716005 BLADE COVER SAMMIC GC300

external $\varnothing$ 315 mm - internal $\varnothing$ for blade 245 mm
thread external $\varnothing$ 15 mm - $\varnothing$ thread internal 5 mm
for Slicer (SAMMIC) GC-300



SAMMIC 6052534

Blades for bone saws

9016019 BONE BAND SAW DIAMOND BLADE 1820xh16 mm

6 mm teething distance
diamond points



SAMMIC 6150018

Blades for cutters

5029252 FLAT BLADE GROUP WITH HUB

boss $\varnothing$ 60 mm - overall height 125 mm
for CUTTER SK5-SK8



SAMMIC 2052769

9750008 FLAT BLADE GROUP WITH HUB

boss $\varnothing$ 40 mm - overall height 120 mm
for CUTTER SKE3



SAMMIC 2052664

9750011 FLAT BLADE GROUP WITH HUB

boss $\varnothing$ 40 mm - overall height 115 mm
for CUTTER SK3



SAMMIC 2052666

5053064 KNURLED BLADE GROUP WITH HUB

thin teeth - boss $\varnothing$ 60 mm - overall height 125 mm
for CUTTER SK5-SK8



SAMMIC 2052771



Suitable for:

9750009 KNURLED BLADE GROUP WITH HUB

thin teeth - boss $\varnothing$ 40 mm - overall height 120 mm
for CUTTER SKE3



SAMMIC 2052630

Suitable for:

9750012 KNURLED BLADE GROUP WITH HUB

thin teeth - boss $\varnothing$ 40 mm - overall height 115 mm
for CUTTER SK3



SAMMIC 2052617

9750010 PERFORATED BLADE GROUP WITH HUB

boss $\varnothing$ 40 mm - overall height 115 mm
for CUTTER SK3



SAMMIC 2052668

9750013 PERFORATED BLADE GROUP WITH HUB

boss $\varnothing$ 60 mm - overall height 120 mm
for CUTTER SK5-SK8



SAMMIC 2052785

9710039 SMOOTH BLADE COUPLE

length 148 mm - middle hole $\varnothing$ 42 mm
mounting hole diagonal distance 51 mm
for Cutter (SAMMIC) SK-5 - SK-8 - SKE-5 - SKE-8



SAMMIC 2052817

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations
for Slicer (BRAHER) MAT292 - MAT320 - MAT350
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2050610

3068019 CAPACITOR μ F 12.5 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2302620

3068063 CAPACITOR μ F 48 250V 50/60Hz

for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2003778

3068062 CAPACITOR μ F 8 450V 50/60Hz

operating temperature -25+85°C
for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
GC-300



SAMMIC 6052509

Contactors

3454046 CONTACTOR ABB A16-40-00 16A 400V 7,5Kw

coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact
for Vacuum packer (SAMMIC) V-821SG



SAMMIC 2300135

3351019 THERMAL RELAY ABB TA25DU

7.5÷11A
1 normally open contact
1 normally closed contact
for Vacuum packer (SAMMIC) V-821SG



SAMMIC 2141177

3454042 CONTACTOR ABB A9-30-01 9A 400V 4Kw

coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact
for Vegetables/mozzarella cutter (SAMMIC) CA-300
CA-400



SAMMIC 2600121

3454045 CONTACTOR ABB A9-40-00 9A 400V 4Kw

coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact
for Planetary machine (SAMMIC) BM-22 - BM-22C
BM-22H
for Potato peeler (SAMMIC) M-10
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2600123

SAMMIC 2600124

3351018 THERMAL RELAY ABB TA25DU

4.5÷6.5A
1 normally open contact
1 normally closed contact
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2306358

3351019 THERMAL RELAY ABB TA25DU

7.5÷11A
1 normally open contact
1 normally closed contact
for Vacuum packer (SAMMIC) V-821SG



SAMMIC 2141177

Couplings

5029090 ADAPTOR SHAFT ø 10x68 mm for Mixer (SAMMIC) TR/BM-330



SAMMIC 4031314

3710003 BLADE BOTTOM LOCK KIT for Mixer (SAMMIC) TR-350 - TR/BM-350 - TR/BM-550 TR/BM-750



SAMMIC 4039034



Suitable for:

3710004 BLADE BOTTOM LOCK KIT
for Mixer (SAMMIC) TR-350 - TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039031

Suitable for:

5033428 BLADE BOTTOM LOCK KIT
for Mixer (SAMMIC) TR-250



SAMMIC 4039089

9718072 BLADE BOTTOM LOCK KIT
for Mixer (SAMMIC) TR-330 - TRC-330



SAMMIC 4039037

9191017 COUPLING KIT
external $\varnothing$ 25/17.5 mm - overall height 30/16 mm
for MIXER TR/BM330



SAMMIC 4039060

5031188 MALE/FEMALE COUPLING KIT
external $\varnothing$ 23/17.5 mm - overall height 23/17 mm
for Mixer (SAMMIC) TR



SAMMIC 4039005

5026380 SHAFT WITH COUPLING KIT
overall height 380 mm - male coupling
for Mixer (SAMMIC) TR/BM-330



SAMMIC 4030640

5038992 SHAFT WITH COUPLING KIT
overall height 350 mm
for Mixer (SAMMIC) TR-330



SAMMIC 4030120

9191016 SHAFT WITH COUPLING KIT
external $\varnothing$ 26 mm - overall height 70 mm
for MIXER TR/BM 350/550/750



SAMMIC 4039007

3191001 SHAFT/MOTOR COUPLING KIT
external $\varnothing$ 20 mm - overall height 41.5 mm
for Mixer (SAMMIC) TR-350 - TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039012

5036010 SNAP-IN COUPLING
external $\varnothing$ 16 mm - overall height 36 mm
for Mixer (SAMMIC) TR-250



SAMMIC 4039094



Suitable for:

SAMMIC



Suitable for:

Electrical cables

- 9050002 ELECTRIC POWER CORD**
overall length 1900 mm
for Mixer (SAMMIC) BM-330 - TR-330 - TR/BM-330
TRC-330 - TRL-330



SAMMIC 4039062

- 9050003 ELECTRIC POWER CORD**
overall length 1900 mm
for Mixer (SAMMIC) TR-250



SAMMIC 4039086


Electronic printed-circuit boards

- 9390043 ELECTRON CONTROL CIRCUIT BOARD 103x54 mm**
for Planetary machine (SAMMIC) BE-10 - BE-20
BE-40 - BM-22 - BM-22C



SAMMIC 2509450

- 3390314 ELECTRONIC CONTROL CIRC.BOARD KIT 230V**
complete with controller, cable and board
external dimensions big board 130x43 mm
external dimensions small board 43x21 mm
for Mixer (SAMMIC) TR-350 - TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4031110

- 9390042 ELECTRONIC CONTROL CIRCUIT BOARD KIT**
complete with controller, cable and board
external dimensions big board 138x42 mm
external dimensions small board 42x20 mm
for Mixer (SAMMIC)
since 1/06/05
TR/BM-350 - TR/BM-550 - TR/BM-750



SAMMIC 4031159

- 9390044 ELECTRONIC CONTROL CIRCUIT BOARD KIT**
complete with controller, cable and board
external dimensions big board 130x42 mm
external dimensions small board 42x20 mm
for Mixer (SAMMIC)
till 1/06/05
TR/BM-350 - TR/BM-550 - TR/BM-750



SAMMIC 4031156

- 9319069 PUSH-BUTTON PANEL KIT 81x50 mm**
complete with diaphragm, cable and potentiometer
for Planetary machine (SAMMIC) BM-5



SAMMIC 2509361

- 9390080 SPEED CONTROL BOARD 102x93 mm**
for Cutter (SAMMIC) SK-5 - SK-8 - SKE-5 - SKE-8



SAMMIC 2052725



Suitable for:

SAMMIC




9390039 SPEED CONTROL CIRCUIT BOARD KIT 45x40 mm
complete with potentiometer
for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4039123

Suitable for:

9390040 SPEED CONTROL CIRCUIT BOARD 102x93 mm
for Cutter (SAMMIC) SK-3 - SKE-3



SAMMIC 2052738

Emeries for blades

3251001 RIMMED GRINDER WITH HUB (PAIR)

consists of 2 pieces:

1 rimmed grinder with hub

A= ø 45 mm

B= ø 6 mm

H= height 8 mm

FINE GRAIN

1 rimmed grinder with hub

A= ø 45 mm

B= ø 5 mm

H= height 8 mm

COARSE GRAIN

for Slicer (SAMMIC) GC-275 - GC-300



SAMMIC 6052599

Feet

3313102 SUCTION FOOT WITH SHAFT M5 - 4 PCS

length 13 mm - overall length 43 mm

base ø 36x30 mm

for Slicer (SAMMIC) GC-220 - GC-250 - GC-275

GC-300



SAMMIC 6052638

Filters

3160486 VACUUM PUMP AIR FILTER 40 m3

for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2149078



Suitable for:

SAMMIC



Suitable for:

Fuses

- 3049013 DELAY FUSE 5x20 - 10 PCS**
250V 1A
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2149131

Gaskets and seals

- 9186046 COVER GASKET 1300 mm**
section 15x10 mm
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2001325

- 9186048 COVER GASKET 1400 mm**
cross-section 6x5 mm
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8
for Vacuum packer (SAMMIC) SV-204T - SV-306T
SV-308T - SV-310S - SV-310T



SAMMIC 2149144

- 9186047 COVER GASKET 1800 mm**
cross-section 15x10 mm
for Potato peeler (SAMMIC) M-25



SAMMIC 2001323

- 3786534 COVER GASKET 2048 mm**
cross-section 11x7 mm
for Vacuum packer (SAMMIC) V-641T



SAMMIC 2149075

- 3786540 COVER GASKET 3015 mm**
cross-section 13x11 mm
for Vacuum packer (SAMMIC) V-821LLSG - V-821SG



SAMMIC 2149159

- 9186063 COVER GASKET 480 mm**
section 15x7 mm
for CUTTER SK3-SKE3 since 2009



SAMMIC 2052091



Suitable for:

SAMMIC



9186062 COVER GASKET 720 mm
section 15x7 mm
for CUTTER SK5-SKE5-SK8-SKE8 since 2009



SAMMIC 2053242

9720704 DOOR GASKET
circumference 500 mm - cross-section $\varnothing$ 10 mm
for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT15C
for Potato peeler (DUPLEX-AGUSTONI) EXPORT15
EXPORT20 - EXPORT25 - EXPORT6 - EXPORT8
OCEA10 - OCEA10SP - OCEA15 - OCEA15SP - OCEA5
OCEA5SP
for Potato peeler (SAMMIC) M-5
for Potato peeler (ZANUSSI) MP20 - MP50



SAMMIC 2003915

SAMMIC 2003935

9186009 DOOR GASKET KIT 760 mm
complete with fitting adhesive tube
cross-section $\varnothing$ 15 mm
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE-15 - PP-12 - PP-6 - PPC-12 - PPC-6



SAMMIC 2009150

7100901 GASKET FOR COVER 1800 mm
silk screen print "cup" switch
for Vacuum packer (SAMMIC) V-401SGA - V-402SG
V-402T - V-410SG - V-410T - V-420SA - V-420SGA
V-420T - V-421SG - V-421T



SAMMIC 2149004

5026381 KIT GASKETS - BEARINGS
for MIXER TR/BM330



SAMMIC 4039092

3786541 SILICON GASKET 854 mm
section 16x8 mm
for VACUUM PACKAGING MACHINE SAMMIC V821SGI100



SAMMIC 2141701

3786539 SILICONE GASKET 400 mm
cross-section 16x8 mm
for Vacuum packer (SAMMIC) V-641T



SAMMIC 2149031



Suitable for:

SAMMIC



Suitable for:

Gears

- 5028497 GEAR FOR WHISK HOLDER $\varnothing$ 44 mm**
internal $\varnothing$ 12 mm - number of teeth 20
for Planetary machine (SAMMIC) BM-5 - BM-5E



SAMMIC 2502270

- 3702008 POTATO PEELER TRANSMISSION SHAFT SET**
complete with bearings, screws, and seeger ring
for Potato peeler (SAMMIC) M-10



SAMMIC 2009227

- 9212021 WHISK GEAR KIT**
external $\varnothing$ 45 mm - overall height 77 mm
for Mixer (SAMMIC) TR-250



SAMMIC 4039019

Greases

- 3340095 2 MOTOR OIL TANKS KIT**
tank 1 l
for VACUUM PACKAGER V641T-V821SG



SAMMIC 2149049

Handles

- 9242072 BLUE MOTOR PROTECTION CASING KIT**
for Mixer (SAMMIC) BM-350 - BM-550 - BM-750
TR-350 - TR-550 - TR-750



SAMMIC 4039110

- 9242073 BLUE MOTOR PROTECTION CASING KIT**
for Mixer (SAMMIC) TR-350



SAMMIC 4039111

- 5037305 MOTOR PROTECTING CASING RED**
for MIXER TR 350/550/750
for Mixer (SAMMIC) TR-350 - TR-550 - TR-750



SAMMIC 4039032

- 3388008 POTATO PEELER COVER HANDLE**
length 208 mm
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009204



SAMMIC



Suitable for:

9242008 POTATO PEELER SHUTTER HANDLE
overall width 215 mm
for Potato peeler (SAMMIC) PPC12 - PPC6 - PP12
PP6



SAMMIC 2009308

Suitable for:

9242021 POTATO PEELER SHUTTER HANDLE
overall width 220 mm
for Potato peeler (SAMMIC) M25 - M26



SAMMIC 2009212

9242022 POTATO PEELER SHUTTER HANDLE
overall width 193 mm
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009232

3340052 RED MOTOR CASE
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039033

5032610 RED MOTOR PROTECTION CASING KIT
for MIXER TR250
for Mixer (SAMMIC) TR-250



SAMMIC 4039084

Heating elements

3455328 WELDING HEATING ELEMENT SET
with teflon band length 1030 mm
with teflon band height 50 mm
with heating element length 400 mm
for Vacuum packer (SAMMIC) V-641T



SAMMIC 2149017

3455329 WELDING HEATING ELEMENT SET
with teflon band length 1050 mm
with teflon band height 50 mm
with heating element length 854 mm
for Vacuum packer (SAMMIC) V-821SGI100



SAMMIC 2149175



Suitable for:

Suitable for:

- 3455330 WELDING HEATING ELEMENT SET**
with teflon band length 660 mm
with teflon band height 50 mm
with heating element length 416 mm
for Vacuum packer (SAMMIC) V-402SG - V-421SG



SAMMIC 2149203

Immersion arms for mixers

- 9191015 ARM/MOTOR COUPLING**
total height 83 mm
for MIXER TR/BM 350-550-750



SAMMIC 4031202

SAMMIC 4039126

- 5026379 BOTTOM BELL COUPLING**
overall height 70 mm
for MIXER TR/BM



SAMMIC 4039065

- 3740001 CAP FOR TOOL ARM**
base external $\varnothing$ 40 mm - base internal $\varnothing$ 24 mm
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039017

- 9740073 COMPLETE IMMERSION ARM 500 mm**
complete with mixer blade
for Mixer (SAMMIC) TR-350 - TR-550



SAMMIC 3030155

- 9740075 IMMERSION ARM COMPLETE 390 mm**
complete of mixer blade
for Mixer (SAMMIC) TR/BM-330



SAMMIC 3030110

- 9740076 IMMERSION ARM COMPLETE 415 mm**
complete of mixer blade
for Mixer (SAMMIC) TR-330



SAMMIC 4030020

- 9740074 IMMERSION ARM COMPLETE 425 mm**
complete of mixer blade
for Mixer (SAMMIC) TR-350 - TR/BM-350



SAMMIC 3030150

- 5032066 TOOL ARM CAP**
for Mixer (SAMMIC) TR-330 - TRC-330



SAMMIC 4039015



Suitable for:

SAMMIC



Suitable for:

5100776 WHISK COUPLING RING NUT

complete with seeger
overall height 55 mm
for MIXER TR/BM330



SAMMIC 4039087

Ironmongery (screws,nuts,washers)

3528071 COVER CLOSING SCREW SET

for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009203

Knives for meat mincers

9014602 STAINLESS STEEL KNIFE F/MEAT MINCER 22

model ENTERPRISE 22 self-sharpening
external $\varnothing$ 73 mm - square hole 13x13 mm



SAMMIC 2051015

Knives for mixers

9718068 MIXER BLADE

for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4031006

9718069 MIXER BLADE

MIXER BLADE

for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4031276

9718070 MIXER BLADE

for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4031228

9718071 MIXER BLADE

MIXER BLADE

for Mixer (SAMMIC) BM-330 - TR-330 - TR/BM-330
TRC-330 - TRL-330



SAMMIC 4600420



Suitable for:

SAMMIC



Suitable for:

Knobs

- 3242698 BLACK ARM HANDLE 95 mm PITCH M8**
for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
GC-300



SAMMIC 6052627

- 9241035 BLACK KNOB ø 44.5 mm PITCH M6**
without pin
for Slicer (SAMMIC) CP-250



SAMMIC 2052252

- 3242697 BLACK KNOB ø 54 mm PITCH M9**
for Slicer (SAMMIC) GC-250 - GC-275 - GC-300



SAMMIC 6052636

- 9007007 BLACK TIMER KNOB ø 12x81 mm**
with eccentric
pin ø 12x30 mm
knob ø 44 mm
mounting frame ø 50 mm
for Slicer (SAMMIC) GC-220



SAMMIC 6052612

- 9007009 BLACK TIMER KNOB ø 12x86 mm**
with eccentric
pin ø 12x23 mm
knob ø 55 mm
mounting frame ø 62 mm
for Slicer (SAMMIC) GC-300



SAMMIC 6052613

- 9007008 BLACK TIMER KNOB ø 12x93 mm**
with eccentric
pin ø 12x30 mm
knob ø 55 mm
mounting frame ø 62 mm
for Slicer (SAMMIC) GC-250 - GC-275



SAMMIC 6052614

- 3241850 RED KNOB ø 40 mm - 2 PCS**
D-shaped hole 6x4.6 mm
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE15 - PP-12 - PPC-12 - PPC-6
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2309024



Suitable for:

SAMMIC



Suitable for:

Lids for potato peeler

3046032 BOWL GUARD
total length 310 mm - grid height 166 mm
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509443

9734041 COVER FOR POTATO PEELER ø 186 mm
complete with knob
for Potato peeler (SAMMIC) PP-12 - PP-6 - PPC-12
PPC-6



SAMMIC 2009317

9734042 COVER FOR POTATO PEELER ø 330 mm
for Potato peeler (SAMMIC) M-5



SAMMIC 2003909

9734043 COVER FOR POTATO PEELER ø 433 mm
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2001241

SAMMIC 2009240

3528071 COVER CLOSING SCREW SET
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009203

9734044 COVER FOR POTATO PEELER ø 595 mm
for Potato peeler (SAMMIC) M-25 - M-26



SAMMIC 2009210

3324011 PIN FOR COVER LOCK 265 mm
complete with 2 seeger rings
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15



SAMMIC 2009226

Magnets

1737001 MAGNET ø 27x9 mm
for Mixer (SAMMIC) TR-BM-750 - TR/BM-350
TR/BM-550



SAMMIC 4039105



Suitable for:

Suitable for:

Meat hold arm

- 3715001 MASHER F/VEGETABLE HOLDING LEVER**
for VEGETABLE CHOPPER CA300
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2050606

Meat rammers

- 9715004 MEAT MINCER MASHER ø 40x95 mm**
solid
for Meat mincer (SAMMIC) PS-12



SAMMIC 2051147

- 9014162 MEAT MINCER MASHER ø 51x150 mm**
internally hollow
for Meat mincer (SAMMIC) PS-22 - PS-32



SAMMIC 2051007

Microswitches

- 9240060 MAGNETIC MICROSWITCH ø 10x33 mm**
0.04A 250V 50W - contact NO
with cable length 150 mm
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8



SAMMIC 2502294

SAMMIC 2509357

- 3240216 MAGNETIC MICROSWITCH E5221V**
0.04A 250V - contact NO - head 40x13x8 mm
with cable length 1900 mm
for Cutter (GAM) PRATIC3 - PRATIC5 - PRATIC8
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
PE-15
for Vegetables/mozzarella cutter (SAMMIC) CA-300
CA-400



SAMMIC 2009205

SAMMIC 2050705

- 3803041 MICROSWITCH XGK2-81-J26Z1 10A 250V**
for Vacuum packer (SAMMIC) V-641SG - V-641T
V-821LLSG - V-821SG



SAMMIC 2140540

- 1240016 MICROSWITCH 16A 250V**
for Planetary machine (SAMMIC) BM-11 - BM-22
BM-22C - BM-42 - BM-5
for Planetary machine (SIGMA) BM10 - BM20 - BM30
BM40 - BM60 - BM80



SAMMIC 2509124

SAMMIC 2509359



SAMMIC



Suitable for:

3240151 MICROSWITCH 16A 250V
for ZANUSSI TRAINO RT
for BIANCHI LEVEL TANK



SAMMIC 6420114

Suitable for:

9240050 MICROSWITCH 16A 250V
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509446

9240051 MICROSWITCH 16A 250V
for Planetary machine (SAMMIC) BE-40



SAMMIC 2509491

9240052 MICROSWITCH 16A 250V
for Planetary machine (SAMMIC) BE-40



SAMMIC 2509490

9240053 MICROSWITCH 16A 250V
for Planetary machine (SAMMIC) BE-10



SAMMIC 2509419

9240054 MICROSWITCH 16A 250V
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509438

9240055 MICROSWITCH 16A 250V
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2059018

9240058 MICROSWITCH 16A 250V
for Planetary machine (SAMMIC) BE-10



SAMMIC 2509420

9240056 RECTANGULAR MAGNET 40x13x8 mm
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2050639



Suitable for:

SAMMIC



Suitable for:

Motors

5036011 CHARCOAL WITH SPRING FOR MOTOR - 2 PCS

charcoal overall length 13 mm
charcoal width 6 mm
charcoal thickness 6 mm - spring $\varnothing$ 6x23 mm
for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4039082

9240065 CHARCOAL WITH SPRING FOR MOTOR 4PCS

length 29 mm - width 11 mm - height 6 mm
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039029

3340083 MOTOR 0.3KW 220V

for Slicer (SAMMIC) GC-250 - GC-275 - GC-300



SAMMIC 6052626

3340070 MOTOR 935202 2 5112 0.35Kw 230V

supplied with coupler kit
shaft $\varnothing$ 8x18 mm
for Mixer (SAMMIC)
till 1/06/05
TR/BM-350



SAMMIC 4039021

3340085 MOTOR 935217 8253 230V 50/60Hz

supplied with coupling kit
shaft $\varnothing$ 8x13 mm
for Mixer (SAMMIC)
since 1/06/05
TR/BM-350



SAMMIC 4039106

Pistons

3321005 PISTON CYLINDER WELDING DIAPHRAGM

for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2140531



Suitable for:

SAMMIC



Suitable for:

Plates for mincers

- 9015753 INOX PLATE MOD.B98/32/3 UNGER**
model B98/32 UNGER self-sharpening
ejection hole $\varnothing$ 3 mm
external $\varnothing$ 97.7 mm - central hole $\varnothing$ 26,2 mm



SAMMIC 2051774

- 9015736 INOX PLATE MOD.H82/22/4.5 UNGER**
model H82/22 UNGER self-sharpening
ejection hole $\varnothing$ 4.5 mm
external $\varnothing$ 81.6 mm - central hole $\varnothing$ 22,2 mm



SAMMIC 2051525

- 9015747 INOX PLATE MOD.H82/22/8 UNGER**
model H82/22 UNGER self-sharpening
ejection hole $\varnothing$ 8 mm
external $\varnothing$ 81.6 mm - central hole $\varnothing$ 22,2 mm



SAMMIC 2051527

- 9015514 SELF-SHARPENING ST. STEEL PLATE 12/4.5**
model 12 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 4.5 mm
external $\varnothing$ 69.6 mm - central hole $\varnothing$ 10,2 mm



SAMMIC 2011525

- 9015526 SELF-SHARPENING ST. STEEL PLATE 22/4.5**
model 22 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 4.5 mm
external $\varnothing$ 82.7 mm - central hole $\varnothing$ 11,4 mm



SAMMIC 2051014

- 9015536 SELF-SHARPENING ST. STEEL PLATE 32/3**
model 32 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 3 mm
external $\varnothing$ 99.7 mm - central hole $\varnothing$ 13,3 mm
for Meat mincer (BRAHER) P32



SAMMIC 2052051

- 9015538 SELF-SHARPENING ST. STEEL PLATE 32/4.5**
model 32 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 4.5 mm
external $\varnothing$ 99.7 mm - central hole $\varnothing$ 13,3 mm



SAMMIC 2052014

- 9015515 SELF-SHARPENING STAIN. STEEL PLATE 12/6**
model 12 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 6 mm
external $\varnothing$ 69.6 mm - central hole $\varnothing$ 10,2 mm



SAMMIC 2011527



Suitable for:

SAMMIC



9015516 SELF-SHARPENING STAIN. STEEL PLATE 12/8
model 12 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 8 mm
external $\varnothing$ 69.6 mm - central hole $\varnothing$ 10,2 mm



SAMMIC 2011530

9015524 SELF-SHARPENING STAIN. STEEL PLATE 22/3
model 22 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 3 mm
external $\varnothing$ 82.7 mm - central hole $\varnothing$ 11,4 mm



SAMMIC 2051051

9015527 SELF-SHARPENING STAIN. STEEL PLATE 22/6
model 22 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 6 mm
external $\varnothing$ 82.7 mm - central hole $\varnothing$ 11,4 mm



SAMMIC 2051052

9015528 SELF-SHARPENING STAIN. STEEL PLATE 22/8
model 22 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 8 mm
external $\varnothing$ 82.7 mm - central hole $\varnothing$ 11,4 mm



SAMMIC 2051053

9015541 SELF-SHARPENING STAIN. STEEL PLATE 32/10
model 32 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 10 mm
external $\varnothing$ 99.7 mm - central hole $\varnothing$ 13,3 mm
for Meat mincer (BRAHER) P32



SAMMIC 2052054

9015540 SELF-SHARPENING STAIN. STEEL PLATE 32/8
model 32 ENTERPRISE self-sharpening
outlet holes $\varnothing$ 8 mm
external $\varnothing$ 99.7 mm - central hole $\varnothing$ 13,3 mm



SAMMIC 2052053

9015539 ST. STEEL PLATE MOD. 32/6 SELF-SHARPENING
model 32 ENTERPRISE self-sharpening
ejection holes $\varnothing$ 6 mm
external $\varnothing$ 99.7 mm - central hole $\varnothing$ 13.3 mm
for Meat mincer (BRAHER) P32



SAMMIC 2052052

9015756 STAIN. ST. PLATE MOD. B98/32/4.5 UNGER
model B98/32 UNGER self-sharpening
ejection holes $\varnothing$ 4.5 mm
external $\varnothing$ 97.7 mm - central hole $\varnothing$ 26.2 mm



SAMMIC 2051775



Suitable for:

SAMMIC



9015758 STAIN.STEEL PLATE MOD.B98/32/6 UNGER
model B98/32 UNGER self-sharpening
ejection holes $\varnothing$ 6 mm
external $\varnothing$ 97.7 mm - central hole $\varnothing$ 26,2 mm



SAMMIC 2051776

Suitable for:

9015759 STAIN.STEEL PLATE MOD.B98/32/8 UNGER
model B98/32 UNGER self-sharpening
ejection holes $\varnothing$ 8 mm
external $\varnothing$ 97.7 mm - central hole $\varnothing$ 26,2 mm



SAMMIC 2051777

9015733 STAIN.STEEL PLATE MOD.H82/22/3 UNGER
model H82/22 UNGER self-sharpening
ejection holes $\varnothing$ 3 mm
external $\varnothing$ 81.6 mm - central hole $\varnothing$ 22,2 mm



SAMMIC 2051524

9015738 STAIN.STEEL PLATE MOD.H82/22/6 UNGER
model H82/22 UNGER self-sharpening
ejection holes $\varnothing$ 6 mm
external $\varnothing$ 81.6 mm - central hole $\varnothing$ 22,2 mm



SAMMIC 2051526

Potentiometers

9057015 COMPLETE POTENTIOMETER
with cable length 750 mm
shaft $\varnothing$ 6 mm
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8



SAMMIC 2052705

Pulleys

3318017 COMPLETE PULLEY GROUP
for blade 3 holes distance 46 mm
pulley external $\varnothing$ 78 mm
blade fastening $\varnothing$ 40 mm
shaft length 175 mm
for Slicer (SAMMIC) GC-250 - GC-275 - GC-300



SAMMIC 6052667

5054549 TOOL SHAFT PULLEY $\varnothing$ 120 mm
height 25 mm
for Planetary machine (DITO ELECTROLUX) BM5 - BM5E



SAMMIC 2502274



Suitable for:

SAMMIC



Suitable for:

Rating-plates

3319692 CONTROL BOARD
dimensions 267x85 mm
for Vacuum packer (SAMMIC) V-641T



SAMMIC 2140617

3319693 CONTROL BOARD
dimensions 267x85 mm
for Vacuum packer (SAMMIC) V-821SGI100



SAMMIC 2140616

Scrolls

9719001 COMPLETE ALUMINUM SCROLL 12 SAMMIC
scroll $\varnothing$ 53x165 mm - clamp $\varnothing$ 20 mm
fitting pin length 28 mm
for Meat mincer (SAMMIC) PS-12



SAMMIC 2051130

9719002 COMPLETE ALUMINUM SCROLL 22 SAMMIC
scroll $\varnothing$ 63x150 mm - clamp $\varnothing$ 40 mm
for Meat mincer (SAMMIC) PS-22



SAMMIC 2051445

9719003 COMPLETE ALUMINUM SCROLL 32 SAMMIC
scroll $\varnothing$ 77x170 mm - clamp $\varnothing$ 40 mm
for Meat mincer (SAMMIC) PS-32



SAMMIC 2051747

Sharpeners

3701004 BLADE SHARPENER SAMMIC
with cover
for Slicer (SAMMIC) GC-275 - GC-300



SAMMIC 6052502



Suitable for:

SAMMIC



Suitable for:

Shock absorbers

3007031 SHOCK ABSORBER FOR COVER 0300N

030/12 RJ02
overall length 160 mm
for Vacuum packer (SAMMIC) V-4025G - V-4215G



SAMMIC 2141581

3007032 SHOCK ABSORBER FOR COVER 0500N

035/11 RJ09
overall length 260 mm
for Vacuum packer (SAMMIC) V-641T - V-8215G



SAMMIC 2140960

SAMMIC 2140961

Switches

9319065 BLACK BIPOLAR PUSH-BUTTON KIT 4A 250V

with filter
for Mixer (SAMMIC) BM-330 - TR-330 - TR/BM-330
TRC-330 - TRL-330



SAMMIC 4039035

9319061 BLACK BIPOLAR PUSH-BUTTON 8A 250V

for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4031030

9319038 BLACK PUSH-BUTTON PROTECTION CAPS KIT

for Mixer (DYNAMIC) JUNIOR COMBI
JUNIOR FRUSTA MB - JUNIOR STANDARD - MMX/98
PMDH/250 - PMF/250 - PMX/98
for Mixer (SAMMIC) TR-250



SAMMIC 4039083

3319709 BLACK PUSH-BUTTON 5A 300V

normally closed
mounting hole $\varnothing$ 22 mm
for Planetary machine (SAMMIC) BM-22 - BM-22C
BM-22H



SAMMIC 2500491

SAMMIC 2502960

9319066 BLACK SINGLE-POLE SWITCH 10A 250V

with push-button cap
mounting hole 13x20 mm
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8



SAMMIC 2052736

9319063 BLACK START PUSH-BUTTON 5A 300V

2 normally open contacts
mounting hole $\varnothing$ 22 mm
for Planetary machine (SAMMIC) BM-11
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE-15
for Vegetables/mozzarella cutter (SAMMIC) CA-300
CA-400



SAMMIC 2500635



SAMMIC



Suitable for:

9319103 CONTROL PANEL PROTECTION KIT BLUE BUTT.
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039112

Suitable for:

9319064 DIGITAL PUSH-BUT.PANEL O-I-ARROW-DISPLAY
external sizes 130x123 mm
with cables
for Planetary machine (SAMMIC) BE-10 - BE-20
BE-40 - BM-22 - BM-22C



SAMMIC 2504482

9319060 ORANGE BIPOLAR SWITCH 12A 250V
mounting hole 13x20 mm
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8
for Potato peeler (SAMMIC) M-5



SAMMIC 2052735

9319025 PUSH-BUTTON PANEL O-I GREEN-RED 6A 250V
with push-button cap
1 normally closed contact
1 normally open contact
mounting hole $\varnothing$ 22 mm
for Potato peeler (SAMMIC) PP-12 - PP-6 - PPC-12
PPC-6



SAMMIC 2009329

9319067 RED BUTTON CONTROL PROTECTION SET
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4039014

9319062 RED STOP PUSH-BUTTON 5A 300V
1 normally closed contact
mounting hole $\varnothing$ 22 mm
for Potato peeler (SAMMIC) M-10 - M-15 - PE-15
for Vegetables/mozzarella cutter (SAMMIC) CA-300



SAMMIC 2500493

SAMMIC 2600145

9319068 SINGLE-POLE BLACK PUSH-BUTTON 10A 250V
mounting hole 13x20 mm - with push-button cover
for Cutter (SAMMIC) SK-3 - SK-5 - SK-8
for Potato peeler (SAMMIC) M-5



SAMMIC 2052737

3319670 WHITE BIPOLAR SWITCH 16A 250V
with indicator light
2 normally open contacts
mounting hole 22x30 mm
for Vacuum packer (SAMMIC) SV-306T - SV-308T
SV-310S - SV-310T - SV-408T - SV-410T
SV-418T - SV-420T - SV-520T - SV-604CCS
SV-604S - SV-606CCS - SV-606S - SV-806LLS
SV-806T - SV-810LLS - SV-810S - SV-810T



SAMMIC 2310403

SAMMIC 2319215



Suitable for:


SAMMIC



Suitable for:

Tapes

- 3180047** **TEFLON BAND HEIGHT 60 mm - 854 mm**
for SAMMIC VACUUM PACKING MACHINE V821SGI100



SAMMIC 2141772

SAMMIC 2149002

Tie rods for blade cover

- 9013505** **BLADE COVER TIE ROD SHAFT 170mm PITCH M6**
micro support $\varnothing$ 10x59 mm
for Slicer (ESSEDUE) 220 - 220CE - 250 - 250CE
275CE - 300CE
for Slicer (SAMMIC) GC-220 - GC-250 - GC-275
GC-300



SAMMIC 6052619

Timers

- 9446015** **TIMER 30 MINUTES KIT**
complete with knob
manually set mechanical timer
30 minutes manually set cycle
contact capacity 13A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Planetary machine (SAMMIC) BM-22 - BM-22C
BM-42
for Potato peeler (SAMMIC) M-5



SAMMIC 2509157



Suitable for:

SAMMIC



Suitable for:

Timers

- 9446005 TIMER 6 MINUTES KIT**
complete with knob
manually set mechanical timer
6 minutes manually set cycle
contact capacity 13A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE-15 - PP-12 - PP-6 - PPC-12 - PPC-6



SAMMIC 2009211

- 3241850 RED KNOB $\varnothing$ 40 mm - 2 PCS**
D-shaped hole 6x4.6 mm
for Potato peeler (SAMMIC) M-10 - M-15 - M-25
M-26 - PE15 - PP-12 - PPC-12 - PPC-6
for Vacuum packer (SAMMIC) V-641T - V-821SG



SAMMIC 2309024

Tool holder shafts

- 5029209 ARM SHAFT**
external $\varnothing$ 10 mm - overall length 380 mm
for MIXER TR/BM 350/550/750



SAMMIC 4031216

SAMMIC 4031217

- 5031691 SHAFT FOR ARMS**
external $\varnothing$ 10 mm - overall length 266 mm
for MIXER TR250



SAMMIC 4031026

- 9742017 TOOL SHAFT**
supplied with bearings and assembly kit
for Planetary machine (SAMMIC) BM-22 - BM-22C
BM-22H



SAMMIC 2509175

- 9742015 TOOL SHAFT 140 mm**
supplied with bearings and assembly kit
for Planetary machine (SAMMIC) BM-11



SAMMIC 2509310

Whisks, hooks and flat beaters

- 9740061 ALUMINUM BEATER WIDTH 130 mm**
total height with coupling 205 mm
for Planetary machine (SAMMIC) BM-5



SAMMIC 2502340

- 9740064 ALUMINUM BEATER WIDTH 158 mm**
total height with coupling 275 mm
for Planetary machine (SAMMIC) BE-10 - BM-11



SAMMIC 2504030

SAMMIC 2509428



SAMMIC



Suitable for:

9740070 ALUMINUM BEATER WIDTH 197 mm
total height with coupling 325 mm
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509465

Suitable for:

9740067 ALUMINUM BEATER WIDTH 207 mm
total height with coupling 335 mm
for Planetary machine (SAMMIC) BM-22



SAMMIC 2504293

9740060 ALUMINUM HOOK WITH ADJUSTABLE Ø
total height with coupling 205 mm
for Planetary machine (SAMMIC) BM-5



SAMMIC 2502308

9740063 ALUMINUM HOOK WITH ADJUSTABLE Ø
total height with coupling 270 mm
for Planetary machine (SAMMIC) BE-10 - BM-11



SAMMIC 2503966

SAMMIC 2509429

9740066 ALUMINUM HOOK WITH ADJUSTABLE Ø
total height with coupling 325 mm
for Planetary machine (SAMMIC) BM-22 - BM-22C



SAMMIC 2504290

9740069 ALUMINUM HOOK WITH ADJUSTABLE Ø
total height with coupling 325 mm
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509463

9740059 COMPLETE MIXER WHISK
overall height fitting included 365 mm
for Mixer (SAMMIC) BM-330



SAMMIC 4519005

5027606 GEAR BOX WHISK SUPPORT
overall height 125 mm
for MIXER TR/BM



SAMMIC 4039077

9740068 METAL WHISK WITH THREADS Ø 2.5 mm
total height with coupling 335 mm
for Planetary machine (SAMMIC) BM-22 - BM-22C



SAMMIC 2504296

9740071 METAL WHISK WITH THREADS Ø 2.5 mm
total height with coupling 325 mm
for Planetary machine (SAMMIC) BE-20



SAMMIC 2509467




Suitable for:

SAMMIC



9740065 METAL WHISK WITH THREADS $\varnothing$ 2.5 mm
total height with coupling 275 mm
for Planetary machine (SAMMIC) BE-10 - BM-11



SAMMIC 2503995

SAMMIC 2509427

9740062 METAL WHISK WITH WIRES $\varnothing$ 2 mm
total height with coupling 200 mm
for Planetary machine (SAMMIC) BM-5



SAMMIC 2502310

9740056 MIXER WHISK
total height 195 mm
for Mixer (SAMMIC) TR-250 - TR/BM-250



SAMMIC 4031860

9740057 MIXER WHISK
total height 275 mm
for Mixer (SAMMIC) BM-330 - TR/BM-330



SAMMIC 4600340

9740058 MIXER WHISK
total height 275 mm
for Mixer (SAMMIC) TR/BM-350 - TR/BM-550
TR/BM-750



SAMMIC 4031338

5025183 WHISK REDUCER
overall height 70 mm
for MIXER TR/BM



SAMMIC 4039075