



Spare parts for:
Ice makers



Suitable for:

ELECTROLUX PROFESSIONAL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

Suitable for:

Baffles

3095006 REMOVABLE CHUTE 255x160 mm



ELECTROLUX PROFESSIONAL 086332

Bearings

5010764 BEARING COUNTERLOCKING
Ø external 40 mm Ø internal 19 mm height 30 mm




ELECTROLUX PROFESSIONAL

3063081 BEARING LOWER WITH SUPPORT




ELECTROLUX PROFESSIONAL 0KM705

3063082 BEARING UPPER T12/8



ELECTROLUX PROFESSIONAL 0KM706

9063012 BEARING 6004 DDU NSK
external Ø 42mm - internal Ø 20mm - thickness 12mm



ELECTROLUX PROFESSIONAL 0K4559 ELECTROLUX PROFESSIONAL 089921

3063123 BEARING 6201 2RSH SKF
external Ø 32mm - internal Ø 12mm - thickness 10mm



ELECTROLUX PROFESSIONAL 0D7339

3063005 BEARING 6202 DDU NSK
external Ø 35mm - internal Ø 15mm - thickness 11mm



ELECTROLUX PROFESSIONAL 0D0035 ELECTROLUX PROFESSIONAL 072751

3063120 BEARING 6202 2RSH SKF
external Ø 35mm - internal Ø 15mm - thickness 11mm



ELECTROLUX PROFESSIONAL 0D0035 ELECTROLUX PROFESSIONAL 072751

3063017 BEARING 6203 DDU NSK
external Ø 40mm - internal Ø 17mm - thickness 12mm



ELECTROLUX PROFESSIONAL 0D0821 ELECTROLUX PROFESSIONAL 0D5458 ELECTROLUX PROFESSIONAL 0KJ007
ELECTROLUX PROFESSIONAL 089918



Suitable for:

3063121 BEARING 6203 2RSH SKF
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



ELECTROLUX PROFESSIONAL 0D0821 ELECTROLUX PROFESSIONAL 0KJ007 ELECTROLUX PROFESSIONAL 089918

Suitable for:

3063122 BEARING 6204 2RSH SKF
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm




ELECTROLUX PROFESSIONAL 0H2694 ELECTROLUX PROFESSIONAL 0KQ395 ELECTROLUX PROFESSIONAL 045726
ELECTROLUX PROFESSIONAL 065048

9063001 BEARING 6206 DDU NSK
external \varnothing 62mm - internal \varnothing 30mm - thickness 16mm



ELECTROLUX PROFESSIONAL 0D0006 ELECTROLUX PROFESSIONAL 0KK225

3063019 LOWER BEARING SR14RS
external \varnothing 47.5 mm - internal \varnothing 22 mm
thickness 13 mm



ELECTROLUX PROFESSIONAL 086282

3063080 WATER GLAND



ELECTROLUX PROFESSIONAL 0KM718

Compressors and spares


3070040 COMPRESSOR EMBRACO NEK6213GK CSIR
220/240V 50Hz
power 1/2 Hp, displacement 12.12 cc
gas R404a/R507 HMBP
ASPERA



ELECTROLUX PROFESSIONAL 091161

Condensers

3123090 CONDENSER STFT 16224 1x230 mm
output 1385W DT15°C
250x60x250h mm



ELECTROLUX PROFESSIONAL 088661



Suitable for:

Suitable for:

Contactors

3446214 CONTACTOR LOVATO BG09T4A
4KW 400V 9A - 4 normally open contacts
coil 230V 50/60Hz



ELECTROLUX PROFESSIONAL

Controllers and changeover switches

3322129 PROGRAMMER 11904 F1 4 CAMS 12 MINUTES
230V 50/60Hz
without pin



ELECTROLUX PROFESSIONAL 0KL019 ELECTROLUX PROFESSIONAL 023222 ELECTROLUX PROFESSIONAL 085324 ELECTROLUX PROFESSIONAL 085329

3322322 PROGRAMMER 11904 F1 4 CAMS 15 MIN.
230V 50/60Hz
without pin



3322246 PROGRAMMER 11904 F1 4 CAMS 15 MINUTES
110V 50/60Hz
without pin



ELECTROLUX PROFESSIONAL 099423

3322217 TIMER 11904 F1 4 CAMS 10 MINUTES
230V 50/60Hz
without shaft



ELECTROLUX PROFESSIONAL 085285

3322331 TIMER 11904 F1 4 CAMS 8 MINUTES
230V 50/60Hz
without pin



ELECTROLUX PROFESSIONAL 099322

Couplings

9248001 COUPLING 8 TEETH

external \varnothing 23/16 mm - overall height 30/30 mm
for DITO MIXER B2000
for ZANUSSI MIXER B2000
for ICE MAKER C150W-C300A-C300W-C80A-
CB1565W-CB246W-CB416W-CB955W-DSS42W-C80W-CB1565A-
CB246A-CB416A-C150A-CB955A-DSS42A



ELECTROLUX PROFESSIONAL 0KR061

Curtains

3443405 BRACKET FOR LEFTHAND CURTAIN



ELECTROLUX PROFESSIONAL 086121

3443404 BRACKET FOR RIGHTHAND CURTAIN



ELECTROLUX PROFESSIONAL 086122

3443400 COMPLETE CURTAIN 325x116 mm



ELECTROLUX PROFESSIONAL 086082

3443401 CURTAIN 284x83 mm



ELECTROLUX PROFESSIONAL 0KM655

3443403 CURTAIN 610x110 mm



ELECTROLUX PROFESSIONAL 086204

3443405 BRACKET FOR LEFTHAND CURTAIN



ELECTROLUX PROFESSIONAL 086121

3443404 BRACKET FOR RIGHTHAND CURTAIN



ELECTROLUX PROFESSIONAL 086122



Suitable for:

Suitable for:

3443411 SINGLE CURTAIN 23x80 mm
for all models



ELECTROLUX PROFESSIONAL 0U1257

Doors

3386015 BUSHING FOR DOOR

3386901 COMPLETE DOOR 490x260 mm



ELECTROLUX PROFESSIONAL 086006

ELECTROLUX PROFESSIONAL 086480

3386016 COMPLETE DOOR 592x260 mm



ELECTROLUX PROFESSIONAL 0KM643

3386010 DOOR ASSEMBLY 521x271 mm

3386015 BUSHING FOR DOOR




ELECTROLUX PROFESSIONAL 0KM641

ELECTROLUX PROFESSIONAL 086006

3386902 DOOR COMPLETE 655x260 mm

3389018 FRONT DOOR 1075x275 mm



ELECTROLUX PROFESSIONAL 086388 ELECTROLUX PROFESSIONAL 086488

ELECTROLUX PROFESSIONAL 086565

3386906 FRONT DOOR 345x195 mm



ELECTROLUX PROFESSIONAL 086190

Drain assembly

- 3316059 DRAIN ASSEMBLY \varnothing 1" FOR OVERFLOW PIPE**
 connection \varnothing 1"
 drain \varnothing 25 mm
 for overflow pipe \varnothing 22 mm



ELECTROLUX PROFESSIONAL 085271


Drain hoses

- 3450031 DRAIN PIPE \varnothing 38x1500 mm**
 muffs internal \varnothing 31 and 40 mm
 max temperature 90°C



ELECTROLUX PROFESSIONAL 048818 ELECTROLUX PROFESSIONAL 049856

- 3450032 DRAIN PIPE \varnothing 38x2000 mm**
 muffs internal \varnothing 31 and 40 mm
 max temperature 90°C



ELECTROLUX PROFESSIONAL 049748

Drain plugs

- 3448203 OVERFLOW PIPE \varnothing 20x88 mm**
 complete with o-ring



ELECTROLUX PROFESSIONAL 087972

- 3448200 OVERFLOW PIPE \varnothing 25/18 x 150 mm**
 in rubber



ELECTROLUX PROFESSIONAL 085270

Electronic boxes


- 3054036 ROTATION SENSOR CONTROL BOX**



ELECTROLUX PROFESSIONAL

Electronic printed-circuit boards

- 3390010 COMPLETE CIRCUIT BOARD SFT 016**



ELECTROLUX PROFESSIONAL 086368

- 3054035 COVER FOR CONTROL BOX**



ELECTROLUX PROFESSIONAL 086336



ELECTROLUX PROFESSIONAL



Suitable for:

3399040 ELECTRONIC BOARD LID F100C



ELECTROLUX PROFESSIONAL 086552

3390011 SENSOR FOR EVAPORATOR TEMPERATURE
cable length 1500 mm



Suitable for:

3390012 ICE LEVEL CONTROL SENSOR



ELECTROLUX PROFESSIONAL 086369

ELECTROLUX PROFESSIONAL 086339 ELECTROLUX PROFESSIONAL 086344

3390013 COMPLETE PCB SFT 012
with sensor



3390015 CONDENSER TEMPERATURE SENSOR




ELECTROLUX PROFESSIONAL 0T4522 ELECTROLUX PROFESSIONAL 086294 ELECTROLUX PROFESSIONAL 086553 ELECTROLUX PROFESSIONAL 0KM745 ELECTROLUX PROFESSIONAL 086340

3390016 ENVIRONMENT TEMPERATURE SENSOR



3390017 ICE LEVEL CONTROL SENSOR
total length 310 mm



ELECTROLUX PROFESSIONAL 086341

3390011 SENSOR FOR EVAPORATOR TEMPERATURE
cable length 1500 mm



ELECTROLUX PROFESSIONAL 0T4520 ELECTROLUX PROFESSIONAL 086475

ELECTROLUX PROFESSIONAL 086339 ELECTROLUX PROFESSIONAL 086344

3054035 COVER FOR CONTROL BOX



ELECTROLUX PROFESSIONAL 086336

5053416 ELECTRONIC BOARD ICEMOD4-A
dimensions 160x100 mm



ELECTROLUX PROFESSIONAL 086586



ELECTROLUX PROFESSIONAL



Suitable for:

3399040 ELECTRONIC BOARD LID F100C



ELECTROLUX PROFESSIONAL 086552

Suitable for:

3390911 ELECTRONIC CIRCUIT BOARD SFT 025
for GRANULATED ICE MAKERS



ELECTROLUX PROFESSIONAL 086576

3390134 PCB CM3



ELECTROLUX PROFESSIONAL 086597

Fans for motors

3240222 SUCTION BLADE \varnothing 230 mm 28°



ELECTROLUX PROFESSIONAL 0A8420 ELECTROLUX PROFESSIONAL 082230 ELECTROLUX PROFESSIONAL 086327 ELECTROLUX PROFESSIONAL 086311

3240964 SUCTION BLADE \varnothing 250 mm 28°



3240965 SUCTION BLADE \varnothing 300 mm 28°



ELECTROLUX PROFESSIONAL 0KM740 ELECTROLUX PROFESSIONAL 087797

Filters

3160258 AIR FILTER 500x500 mm



ELECTROLUX PROFESSIONAL 086562

3160257 COLD CHAMBER DRAIN FILTER



ELECTROLUX PROFESSIONAL 086023

3160102 COMPLETE PUMP INLET FILTER
hose-end connections \varnothing 18 mm



ELECTROLUX PROFESSIONAL 085279

3160101 PUMP INLET FILTER \varnothing 27x56 mm
for all models



ELECTROLUX PROFESSIONAL 0KK231



Suitable for:

Suitable for:

Fittings

3349252 COMPLETE DRAIN FITTING



ELECTROLUX PROFESSIONAL 085275

3349200 DRAIN FITTING



ELECTROLUX PROFESSIONAL 086013

3349201 FITTING NUT



ELECTROLUX PROFESSIONAL 086199

3349205 DRAIN FITTING



ELECTROLUX PROFESSIONAL 086019

3349201 FITTING NUT



ELECTROLUX PROFESSIONAL 086199

3450077 OUTLET PIPE CONNECTOR \varnothing 17x43 mm
pipe connector \varnothing 16 mm
overall length 67 mm



ELECTROLUX PROFESSIONAL 0KL201 +...

3526023 VALVE INTERNAL MECHANISM



ELECTROLUX PROFESSIONAL 085290

Floats

3188001 FLOAT ASSEMBLY



ELECTROLUX PROFESSIONAL 0KV717

3527015 FLOATING VALVE



ELECTROLUX PROFESSIONAL 087813

Suitable for:

Suitable for:

3527166 TAP WITH FLOAT
connection M11 x ø 6 mm



ELECTROLUX PROFESSIONAL 086580


Gaskets and seals

3186628 ADHESIVE GASKET
sold per meter



ELECTROLUX PROFESSIONAL 086670


3449026 FLAT EPDM GASKET ø 24x12x2 mm
for pipes ø 3/4"



ELECTROLUX PROFESSIONAL 046925

Gearmotors

3240342 GEARMOTOR FIBER GDF5J0AFZAY
230V 50Hz
cycle 3.6 minutes
ex G15550AFZAY



ELECTROLUX PROFESSIONAL 085299

3240522 GEARMOTOR SUPPORTING SPRING



ELECTROLUX PROFESSIONAL 085300

3240341 GEARMOTOR FIBER G025J0CAF BW
230V 50Hz 40rpm
cycle 1.5 seconds



ELECTROLUX PROFESSIONAL 085344

3240343 RETAINING SPRING FOR GEARMOTOR
for all models



ELECTROLUX PROFESSIONAL 085301


Gears

5010311 GEARPIECE MADE OF FIBRE
large gearing ø 58 mm
small gearing ø 21 mm



ELECTROLUX PROFESSIONAL 086284

3212005 GEARWHEEL AND FIBRE PINION



ELECTROLUX PROFESSIONAL 0KM702



Suitable for:

3212003 GEARWHEEL AND INTERM. PINION



ELECTROLUX PROFESSIONAL 0KM701

Suitable for:

40D0730 SHAFT ASSEMBLY B2000



ELECTROLUX PROFESSIONAL 0D0730

Grids - Shelves

3185187 SLIDING GRID 250x170 mm



ELECTROLUX PROFESSIONAL 0KM707


Guides

3189043 GUIDE LH



ELECTROLUX PROFESSIONAL 0KM683

3189040 GUIDE RH



ELECTROLUX PROFESSIONAL 0KM684

Inlet hoses

3449034 FLEX HOSE \varnothing 3/4" Fp x CFp 1500 mm
EPDM hose covered in stainless steel
hose external \varnothing 17 mm - internal \varnothing 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ELECTROLUX PROFESSIONAL 0S0151 ELECTROLUX PROFESSIONAL 069571

3449035 FLEX HOSE \varnothing 3/4" Fp x CFp 2000 mm
EPDM hose covered in stainless steel
hose external \varnothing 17 mm - hose internal \varnothing 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ELECTROLUX PROFESSIONAL 049540

3449001 INLET ELBOW HOSE \varnothing 3/4" FF 1500 mm
thermoplastic hose \varnothing 10x16 mm
nylon fittings \varnothing 3/4" with gaskets
max temperature 90°C
max pressure 10 bar



3449007 INLET ELBOW HOSE \varnothing 3/4" FF 1500 mm
rubber hose with textile reinforcement \varnothing 13x20 mm
with elbow in thermoplastic material
metal ring nuts 3/4" F
max temperature 90°C
max pressure 15 bar





Suitable for:

3449056 INLET ELBOW HOSE \varnothing 3/4" FF 2000 mm
thermoplastic hose \varnothing 13x19 mm
brass fittings \varnothing 3/4" F with gaskets
max temperature 90°C
max pressure 10 bar
with WRAS approval



ELECTROLUX PROFESSIONAL 0L1887 ELECTROLUX PROFESSIONAL 048816

Suitable for:


3449003 STRAIGHT ELBOW HOSE \varnothing 3/4" FF 1500 mm
rubber hose with textile reinforcement \varnothing 13x20 mm
with metal ring nuts 3/4" F
max temperature 90°C
max pressure 15 bar



ELECTROLUX PROFESSIONAL 0S0152 ELECTROLUX PROFESSIONAL 060933

Insulators

3180045 ESCUTCHEON INSULATION



ELECTROLUX PROFESSIONAL 0KL155

Ironmongery (screws,nuts,washers)

5006103 WASHER 21x16x0.7 mm
 \varnothing ext. 21 mm
 \varnothing int. 16 mm



ELECTROLUX PROFESSIONAL 0KM782

Level gauges

3201901 WATER LEVEL GAUGE
dimensions: 130x19x23 cm



ELECTROLUX PROFESSIONAL 0KM697



Suitable for:

Suitable for:

Level sensors

3390012 ICE LEVEL CONTROL SENSOR



ELECTROLUX PROFESSIONAL 086369

3390139 PROBE FOR WATER LEVEL
length 1800 mm



ELECTROLUX PROFESSIONAL 086347

Level tanks

3188002 TANK AND FLOAT ASSY



ELECTROLUX PROFESSIONAL 086264

3188001 FLOAT ASSEMBLY



ELECTROLUX PROFESSIONAL 0KV717

3527110 TANK WITH DOUBLE MICROSWITCH



ELECTROLUX PROFESSIONAL 099434

Lubricants

3180019 REDUCTION GEAR GREASE 0.5 Kg




ELECTROLUX PROFESSIONAL 0KL180

Microswitches

3240407 MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ELECTROLUX PROFESSIONAL 069484

3240332 MICROSWITCH 16A 250V



ELECTROLUX PROFESSIONAL 0D6615 ELECTROLUX PROFESSIONAL 0KQ309



Suitable for:

Suitable for:

3240333 MICROSWITCH 16A 250V
normally closed contact



ELECTROLUX PROFESSIONAL 085298

Motors

3240211 MOTORELCO VN 10-20 PENTAVALENT
230V 50/60Hz 10/38W 1300rpm



ELECTROLUX PROFESSIONAL 0A8419 ELECTROLUX PROFESSIONAL 0A9350 ELECTROLUX PROFESSIONAL 0S0561
ELECTROLUX PROFESSIONAL 081393 ELECTROLUX PROFESSIONAL 084745 ELECTROLUX PROFESSIONAL 086207

3240220 SUCTION BLADE ø 200 mm 28°



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

3240902 MOTORELCO VN 16-25 PENTAVALENT
230V 50/60Hz 16/65W 1300rpm



ELECTROLUX PROFESSIONAL 0S0562 ELECTROLUX PROFESSIONAL 086310

3240220 SUCTION BLADE ø 200 mm 28°



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

3240903 MOTOR ELCO VN 25-40 PENTAVALENT
230V 50/60Hz 25/95W 1300rpm



ELECTROLUX PROFESSIONAL 0S0563 ELECTROLUX PROFESSIONAL 081394

3240220 SUCTION BLADE ø 200 mm 28°



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

3240904 MOTOR ELCO VN 34-45 PENTAVALENT
230V 50/60Hz 34/120W 1300rpm



ELECTROLUX PROFESSIONAL 0KM742

3240220 SUCTION BLADE ø 200 mm 28°



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041



ELECTROLUX PROFESSIONAL



Suitable for:

3240210 MOTOR ELCO VN 5-13 PENTAVALENT
230V 50/60Hz 5/32W 1300rpm



ELECTROLUX PROFESSIONAL 0KD790


Suitable for:

3240490 MOTOR ELCO 3FBT 50-40/15
230V 50/60Hz 45/120W 1300rpm
with capacitor 2 μ F
for bracket fastening 4 screws M4
distance 31 mm
shaft length 22 mm
for VM350-VM500-VM900-C150-C300-CB1565
G250-G500



ELECTROLUX PROFESSIONAL 087799 ELECTROLUX PROFESSIONAL 088013

3240881 MOTOR EMI 101M-50130/3
230V 50/60Hz 130W 1300rpm
with thermal protection



ELECTROLUX PROFESSIONAL 0KM759

3240631 MOTOR EMI 83D-2535
230V 50/60Hz 35/95W 1300rpm
with starting capacitor 2.5 μ F
4 screws M4 for flange and bracket mounting
distance 17 mm
shaft length 34 mm



ELECTROLUX PROFESSIONAL 0KM742

Nozzles for ice makers

3390501 COMPLETE SPRAY NOZZLE



ELECTROLUX PROFESSIONAL 086394 ELECTROLUX PROFESSIONAL 086397

3390505 COMPLETE SPRAY NOZZLE



ELECTROLUX PROFESSIONAL 086176

3390506 SHAFT FOR NOZZLE



ELECTROLUX PROFESSIONAL 086315



Suitable for:

3390507 COMPLETE SPRAY NOZZLE



ELECTROLUX PROFESSIONAL 0KR740

3390516 3-NOZZLE CAPS KIT
with gaskets and screws



ELECTROLUX PROFESSIONAL 0KM778 ELECTROLUX PROFESSIONAL 0T4533 ELECTROLUX PROFESSIONAL 086564

3390508 COMPLETE SPRAY NOZZLE



ELECTROLUX PROFESSIONAL 0KM635

3390517 3-NOZZLE CAPS KIT
with gaskets and screws



ELECTROLUX PROFESSIONAL 0KM778

3390094 COMPLETE SPRINKLER



ELECTROLUX PROFESSIONAL 089695

3390503 NOZZLE WASHER



ELECTROLUX PROFESSIONAL 086040

Suitable for:

3390511 GASKET O-RING SILICONE TRANSPARENT
ø 75 mm



ELECTROLUX PROFESSIONAL 086549

3390511 GASKET O-RING SILICONE TRANSPARENT
ø 75 mm



ELECTROLUX PROFESSIONAL 086549

3390502 NOZZLE CAP



ELECTROLUX PROFESSIONAL 086067

3390506 SHAFT FOR NOZZLE



ELECTROLUX PROFESSIONAL 086315



ELECTROLUX PROFESSIONAL



Suitable for:

3390093 SPRAY ARM COMPLETE 443 mm



ELECTROLUX PROFESSIONAL 088205

Suitable for:

3390550 SPRAY NOZZLE
for all models



ELECTROLUX PROFESSIONAL 086548

3390553 SPRAY NOZZLE M10x1
for all models



ELECTROLUX PROFESSIONAL 085268

3390551 SPRAY NOZZLES CAP
for all models



ELECTROLUX PROFESSIONAL 0U3305

3390516 3-NOZZLE CAPS KIT
with gaskets and screws



ELECTROLUX PROFESSIONAL 0KM778 ELECTROLUX PROFESSIONAL 0T4533 ELECTROLUX PROFESSIONAL 086564 ELECTROLUX PROFESSIONAL 0KM778

3390517 3-NOZZLE CAPS KIT
with gaskets and screws



OR and ORM gaskets

3390511 GASKET O-RING SILICONE TRANSPARENT
ø 75 mm



ELECTROLUX PROFESSIONAL 086549

3061040 GASKET O-RING 04137 EPDM



ELECTROLUX PROFESSIONAL 0KM725

1186625 GASKET OR 03281 EPDM



ELECTROLUX PROFESSIONAL 0KM818

3186143 GASKET OR 04093 EPDM



ELECTROLUX PROFESSIONAL 050292 ELECTROLUX PROFESSIONAL 086551

Suitable for:

3786202 O-RING OR 03850 EPDM



ELECTROLUX PROFESSIONAL 0KV753

Suitable for:

3316031 O-RING 0155 EPDM
connection \varnothing 1"1/2



ELECTROLUX PROFESSIONAL 075647

1186461 O-RING 0158 mm SILICONE



ELECTROLUX PROFESSIONAL 0D3539

1186014 O-RING 02015 EPDM



ELECTROLUX PROFESSIONAL 059293

3243139 O-RING 02025 EPDM



ELECTROLUX PROFESSIONAL 067898 ELECTROLUX PROFESSIONAL 086109

3186181 O-RING 03068 EPDM



ELECTROLUX PROFESSIONAL 0E5118 ELECTROLUX PROFESSIONAL 0KM727 ELECTROLUX PROFESSIONAL 0KQ575

1186833 O-RING 03100 EPDM



ELECTROLUX PROFESSIONAL 046799 ELECTROLUX PROFESSIONAL 086280

3243389 O-RING 03162 EPDM



ELECTROLUX PROFESSIONAL 089919

1186990 OR-GASKET 04137 RED SILICONE



ELECTROLUX PROFESSIONAL

1186693 O-RING 04325 EPDM



ELECTROLUX PROFESSIONAL 0KM726

Pressure switches

3320129 PRESSURE SWITCH HTB-X114
for high pressure 16 bar
capillary 1000 mm



ELECTROLUX PROFESSIONAL 0KK218

3320246 PRESSURE SWITCH HTB-3UA12
for high pressure 16 bar
capillary 900 mm



ELECTROLUX PROFESSIONAL 086324



Suitable for:

3320101 PRESSURE SWITCH P20EA 9950C

for high pressure 10 bar
capillary length 900 mm
differential 1.1 bar



ELECTROLUX PROFESSIONAL 086039

Suitable for:

3320102 PRESSURE SWITCH P20GA 9650T

high pressure function 24 bar
capillary 900 mm
manual reset



ELECTROLUX PROFESSIONAL 086183

3320201 SAFETY PRESSURE SWITCH FTB-3UC37

OFF pressure 30 bar
with manual insertion



ELECTROLUX PROFESSIONAL 087803

3320202 WATER LEVEL PRESSURE SWITCH



ELECTROLUX PROFESSIONAL

Pressure valves for refrigeration

3526550 PRESSURE VALVE V46AA-9950 G 3/8"

pressure range 5..18 bar
capillary length 750 mm - fitting to be welded



ELECTROLUX PROFESSIONAL 086246

Probes

3390015 CONDENSER TEMPERATURE SENSOR



ELECTROLUX PROFESSIONAL 0KM745 ELECTROLUX PROFESSIONAL 086340

3390136 DOUBLE TEMPERATURE PROBE



ELECTROLUX PROFESSIONAL 086560

3390016 ENVIRONMENT TEMPERATURE SENSOR



ELECTROLUX PROFESSIONAL 086341

3390011 SENSOR FOR EVAPORATOR TEMPERATURE


cable length 1500 mm



ELECTROLUX PROFESSIONAL 086339 ELECTROLUX PROFESSIONAL 086344


Pump motors

- 3122007 ELECTRIC PUMP GRE 604215X**
with PTFE rotating mechanical seal with basis of aliminium
100W 230V 50Hz
connections \varnothing 24 mm
for old models



ELECTROLUX PROFESSIONAL 0KM595 ELECTROLUX PROFESSIONAL 0U1035

- 3122204 ELECTRIC PUMP GRE 620430-00/REBO MH50F**
50W 230V 50Hz
connections inlet \varnothing 15 mm - outlet \varnothing 21 mm
with STAINLESS STEEL bracket
for old type maker without motoagitator



ELECTROLUX PROFESSIONAL 0KM739 ELECTROLUX PROFESSIONAL 086166

- 3122010 ELECTROPUMP REBO MH30F1 LH**
30W 230V 50Hz cl.B
connections \varnothing 13 mm
Alternative GRE 620433-00



ELECTROLUX PROFESSIONAL 086047 ELECTROLUX PROFESSIONAL 086054

- 3122207 ELECTROPUMP REBO NR40**
55W 230V 50Hz 0,4A cl.B



ELECTROLUX PROFESSIONAL 0KK204

- 3122280 ELECTROPUMP REBO NR40**
55W 230V 50Hz 0,4A cl.B



ELECTROLUX PROFESSIONAL

- 3122379 ELECTROPUMP FIR 4240.2300**
120W 230V 50/60Hz 0,6A cl.F
connections \varnothing 22 mm



ELECTROLUX PROFESSIONAL 089699

- 3122008 ELECTROPUMP GRE 5302X**
100W 230V 50Hz cl.F
connections \varnothing 25 mm and 20 mm
for new models



ELECTROLUX PROFESSIONAL 0KM744

- 3122266 ELECTROPUMP GRE 620430-03**
50W 230V 50Hz
connection \varnothing 21 mm
for new series
alternative REBO MH50F 60W 230V 50Hz



ELECTROLUX PROFESSIONAL 086545



ELECTROLUX PROFESSIONAL



Suitable for:

3122380 ELECTROPUMP REBO MH30F1 RH
30W 230V 50Hz
connections \varnothing 13 mm



ELECTROLUX PROFESSIONAL 086389

Suitable for:

3122011 ELECTROPUMP REBO MH50F
60W 230V 50Hz 0,8A c.l.B
connections \varnothing 18 mm




ELECTROLUX PROFESSIONAL 086124 ELECTROLUX PROFESSIONAL 086390

3122205 ELECTROPUMP REBO MH50F
60W 230V 50Hz
3 connections \varnothing 19 mm
for old type ice maker with motoagitator




ELECTROLUX PROFESSIONAL 0KM679

3122281 ELECTROPUMP REBO NR 63/35
120W 230V 50/60Hz 0,6A c.l.F
connections \varnothing 29 e 26 mm
with insulating cover



ELECTROLUX PROFESSIONAL 085322

3122283 ELECTROPUMP REBO NR 63/45
150W 230V 50/60Hz 0,7A c.l.F
connections \varnothing 29 e 26 mm
with insulating cover



ELECTROLUX PROFESSIONAL 085340

3122415 ELECTROPUMP REBO NR40
55W 230V 50Hz 0,4A c.l.B



ELECTROLUX PROFESSIONAL 087810

5021171 ELECTROPUMP REBO NR50
230V 50Hz 60W
hose-end fittings \varnothing 17 mm



ELECTROLUX PROFESSIONAL

Relays

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A




ELECTROLUX PROFESSIONAL 0D0013 ELECTROLUX PROFESSIONAL 058857 ELECTROLUX PROFESSIONAL 069882 ELECTROLUX PROFESSIONAL 085647
ELECTROLUX PROFESSIONAL 083215

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



Sensors

3390144 HALL EFFECT SENSOR



ELECTROLUX PROFESSIONAL 086346

3390017 ICE LEVEL CONTROL SENSOR
total length 310 mm




ELECTROLUX PROFESSIONAL 0T4520 ELECTROLUX PROFESSIONAL 086475

3390138 ICE LEVEL CONTROL SENSOR



ELECTROLUX PROFESSIONAL 086561

3390135 ICE LEVEL SENSOR
length 180 mm



ELECTROLUX PROFESSIONAL 0KM709 ELECTROLUX PROFESSIONAL 086451

3390291 ROTATION SENSOR PROBE



ELECTROLUX PROFESSIONAL 099774

3390137 WATER LEVEL SENSOR



ELECTROLUX PROFESSIONAL 086520

Solenoid valves

3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120901 ADJUSTER OUTLET FLOW RATE 0.8 L/h



ELECTROLUX PROFESSIONAL 086098

3120902 ADJUSTER OUTLET FLOW RATE 1.4 L/h



ELECTROLUX PROFESSIONAL 0KM733



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3120900 ADJUSTER OUTLET FLOW RATE 1.8 L/h

3120903 ADJUSTER OUTLET FLOW RATE 2.5 L/h




ELECTROLUX PROFESSIONAL 086157

ELECTROLUX PROFESSIONAL 086123

3120910 CASTEL COIL 230V HM2
50/60 Hz

1120361 COIL PARKER YB09 220/230V 9W 50/60Hz
width 34 mm - height 32 mm
depth 42 mm



ELECTROLUX PROFESSIONAL 085289

ELECTROLUX PROFESSIONAL 086051

3120917 COIL PARKER YB14 220V 14W WITH CABLE
50/60Hz

3120904 OUTLET PRESSURE REDUCER 0.34 l/h



ELECTROLUX PROFESSIONAL 086051 ELECTROLUX PROFESSIONAL 086534

ELECTROLUX PROFESSIONAL 086143

3120224 PARKER SOLENOID VALVE PM 127 ALS
pipe \varnothing 6 mm
orifice \varnothing 1.9 mm



ELECTROLUX PROFESSIONAL 0K7862 ELECTROLUX PROFESSIONAL 086466

3120916 PARKER SOLENOID VALVE PM 127 CLS
pipe \varnothing 6 mm
orifice \varnothing 2.5 mm

3120917 COIL PARKER YB14 220V 14W WITH CABLE
50/60Hz



ELECTROLUX PROFESSIONAL 086372

ELECTROLUX PROFESSIONAL 086051 ELECTROLUX PROFESSIONAL 086534



Suitable for:


Suitable for:

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 0A2064 ELECTROLUX PROFESSIONAL 0KM766 ELECTROLUX PROFESSIONAL 002613
ELECTROLUX PROFESSIONAL 047531 ELECTROLUX PROFESSIONAL 055350

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 002753 ELECTROLUX PROFESSIONAL 047756 ELECTROLUX PROFESSIONAL 048894
ELECTROLUX PROFESSIONAL 055132 ELECTROLUX PROFESSIONAL 086014

3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 058996

3120006 SOLEN. VALVE ELBI TYPE 339 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ELECTROLUX PROFESSIONAL 055444 ELECTROLUX PROFESSIONAL 056872

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm




ELECTROLUX PROFESSIONAL 0K5389 ELECTROLUX PROFESSIONAL 045631 ELECTROLUX PROFESSIONAL 046427
ELECTROLUX PROFESSIONAL 047536 ELECTROLUX PROFESSIONAL 069463

3120404 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 0C0688 ELECTROLUX PROFESSIONAL 0C4984 ELECTROLUX PROFESSIONAL 056350

3120407 SOLEN. VALVE T&P 2 WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ELECTROLUX PROFESSIONAL 0M2265

3120406 SOLEN. VALVE T&P 2 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm




ELECTROLUX PROFESSIONAL 069295

3120194 SOLENOID VALVE ANGLE RPE 806
230V 50/60Hz
orifice 7 mm
inlet/outlet hose end fitting ø 10 mm - food grade



ELECTROLUX PROFESSIONAL 0H9328

3120951 SOLENOID VALVE ELBI 329 1 WAY 180°
220/240V - 50/60Hz - max temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
outlet with white adjuster 2 L/min
for AIR COOLING VERSION



ELECTROLUX PROFESSIONAL 0T4545 ELECTROLUX PROFESSIONAL 086648



ELECTROLUX PROFESSIONAL



Suitable for:

3120192 SOLENOID VALVE PARKER PM145.8IRSP
gas pipe \varnothing 3/8"



ELECTROLUX PROFESSIONAL 0KM756

Suitable for:

3120917 COIL PARKER YB14 220V 14W WITH CABLE
50/60Hz



ELECTROLUX PROFESSIONAL 086051 ELECTROLUX PROFESSIONAL 086534

3120197 SOLENOID VALVE T&P 1 WAY 90°
220/240V 50/60Hz - max temperature 90°C
inlet \varnothing 3/4" - outlet \varnothing 10.5 mm
outlet with white adjuster 0.8 L/min



ELECTROLUX PROFESSIONAL 085309

3120956 SOLENOID VALVE T&P 1 WAY 90°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm
outlet with orange adjuster 0.5 L/min



ELECTROLUX PROFESSIONAL 085273

3120953 SOLENOID VALVE T&P 1-WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm
outlet with dark brown adjuster 1.2 L/min



ELECTROLUX PROFESSIONAL 0KK221

3120957 SOLENOID VALVE T&P 1-WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm
flow rate 2.5 l/min
for AIRCOOLED MODEL



ELECTROLUX PROFESSIONAL 0KK219

3120954 SOLENOID VALVE T&P 2-WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets \varnothing 10.5 mm
2 outlets with white adjusters 0.8 L/min



ELECTROLUX PROFESSIONAL 085310

3120961 SOLENOID VALVE T&P 2-WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets \varnothing 10.5 mm
two outlets with white adjuster 0.8 L/min



ELECTROLUX PROFESSIONAL 085274

3120962 SOLENOID VALVE T&P 2-WAY 90°
220/240V 50/60Hz . max. temperature 90°C
inlet 3/4" - two outlets \varnothing 10.5 mm
two outlets with brown adjuster 1.2 L/min



ELECTROLUX PROFESSIONAL 085328 ELECTROLUX PROFESSIONAL 099773

3120375 SOLENOID VALVE 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm
outlet with brown adjuster 1.2 L/min



ELECTROLUX PROFESSIONAL 084416



Suitable for:

3120912 SOLENOID VALVE 1028/2 \varnothing 1/4"-6 mm
direct action NC



ELECTROLUX PROFESSIONAL 087965

Suitable for:

3120381 SOLENOID VALVE 2-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets \varnothing 10.5 mm
1 outlet with brown adjuster 1.2 L/min
1 outlet with yellow adjuster 2.5 L/min



ELECTROLUX PROFESSIONAL 084490

3120191 SOLENOID VALVE 2-WAY 90°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - two outlets \varnothing 10.5 mm
two outlets with orange adjusters 2.5 L/min



ELECTROLUX PROFESSIONAL 085339

3120195 SOLENOID VALVE 220V 50/60Hz
for water drain \varnothing 14 mm



ELECTROLUX PROFESSIONAL 086582

5048209 SOLENOID-VALVE PARKER PM 127 DLS
pipe \varnothing 6 mm
orifice \varnothing 3 mm



ELECTROLUX PROFESSIONAL 086533

3120917 COIL PARKER YB14 220V 14W WITH CABLE
50/60Hz



ELECTROLUX PROFESSIONAL 086051 ELECTROLUX PROFESSIONAL 086534

Springs

3240491 DRIP TRAY RELIEF SPRING



ELECTROLUX PROFESSIONAL 085308

3240522 GEARMOTOR SUPPORTING SPRING



ELECTROLUX PROFESSIONAL 085300

3240343 RETAINING SPRING FOR GEARMOTOR
for all models



ELECTROLUX PROFESSIONAL 085301




Suitable for:

Suitable for:

Supports

3390143 CENTRAL UNION FLANGE



ELECTROLUX PROFESSIONAL 086313


Switches

3319951 SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - max. temperature 125°C
with indicator lamp - mounting hole 25x27 mm
lead connector 6.35x0.8 mm



ELECTROLUX PROFESSIONAL 085987 ELECTROLUX PROFESSIONAL 099274

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



ELECTROLUX PROFESSIONAL 053810

Terminal blocks

3247006 TERMINAL BLOCK 2-POLE CERAMIC
for cable max. 10 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ELECTROLUX PROFESSIONAL 053805

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V




ELECTROLUX PROFESSIONAL 0C9052 ELECTROLUX PROFESSIONAL 058873

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX PROFESSIONAL 046357

3247005 4-POLE CERAMIC TERMINAL BLOCK
for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ELECTROLUX PROFESSIONAL 054042

Suitable for:

Suitable for:

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



ELECTROLUX PROFESSIONAL 005420 ELECTROLUX PROFESSIONAL 032669 ELECTROLUX PROFESSIONAL 046347
 ELECTROLUX PROFESSIONAL 058613 ELECTROLUX PROFESSIONAL 088165


Thermostats

3444522 CONTAINER THERMOSTAT K50L3274
 2 contacts 6A 250V
 capillary 3000 mm
 screw adjustment




ELECTROLUX PROFESSIONAL 089078

3444534 CONTAINER THERMOSTAT K50L3324
 2 contacts 6A 250V
 capillary 2000 mm
 screw adjustable



ELECTROLUX PROFESSIONAL

3444533 DANFOSS THERMOSTAT 077B7008
 3 contacts 6A 250V
 capillary 2000 mm
 D-shaped pin \varnothing 6x4.6 mm
 COLD -2°C, WARM +10°C



ELECTROLUX PROFESSIONAL 0K8399

3444156 EVAPORATOR THERMOSTAT K22 L1020
 3 contacts 6A 250V
 capillary 2000 mm
 bulb \varnothing 8x40 mm
 COLD -20.5°C - WARM -1.0°C
 with adjusting screw



ELECTROLUX PROFESSIONAL 086033

3444843 EVAPORATOR THERMOSTAT K22 L1082
 3 contacts 6A 250V
 capillary 2000 mm



ELECTROLUX PROFESSIONAL

3444527 EVAPORATOR THERMOSTAT K22 L1083
 3 contacts 6A 250V
 capillary 2150 mm - screw adjustment



ELECTROLUX PROFESSIONAL



ELECTROLUX PROFESSIONAL



Suitable for:

3444194 EVAPORATOR THERMOSTAT K22 L3022

2 contacts 6A 250V
capillary 1600 mm
bulb \varnothing 10x30 mm
COLD -14.5°C - WARM -1.0°C
with adjusting screw



ELECTROLUX PROFESSIONAL 086165

Suitable for:

3444203 EVAPORATOR THERMOSTAT K61 L1500

4 contacts 6A 250V
capillary 700 mm
D shaft \varnothing 6x4.6 mm
COLD -22.0°C - WARM -11.5°C
with knob
for old series



ELECTROLUX PROFESSIONAL 086078

3444529 EVAPORATOR THERMOSTAT K61 L1504

4 contacts 6A 250V
capillary 1800 mm
COLD -22.0°C - WARM -11.5°C
D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 086288

3444528 EVAPORATOR THERMOSTAT K61 L1508

4 contacts 6A 250V
capillary 1800 mm
COLD -18.0°C - WARM -8.0°C
D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 086037

3444157 THERMOSTAT FOR CONTAINER K50 L3006

2 contacts 6A 250V
capillary 2000 mm
COLD +1.5°C - WARM +11°C
with adjusting screw
alternatively Atea A01 0758



ELECTROLUX PROFESSIONAL 086026

3444231 THERMOSTAT FOR CONTAINER K50 L3383


2 contacts 6A 250V
covered capillary 1500 mm
COLD +1.0°C - WARM +8.5°C
with adjusting screw



ELECTROLUX PROFESSIONAL 085283

3444192 THERMOSTAT FOR CONTAINER K50 P1135

2 contacts 6A 250V
capillary 2500 mm
COLD +1.5°C - WARM +11.0°C
D-shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 086026

3444205 THERMOSTAT FOR CONTAINER K55L1042

2 contacts 6A 250V
capillary length 1200 mm
bulb \varnothing 10x110 mm
COLD +1.7°C - WARM +9.5°C
with adjusting screw



ELECTROLUX PROFESSIONAL 0KM596



Suitable for:

3444968 THERMOSTAT FOR EVAPORATOR K22 L1081
 3 contacts 6A 250V
 capillary length 2250 mm
 COLD -22°C - WARM -3°C
 with adjusting screw



ELECTROLUX PROFESSIONAL 085284 ELECTROLUX PROFESSIONAL 087969

Suitable for:

3444967 THERMOSTAT FOR EVAPORATOR K50L3163
 2 contacts 6A 250V
 capillary length 2100 mm
 COLD -24°C - WARM -14°C
 with adjusting screw



ELECTROLUX PROFESSIONAL 0KV418 ELECTROLUX PROFESSIONAL 085314

Tubing and hoses

3450070 PUMP INLET PIPE
 ø internal 22x300 mm



ELECTROLUX PROFESSIONAL 0KM598

3450072 PUMP INLET PIPE
 ø internal 22 and 20x210 mm



ELECTROLUX PROFESSIONAL 0U3302

3450073 PUMP OUTLET PIPE
 ø internal 22x420 mm



ELECTROLUX PROFESSIONAL 0KM597

3450074 PUMP OUTLET PIPE
 ø internal 24 and 20x230 mm



ELECTROLUX PROFESSIONAL 0KM594

3450093 PUMP OUTLET PIPE
 rubber pipe
 internal ø 25 and 17 mm
 length 640 mm



ELECTROLUX PROFESSIONAL 0KK238

3450071 PUMP SUCTION PIPE
 ø internal 20 and 16x200 mm



ELECTROLUX PROFESSIONAL 0KM593

3450096 SPRAY NOZZLE FEEDING PIPE
 rubber pipe
 internal ø 17 mm
 length 70 mm



ELECTROLUX PROFESSIONAL 0KV671



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Water purification filters

3010617 CARTRIDGE PURITY C 500
for water treatment for TECHNICAL purposes



ELECTROLUX PROFESSIONAL 0S1056

3010601 PURITY CLEAN EXTRA 1200
for water treatment for TECHNICAL purposes
water softener ideal for DISHWASHERS
specific for HOT WATER
adjustable bypass
capacity at 10°dH 5000 L
flow rate 300 L/h
max. pressure 6 bar
min. pressure 2 bar
operating temperature 4°C/60°C
loss of pressure at 0.45 bar flow rate
dimensions: height 550 mm - ø 255 mm
weight: empty 18 Kg - full 24 Kg
fittings: inlet ø 1" M - outlet ø 3/4" M
horizontal or vertical mounting



ELECTROLUX PROFESSIONAL 0S0803

3010600 PURITY CLEAN 1200
for water treatment for TECHNICAL purposes
water softener ideal for DISHWASHERS
specific for HOT WATER
capacity 10°KH 12000 L
flow rate 300 L/h
max. pressure 6 bar
min. pressure 2 bar
operating temperature 4°C/60°C
loss of pressure at 0.45 bar flow rate
dimensions: height 550 mm - ø 255 mm
weight: empty 18 Kg - full 24 Kg
fittings: inlet ø 1" M - outlet ø 3/4" M
horizontal or vertical mounting



ELECTROLUX PROFESSIONAL 0S0801

3010604 PURITY ST 1200
water softener ideal for COFFEE MACHINES-DISPENSER
OVENS - ICE MAKERS
adjustable bypass
capacity 10°KH 13187 L
flow rate 200 L/h
max. pressure 6.9 bar
min. pressure 2 bar
operating temperature 4°C/30°C
loss of pressure at 1.05 bar flow rate
dimensions: height 550 mm - ø 288 mm
weight: empty 18 Kg - full 24 Kg
fittings: inlet ø 3/8" M - outlet ø 3/8" M
horizontal or vertical mounting



ELECTROLUX PROFESSIONAL 0S0682

Water softeners and accessories

3010061 MANUAL WATER SOFTENER 12 L ø 3/4"
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 12 L
connections 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt)1.5 Kg



ELECTROLUX PROFESSIONAL 0S0330

3010102 MANUAL WATER SOFTENER 12 L ø 3/4"
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 12 L
connection 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt)1.5 Kg
inlet water maximum temperature 60°C



ELECTROLUX PROFESSIONAL 0S0330



Suitable for:

Suitable for:

3010006 MANUAL WATER SOFTENER 12 L WITH BY-PASS

for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 12 L
connection 3/8"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt)1.5 Kg



ELECTROLUX PROFESSIONAL 0S0579

3010063 MANUAL WATER SOFTENER 20 L ø 3/4"

for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 20 L
connections 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt)3 Kg



ELECTROLUX PROFESSIONAL 0S0329

3010104 MANUAL WATER SOFTENER 20 L ø 3/4"

for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 20 L
connection 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt)3 Kg
inlet water maximum temperature 60°C



ELECTROLUX PROFESSIONAL 860430

3010060 MANUAL WATER SOFTENER 8 L ø 3/4"

for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 8 L
connections 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg



ELECTROLUX PROFESSIONAL 0C1903

3010101 MANUAL WATER SOFTENER 8 L ø 3/4"

for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 8 L
connection 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg
inlet water maximum temperature 60°C



ELECTROLUX PROFESSIONAL 0C1903

3010005 MANUAL WATER SOFTENER 8 L WITH BY-PASS

for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 8 L
connection 3/8"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg



ELECTROLUX PROFESSIONAL 0S0578



ELECTROLUX PROFESSIONAL



Suitable for:

3010094 WATER SOFTENER "MATIC 12" 12 L \varnothing 3/4"
 for water treatment for TECHNICAL purposes
 AUTOTROL chronometric head 255/460TC
 230V 50Hz
 time controller mod.460TC (weekly)
 operating temperature $2^{\circ} \div 35^{\circ}\text{C}$
 cylinder capacity 11.8 L - resin content 8 L
 salt container 30 Kg
 regeneration salt(NaCl-table salt)1.5 Kg
 inlet/outlet connections \varnothing 3/4"F
 dimensions: width 260 mm - depth 480 mm
 height without head 435 - overall height 650 mm
 We always recommend to use a mechanical filter
 before the softener, in order to remove
 impurities from water



ELECTROLUX PROFESSIONAL 0S0332

Suitable for:

3010074 WATER SOFTENER "MATIC 8" 8 L \varnothing 3/4"
 for water treatment for TECHNICAL purposes
 AUTOTROL chronometric head 255/460TC
 230V 50Hz
 time controller mod.460TC (weekly)
 operating temperature $2^{\circ} \div 35^{\circ}\text{C}$
 cylinder capacity 8.5 L - resin content 5.4 L
 salt container 20 Kg
 regeneration salt(NaCl-table salt)1 Kg
 inlet/outlet connections \varnothing 3/4"F
 dimensions: width 200 mm - depth 430 mm
 height without head 335 - overall height 550 mm
 We always recommend to use a mechanical filter
 before the softener, in order to remove
 impurities from water



ELECTROLUX PROFESSIONAL 0S0716

Watertight seals and rings

3786200 O-RING SEALING OIL
 \varnothing external 25 mm - \varnothing internal 15 mm



ELECTROLUX PROFESSIONAL 0KV751

3786201 O-RING SEALING OIL
 \varnothing external 34 mm - \varnothing internal 25 mm



ELECTROLUX PROFESSIONAL 0KM798

5012918 OIL GUARD \varnothing 33.5x3 mm FOR GEARMOTOR



ELECTROLUX PROFESSIONAL 0KM799 ELECTROLUX PROFESSIONAL 0KM801

3453901 REDUCER OIL SEAL
 internal: \varnothing 12 mm
 external \varnothing 18 mm



ELECTROLUX PROFESSIONAL 086273

3453902 REDUCER OIL SEAL
 internal: \varnothing 21 mm



ELECTROLUX PROFESSIONAL 086274

3063021 REDUCTION GEAR STUFFING GLAND






















ELECTROLUX PROFESSIONAL 086281

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us