



Spare parts for:
Ice makers



Suitable for:

NTF



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

NTF



Suitable for:


Bearings

5010764 BEARING COUNTERLOCKING
Ø external 40 mm Ø internal 19 mm height 30 mm




NTF N20686

9063012 BEARING 6004 DDU NSK
external Ø 42mm - internal Ø 20mm - thickness 12mm



NTF N20045

3063017 BEARING 6203 DDU NSK
external Ø 40mm - internal Ø 17mm - thickness 12mm



NTF N20433

3063121 BEARING 6203 2RSH SKF
external Ø 40mm - internal Ø 17mm - thickness 12mm



NTF N20433

9063001 BEARING 6206 DDU NSK
external Ø 62mm - internal Ø 30mm - thickness 16mm



NTF N20113

Bushings


5036765 BUSHING SELF-LUBRICATING Ø 12 mm



NTF N20231

Condensers

3123090 CONDENSER STFT 16224 1x230 mm
output 1385W DT15°C
250x60x250h mm



NTF N20175



Contactors

3446583 CONTACTOR LOVATO BF18T4A

coil 18A 230V 50/60Hz 8Kw
4 normally open contacts
no auxiliary contact



NTF N23147

3446214 CONTACTOR LOVATO BG09T4A

4KW 400V 9A - 4 normally open contacts
coil 230V 50/60Hz




NTF N23594

Controllers and changeover switches

5048066 CONTROLLER 11904F1 4 CAMS 8 MINUTES

230V 50/60Hz
without pin



NTF N23472

3322129 PROGRAMMER 11904 F1 4 CAMS 12 MINUTES


230V 50/60Hz
without pin



NTF N23222

3322322 PROGRAMMER 11904 F1 4 CAMS 15 MIN.

230V 50/60Hz
without pin



NTF N23248

3322246 PROGRAMMER 11904 F1 4 CAMS 15 MINUTES

110V 50/60Hz
without pin



NTF N23259

3322217 TIMER 11904 F1 4 CAMS 10 MINUTES

230V 50/60Hz
without shaft



NTF N23247

3322332 TIMER 11904 F1 4 CAMS 18 MINUTES

230V 50/60Hz
without pin



NTF N23396

NTF N23780

3322331 TIMER 11904 F1 4 CAMS 8 MINUTES

230V 50/60Hz
without pin



NTF N23635



Suitable for:

NTF



Suitable for:

Curtains

3443411 SINGLE CURTAIN 23x80 mm
for all models



NTF N10005

Drain assembly

3316059 DRAIN ASSEMBLY \varnothing 1" FOR OVERFLOW PIPE
connection \varnothing 1"
drain \varnothing 25 mm
for overflow pipe \varnothing 22 mm



NTF N10007

NTF N10007/A

Drain plugs

3448203 OVERFLOW PIPE \varnothing 20x88 mm
complete with o-ring



NTF N10133

NTF N10133+N20233

3448200 OVERFLOW PIPE \varnothing 25/18 x 150 mm
in rubber



NTF N13028

Drip trays for ice makers

3006008 TRAY ASSEMBLY 180x305 mm



NTF NC10491

NTF NRC10491

Electronic boxes

3054036 ROTATION SENSOR CONTROL BOX



NTF N23633



Fans for motors

3240964 SUCTION BLADE \varnothing 250 mm 28°



NTF N20031

3240965 SUCTION BLADE \varnothing 300 mm 28°



NTF N20407

Filters

3160102 COMPLETE PUMP INLET FILTER
hose-end connections \varnothing 18 mm



NTF N10139

3160101 PUMP INLET FILTER \varnothing 27x56 mm
for all models



NTF N20005

Fittings

3349252 COMPLETE DRAIN FITTING



NTF NC10006

3526023 VALVE INTERNAL MECHANISM



NTF N14005

Floats

3527015 FLOATING VALVE



NTF N10188

Gearmotors

3340057 GEARMOTOR FIBER GDA5J0AABEA
230V 50Hz



NTF N23341



Suitable for:

NTF



Suitable for:

Gearmotors

3240342 GEARMOTOR FIBER GDF5J0AFZAY
230V 50Hz
cycle 3.6 minutes
ex G15550AFZAY



NTF N23195

3240522 GEARMOTOR SUPPORTING SPRING



NTF N20232

3240341 GEARMOTOR FIBER G025J0CAF BW
230V 50Hz 40rpm
cycle 1.5 seconds



NTF N23194

3240343 RETAINING SPRING FOR GEARMOTOR
for all models



NTF N20228

5037230 GEARMOTOR SAIA UGD08AN8E
230V 50/60Hz UDR1N
D-shaped pin 4x3xh10 mm



NTF N23801

5031993 GEARMOTOR SAIA UGD12AN8E
230V 50/60Hz cw UDS1N
D-shaped pin 4x3xh10 mm



NTF N23802

5050748 MOTORIDUTTORE GUAITANI PN
230V 50Hz rapporto 1/12 ccw
motorino SAIA UDS



NTF N23937

Gears

40D0730 SHAFT ASSEMBLY B2000



NTF N22474



Level tanks

3527110 TANK WITH DOUBLE MICROSWITCH



NTF NC10201

Microswitches

3240332 MICROSWITCH 16A 250V



NTF N23372

NTF N23804

3240333 MICROSWITCH 16A 250V
normally closed contact



NTF N23196

Motors

3240490 MOTOR ELCO 3FBT 50-40/15
230V 50/60Hz 45/120W 1300rpm
with capacitor 2µF
for bracket fastening 4 screws M4
distance 31 mm
shaft length 22 mm
for VM350-VM500-VM900-C150-C300-CB1565
G250-G500



NTF N23121

Nozzles for ice makers

3390094 COMPLETE SPRINKLER



NTF NC20058

3390093 SPRAY ARM COMPLETE 443 mm



NTF NC20029



Suitable for:

NTF



Suitable for:

3390553 SPRAY NOZZLE M10x1
for all models



NTF ND20002

OR and ORM gaskets

1186461 O-RING 0158 mm SILICONE



NTF N20655

3243389 O-RING 03162 EPDM



NTF N20429

1186990 OR-GASKET 04137 RED SILICONE



NTF N20689

1186796 RED SILICONE O-RING 03087



NTF N20688

Pressure switches

3320129 PRESSURE SWITCH HTB-X114
for high pressure 16 bar
capillary 1000 mm



NTF N23175

3320201 SAFETY PRESSURE SWITCH FTB-3UC37
OFF pressure 30 bar
with manual insertion



NTF N23342

3320202 WATER LEVEL PRESSURE SWITCH



NTF NC23809



Pump motors

3122207 ELECTROPUMP REBO NR40
55W 230V 50Hz 0,4A c.l.B



NTF NC23056

NTF NC23076

3122280 ELECTROPUMP REBO NR40
55W 230V 50Hz 0,4A c.l.B
for Icemaker (NTF) SL60



NTF NC23254

3122379 ELECTROPUMP FIR 4240.2300
120W 230V 50/60Hz 0,6A c.l.F
connections \varnothing 22 mm




NTF NC23377

NTF NC23462


NTF N23462

3122281 ELECTROPUMP REBO NR 63/35
120W 230V 50/60Hz 0,6A c.l.F
connections \varnothing 29 e 26 mm
with insulating cover



NTF NC23002

3122283 ELECTROPUMP REBO NR 63/45
150W 230V 50/60Hz 0,7A c.l.F
connections \varnothing 29 e 26 mm
with insulating cover



NTF NC23068

NTF N23068

3122415 ELECTROPUMP REBO NR40
55W 230V 50Hz 0,4A c.l.B



NTF N23073

5021171 ELECTROPUMP REBO NR50
230V 50Hz 60W
hose-end fittings \varnothing 17 mm



NTF NC23626

5024670 ELECTROPUMP REBO NR50
230V 50Hz 60W 0.8A c.l.B
shaft 104 mm - D-shaped pin 7x6 mm



NTF N23600

5052708 ELETTRIC PUMP REBO NR30
230V 50Hz 45W 0.35A - hose-end fitting \varnothing 16 mm



NTF NC23858



Suitable for:

NTF



Suitable for:

Scrolls

5026289 ICEBREAKER
ø external 69/47 mm - height 65 mm



NTF N20626

Sensors

3390291 ROTATION SENSOR PROBE



NTF NR23676

NTF N23676

Solenoid valves

3120910 CASTEL COIL 230V HM2
50/60 Hz



NTF N23091

3120404 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



NTF N23623
NTF N23819

NTF N23641

NTF N23787

5026358 SOLENOID VALVE ANGLE RPE 805
230V 50/60Hz
orifice 7 mm
hose end fitting ø 10 mm - outlet 1/4"
with 600 mm cable



NTF N23537

3120197 SOLENOID VALVE T&P 1 WAY 90°
220/240V 50/60Hz - max temperature 90°
inlet ø 3/4" - outlet ø 10.5 mm
outlet with white adjuster 0.8 L/min



NTF N23115



3120956 SOLENOID VALVE T&P 1 WAY 90°
 220/240V 50/60Hz - max temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm
 outlet with orange adjuster 0.5 L/min



NTF N23497

3120953 SOLENOID VALVE T&P 1-WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm
 outlet with dark brown adjuster 1.2 L/min



NTF N23001

3120957 SOLENOID VALVE T&P 1-WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm
 flow rate 2.5 l/min
 for AIRCOOLED MODEL



NTF NC23220

NTF N23108

NTF N23220

3120954 SOLENOID VALVE T&P 2-WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 2 outlets with white adjusters 0.8 L/min



NTF N23116

3120961 SOLENOID VALVE T&P 2-WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 two outlets with white adjuster 0.8 L/min



NTF N23498

3120962 SOLENOID VALVE T&P 2-WAY 90°
 220/240V 50/60Hz . max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 two outlets with brown adjuster 1.2 L/min



NTF NC23501

NTF N23010

NTF NC23502

NTF N23502

NTF NC23507

3120912 SOLENOID VALVE 1028/2 ø 1/4"-6 mm
 direct action NC



NTF N20410

3120191 SOLENOID VALVE 2-WAY 90°
 220/240V 50/60Hz - max temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 two outlets with orange adjusters 2.5 L/min



NTF N23157

Springs

3240491 DRIP TRAY RELIEF SPRING



NTF N20282

3240522 GEARMOTOR SUPPORTING SPRING



NTF N20232



Suitable for:

NTF



3240343 **RETAINING SPRING FOR GEARMOTOR**
for all models



NTF N20228

Suitable for:

5036993 **SPRING RELIEF**
external \varnothing 26 mm



NTF N20810

Switches


3319012 **SWITCH 2-POLE GREEN 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



NTF N23327

Thermostats

3444522 **CONTAINER THERMOSTAT K50L3274**
2 contacts 6A 250V
capillary 3000 mm
screw adjustment



NTF NR23421

NTF N23421

3444843 **EVAPORATOR THERMOSTAT K22 L1082**
3 contacts 6A 250V
capillary 2000 mm




NTF NR23591

NTF NR23951

NTF N24727

3444527 **EVAPORATOR THERMOSTAT K22 L1083**
3 contacts 6A 250V
capillary 2150 mm - screw adjustment



NTF NR23597

3744125 **THERMOSTAT FOR CONTAINER K50 L3121**
2 contacts 6A 250V
capillary 1500 mm
COLD +1.0°C - WARM +8.5°C
with adjusting screw



NTF NR23005



Suitable for:

3444231 THERMOSTAT FOR CONTAINER K50 L3383

2 contacts 6A 250V
covered capillary 1500 mm
COLD +1.0°C - WARM +8.5°C
with adjusting screw



NTF N23005

Suitable for:

3444968 THERMOSTAT FOR EVAPORATOR K22 L1081

3 contacts 6A 250V
capillary length 2250 mm
COLD -22°C - WARM -3°C
with adjusting screw



NTF N23004

NTF N23591

3444967 THERMOSTAT FOR EVAPORATOR K50L3163

2 contacts 6A 250V
capillary length 2100 mm
COLD -24°C - WARM -14°C
with adjusting screw



NTF NR23034

NTF N23034

Tubing and hoses

3450093 PUMP OUTLET PIPE

rubber pipe
internal \varnothing 25 and 17 mm
length 640 mm



NTF N13016

3450096 SPRAY NOZZLE FEEDING PIPE

rubber pipe
internal \varnothing 17 mm
length 70 mm



NTF N13005

Watertight seals and rings

5026288 DISK SELF-LUBRICATING

external \varnothing 42 mm
internal \varnothing 24 mm





















NTF N20631

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us