




Spare parts for:

Ovens



Suitable for:

AMBACH



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221645





Suitable for:

AMBACH



Suitable for:

Cables for piezo igniters

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



AMBACH 5061003550

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



AMBACH 5061003549

Contactors

5021314 AUXILIARY CONTACT AEG HS8.K11
1 contact NO
1 contact NC



AMBACH 5061410718

3351220 CONTACTOR AEG LS11K 25A 400V 11Kw
coil 230V 50/60Hz
3 contacts NO
no auxiliary contact



AMBACH 5061407226

3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



AMBACH 5061411123

5021314 AUXILIARY CONTACT AEG HS8.K11
1 contact NO
1 contact NC



AMBACH 5061410718

Electrical gas valves and accessories

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH 5061516585

3526089 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



AMBACH 5018902787

Suitable for:

3526124 KNOB EXTENSION LENGTH 77 mm
for VALVE 820 NOVA-824 NOVASIT




AMBACH 5022910518

AMBACH 5022940834

Suitable for:

3526175 VALVE 822 NOVA 230V 50Hz
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
gas inlet max. pressure 60 mbar
outlet pressure range
3 ÷ 30 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz



AMBACH 5018909590

Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA



AMBACH 5060409599


Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



AMBACH 5061616087

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



AMBACH 6205406501

Filters

3160462 WATER FILTER \varnothing 1/2" FF



AMBACH 5050915915



Suitable for:

AMBACH

Suitable for:



Fittings

1349715 NICHEL PLATED L-FITTING \varnothing 1/2"F-1/2"F



AMBACH 5050101262

Gas taps and accessories

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



AMBACH 5050603573

AMBACH 5050606686


3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



AMBACH 5040603572

Gas valves and accessories

4056009 CAP FOR VALVE EUROSIT



AMBACH 5050200943

Handles

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm



AMBACH 6205403101

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



AMBACH 5006302092



Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



AMBACH 5012002108

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



AMBACH 5006302092

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



AMBACH 5012002196

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



AMBACH 5006302092

Microswitches

3240406 MICROSWITCH 10(4)A 250V



AMBACH 5060909894


3240820 MICROSWITCH 16A 250V



AMBACH

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



AMBACH 5062114289

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM ø 58 mm



AMBACH 5017303768

AMBACH 5017313781



Suitable for:

AMBACH



Suitable for:

Pilot burners and accessories

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



AMBACH 5040317235

AMBACH 5040616959

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm thread M10x1



AMBACH 5040306819

AMBACH 5040616958

3020082 OLIVE FOR 12 mm \varnothing PIPE



AMBACH 5050503001

3020081 OLIVE FOR 6 mm \varnothing PIPE



AMBACH 5050503194

3020201 PILOT GAS JET \varnothing 0.14 mm




AMBACH 5017211424

3020044 PILOT GAS JET \varnothing 0.20 mm



AMBACH 5017207876

3020157 PILOT JET \varnothing 0.25 mm



AMBACH 5017211403

3020040 PILOT JET \varnothing 0.30 mm



AMBACH 5017208677

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



AMBACH 5050511405

3020006 THREE-FLAME PILOT BURNER SIT multigas with jet \varnothing 0.20 mm with 3 positions bracket



AMBACH 5024703475

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm male faston M4x1 mm total length 65 mm



AMBACH 5062607632



Pressure switches

- 3320051 ADJUSTABLE PRESSURE SWITCH \varnothing 1/4" M**
 operating pressure regulation 5-20 mbar
 differential 3 mbar
 contact capacity 16(4)A 250V
 max operating temperature 85°C



AMBACH 5061309598


Rotary switches

- 3057050 CONNECTING BRACKET 28x21x16 mm**
 distance between hooking brackets 27 mm
 f/connection between selector switch and thermost.




AMBACH 5006304040

- 3057014 SELECTOR SWITCH 0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 back connection for thermostat



AMBACH 5060904036


- 3057001 SELECTOR SWITCH 0-3 POSITIONS**
 contact capacity 32A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm



AMBACH 5060902396

AMBACH 5060908251

- 3057023 SELECTOR SWITCH 0-6 POSITIONS**
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



AMBACH 5060904041

Solenoid valves

- 3120265 SOLEN. VALVE MULLER 1 WAY 180°**
 220/240V 50/60Hz - max. temperature 90°C
 inlet 1/2" - outlet \varnothing 1/2"



AMBACH 0118111645

AMBACH 5018106152



Suitable for:

AMBACH



Suitable for:

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



AMBACH 5060401734

AMBACH 5060402386

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



AMBACH 5060402388

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



AMBACH 5062607632

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

Switches

3319270 PUSH-BUTTON 1-POLE RED 3A 250V
with protection cap
mounting hole \varnothing 17 mm



AMBACH 5018609593

Terminal blocks

3247017 12-POLE PLASTIC TERMINAL BLOCK
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450V



AMBACH 3560510386

AMBACH 3560510387

AMBACH 3560510694

3247023 12-POLE PLASTIC TERMINAL BLOCK
for cable max 10 mm²
operating temperature 150°C
nominal voltage 450V



AMBACH 5060508822



Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



AMBACH 5024108078

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



AMBACH 5024108086

3440015 INTERRUPTION CONNECTOR M9x1



AMBACH 5024105606

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



AMBACH 5024108084

3440031 THERMOCOUPLE SIT M8x1 120 cm



AMBACH 5024102066

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



AMBACH 5024102066

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



AMBACH 5024102066

3440068 THERMOCOUPLE SIT M8x1 32 cm



AMBACH 5024102013

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



AMBACH 5024102012

3440046 THERMOCOUPLE SIT M8x1 60 cm



AMBACH 5024102012

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



AMBACH 5024102012



AMBACH



Suitable for:

Suitable for:

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



AMBACH AM5024108855

AMBACH 5024108855

AMBACH AM5024108855

AMBACH 5024108855

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



AMBACH AM5024108855

AMBACH 5024108855

AMBACH 5024110057

3440080 THERMOCOUPLE SIT M9x1 40 cm.

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



AMBACH 5024110057

AMBACH 5024110057

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



AMBACH 5024107489

AMBACH 5024107489

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



AMBACH 5024107489

AMBACH 5024114564

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS






















AMBACH 5024114564

AMBACH 5024114564

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us