



Spare parts for:

**Ovens**



Suitable for:

**AMBASSADE**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221647





Suitable for:

# AMBASSADE



Suitable for:

## Contactors

**3446223 CONTACTOR AEG LS02K400**  
 6A 400V 2.2Kw - coil 230V 50/60Hz  
 4 normally open contacts  
 for Convection oven (AMBASSADE) 2FRC720RTHU



AMBASSADE 65223001


**3454063 CONTACTOR AEG LS02K400**  
 6A 400V 2.2Kw - coil 400V 50/60Hz  
 4 normally open contacts



AMBASSADE 65223002

## Energy regulators

**3350079 ENERGY ADJUSTER**  
 complete with switch  
 contact capacity 230V 13A  
 max. temperature 125°C  
 D-shaped pin  $\varnothing 6 \times 4.6$  mm  
 for Convection oven electric (AMBASSADE) CFE806CV  
 1FRFE08CV



AMBASSADE 65225001

## Fans for motors

**3241894 FAN  $\varnothing 180$  mm**  
 thickness 62 mm  
 total blades 12 -  $\varnothing$  hole 12 mm  
 for Convection oven electric (AMBASSADE) 1FRFE08CV



AMBASSADE 65260003

## Gaskets and seals

**3786629 MOTOR SHAFT GASKET**  
 external  $\varnothing 22$  mm - internal  $\varnothing 11$  mm  
 for Convection oven electric (AMBASSADE) 1FRFE08CV



AMBASSADE 65119021

## Gaskets for oven door

**3786323 GASKET OVEN DOOR 580x400 mm**  
 made of silicone elastomer  
 with fixing clamps  
 COLOUR: BLACK  
 for Convection oven electric (AMBASSADE) SFE705CT  
 44FIRE



AMBASSADE 65111012

**5042492 JOINT DE BATI**  
 300\*420 MM



AMBASSADE 65111034

AMBASSADE 6531833

**3786628 OVEN DOOR GASKET 400x240 mm**  
 made of silicone elastomer  
 with fastening clips  
 COLOUR BLACK  
 for Convection oven gas (AMBASSADE) FG301CT



AMBASSADE 6530952


**3786627 OVEN DOOR GASKET 500x390 mm**  
 made of silicone elastomer  
 with fastening clips  
 COLOUR BLACK  
 for Convection oven electric (AMBASSADE)  
 CFE705CT - 1FRFE07-CT  
 for Convection oven electric (AMBASSADE)  
 1FRFE07-CT



AMBASSADE 65111003

## Handles

**7100713 DOOR LOCK**  
 for OVEN AMBASSADE CFE605CT (1997)  
 for Electric oven electric (AMBASSADE) CFE605CT



AMBASSADE 6532934

**3242730 HANDLE FASTENING SCREW M16x27.5 mm**  
 for Convection oven electric (AMBASSADE) 1FRFE08CV




AMBASSADE 65132004

**3242753 LH-RH CATCH WITHOUT LOCK 791 CR**  
 for high temperatures  
 curved handgrip  
 length 254x30 mm - distance 133 mm  
 adjustable catch from 9 to 22 mm  
 for Convection oven (AMBASSADE) 1FRFR08CV



AMBASSADE 6532023

**7110952 LOQUETEAU PORTE DE FOUR**  
 avec gâche pion



AMBASSADE 65139012



Suitable for:

# AMBASSADE



Suitable for:

## Heating elements

**7105128 HEATING ELEMENT 1100W 230V**  
for Convection oven electric (AMBASSADE) 44FR104



AMBASSADE 65211011

**5040417 HEATING ELEMENT 1600W 230V**  
for Electric oven electric (AMBASSADE) CFE605CT



AMBASSADE 65211037


AMBASSADE 6532285

**3455138 HEATING ELEMENT 2650W 230V**  
external  $\varnothing$  215 mm - total height 80 mm  
flange 70x22 mm  
for Convection oven electric (AMBASSADE) FE705CT



AMBASSADE 6527752

**3455369 HEATING ELEMENT 7000W 230V**  
external  $\varnothing$  230 mm - internal  $\varnothing$  215 mm  
flange 140x25 mm  
for Convection oven electric (AMBASSADE) 1FRFE08CV



AMBASSADE 65211012

## Indicator lights

**3221583 GREEN INDICATOR LAMP 220V**  
mounting hole 27.2 x 22.2 mm  
universal application



AMBASSADE 6532194

AMBASSADE 6533194

**3221584 ORANGE INDICATOR LAMP 220V**  
mounting hole 27.2 x 22.2 mm  
universal application



AMBASSADE 6532193

**3221628 ORANGE INDICATOR LAMP 230V**  
hole  $\varnothing$  9 mm  
wire connection  
for Convection oven electric (AMBASSADE) 1FRFE08CV



AMBASSADE 90000125

**3221170 ORANGE INDICATOR LIGHT 230V**  
head  $\varnothing$  10 mm - hole  $\varnothing$  9 mm - 120°C




AMBASSADE 6537607

**3221284 RED INDICATOR LAMP 250V**  
head  $\varnothing$  10 mm - hole  $\varnothing$  9 mm - 85°C



AMBASSADE 6537606

**3221582 WHITE INDICATOR LAMP 220V**  
mounting hole 27.2 x 22.2 mm  
universal application



AMBASSADE 65231002

## Knobs

- 3241893 BLACK RING NUT  $\varnothing$  57 mm FOR KNOB**  
for Convection oven electric (AMBASSADE) 1FRFE08CV



AMBASSADE 50325200

## Microswitches

- 3803066 MICROSWITCH EF83161.3 16A 250V**  
for Convection oven (AMBASSADE)  
for Convection oven (AMBASSADE)  
44FRIFR710RT  
2FRC714THU



AMBASSADE 65222001

## Motors

- 3240992 MOTOR WITH FAN R2S150AD08-39**  
46W 220V 50Hz - SINGLE-PHASE  
for Convection oven (AMBASSADE) FE705CT  
30FRIFE0705RT



AMBASSADE 6527753

- 3241892 MOTOR 1074 75W 224V**  
0.55A 2800rpm 2.5 $\mu$ F  
distance between fixing holes 70 mm  
pin  $\varnothing$  11 mm - pin height 74 mm  
for Convection oven electric (AMBASSADE) CFE806CV  
1FRFE08CV  
for Convection oven electric (AMBASSADE) CFE806CV



AMBASSADE 65260008

## Relays

- 3351048 TIME LIMIT RELAY MLS2 24/240V**  
timer 0.1"-100 h



AMBASSADE 6537884



Suitable for:

# AMBASSADE



Suitable for:


## Rotary switches

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft ø 6x4.6 mm



AMBASSADE 6528979


**3057315 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm  
for Convection oven electric (AMBASSADE) 1FRE08CV



AMBASSADE 65221002

## Solenoid valves

**3120407 SOLEN. VALVE T&P 2 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



AMBASSADE 65042005

**3120414 SOLEN. VALVE T&P 3 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm



AMBASSADE 65109013

## Spark generators

**3181004 SPARK GENERATOR 6 OUTLETS**  
220/240V - 50/60Hz



AMBASSADE 65226007

## Supports

**3241895 FASTENING PLATE FOR MOTOR GASKET**  
hole ø 13 mm  
for Convection oven electric (AMBASSADE) 1FRE08CV



AMBASSADE 50309500



## Switches

- 3319295 SWTCH 2-POLE BLACK 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 with indicator lamp with green led  
 mounting hole 22x30 mm



AMBASSADE 6540129

## Telethermometers


- 3394359 WHITE TELETHERMOMETER ø 60 mm 0-400°C**  
 metal case  
 capillary length 1100 mm  
 bulb ø 8x150 mm - with coupling  
 for Convection oven electric (AMBASSADE) 1FRFE08CV



AMBASSADE 65224012

## Terminal blocks


- 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150°C  
 nominal voltage 450 V



AMBASSADE 6551785


## Thermostats

- 3443074 SINGLE-PHASE THERMOSTAT 110°C**  
 D-shaped pin ø 6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb ø 6x80 mm - with stuff.gland coupling M9x1  
 for Convection oven electric (AMBASSADE) 1FRFE08CV



AMBASSADE 65224008

- 3444936 SINGLE-PHASE THERMOSTAT 365°C**  
 with manual reset  
 covered capillary length 1800 mm - 16A 250V  
 bulb ø 3x160 mm  
 for Convection oven (AMBASSADE) GFR101KN-LIC



AMBASSADE 6538562



Suitable for:

# AMBASSADE



**3444937 3-PHASE THERMOSTAT 368°C**  
 with manual reset  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  3x160 mm  
 for Convection oven (AMBASSADE) CFE710RT



AMBASSADE 6539942

Suitable for:

**3444952 3-PHASE THERMOSTAT 70-140-200°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x260 mm  
 for Convection oven (AMBASSADE)  
 Series RT  
 for Convection oven (AMBASSADE)  
 44FRIFR710RT  
 CFE710RT



AMBASSADE 65224002


## Timers

**3446182 TIMER 120 MINUTES C53**  
 manually set mechanical timer  
 manually set cycle 120 minutes  
 single pole  
 1 normally open contact  
 1 normally closed contact  
 contact capacity 16(4)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (AMBASSADE)  
 44FRIFR505RT  
 for Convection oven (AMBASSADE) 2PRC714RT  
 44FRIFR505RT  
 for Convection oven electric (AMBASSADE)  
 2FRC710RT



AMBASSADE 6528965

**3446090 TIMER 120 MINUTES MS65**  
 manually set mechanical timer  
 manual position possible  
 manually set cycle 120 minutes  
 2 poles with contact capacity 16(4)A 250V  
 max temperature 100°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (AMBASSADE) RTCFE714RT  
 for Convection oven electric (AMBASSADE)  
 RTCFE714RT



AMBASSADE 65270002

**3397188 TIMER 90 MINUTES C10**  
 manually set mechanical timer  
 90 minutes manually set cycle  
 contact capacity 16A 120V  
 1 normally open contact  
 1 normally closed contact  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (AMBASSADE)  
 30FRIFE705RT





















AMBASSADE 6532959



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)