



Spare parts for:

Ovens



Suitable for:

BERTO'S



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221654





Suitable for:

BERTO'S



Suitable for:

Ball valves and accessories

- 3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4"FF**
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle




BERTO'S 32686300

BERTO'S 32831900

Buzzers

- 3397302 ALARM BELL 220V**



BERTO'S 25079300

Contactors

- 3446561 CONTACTOR LOVATO BF0910A**
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



BERTO'S 23105800

Drain pumps

- 3122000 DRAIN ELECTRIC PUMP 40W 230V 50Hz**
inlet external \varnothing 30 mm - output external \varnothing 22 mm
for Convection oven electric (BERTO'S) FME10M



BERTO'S 25115600



Electrical gas valves and accessories

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple




BERTO'S 23270900

3440200 TWIN LEAD THERMOPILE \varnothing 9x65 mm
 cable length 580 mm - with coupling M11X1



BERTO'S 35273000

3526181 VALVE VK4105C HONEYWELL \varnothing 1/2"
 inlet-outlet \varnothing 1/2" unthreaded
 maximum gas inlet pressure 60 mbar
 room temperature -15 ÷ 60°C
 power supply 220/240V 50Hz




BERTO'S 25685500

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3 ÷ 30 mbar
 room temperature 0 ÷ 70°C
 power supply 230V 50Hz




BERTO'S 32271300

3526361 VALVE 822 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3 ÷ 30 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz



BERTO'S 31990700

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 max. gas outlet pressure adjustment range 7 ÷ 50 mbar
 outlet gas pressure setting range min. 2 ÷ 45 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 30A rectified



BERTO'S 25271500



Suitable for:


BERTO'S



Suitable for:

Electronic boxes

3526182 CONTROL BOX S4565A2092
model HONEYWELL - 220/240V 50/60Hz 4VA



BERTO'S 25271700


Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



BERTO'S 27114900


3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



BERTO'S 24114800

Fans for motors

5025719 FAN \varnothing 145 mm
thickness 38 mm
number of blades 28 - \varnothing hole 7 mm




BERTO'S 25647200

5032086 FAN \varnothing 160 mm
thickness 60 mm
number of blades 15 - \varnothing hole 8 mm




BERTO'S 23645700

3240030 FAN \varnothing 180 mm
thickness 60 mm
total blades 16 - \varnothing tapered hole 11.5-16.5 mm



BERTO'S 24646500

3240392 FAN \varnothing 300 mm
thickness 100 mm
total blades 24 - \varnothing tapered hole 19-24 mm



BERTO'S 24646900



Gas burners

3023155 BURNER \varnothing 40x420 mm
overall length 425 mm
made of STAINLESS steel



BERTO'S 23277000

BERTO'S 23277100

3023158 BURNER \varnothing 50x325 mm
overall length 355 mm
made of STAINLESS steel



BERTO'S 25278700

3023159 BURNER \varnothing 50x480 mm
overall length 490 mm
made of STAINLESS steel



BERTO'S 25277500

Gas taps and accessories

3348042 PIPE OLIVE \varnothing 20 mm
for model PEL 23



BERTO'S

Gaskets and seals

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm
for Convection oven (BERTO'S)



BERTO'S 24597700



Suitable for:


BERTO'S



Suitable for:

Gaskets for oven door


3286028 GASKET FOR OVEN GLASS 3198 - 25 m
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (BERTO'S)



BERTO'S 23601400

BERTO'S 23602100


3286027 GASKET FOR OVEN GLASS 3198 - 6 m
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (BERTO'S)



BERTO'S 23601400

BERTO'S 23602100

3286030 OVEN DOOR GASKET 04880 - 15 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)



BERTO'S 23595200

BERTO'S 23595400

BERTO'S 23595800

BERTO'S 24596800

BERTO'S 23595600

BERTO'S 25596700

3286084 OVEN DOOR GASKET 04880 - 3 m
made of silicone elastomer
profile dimensions
BLACK COLOUR
for Convection oven (BERTO'S)



BERTO'S 23595200

BERTO'S 23595400


BERTO'S 23595800

BERTO'S 24596800

BERTO'S 23595600

BERTO'S 25596700

3286029 OVEN DOOR GASKET 04880 - 6 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)



BERTO'S 23595200

BERTO'S 23595400


BERTO'S 23595800

BERTO'S 24596800

BERTO'S 23595600

BERTO'S 25596700

3186344 OVEN GLASS GASKET 1100 mm
made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK



BERTO'S 25594000

Handles

3242298 CATCH 6195 69 mm - 42 mm
mounting distance 57 mm - 30 mm
RAHRBACH
for Convection oven (BERTO'S) WAV-E2/3



BERTO'S 23577300

BERTO'S 23578800

3242255 CENTRAL LOCK MECHANISM RIGHT
for OVEN



BERTO'S 25878100

Suitable for:

3242110 COMPLETE OVEN DOOR HANDLE



BERTO'S 25884400

Suitable for:

3242250 COMPLETE OVEN DOOR HANDLE



BERTO'S 25605100

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN




BERTO'S 23579700

3242254 HANDLE LOCK FOR OVEN DOOR



BERTO'S 25779200

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



BERTO'S 24577700

BERTO'S 24579500

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm



BERTO'S 23579700+23604400

BERTO'S 23604400

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



BERTO'S 23579700

3242253 PIN FOR DOOR HANDLE
for Convection oven (BERTO'S) WAVE6TURBO
for Convection oven gas (BERTO'S) FMG6EP - FMG6M



BERTO'S 25906400

3242251 SPRING FOR DOOR HANDLE \varnothing 16x37 mm
for OVEN



BERTO'S 25884200



Suitable for:

BERTO'S



3242059 STRIKE FOR DOOR HANDLE
distance between mounting holes 21 mm
for OVEN



BERTO'S 25760000

Suitable for:
3242252 WASHER FOR DOOR HANDLE



BERTO'S 25938600

Heating elements

3355055 HEATING ELEMENT 2500W 220V
external \varnothing 190 mm - overall height 93 mm
flange 70x22 mm



BERTO'S 23021800

3355889 HEATING ELEMENT 2500W 230V
external \varnothing 190 mm - total height 70 mm
flange 70x22 mm



BERTO'S 22015500

3755207 HEATING ELEMENT 2500W 230V
external \varnothing 200 mm - overall height 78 mm
flange 100x22 mm



BERTO'S 23019200

3755092 HEATING ELEMENT 3000/3266W 230/240V
external \varnothing 190 mm - overall height 70 mm
flange 100x22 mm



BERTO'S 23020500

3355433 HEATING ELEMENT 3500W 240V
length 115 mm - width 625 mm
flange 70x22 mm
for Convection oven electric (BERTO'S) FME10
FME10EP - FPE12TURBO - WAV-E12TURBO



BERTO'S 25040600

3355431 HEATING ELEMENT 4000W 230V
immersed length 310 mm
flange external \varnothing 63 mm
with bulb sheath \varnothing 6 mm
complete with O-RING
nut and washer upon request
for boiler
for Convection oven electric (BERTO'S) FME10M




BERTO'S 25021600



Suitable for:

3755206 HEATING ELEMENT 6000W 240V
external \varnothing 230 mm - height 130 mm
flange 140x25 mm



BERTO'S 23021300

Suitable for:

3355432 HEATING ELEMENT 8000W 240V
external \varnothing 260 mm - height 80 mm
flange 140x25 mm
for Convection oven electric (BERTO'S) FME6



BERTO'S 25021400

3755208 HEATING ELEMENT 920W 230V
length 260 mm - width 210 mm
overall height 120 mm - connections \varnothing 1/4"



BERTO'S 23016600

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



BERTO'S 31802500


3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



BERTO'S 22608200

BERTO'S 22609200

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



BERTO'S 31802100

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



BERTO'S 31802500

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



BERTO'S 31802000

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



BERTO'S 31802500



Suitable for:

BERTO'S



Suitable for:

Incandescent lamps and neon lamps

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



BERTO'S 23155100

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



BERTO'S 23155300

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 30168800

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 30168800

3221194 GREEN NEON INDICATOR LAMP 220V
 \varnothing head 9 mm



BERTO'S 30169100


3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 30168500

Knobs

3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 8x6.5 mm



BERTO'S 31875900

3241336 KNOB BLACK \varnothing 50 mm
D-shaped hole 6x4.6 mm
for Convection oven (BERTO'S) FMG25 - FMG95



BERTO'S 24653900

Suitable for:


3241402 KNOB BLACK \varnothing 70 mm
D shaft hole 6x4.6 mm
for thermostat, selector switch, timer,
program switch, energy regulator



BERTO'S 31876000

Suitable for:

3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external \varnothing 63 mm
for thermostatic gas taps PEL



BERTO'S 31952300

Lamp receptacles and spare parts

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



BERTO'S 24289500

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm
for Convection oven (BERTO'S)



BERTO'S 25806900

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



BERTO'S 23602800

3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



BERTO'S 24589900

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C
for Convection oven (BERTO'S)




BERTO'S 25589200

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
thread \varnothing 33.5 mm - overall height 34 mm




BERTO'S 23160700

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 36 mm
max temperature 300°C
for Convection oven (BERTO'S)



BERTO'S 23158600

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



BERTO'S 25159500



Suitable for:

BERTO'S



Suitable for:

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
external dimensions 140x75 mm
for Convection oven (BERTO'S)



BERTO'S 25597400

Level regulators

3341026 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz



BERTO'S 25048900


Microswitches

3240918 BIPOLAR MICROSWITCH M10x0,75



BERTO'S 33059400

3240724 MAGNET FOR MICROSWITCH ø 23x10 mm



BERTO'S 25850400

3240498 MAGNETIC MICROSWITCH ø 10x33 mm
1-NO 1A 250V 50W
with cable length 2000 mm



BERTO'S 25850200

3240189 MICRO SWITCH M1DX20 10A 250V



BERTO'S 22060200

BERTO'S 22060300

3240410 MICROSWITCH 16(4)A 250V




BERTO'S 23060600



Motors

3240319 MOTOR LM50/2 0.04Kw 220/240V 50Hz
0.6A capacitor 4 µF




BERTO'S 25118000

3240277 MOTOR ST80/4 50/60Hz
220/240/346/415V 50Hz 0.75Kw 3.3-1.9A
200/277/346/480V 60Hz 0.75Kw 3.3-1.9A
1350-1650rpm



BERTO'S 24119100


3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



BERTO'S 23117700

BERTO'S 23118000


3240029 MOTOR 1057.1624 0.5/0.10HP 220/240V
2/4 poles 50Hz 2/0.7A 1400rpm - capacitor 20 µF



BERTO'S 23118300

BERTO'S 24118700

3240391 MOTOR 1057.2157 0.37Kw 220/240V 50Hz
2700rpm - capacitor 12.5 µf



BERTO'S 24118500

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM ø 58 mm



BERTO'S 35859500

Penetration probes

3397040 PENETRATION PROBE PT100
connector fitting
probe length 185 mm
compartment internal cable length 445 mm
compartment external cable length 1440 mm



BERTO'S 25919100

3397006 PROBE PENETRATION PT100
connector fitting
probe length 180 mm
compartment internal cable length 680 mm
compartment external cable length 1400 mm



BERTO'S 25919300



Suitable for:

BERTO'S



Suitable for:

3397041 PROBE PENETRATION TCJ
 2 wires
 probe length 185 mm
 chamber internal cable length 730 mm
 chamber external cable length 1440 mm



BERTO'S 25919500

Pilot burners and accessories

3020541 NOZZLE FOR PILOT BURNER 0.35 mm




BERTO'S 32365300

3020449 PILOT GAS JET \varnothing 0.54 mm



BERTO'S 40902700

3020157 PILOT JET \varnothing 0.25 mm



BERTO'S 32366300

3020040 PILOT JET \varnothing 0.30 mm



BERTO'S 32366500

3020041 PILOT JET \varnothing 0.41 mm



BERTO'S 32367100

3020187 PILOT NOZZLE \varnothing 0.51 mm



BERTO'S 32366900

3020010 TARGET PILOT BURNER SIT 2 FLAMES
 supplied without sparking plug, nozzle and gasket
 with thermocouple fitting



BERTO'S 22291200

BERTO'S 31780400

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



BERTO'S 23297400

BERTO'S 35187600

Suitable for:

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



BERTO'S 25291400

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



BERTO'S 23297400

BERTO'S 35187600

Probes

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



BERTO'S 24076500

3397088 PROBE TEMPERATURE T
2 wires - temperature probe f/boiler and chamber
probe length 225 mm
cable length 1000 mm
for ALL MODELS
for Convection oven (BERTO'S)



BERTO'S 25076800

Relays

3351007 POWER RELAY FINDER 55.32.8.230.0040
230V 50/60Hz
2 exchange contacts 10A
with to test push-button + mechanic gauge



BERTO'S 25080600


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermostat.



BERTO'S 22699200

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm




BERTO'S 22051000



Suitable for:


3057097 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



BERTO'S 23050600


Suitable for:

3057010 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



BERTO'S 23050900

3057047 SELECTOR SWITCH 5 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



BERTO'S 25051700


Solenoid valves

5036913 ADJUSTER OUTLET 0.2 L/min RED



BERTO'S 25932400

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



BERTO'S 23116200

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets \varnothing 10.5 mm



BERTO'S 23116900

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



BERTO'S 22164232
BERTO'S 32164200

BERTO'S 31002600

BERTO'S 31003000

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



BERTO'S 31002400



Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



BERTO'S 23297400

BERTO'S 35187600

3020065 ROUND SPARKING PLUG \varnothing 9.5x77 mm
overall length 125 mm



BERTO'S 25297600

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



BERTO'S 22296800

BERTO'S 22296900


3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



BERTO'S 35188000

Switches

3319168 BIPOLAR SWITCH 16A 250V



BERTO'S 25058400

BERTO'S 25850000

3319617 DOUBLE CONTACT SWITCH 16A 250V



BERTO'S 25061800

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



BERTO'S 22056600



Suitable for:

BERTO'S



Suitable for:

Telethermometers

3441037 WHITE TELETHERMOMETER \varnothing 52 mm 50-350°C

plastic sheath
capillary length 970 mm
bulb \varnothing 6x40mm
for Convection oven electric (BERTO'S) FME10N



BERTO'S 24575600

Terminal blocks

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30184500

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30183800

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V


for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30184200

Thermocouples and accessories

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



BERTO'S 25326200

3440064 NUT FOR THERMOCOUPLE M8x1



BERTO'S 22290900

2100820 THERMOCOUPLE SIT QUICK M9x1 40 cm



BERTO'S 31288600

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



BERTO'S 23288900



Suitable for:

3440037 THERMOCOUPLE SIT M9x1 100 cm.



BERTO'S 23288900

Suitable for:

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



BERTO'S 23288900

3440039 THERMOCOUPLE SIT M9x1 150 cm



BERTO'S 31289000

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



BERTO'S 31289000

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



BERTO'S 31289000

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BERTO'S 22289200

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



BERTO'S 22286900

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



BERTO'S 22286900

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



BERTO'S 22286900

3440035 THERMOCOUPLE SIT M9x1 60 cm.



BERTO'S 22289200

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BERTO'S 22289200



Suitable for:

BERTO'S



Suitable for:

Thermostatic gas valves

- 3345018 THERMOSTATIC TAP 25ST**
 operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb ø 6x75 mm
 capillary length 1200 mm
 D-shaped pin ø 8x6.5 mm



BERTO'S 22274500

BERTO'S 22274600

Thermostats

- 3444352 SINGLE-PHASE THERMOSTAT 130°C**
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb ø 6x129 mm



BERTO'S 25070000

- 3444339 SINGLE-PHASE THERMOSTAT 30-110°C**
 D-shaped pin 6x4.6 mm
 capillary length 880 mm - 16A 250V
 bulb ø 6x130 mm



BERTO'S 25070800

BERTO'S 85040800

- 3444552 SINGLE-PHASE THERMOSTAT 30-120°C**
 D-shaped pin 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb ø 6x115 mm
 for Convection oven electric (BERTO'S)
 FC200EA - FC200EB
 for Convection oven gas (BERTO'S)
 FC200GA - FC200GB




BERTO'S 25064500

- 3444676 SINGLE-PHASE THERMOSTAT 335°C**
 with manual reset
 covered capillary length 920 mm - 16A 250V
 bulb ø 3x150 mm
 for Convection oven (BERTO'S)



BERTO'S 24069900

- 3444114 SINGLE-PHASE THERMOSTAT 50-250°C**
 D-shaped pin 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb ø 3x220 mm



BERTO'S 22061900

- 3444043 SINGLE-PHASE THERMOSTAT 50-270°C**
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb ø 3x220 mm



BERTO'S 23063300


BERTO'S 24063323



Suitable for:

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm




BERTO'S 23063600

Suitable for:

3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb \varnothing 6x80 mm



BERTO'S 22062600

BERTO'S 30064900

3444291 THREE-PHASE THERMOSTAT 132°C

with manual reset
capillary length 900 mm - 10A 400V
bulb \varnothing 6x80 mm - with stuffing gland fitting M9x1
for old series



BERTO'S 25070100

3444333 THREE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 4x310 mm



BERTO'S 25069800

Timers

3446057 FOOT FOR 90.26 TIMER


8 feet - 10A 250V



BERTO'S 25998400

3446004 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



BERTO'S 25078600

3446056 TIMER 120 MINUTES M2

mechanical timer with acoustic alarm
manual left position possible
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



BERTO'S 23078700

3241336 KNOB BLACK \varnothing 50 mm

D-shaped hole 6x4.6 mm
for Convection oven (BERTO'S) FMG25 - FMG95



BERTO'S 24653900



Suitable for:

3446053 **TIMER 6 SECONDS 5A 250V**



BERTO'S 25081400


Suitable for:

3446057 **FOOT FOR 90.26 TIMER**
8 feet - 10A 250V



BERTO'S 25998400

3446054 **TIMER 60 SECONDS 5A 230V**



BERTO'S 25081600

3446057 **FOOT FOR 90.26 TIMER**
8 feet - 10A 250V



BERTO'S 25998400

Transformers

3445110 **TRANSFORMER 230V/12V 3VA**
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved





















BERTO'S 25164500

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us