



Spare parts for:

**Ovens**



Suitable for:

**CAPIC**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221702





Suitable for:

# CAPIC



Suitable for:

## Axial motors

**3240519 AXIAL MOTOR FAN EBM 4656N**  
 230V 50Hz 19W 2650rpm  
 119x119x38 mm  
 ball bearing



CAPIC E050571

## Cables for piezo igniters

**3001002 IGNITION LEAD 1000 mm**  
 with faston 6.35x0.8 mm for ignition  
 with faston  $\varnothing$  4 mm for ignition plug



CAPIC

**3001215 LF IGNITION LEAD - 10 m**  
 thickness  $\varnothing$  1 mm  
 temperature  $-60^{\circ}+200^{\circ}\text{C}$



CAPIC E351610

**3001115 LF IGNITION LEAD - 100 m**  
 thickness  $\varnothing$  1 mm  
 temperature  $-60^{\circ}+200^{\circ}\text{C}$



CAPIC E351610

## Capacitors, electrical

**3068027 CAPACITOR  $\mu\text{F}$  20 450V 50/60Hz**  
 operating temperature  $-25+85^{\circ}\text{C}$   
 in compliance with EEC 93/68 and 92/31 regulations



CAPIC L452027

**3068008 CAPACITOR  $\mu\text{F}$  5 450V 50/60Hz**  
 operating temperature  $-25+85^{\circ}\text{C}$   
 in compliance with EEC 93/68 and EEC 92/31 regulat



CAPIC L452005



## Contactors

**3454060 CONTACTOR SCHNEIDER LC1D09B7**  
 9A 400V 4Kw - coil 24V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact  
 for Convection oven electric (CAPIC) R300



CAPIC E050901

**3454013 CONTACTOR SCHNEIDER LC1D09P7**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



CAPIC E050903

**3454017 CONTACTOR SCHNEIDER LC1D09V7**  
 9A 400V 4Kw - coil 400V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



CAPIC E050904

**3454015 CONTACTOR SCHNEIDER LC1D18P7**  
 18A 400V 7.5Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



CAPIC E050932

**3454059 CONTACTOR SCHNEIDER LC1D40AV7**  
 40A 400V 18.5Kw - coil 400V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



CAPIC E050869

CAPIC E050969

## Electrical gas valves and accessories

**3526077 ELBOW FLANGE  $\varnothing$  1/2" F**  
 complete with screws and O-Ring  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G652031

**3526078 ELBOW FLANGE  $\varnothing$  3/4" F**  
 complete with screws and O-Ring  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



CAPIC G653032



Suitable for:

# CAPIC



**3526090 Elettrosit Valve  $\varnothing$  3/4" FF**  
 inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3 ÷ 18 mbar  
 ambient temperature 0 ÷ 60°C  
 power supply 230V 50Hz  
 long buttons  
 pilot connection and LATERAL thermocouple



CAPIC G652405

Suitable for:

**3526075 STRAIGHT FLANGE  $\varnothing$  1/2"**  
 complete with screws and O-Ring  
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




CAPIC G653033

**3526079 VALVE 820 NOVA  $\varnothing$  1/2" FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3 ÷ 30 mbar  
 room temperature 0 ÷ 70°C  
 power supply 230V 50Hz



CAPIC G653030

**3526175 VALVE 822 NOVA 230V 50Hz**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 gas inlet max. pressure 60 mbar  
 outlet pressure range  
 3 ÷ 30 mbar  
 room temperature 0 ÷ 60°C  
 power supply 230V 50Hz



CAPIC G653026

## Electronic controllers

**3445383 THERMOSTAT SSA96J2S**  
 SERSA n° 10023422  
 power supply 24V  
 thermostat setting range 0 + 270°C  
 for Convection oven electric (CAPIC) R300



CAPIC E403036

**3397149 PROBE TEMPERATURE TCJ**  
 2 wires - bulb  $\varnothing$  5x90 mm  
 cable length 2120 mm  
 with fastening fitting M8x1 and olive  $\varnothing$  5 mm  
 for Convection oven (CAPIC)



CAPIC E403514

## Electronic printed-circuit boards

**3390276 LEVEL DETECTION BOARD**  
 for Convection oven electric (CAPIC)  
 AC150 - AC220



CAPIC E054060


**3390359 PC BOARD LEVEL 90x70 mm**  
 SERSA n° 921216a - 13-pole



CAPIC E054059

Suitable for:


**3390278 PC BOARD THERMOSTAT 105x65 mm**  
for probe PT100 - temperature 0-270°C  
for Convection oven electric (CAPIC) AC150 - AC220  
AC50 - 150N - 220N - 240N - 350 - 50N



CAPIC E050560

Suitable for:

**3397151 TEMPERATURE PROBE PT100**  
3 wires - bulb  $\varnothing$  5x104 mm  
cable length 2000 mm  
for Convection oven electric (CAPIC) AC150 - AC220  
AC50 - 150N - 220N - 240N - 350N - 50N



CAPIC E403525

## Energy regulators

**3350024 ENERGY ADJUSTER**  
contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction



CAPIC E402540


## Fans for motors

**3340006 FAN  $\varnothing$  180 mm**  
thickness 35 mm  
8 blades - hole  $\varnothing$  8 mm  
for Convection oven electric (CAPIC) R50



CAPIC Q302005

**3240957 STAINLESS STEEL FAN  $\varnothing$  300 mm**  
thickness 60 mm  
total blades 8 -  $\varnothing$  hole 15 mm  
for Convection oven electric (CAPIC) R300



CAPIC Q302011

## Gas hoses

**3449229 COPPER TUBE 1x6 mm - 25 mt**



CAPIC B400106

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



CAPIC G701010



Suitable for:

**3449629 COPPER TUBE 1x6 mm - 5 mt**



CAPIC B400106

# CAPIC



Suitable for:

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



CAPIC G701010

## Gas valves and accessories

**3523069 GAS VALVE FOR OVEN GC1300 310°C**  
bulb  $\varnothing$  6x120 mm



CAPIC G652012

**3241735 BLACK KNOB 2-3-4-5-6-7-8**  
for GAS VALVE GC1300



CAPIC G652221


**3241734 RED KNOB STOP**  
for GAS VALVE GC1300



CAPIC G652220

## Gaskets and seals


**3186173 GASKET FOR OVEN LAMP RECEPTACLE**  
external dimensions 93x79 mm  
for Convection oven electric (CAPIC) AC150



CAPIC E202048


## Gaskets for oven door

**3786303 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 18x17 mm  
COLOUR GRAY  
SOLD PER METRE  
for Convection oven (CAPIC)



CAPIC I304006

**3786304 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 25x12 mm  
GREY COLOUR  
SOLD PER METRE  
for Convection oven (CAPIC)



CAPIC I304008



Suitable for:


Suitable for:

**3786305 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimension 28x22 mm  
COLOUR GREY  
SOLD PER METRE  
for Convection oven electric (CAPIC) R240N - R350N



CAPIC I304016

**3786306 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 26x21 mm  
COLOUR BLACK  
SOLD PER METRE  
for Convection oven (CAPIC)




CAPIC I304018

**3786307 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 27x17 mm  
COLOUR GREY  
SOLD PER METRE  
for Convection oven electric (CAPIC)  
AC150 - AC220 - AC50 - R100 - R150N - R220N  
R240N - R250 - R300 - R350N - R50N  
for Convection oven (CAPIC)  
W211002  
W211101




CAPIC I304024

**3786312 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 18x16 mm  
COLOUR BLACK  
SOLD PER METRE




CAPIC

**3786302 OVEN GLASS GASKET**  
made of silicone elastomer  
profile dimensions 13x6 mm  
COLOUR BLACK  
SOLD PER METRE  
for Convection oven (CAPIC)



CAPIC I304004

**3786308 OVEN GLASS GASKET**  
made of silicone elastomer  
profile dimensions 12x14 mm  
COLOUR BLACK  
SOLD PER METRE  
for Convection oven electric (CAPIC)  
AC150 - AC220 - AC50 - R150N - R220N - R240N  
R350N - R50N  
for Convection oven (CAPIC) W211002



CAPIC I304026

## Grids for refrigerator-oven

**3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm**  
thickness 7 mm



CAPIC A303005

**3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm**



CAPIC A303020



Suitable for:

**3185940 STAINLESS STEEL GRID 600x400 mm**  
thickness 7 mm




CAPIC A303015

# CAPIC



Suitable for:

**7103563 STAINLESS STEEL GRILL GN 2/1 530x650 mm**



CAPIC A303020

## Handles

**3242255 CENTRAL LOCK MECHANISM RIGHT**  
for OVEN  
for Electric oven (CAPIC) R220  
for Electric oven (CAPIC) R220



CAPIC Q101007

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN




CAPIC LF-3242042

**3242291 DOOR LOCK CENTRAL FOOT**  
for OVEN



CAPIC

**3242593 KNOB ROLL HOLDER FOR LOCK.NUT**



CAPIC T106488

**3242144 OVEN DOOR HANDLE 260x30 mm**  
with strike mounting distance 45 mm  
handle mounting distance 133 mm



CAPIC Q105512

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



CAPIC LF-3242042

**3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm**  
for Electric oven (CAPIC) R220  
for Electric oven (CAPIC) R220



CAPIC





Suitable for:

**3242957 RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR**  
 straight handle  
 length 254x30 mm - mounting distance 133 mm  
 with adjustable strike from 9 to 22 mm  
 for high temperatures  
 for OVEN



CAPIC Q105510

**3242922 STRIKE FOR DOOR CATCH**



CAPIC

Suitable for:

**3242718 DOOR HANDLE STRIKE**  
 for high temperatures  
 mounting distance 43 mm  
 for OVEN



CAPIC LF-3242042

**3242238 STRIKE FOR DOOR HANDLE**  
 distance between mounting holes 26 mm  
 for OVEN



CAPIC

## Heating elements

**3455117 HEATING ELEMENT 1000W 230V**  
 length 400 mm - width 90 mm  
 connections M12x1 mm  
 for Convection oven electric (CAPIC)



CAPIC E150596

**3455118 HEATING ELEMENT 1000W 230V**  
 length 750 mm - width 135 mm  
 connections M12x1 mm  
 for Convection oven electric (CAPIC) R250



CAPIC E150587

**3455098 HEATING ELEMENT 1500W 230V**  
 length 393 mm - width 75 mm  
 connections M10x1 mm  
 for Convection oven electric (CAPIC) AC50



CAPIC E150824

**3455119 HEATING ELEMENT 1500W 230V**  
 length 730 mm - width 110 mm  
 connections M12x1 mm  
 for Convection oven electric (CAPIC) R300-7PL



CAPIC E150852



Suitable for:

# CAPIC



**3455176 HEATING ELEMENT 1500W 230V**  
length 495 mm - width 70 mm  
connections M10x1 mm  
for Convection oven electric (CAPIC) R100



CAPIC E150840

**3455177 HEATING ELEMENT 1500W 230V**  
length 580 mm - width 110 mm  
connections M14x1.25 mm  
for Convection oven electric (CAPIC) R200 - R250



CAPIC E150846

**3455217 HEATING ELEMENT 1500W 230V**  
length 450 mm - width 60 mm  
height 60 mm  
for Electric oven electric (CAPIC) C15 PLANCHA  
C9 LISSE



CAPIC E150855

**3355363 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan



CAPIC E254001

**3455102 HEATING ELEMENT 2000W 230V**  
length 1300 mm - width 65 mm  
connections M14x1 mm  
for Steam oven electric (CAPIC) AC240 - R240



CAPIC E150866

**3455178 HEATING ELEMENT 2000W 230V**  
length 900 mm - width 90 mm  
connections M14x1 mm  
for Convection oven electric (CAPIC) R300



CAPIC E150860

**3455100 HEATING ELEMENT 2250W 230V**  
length 700 mm - width 90 mm  
connections M14x1 mm  
for Convection oven electric (CAPIC) AC150  
for Steam oven electric (CAPIC) R150



CAPIC E151107

**3455099 HEATING ELEMENT 3000W 230V**  
length 1290 mm - width 60 mm  
connections M14x1 mm  
for Convection oven electric (CAPIC) AC150



CAPIC E151170

Suitable for:

Suitable for:

**3455101 HEATING ELEMENT 4000W 230V**  
 length 850 mm - width 105 mm  
 connections M14x1 mm  
 for Convection oven electric (CAPIC) AC220



CAPIC E151465

**3455097 HEATING ELEMENT 4500W 220/380V**  
 immersion depth 390 mm  
 flange external  $\varnothing$  63 mm  
 with O-ring  
 for Convection oven electric (CAPIC)  
 AC150 - AC50 - R50



CAPIC E153010

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



CAPIC E153011

CAPIC L554118

**3455180 HEATING ELEMENT 500W 230V**  
 length 690 mm - connection M12x1 mm  
 for Convection oven electric (CAPIC) ATC1201R



CAPIC E150514

**3455181 HEATING ELEMENT 500W 230V**  
 length 395 mm - width 100 mm  
 flange 70 x 22 mm  
 for Convection oven electric (CAPIC) ATC100  
 ATC200



CAPIC E150515

**3455090 HEATING ELEMENT 700W 230V**  
 length 750 mm - width 110 mm



CAPIC E150532



Suitable for:


**CAPIC**



Suitable for:

## Hinges, catches and accessories

- 3053569 LOCK CLAMP**  
length 90 mm - width 50 mm - height 60 mm  
for Convection oven electric (CAPIC) R300



CAPIC Q102015

## Hydraulic piping

- 3450109 RUBBER PIPE  $\varnothing$  13x20 mm - 5 m**  
operating temperature -40+100°C



CAPIC L155025

## Incandescent lamps and neon lamps

- 3221067 NEON LAMP FOR OVEN E10 2W 230V**  
dimensions  $\varnothing$  10x28 mm  
for OVEN



CAPIC E201005

- 3221622 OVEN LAMP E10 1W 28V**  
dimensions  $\varnothing$  10x28 mm  
for Convection oven electric (CAPIC) R300  
W211101



CAPIC E201001

- 3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



CAPIC E201060



## Indicator lights

**3221132 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



CAPIC E202025

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



CAPIC L452515

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



CAPIC E202026

**3221111 RED INDICATOR LAMP 230V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
application to the board



CAPIC L452522

## Knobs

**3241363 BLACK KNOB  $\varnothing$  50 mm**  
D-shaped hole 6x4.6 mm



CAPIC E401205

**3444128 BLACK KNOB  $\varnothing$  50 mm 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



CAPIC E401280

**3241735 BLACK KNOB 2-3-4-5-6-7-8**  
for GAS VALVE GC1300



CAPIC G652221

**3241734 RED KNOB STOP**  
for GAS VALVE GC1300



CAPIC G652220

## Lamp receptacles and spare parts

**3221172 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 96x80 mm



CAPIC E202049

**3221173 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 73x58 mm



CAPIC E202047



Suitable for:

# CAPIC



**3221233 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  42 mm**  
thread  $\varnothing$  33 mm - overall height 26 mm



CAPIC E202056

Suitable for:

**3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C



CAPIC E202055

## Level sensors

**3341065 LEVEL PROBE  $\varnothing$  3/8" M - 38 mm**  
for OVEN AC150-AC220  
for Convection oven electric (CAPIC)  
AC150 - AC220  
for Convection oven (CAPIC)  
C8 - W102257  
for Electric oven (CAPIC)  
AC240  
for Steam oven (CAPIC)  
AIR CUISEUR W102105



CAPIC E054062

## Magnet groups

**3182010 MAGNETIC UNIT PEL**  
 $\varnothing$  head 24 mm -  $\varnothing$  end 18 mm - length 59 mm  
thermocouple coupling M10x1  
for PEL tap model 23



CAPIC G402065

**3182003 MAGNETIC UNIT SIT**  
 $\varnothing$  head 25 mm -  $\varnothing$  end 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



CAPIC G402010

## Microswitches

**3803049 DOOR MICROSWITCH 20A 400V**  
monopolar-threaded part dimensions  $\varnothing$  12x40 mm  
for Convection oven electric (CAPIC)  
R100 - R250 - R300  
for Convection oven (CAPIC)  
C8 - W102257 - W110301



CAPIC E053040

**3240407 MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheel - lever 27 mm with wheel



CAPIC E053005



**3240181 PROTECTED MAGNET 62x18x10 mm**



CAPIC L453222

## Motors

**3240991 MOTOR D29 0.37Kw 230/380V**  
 3-PHASES  
 1500rpm  
 for Convection oven electric (CAPIC) R150N - R220N  
 R240N - R350N



CAPIC E254008

**3240995 MOTOR LEROY SOMER D25T 0.25Kw 230/380V**  
 50/60Hz 2770rpm TRIFASE  
 for Convection oven electric (CAPIC) R50



CAPIC E254005

**3340006 FAN ø 180 mm**  
 thickness 35 mm  
 8 blades - hole ø 8 mm  
 for Convection oven electric (CAPIC) R50



CAPIC Q302005

**3240982 MOTOR LEROY SOMER LS80L1SFT 0.37Kw**  
 230/380V - 1430rpm  
 overall height 380 mm - mounting distance 115 mm  
 shaft ø 15.5 mm - shaft height 162 mm  
 for Convection oven electric (CAPIC) R100 - R250  
 R300



CAPIC E254010

**3241888 MAIN SHAFT SEALING GASKET**  
 external ø 35mm - internal ø 20mm - thickness 8mm  
 for Convection oven electric (CAPIC) R300




CAPIC I506050



Suitable for:

**3240957 STAINLESS STEEL FAN  $\varnothing$  300 mm**  
thickness 60 mm  
total blades 8 -  $\varnothing$  hole 15 mm  
for Convection oven electric (CAPIC) R300




CAPIC Q302011

# CAPIC



Suitable for:

**3240993 MOTOR WITH FAN R2D180AH06-10**  
100W 220/380V 50Hz 0.17A THREE-PHASE  
for Convection oven (CAPIC)



CAPIC 13390026

## OR and ORM gaskets

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



CAPIC E153011

CAPIC L554118

## Pilot burners and accessories

**3020081 OLIVE FOR 6 mm  $\varnothing$  PIPE**




CAPIC G701011

**3020078 PIPE FITTING  $\varnothing$  6 mm**  
thread M10x1



CAPIC G701010

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



CAPIC G207510

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



CAPIC G207511




## Probes

**3397149 PROBE TEMPERATURE TCJ**  
 2 wires - bulb  $\varnothing$  5x90 mm  
 cable length 2120 mm  
 with fastening fitting M8x1 and olive  $\varnothing$  5 mm  
 for Convection oven (CAPIC)



CAPIC E403514

**3397151 TEMPERATURE PROBE PT100**  
 3 wires - bulb  $\varnothing$  5x104 mm  
 cable length 2000 mm  
 for Convection oven electric (CAPIC) AC150 - AC220  
 AC50 - 150N - 220N - 240N - 350N - 50N



CAPIC E403525

## Relays

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
 230V 50/60Hz  
 2 exchange contacts 16A



CAPIC L451712

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
 230V 50/60Hz  
 3 exchange contacts 16A



CAPIC L451725

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
 230V 50/60Hz  
 1 contact NO 30A



CAPIC L451715


## Rotary switches

**3057050 CONNECTING BRACKET 28x21x16 mm**  
 distance between hooking brackets 27 mm  
 f/connection between selector switch and thermostat.



CAPIC E401320

**3057001 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm



CAPIC E052520




Suitable for:

# CAPIC



Suitable for:

**3057135 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (CAPIC) AC50



CAPIC E052535

## Solenoid valves

**3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - two outlets  $\varnothing$  10.5 mm




CAPIC L601005

**3120405 SOLEN. VALVE T&P 1 WAY 180°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet  $\varnothing$  10.5 mm



CAPIC L600505

**3120407 SOLEN. VALVE T&P 2 WAY 180°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - two outlets  $\varnothing$  10.5 mm



CAPIC L601005

**3120414 SOLEN. VALVE T&P 3 WAY 180°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - three outlets  $\varnothing$  10.5 mm



CAPIC L601015

**3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°**  
 220/240V 50/60Hz - max temperature 90°C  
 inlet 3/4" - three outlets  $\varnothing$  10.5 mm



CAPIC L601015

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
 220/240V 50/60Hz



CAPIC E050505

**3181004 SPARK GENERATOR 6 OUTLETS**  
 220/240V - 50/60Hz



CAPIC E050506



## Sparking and detection plugs

- 3001003** ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm



CAPIC G207511


## Switches

- 3319617** DOUBLE CONTACT SWITCH 16A 250V



CAPIC L451243


- 3319513** WHITE SINGLE-POLE PUSH-BUTTON  
threaded connection  $\varnothing$  12 mm



CAPIC E053052

## Terminal blocks

- 3247009** 6-POLE TERMINAL BLOCK FV122/B 40A 600V  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



CAPIC L450310

## Thermocouples and accessories

- 3440036** THERMOCOUPLE SIT M9x1 85 cm.



CAPIC G401030



Suitable for:

# CAPIC



Suitable for:

## Thermostats

**3444616 BULB CONNECTION M12 HOLE  $\varnothing$  6 mm**  
stuffing gland M9x1- washer  $\varnothing$  7.7 mm  
gasket  $\varnothing$  7.8 mm - thickness 5 mm




CAPIC E401310

**3444974 SINGLE-PHASE THERMOSTAT 100-615°C**  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm




CAPIC E401084

**3444907 SINGLE-PHASE THERMOSTAT 365°C**  
with manual reset  
capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  3x166 mm



CAPIC E401003


**3443072 THREE-PHASE THERMOSTAT 130°C**  
with manual reset  
capillary length 1000 mm  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M13x1



CAPIC E401008

CAPIC E401012

**3744063 THREE-PHASE THERMOSTAT 400°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  4x230 mm



CAPIC E401090

## Timers

**3446185 TIMER 2 CAMS 110 MINUTES**  
complete with cables  
contact capacity 16A 240V 50Hz  
for Convection oven electric (CAPIC) AC150 - AC220  
AC50 - 150N - 220N - 240N - 350N - 50N



CAPIC E452092





Suitable for:

# CAPIC



Suitable for:

## Watertight seals and rings

**3241888 MAIN SHAFT SEALING GASKET**  
external  $\varnothing$  35mm - internal  $\varnothing$  20mm - thickness 8mm  
for Convection oven electric (CAPIC) R300






















CAPIC I506050

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)