




Spare parts for:

Ovens



Suitable for:

CONVOTHERM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

CONVOTHERM



Suitable for:

Axial motors

3340134 AXIAL VENTILATOR EBM 119x119x38 mm
4.9W 12V DC 408mA
for Convection oven (CONVOTHERM)



CONVOTHERM 5008068

3340133 AXIAL VENTILATOR SUNON 120x120x38 mm
14.4W 12V DC
for Convection oven electric (CONVOTHERM) OEB6.20
OES6.20




CONVOTHERM 5018023

CONVOTHERM 5018040

Buzzers

3397302 ALARM BELL 220V
for Convection oven (CONVOTHERM)



CONVOTHERM 4003050

CONVOTHERM 5003050

Cables for piezo igniters

5037720 CABLE IGNITION FOR PLUG 1200 mm
for Convection oven gas (CONVOTHERM)



CONVOTHERM 4008103

5021892 IGNITION LEAD FOR PLUG 1200 mm
for Convection oven gas (CONVOTHERM)



CONVOTHERM 4008100

Castors, rollers and accessories

5055976 KIT ROLL ST. STEEL FOR CARRIAGE SLIDEWAY
ø external 55 mm - pin hole M10
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 2619141

5059775 KIT ROLL ST. STEEL FOR CARRIAGE SLIDEWAYS
ø external 60 mm - pin hole M10
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 2117291

- 5058185 WHEEL FIXED TO PLATE**
with STAINLESS STEEL supports
dimensions $\varnothing$ 125x32 mm
fastening plate 57x49 mm
distance between holes 23 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 6014051

- 5021899 WHEEL FIXED WITH PIN**
with STAINLESS STEEL supports
dimension $\varnothing$ 125x32 mm
threaded pin M10 - height 60 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 6004066

- 5021903 WHEEL SWIVELLING PIN WITH BRAKE**
with STAINLESS STEEL supports
dimension $\varnothing$ 125x32 mm
threaded pin M10 - height 63 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 3303456

CONVOTHERM 6004055

CONVOTHERM 6004056

Centrifugal fans

- 3240695 MOTOR FAN RG128/1300-3612**
100W 230V 50Hz



CONVOTHERM 5018000

- 5031431 MOTOR FAN RG148/1200-3633-010203**
140W 230V 50Hz
for Convection oven gas (CONVOTHERM) OGB10.20
OGB12.20 - OGB20.10 - OGB20.20 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20



CONVOTHERM 5018001

Clamps

- 3449462 HOSE CLAMP 12-20**
for pipes $\varnothing$ 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



CONVOTHERM 6006086



Suitable for:

CONVOTHERM



Suitable for:

Contactors

3397401 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
0.55Kw / 1÷1.6A
3 normally open contacts



CONVOTHERM 4002034

3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
1.1Kw / 1.6÷2.5A
3 normally open contacts



CONVOTHERM 4002035

3397405 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
1.5Kw / 2.5÷4A
3 normally open contacts



CONVOTHERM 4002036

5026774 CONTACTOR SCHNEIDER LC1DT40P7
40A - coil 230V 50/60Hz
4 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact
+ capacitor L4D4RCU 110/250V
for Convection oven (CONVOTHERM)



CONVOTHERM 4001030

CONVOTHERM 4001030K

5022965 CONTACTOR SCHNEIDER LC1D093P7
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact
+ capacitor L4D4RCU 110/250V
for Convection oven (CONVOTHERM)



CONVOTHERM 4001020

CONVOTHERM 4011000

CONVOTHERM 4011000K

3454061 CONTACTOR SCHNEIDER LC1D183P7
18A 400V 7.5Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact
+ capacitor LAD4RCU 110/250V
for Convection oven (CONVOTHERM)



CONVOTHERM 4011001

CONVOTHERM 4011001K

Detergents

3092244 DETERGENT FOR OVENS CONVOCLEAN 10 L
for cooking chamber cleaning
please see the attached documentation for use
for Convection oven (CONVOTHERM)



CONVOTHERM 3007017

5059626 SCALE REMOVER CONVOCAL 10L
for cooking chamber cleaning
please see the attached documentation for use
for Convection oven (CONVOTHERM)



CONVOTHERM 010742

CONVOTHERM 3007018



Suitable for:

CONVOTHERM



- 5033835 SCALE REMOVER F/OVENS CONVOCAL FORTE 10L**
for the cleaning of the cooking chamber
please see the attached documentation for use
for Convection oven (CONVOTHERM)



CONVOTHERM 010743

CONVOTHERM 3007023

Suitable for:

- 3092245 SCALE REMOVER FOR OVENS CONVOCARE 1 L**
detergent for nozzles and oven boilers
please see the attached documentation for use
for Convection oven (CONVOTHERM)



CONVOTHERM 3007028

Door glasses for oven and accessories

- 7105877 GLASS INTERNAL OVEN DOOR 430x382 mm**
for Convection oven electric (CONVOTHERM)
OES6.06
for Convection oven (CONVOTHERM) OES6.10MINI



CONVOTHERM 2518352

- 7108908 GLASS INTERNAL OVEN DOOR 580x430 mm**
for Electric oven (CONVOTHERM) OES10.10MINI



CONVOTHERM 2524641

Doors

- 5038282 DOOR INTERNAL OVEN 810x690 mm**
for Convection oven electric (CONVOTHERM) OEB10.20
OES10.20
for Convection oven gas (CONVOTHERM) OGB10.20
OGS10.20



CONVOTHERM 2518482

- 5021861 DOOR STOP MADE OF SILICONE ø 20 mm**
for Convection oven (CONVOTHERM) OS10.10 - OS10.20
OS20.10 - OS20.20 - OS6.10



CONVOTHERM 2004195

- 5061126 DOOR STOP RUBBER ø 8 mm**
for Convection oven electric (CONVOTHERM) OES6.06
OES6.10MINI



CONVOTHERM 6012050

- 5055058 KIT DOOR BLOCK 60x25x20 mm**
complete with small parts
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 2619156

CONVOTHERM 6015226



Suitable for:

CONVOTHERM



Suitable for:

- 5059776 KIT DOOR SLIDEWAYS 83.5x30x19 mm**
complete with small parts
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 2619155

CONVOTHERM 6012009

Drain hoses

- 7104307 HOSE DRAIN MADE OF SILCONE 450 mm**
ø external 16 mm - ø internal 13 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB6.10 - OES10.10 - OES6.10
for Convection oven gas (CONVOTHERM) OGB6.10
OGS10.10 - OGS6.10 - OGB10.10



CONVOTHERM 7012300K

Drain pumps

- 3122784 DRAIN ELECTRIC PUMP HANNING DPS25-103**
32W 200/240V 50/60Hz
inlet external ø 30 mm - outlet external ø 24 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 2019700

CONVOTHERM 5008079

CONVOTHERM 5008079K

Drip trays for kitchens and ovens

5051693 DRIP TRAY 500x30x30 mm
for Convection oven electric (CONVOTHERM) OES6.06
OES6.10MINI



CONVOTHERM 2618810

3015076 DRIP TRAY 500x40x30 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 2018000


CONVOTHERM 2018006

3015077 DRIP TRAY 500x60x35 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB6.10 - OES10.10 - OES6.10
for Convection oven gas (CONVOTHERM) OGB10.10
OGB6.10 - OGS10.10 - OGS6.10



CONVOTHERM 2616469

5062980 DRIP TRAY 535x250x40 mm
for Convection oven (CONVOTHERM) OD12.20 - OD20.10
OD20.20 - OS12.20 - OS20.10 - OS20.20



CONVOTHERM 2004051

Electrical gas valves and accessories


5021910 KIT VALVE GB-LEP 055 D01 S42 ø 1/2"FF
inlet ø 1/2"FF - outlet ø 1/2"FF
power supply 230V 50/60Hz
for Convection oven gas (CONVOTHERM) OGS20.20



CONVOTHERM 2625175

CONVOTHERM 6006191

3526017 VALVE VK4115V HONEYWELL ø 18 mm
inlet-outlet ø 18 mm without thread
maximum gas inlet pressure 60 mbar
room temperature -15÷70°C
power supply 220/240V 50Hz
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 6016010

Electronic boxes

5021907 CONTROL BOX DGAI.73 10.5.0TCL
model DUNGS - 230V 50/60Hz
for Convection oven gas (CONVOTHERM) OSG20.20



CONVOTHERM 6006190

3091022 CONTROL BOX S4575B1066
model HONEYWELL - 230/240V 50/60Hz 4VA
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 6016020

CONVOTHERM 6016022



Suitable for:

CONVOTHERM



Suitable for:

3091023 CONTROL BOX S4575B3066
model HONEYWELL - 230/240V 50/60Hz 4VA



CONVOTHERM 6016021

Electronic printed-circuit boards

5048164 CABLE BOARD CONNECTION 2000 mm
for Convection oven (CONVOTHERM) - Series OGS
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB



CONVOTHERM 5009304

5037628 CIRCUIT BOARD DISPLAY 322x118 mm
complete with buzzer, potentiometer, push-buttons
spacers
for Convection oven electric (CONVOTHERM) OSP10.10
OSP12.20 - OSP20.10 - OSP20.20 - OSP6.10



CONVOTHERM 5009305

5050565 CIRCUIT PANEL BOARD 119x70 mm
for Convection oven (CONVOTHERM) OSG20.20
OS10.10 - OS10.20 - OS12.20 - OS20.10
OS20.20 - OS6.10



CONVOTHERM 5009302

5060118 CONNECTING CABLE FOR BOARD 1800 mm
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 5019200

5023937 CONTROL PC BOARD 320x118 mm
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5009017

2110458 DISPLAY ELECTRONIC BOARD 440x95 mm
for Convection oven electric (CONVOTHERM) OD10.10



CONVOTHERM 5009029

CONVOTHERM 5009029K

5053004 ELECTRONIC CONTROL BOARD 280x100 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5019302

CONVOTHERM 5019402

3390350 ELECTRONIC DISPLAY BOARD 335x130 mm
for Convection oven electric (CONVOTHERM)
OEB6.20 - OES6.20
OES10.10



CONVOTHERM 5019101

CONVOTHERM 5019300



Suitable for:

CONVOTHERM



3390349 MOTHERBOARD 150x100 mm
for Convection oven electric (CONVOTHERM)
OEB6.20 - OES6.20
for Convection oven electric (CONVOTHERM)
OEB6.10
OSP10.10



CONVOTHERM 009977

CONVOTHERM 2619973

CONVOTHERM 5009301

Suitable for:

5037023 MOTHERBOARD 252x118 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5009018

5024338 MOTHERBOARD 253x90 mm
for Convection oven electric (CONVOTHERM) OSC10.10



CONVOTHERM 5009300

5025075 MOTHERBOARD 280x100 mm
for Convection oven electric (CONVOTHERM) OEB10.20
OEB12.20 - OEB20.10 - OEB20.20 - OEB6.10
OEB6.20 - OES10.20 - OES12.20 - OES20.10
OES20.20 - OES6.06 - OES6.10 - OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 5019100

CONVOTHERM 5019301


CONVOTHERM 5019306

CONVOTHERM 5019406

CONVOTHERM 5019418


CONVOTHERM 5019420

5070990 PC BOARD CONTROL 100x70 mm
complete with bracket 105x73 mm
complete with accessories
for Convection oven (CONVOTHERM)




CONVOTHERM 2617838

5024766 PC BOARD KEY PANEL 323x119 mm
for Convection oven (CONVOTHERM) OS10.10 - OS10.20
OS12.20 - OS20.10 - OS20.20
for Convection oven (CONVOTHERM) OS6.10



CONVOTHERM 5009303

5021887 PC BOARD 77x73 mm
for Convection oven (CONVOTHERM) OSG20.20
OS10.10 - OS10.20 - OS12.20 - OS20.10
OS20.20 - OS6.10



CONVOTHERM 5009310

CONVOTHERM 5009317

5038242 SUPPORT SPRING FOR KEY-BOARD
for Convection oven (CONVOTHERM)



CONVOTHERM 5009083



Suitable for:

CONVOTHERM




5038266 SUPPORT SPRING FOR KEY-BOARD
for Convection oven (CONVOTHERM) OD10.10 - OD10.20
OD12.20 - OD20.10 - OD20.20 - OD6.10



CONVOTHERM 5009082

Suitable for:

5038532 SWITCHING ELECTRONIC BOARD
external dimensions 133x100 mm
for Convection oven electric (CONVOTHERM) OEB6.20
OES6.20



CONVOTHERM 5019105

CONVOTHERM 5019304


Fans for motors

5030659 EXTRACTORS FAN
supplied with screw
for fans $\varnothing$ 350-405 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 7015200

7108158 FAN $\varnothing$ 200 mm
thickness 43 mm
number of blades: 45 - hole $\varnothing$ 8.3 mm
for Convection oven electric (CONVOTHERM)
OES6.10MINI
for Convection oven electric (CONVOTHERM) OES6.06



CONVOTHERM 2618803

CONVOTHERM 6010050

5030657 FAN $\varnothing$ 350 mm
thickness 110 mm
number of blades 12 - $\varnothing$ conical hole 13-16 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB20.10 - OEB6.10 - OEB6.20 - OES10.10
OES20.10 - OES6.10 - OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB20.10 - OGB6.20 - OGS10.10 - OGS20.10
OGS6.20



CONVOTHERM 2619958

CONVOTHERM 6010001

5038240 FAN $\varnothing$ 355 mm
thickness 114 mm
number of blades 42 - $\varnothing$ foro 13 mm
for Convection oven (CONVOTHERM) OD10.10 - OD20.10
OD6.10 - OS10.10 - OS20.10 - OS6.10



CONVOTHERM 6000056

3240339 FAN $\varnothing$ 405 mm
thickness 155 mm
blades number 12 - $\varnothing$ tapered hole 13-17 mm
for Convection oven electric (CONVOTHERM) OEB10.20
OEB12.20 - OEB20.20 - OES10.20 - OES12.20
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.20
OGB20.20 - OGS10.20 - OGS20.20



CONVOTHERM 2619959

CONVOTHERM 6010003

5038234 FAN $\varnothing$ 405 mm
thickness 115 mm
number of blades 38 - $\varnothing$ foro 14 mm
for Convection oven (CONVOTHERM) OD10.20 - OD12.20
OD20.20 - OS10.20 - OS12.20 - OS20.20



CONVOTHERM 6000068

Filters

- 5039863 FILTER DRAIN STAINLESS STEEL $\varnothing$ 85 mm**
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6005024

Fittings

- 5052224 COUPLING 3 WAY 3/4"F - 3/4"M - 3/4"F**
complete with gaskets
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 5011002

- 3349624 ELBOW FITTING 1/8"M $\varnothing$ 6 mm**
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 6005416

- 5028033 FITTING ELBOW WITH RING NUT $\varnothing$ 3/4"F**
hose end fitting $\varnothing$ 14 mm
for Convection oven (CONVOTHERM) OD10.10 - OD10.20
OD12.20 - OD20.10 - OD20.20 - OD6.10 - OS10.10
OS10.20 - OS12.20 - OS20.10 - OS20.20 - OS6.10



CONVOTHERM 6006076

- 5030662 FITTING 3 WAYS 3/4"F - 1/2"M - 3/4"M**
complete with gaskets
for Convection oven (CONVOTHERM) - Series OEB
Series OES - Series OGB - Series OGS



CONVOTHERM 5011003

Fuses

- 3049013 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS**
250V 1A



CONVOTHERM 4005064

- 3049016 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS**
250V 2A



CONVOTHERM 4005066



Suitable for:

CONVOTHERM



3049020 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 6.3A



CONVOTHERM 4005068

Suitable for:

5038283 FUSE NEOZED 400 V 25A
for Convection oven (CONVOTHERM)



CONVOTHERM 4005046

CONVOTHERM 4005055

5038445 FUSE NEOZED 400V 20A
for Convection oven (CONVOTHERM)



CONVOTHERM 4005058

Gas burners

3023318 BURNER $\varnothing$ 50x550 mm
overall length 555 mm
made of STAINLESS steel



CONVOTHERM 6006139


Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET $\varnothing$ 54x42x2 mm



CONVOTHERM 6005025

5071375 GASKET CHAMBER BURNER
 $\varnothing$ external 170 mm
 $\varnothing$ internal 134 mm
thickness 2 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 6015029

- 7108005 GASKET FAN FOR BURNER**
 dimensions 82.5x52.5x2 mm
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
 OGB6.20 - OGS10.10 - OGS10.20 - OGS12.20
 OGS20.10 - OGS20.20 - OGS6.10 - OGS6.20
 for Convection oven gas (CONVOTHERM) OGB6.10



CONVOTHERM 6015034

- 5025892 GASKET FLAT MADE OF SILICONE ø 36 mm**
 for Convection oven (CONVOTHERM)



CONVOTHERM 6005067

- 5033599 GASKET FLAT SILICONE ø 45 mm**
 for OVEN OS 6.10-OS 20.20-OD 10.10-OD 20.20-
 OD 12.20-OD 20.10-OS 10.10-OS 12.20-OS 20.10



CONVOTHERM 6005074

- 5055290 GASKET FOR BURNER**
 external ø 149 mm
 internal ø 115 mm
 thickness 2 mm
 for Convection oven (CONVOTHERM)




CONVOTHERM 6015028

- 5055336 GASKET FOR CONTROL PANEL 600/570x155 mm**
 adhesive
 profile dimensions 7x3 mm
 COLOUR: BLACK
 for Convection oven electric (CONVOTHERM)
 Series OEB - Series OES
 for Convection oven gas (CONVOTHERM) - Series OGB
 Series OGS



CONVOTHERM 7011010

- 5055291 GASKET FOR FIRE**
 external dimensions 64x64 mm
 ø internal 43 mm
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB20.10 - OGB6.20 - OGS10.10 - OGS6.20
 OSG20.10



CONVOTHERM 6015030

- 5027499 GASKET FOR LEVEL PROBE**
 external dimensions 64x54 mm
 internal dimensions 35x35 mm
 for Convection oven electric (CONVOTHERM)
 Series OEB - Series OES
 for Convection oven gas (CONVOTHERM) - Series OGB
 Series OGS



CONVOTHERM 6015040

- 5053177 GASKET FOR TEMPERATURE SENSOR**
 dimensions ø 10x3x8 mm
 for Convection oven electric (CONVOTHERM)
 Series OEB - Series OES
 for Convection oven gas (CONVOTHERM) - Series OGB
 Series OGS



CONVOTHERM 6015026



CONVOTHERM



Suitable for:

Suitable for:

5039215 GASKET LAMP HOLDER MADE OF GRAPHITE
ø external 70 mm - ø internal 62 mm
thickness 6 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6005013

5054290 GASKET TEMPERATURE PROBE
dimensions ø 15x5x1.2 mm
for Convection oven gas (CONVOTHERM) OGB10.20
OGB12.20 - OGB20.10 - OGB20.20 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20



CONVOTHERM 6005260

5038230 HEATING ELEMENT GASKET KIT
complete w/ bracket external dimensions 176x106 mm
complete with nuts
external dimensions 175x105 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 2623227

CONVOTHERM 6015024

5030661 KIT GASKET FOR HEATING ELEMENT
complete with bracket - external dimensions 90x70
complete with nuts
external dimensions 90x70 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB20.10 - Series OEB6.10 - OEB6.20 - OES10.10
OES20.10 - OES6.10 - OES6.20



CONVOTHERM 2623226

CONVOTHERM 6015025

5054172 KIT GASKETS FOR BURNER
complete with small parts
for Convection oven gas (CONVOTHERM) OGB10.10
OGB20.10 - OGB6.10 - OGB6.20 - OGS10.10
OGS20.10 - OGS6.10 - OGS6.20



CONVOTHERM 2618161

CONVOTHERM 6015032

5027498 STEAM GENERATOR GASKET
external dimensions 88x56 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20




CONVOTHERM 6015023

Gaskets for oven door

3286008 EXTERNAL OVEN GLASS GASKET - 25 m


made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven (CONVOTHERM) OD12.20 - OD20.10
OD20.20



CONVOTHERM 7001042

3286007 EXTERNAL OVEN GLASS GASKET - 5 m

made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven (CONVOTHERM) OD12.20 - OD20.10
OD20.20



CONVOTHERM 7001042

5035853 GASKET OVEN DOOR 4500 mm

made of silicone elastomer
profile dimensions 33x13 mm
COLOUR: BLACK
for Convection oven (CONVOTHERM)



CONVOTHERM 011038

CONVOTHERM 7001019

5030831 GASKET FOR OVEN DOOR RETAINER 540 mm

made of silicone elastomer
profile dimensions 47x10 mm
COLOUR BLACK
for OVEN



CONVOTHERM 7011009

7104024 GASKET FOR OVEN DOOR RETAINER 540 mm

made of silicone elastomer
profile dimensions 47x10 mm
COLOUR BLACK
with guide length 520 mm - guide height 5 mm
for Convection oven electric (CONVOTHERM) OEB20.10
OES20.10
for Convection oven gas (CONVOTHERM) OGB20.10
OGS20.10



CONVOTHERM 2514386

CONVOTHERM 2525227

CONVOTHERM 7011000

3786616 GASKET FOR OVEN DOOR RETAINER 740 mm

made of silicone elastomer
profile dimensions 47x10 mm
COLOUR BLACK
with guide length 725 mm - guide height 5 mm
for Convection oven electric (CONVOTHERM) OEB12.20
OEB20.20 - OES12.20 - OES20.20
for Convection oven gas (CONVOTHERM) OGB12.20
OGB20.20 - OGS12.20 - OGS20.20




CONVOTHERM 2525226

CONVOTHERM 7001077

3186399 GASKET OVEN CARRIAGE 2000 mm

with fixing rivets
made of silicone elastomer
profile dimensions 15x8 mm
COLOUR: CLEAR
for Convection oven (CONVOTHERM) OD12.20 - OD20.10
OD20.20
for Convection oven electric (CONVOTHERM) OS12.20
OS20.10 - OS20.20




CONVOTHERM 7001039

CONVOTHERM 7001039K

5067489 GASKET OVEN DOOR 1300x710 mm

made of silicone elastomer
profile dimensions 33x13 mm
COLOUR: BLACK
for Convection oven (CONVOTHERM)



CONVOTHERM 7001051




CONVOTHERM



Suitable for:

Suitable for:

5034601 GASKET OVEN DOOR 1410x700 mm
made of silicone elastomer
profile dimensions 24x19 mm
COLOUR: BLACK
for Convection oven gas (CONVOTHERM) OSG20.20




CONVOTHERM 7001079

5050344 GASKET OVEN DOOR 670x560 mm
made of silicone elastomer
profile dimensions 24x16 mm
COLOUR: BLACK
for Convection oven electric (CONVOTHERM) OEB6.20
OES6.20
for Convection oven gas (CONVOTHERM) OGB6.20
OGS6.20



CONVOTHERM 7011004

5021857 GASKET OVEN DOOR 885x695 mm
made of silicone elastomer
profile dimensions 24x19 mm
COLOUR: BLACK
for Convection oven (CONVOTHERM)




CONVOTHERM 7001078

5048204 GASKET OVEN GLASS 1000 mm
made of silicone elastomer
profile dimensions 12x5.5 mm
COLOUR: BLACK
for Convection oven (CONVOTHERM)




CONVOTHERM 7001040

3286010 INTERNAL OVEN GLASS GASKET - 25 m
made of silicone elastomer
profile dimensions 8.5x7 mm
COLOUR BLACK
for Convection oven (CONVOTHERM) OD12.20 - OD20.10
OD20.20



CONVOTHERM 7001041

3286009 INTERNAL OVEN GLASS GASKET - 5 m
made of silicone elastomer
profile dimensions 8.5x7 mm
COLOUR BLACK
for Convection oven (CONVOTHERM) OD12.20 - OD20.10
OD20.20




CONVOTHERM 7001041

3286016 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven (CONVOTHERM)



CONVOTHERM 7001013

3286080 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven (CONVOTHERM)




CONVOTHERM 7001013

Suitable for:

Suitable for:

3286015 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven (CONVOTHERM)




CONVOTHERM 7001013

3186391 OVEN DOOR GASKET 1065x700 mm
made of silicone elastomer - 3 sides
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven (CONVOTHERM) OD12.20
for Convection oven electric (CONVOTHERM) OS12.20
for Convection oven (CONVOTHERM) OSP12.20



CONVOTHERM 7001020

3786617 OVEN DOOR GASKET 1500 mm
made of silicone elastomer
profile dimensions 20x12 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM) OES6.06
for Convection oven (CONVOTHERM) OES6.10MINI




CONVOTHERM 7011051

CONVOTHERM 7011054

CONVOTHERM 7011060

3186536 OVEN DOOR GASKET 1500x470 mm
made of silicone elastomer
profile dimensions 24x16 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM) OEB20.10
OES20.10
for Convection oven gas (CONVOTHERM) OGB20.10
OGS20.10




CONVOTHERM 7011003

3186535 OVEN DOOR GASKET 1500x670 mm
made of silicone elastomer
profile dimensions 24x16 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM) OEB20.20
OES20.20
for Convection oven gas (CONVOTHERM) OGB20.20
OGS20.20



CONVOTHERM 7011007

3186390 OVEN DOOR GASKET 1650x700 mm
made of silicone elastomer - 3 sides
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven (CONVOTHERM)
OD20.10 - OD20.20
for Convection oven electric (CONVOTHERM)
OS20.10 - OS20.20
for Convection oven (CONVOTHERM) OSC20.10



CONVOTHERM 7001018




CONVOTHERM



Suitable for:

5053270 OVEN DOOR GASKET 1900 mm
made of silicone elastomer
profile dimensions 20x12 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM)
OES10.10MINI



CONVOTHERM 7011052

CONVOTHERM 7011055

CONVOTHERM 7011061


Suitable for:

3786615 OVEN DOOR GASKET 510x465 mm
made of silicone elastomer
profile dimensions 24x16 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM)
OEB6.10 - OES6.10
for Convection oven gas (CONVOTHERM)
OGB6.10 - OGS6.10
for Convection oven (CONVOTHERM) OES6-10MINI




CONVOTHERM 7011001

3186388 OVEN DOOR GASKET 625x485 mm
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven (CONVOTHERM) OD06.10
for Convection oven electric (CONVOTHERM) OS6.10




CONVOTHERM 7001016

3186363 OVEN DOOR GASKET 700x445 mm
made of silicone elastomer
profile dimensions 25.2/23.5x22 mm
COLOUR BLACK
for Convection oven (CONVOTHERM)




CONVOTHERM 7001035

3186389 OVEN DOOR GASKET 725x625 mm
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM) OD10.10
OS10.10




CONVOTHERM 7001017

3786023 OVEN DOOR GASKET 760x670 mm
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven (CONVOTHERM)




CONVOTHERM 7001050

3186533 OVEN DOOR GASKET 775x465 mm
made of silicone elastomer
profile dimensions 24x16 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM) OEB10.10
OES10.10
for Convection oven gas (CONVOTHERM) OGB10.10
OGS10.10



CONVOTHERM 7011002

3186540 OVEN DOOR GASKET 780x670 mm
made of silicone elastomer
profile dimensions 24x16 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM) OEB10.20
OES10.20
for Convection oven gas (CONVOTHERM) OGB10.20
OGS10.20



CONVOTHERM 7011005



CONVOTHERM



Suitable for:

3786024 OVEN DOOR GASKET 808x635 mm
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven (CONVOTHERM) OD10.20
for Convection oven electric (CONVOTHERM) OS10.20



CONVOTHERM 7001032

Suitable for:

3186534 OVEN DOOR GASKET 970x670 mm
made of silicone elastomer
profile dimensions 24x16 mm
COLOUR BLACK
for Convection oven electric (CONVOTHERM) OEB12.20
OES12.20



CONVOTHERM 7011006

3186364 OVEN GLASS GASKET 1800 mm
made of silicone elastomer
profile dimensions 13x12 mm
welded - COLOUR BLACK
for Convection oven electric (CONVOTHERM) OD10.10



CONVOTHERM 7001045

Handles

3242090 BASE FOR DOOR HANDLE
for OVEN



CONVOTHERM 6002062

5061885 CAP MADE OF PLASTIC FOR HANDLE
dimensions $\varnothing$ 32x14 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6002056

3242122 COMPLETE OVEN DOOR HANDLE
for Convection oven electric (CONVOTHERM)
OES6.06 - OES6.10MINI



CONVOTHERM 2518784

3242409 LATCH DOUBLE FOR DOOR HANDLE M8
overall length 51.5 mm





Suitable for:

3242425 SPRING FOR DOOR HANDLE
external dimensions 54x27 mm
for OVEN



CONVOTHERM



Suitable for:

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm




3242129 COMPLETE OVEN DOOR HANDLE
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 2525040

CONVOTHERM 6012000

3242130 DOOR LOCK WITH MICROMAGNETIC
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 2216070


CONVOTHERM 2216070K

5020149 DOOR HANDLE BASE
for Convection oven (CONVOTHERM)



CONVOTHERM 6002045

3242130 DOOR LOCK WITH MICROMAGNETIC
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 2216070

CONVOTHERM 2216070K

CONVOTHERM 6012001

5033692 KIT COMPLETE HANDLE OVEN DOOR
complete with kit plastic cap for handle
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6002053K

5061885 CAP MADE OF PLASTIC FOR HANDLE
dimensions $\varnothing$ 32x14 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6002056



Suitable for:

CONVOTHERM



- 5021867 KIT PLASTIC CAP FOR HANDLE**
complete with mounting kit
dimensions $\varnothing$ 32x14 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6002043

- 5021867 KIT PLASTIC CAP FOR HANDLE**
complete with mounting kit
dimensions $\varnothing$ 32x14 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6002043

- 3242182 LEFTHAND COMPLETE OVEN DOOR HANDLE**
for Convection oven (CONVOTHERM) OD10.20 - OS06.10
OS10.20
for Convection oven electric (CONVOTHERM) OD10.10
OS10.10



CONVOTHERM 6002048

- 5020149 DOOR HANDLE BASE**
for Convection oven (CONVOTHERM)



CONVOTHERM 6002045

Suitable for:

- 3242328 LATCH LH HANDLE OVEN**
distance between holes 67 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 6002049

CONVOTHERM 6002049K

- 5061885 CAP MADE OF PLASTIC FOR HANDLE**
dimensions $\varnothing$ 32x14 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6002056

- 5021867 KIT PLASTIC CAP FOR HANDLE**
complete with mounting kit
dimensions $\varnothing$ 32x14 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6002043



Suitable for:

CONVOTHERM



Suitable for:

3242328 LATCH LH HANDLE OVEN
distance between holes 67 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 6002049

CONVOTHERM 6002049K

3242181 RIGHTHAND COMPLETE OVEN DOOR HANDLE
for Convection oven (CONVOTHERM) OD06.10 - OD10.20
OD12.20 - OD20.10 - OD20.20 - OSG20.20
for Convection oven electric (CONVOTHERM) OD10.10
OS06.10 - OS10.10 - OS10.20 - OS12.20
OS20.10 - OS20.20



CONVOTHERM 6002053

5020149 DOOR HANDLE BASE
for Convection oven (CONVOTHERM)



CONVOTHERM 6002045

3242326 STRIKE HANDLE RH LOW
distance between holes 68 mm



CONVOTHERM

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



CONVOTHERM

5061885 CAP MADE OF PLASTIC FOR HANDLE
dimensions $\varnothing$ 32x14 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6002056

3242241 STRIKE FOR OVEN RIGHT HANDLE
distance between mounting holes 67 mm
for OVEN



CONVOTHERM 6002054

CONVOTHERM 6002054K

3242241 STRIKE FOR OVEN RIGHT HANDLE
distance between mounting holes 67 mm
for OVEN



CONVOTHERM 6002054

CONVOTHERM 6002054K

3242326 STRIKE HANDLE RH LOW
distance between holes 68 mm



CONVOTHERM

Suitable for:

Heating elements

3755744 HEATING ELEMENT FOR BOILER 12000W 230V
immersed length 590 mm
external flange $\varnothing$ 64/47.5 mm
with bulb sheathing - complete with cables
for Convection oven electric (CONVOTHERM) OS20.20



CONVOTHERM 5007076

CONVOTHERM 5007076K

3755743 HEATING ELEMENT FOR BOILER 9000W 230V
immersed length 385 mm
external flange $\varnothing$ 64/47.5 mm
with bulb sheathing - complete with cables
for Convection oven electric (CONVOTHERM) OS10.10
OS10.20 - OS20.10 - OS6.10



CONVOTHERM 5007071

CONVOTHERM 5007071K

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



CONVOTHERM 6005015

5023966 HEATING ELEMENT KIT 2x12000W 230V
composed of 2 pieces:
external $\varnothing$ 575 mm - overall height 190 mm
external $\varnothing$ 455 mm - overall height 195 mm
fittings M14x1.5 mm
for Convection oven electric (CONVOTHERM) OS10.20



CONVOTHERM 5007041K

CONVOTHERM 5007043K

5048069 HEATING ELEMENT KIT 2x15000W 220/380V
made of 2 pieces
external $\varnothing$ 575 mm - total height 190 mm
external $\varnothing$ 460 mm - total height 180 mm
fittings M14x1.5 mm
for Convection oven electric (CONVOTHERM)
OD12.20-OD20.20-HUD12.20-HUD20.20



CONVOTHERM 5007044

CONVOTHERM 5007044K



Suitable for:

CONVOTHERM



Suitable for:

5030655 HEATING ELEMENT 10500W 230V
 ø external 420 mm - overall length 195 mm
 flange 90x70 mm
 for Convection oven electric (CONVOTHERM) OEB6.10
 OES6.10



CONVOTHERM 2619192

CONVOTHERM 5017018

5030661 KIT GASKET FOR HEATING ELEMENT
 complete with bracket - external dimensions 90x70
 complete with nuts
 external dimensions 90x70 mm
 for Convection oven electric (CONVOTHERM) OEB10.10
 OEB20.10 - Series OEB6.10 - OEB6.20 - OES10.10
 OES20.10 - OES6.10 - OES6.20



CONVOTHERM 2623226

CONVOTHERM 6015025

5048535 HEATING ELEMENT 12000W 220V
 ø external 400 mm - overall length 140 mm
 couplings M14x1.5 mm
 for Convection oven electric (CONVOTHERM) HUD10.10
 HUD20.10



CONVOTHERM 5007035

CONVOTHERM 5007035K

3755746 HEATING ELEMENT 12000W 230V
 for boiler
 immersed length 580 mm
 fitting ø 1-1/2" - complete with cables
 for Convection oven electric (CONVOTHERM) OD20.20



CONVOTHERM 5007068

3755323 HEATING ELEMENT 13200W 230V
 immersed length 540 mm
 flange 88x57 mm - complete with cables
 with bulb sheath
 for Convection oven electric (CONVOTHERM) OEB20.20
 OES20.20



CONVOTHERM 2619180

CONVOTHERM 5017003

5027498 STEAM GENERATOR GASKET
 external dimensions 88x56 mm
 for Convection oven electric (CONVOTHERM) OEB10.10
 OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
 OEB6.10 - OEB6.20 - OES10.10 - OES10.20
 OES12.20 - OES20.10 - OES20.20 - OES6.10
 OES6.20
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
 OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
 OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
 OGS6.20



CONVOTHERM 6015023

3755741 HEATING ELEMENT 15000W 230V
 external ø 410 mm - overall height 230 mm
 couplings M14x1.5 mm
 for Convection oven electric (CONVOTHERM)
 OD10.10-OD20.10



CONVOTHERM 5007036

5047476 HEATING ELEMENT 18000W 380V
 ø external 395 mm - overall height 195 mm
 connections M14x1.5 mm
 for Convection oven electric (CONVOTHERM)
 HUD10.10-HUD20.10



CONVOTHERM 5007038

CONVOTHERM 5007038K

Suitable for:

Suitable for:

3455461 HEATING ELEMENT 18900W 230V
external $\varnothing$ 490 mm - internal $\varnothing$ 470 mm
overall height 215 mm - flange 90x70 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB20.10 - OEB6.20 - OES10.10 - OES20.10
OES6.20



CONVOTHERM 2619181

CONVOTHERM 5017004

5030661 KIT GASKET FOR HEATING ELEMENT
complete with bracket - external dimensions 90x70
complete with nuts
external dimensions 90x70 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB20.10 - Series OEB6.10 - OEB6.20 - OES10.10
OES20.10 - OES6.10 - OES6.20



CONVOTHERM 2623226

CONVOTHERM 6015025

5027451 HEATING ELEMENT 18900W 230V
 $\varnothing$ external 485 mm - overall length 220 mm
flange 90x70 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB20.10 - OEB6.20 - OES10.10 - OES20.10
OES6.20



CONVOTHERM 2619190

CONVOTHERM 5017016

5030661 KIT GASKET FOR HEATING ELEMENT
complete with bracket - external dimensions 90x70
complete with nuts
external dimensions 90x70 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB20.10 - Series OEB6.10 - OEB6.20 - OES10.10
OES20.10 - OES6.10 - OES6.20



CONVOTHERM 2623226

CONVOTHERM 6015025

5037864 HEATING ELEMENT 2x16500W 230V
external $\varnothing$ 565 mm - overall height 230 mm
flange 174x104 mm
for Convection oven electric (CONVOTHERM) OEB10.20
OEB12.20 - OEB20.20 - OES10.20 - OES12.20
OES20.20



CONVOTHERM 2619177

5038230 HEATING ELEMENT GASKET KIT
complete w/ bracket external dimensions 176x106 mm
complete with nuts
external dimensions 175x105 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 2623227

CONVOTHERM 6015024

2110681 HEATING ELEMENT 6000W 3x230V
immersed depth 330 mm
flange external $\varnothing$ 63 mm
with bulb sheath - complete with cables
for Convection oven electric (CONVOTHERM) OS10.10
OS10.20



CONVOTHERM 5007062

CONVOTHERM 5007062K



Suitable for:

CONVOTHERM



3455462 HEATING ELEMENT 6600W 230V
immersed length 275 mm - width 65 mm
flange 88x57 mm
complete with cables - with bulb sheath
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB6.20 - OES10.10 - OES10.20
OES6.20



CONVOTHERM 2619178

CONVOTHERM 5017001

CONVOTHERM 5017023

5027498 STEAM GENERATOR GASKET
external dimensions 88x56 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 6015023

7107791 HEATING ELEMENT 6600W 230V
immersed length 275 mm - width 70 mm
flange 88x57 mm
complete with cables - with bulb sheathing
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OES10.10 - OES10.20 - OES6.20
for Convection oven electric (CONVOTHERM) OEB6.20



CONVOTHERM 2619187


CONVOTHERM 5017012

5027498 STEAM GENERATOR GASKET
external dimensions 88x56 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 6015023

7105942 HEATING ELEMENT 6800W 230V
ø external 265 mm - overall length 150 mm
flange 90x70 mm
for Convection oven electric (CONVOTHERM)
OES6.10mini



CONVOTHERM 2123634

CONVOTHERM 2625181

CONVOTHERM 5017084

5030661 KIT GASKET FOR HEATING ELEMENT
complete with bracket - external dimensions 90x70
complete with nuts
external dimensions 90x70 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB20.10 - Series OEB6.10 - OEB6.20 - OES10.10
OES20.10 - OES6.10 - OES6.20



CONVOTHERM 2623226

CONVOTHERM 6015025

Suitable for:

Suitable for:

3355726 HEATING ELEMENT 7500W 220/380V
for boiler
immersed length 430 mm
fitting $\varnothing$ 1-1/2" - complete with cables
for Convection oven electric (CONVOTHERM)

3355727 HEATING ELEMENT 9000W 220V
for boiler
immersed length 430 mm
fitting $\varnothing$ 1-1/2" - complete with cables
for Convection oven electric (CONVOTHERM)
OD6.10-OD12.20-OD20.10



CONVOTHERM 5007063

CONVOTHERM 5007066

CONVOTHERM 5007066K

3755742 HEATING ELEMENT 9000W 230V
external $\varnothing$ 400 mm - internal $\varnothing$ 390 mm
couplings M14x1.5 mm - overall h 170 mm
for Convection oven electric (CONVOTHERM) OD6.10



CONVOTHERM 5007033

3755322 HEATING ELEMENT 9900W 230V
immersed length 410 mm
flange 88x57 mm
complete with cables - with bulb sheath
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OES10.10
OES10.20 - OES12.20 - OES20.10

5027498 STEAM GENERATOR GASKET
external dimensions 88x56 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 2619179

CONVOTHERM 5017002

CONVOTHERM 6015023



Suitable for:

CONVOTHERM



Suitable for:

5027452 HEATING ELEMENT 9900W 230V
immersed length 415 mm - width 65 mm
flange 88x57 mm
complete with cables - with bulb sheath
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB6.10
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES6.10 - OES6.20 - 6.20



CONVOTHERM 2619188

CONVOTHERM 5017013

5027498 STEAM GENERATOR GASKET
external dimensions 88x56 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 6015023

Hinges, catches and accessories

5054910 SUPPORT FOR DOOR 190x45 mm
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 2619154

CONVOTHERM 6012008

CONVOTHERM 6012016

Hose-end fittings

5038231 2-WAYS HOSE-END FITTING ø 6 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 6005414

Hydraulic piping

5040264 HOSE EPDM ø 6x10 mm - 1000 mm
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 7012302

5054504 HOSE RUBBER ø 15x20 mm 340 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB6.10 - OES10.10 - OES6.10
for Convection oven gas (CONVOTHERM) OGB10.10
OGS10.10 - OGS6.10 - OGB6.10



CONVOTHERM 2016000K

Suitable for:

3449302 PVC HOSE $\varnothing$ 13x19 mm
sold per metre
with fibre reinforcement, high water-air sealing
temperature -20+60°C
burst pressure 36 bar



CONVOTHERM 7002031

Suitable for:

3450209 RUBBER PIPE $\varnothing$ 13x20 mm - 40 m
operating temperature -40+100°C



CONVOTHERM 7012080

3450109 RUBBER PIPE $\varnothing$ 13x20 mm - 5 m
operating temperature -40+100°C



CONVOTHERM 7012080

3450621 RUBBER PIPE 110°C. $\varnothing$ 10x16 mm - 5 m
temperature -30°+110°C
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 16 mm
internal $\varnothing$ 10 mm
for 40 m rolls see 3450651



CONVOTHERM 7002033

Incandescent lamps and neon lamps

2110889 LAMP FOR OVEN 0.08A 12V
for Convection oven (CONVOTHERM) OD10.10 - OD10.20
OD12.20 - OD20.10 - OD20.20 - OD6.10



CONVOTHERM 5003046

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



CONVOTHERM 5005040

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



CONVOTHERM 5005016

CONVOTHERM 5005045

5027932 OVEN LAMP KIT E14 15W 230V
complete with gasket:
external dimensions 93x77 mm
internal dimensions 65x50 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 2618779

CONVOTHERM 5015008



Suitable for:

CONVOTHERM



Suitable for:

Ironmongery (screws,nuts,washers)

5057852 COUNTERSUNK FLAT HEAD SCREWS M6x35

hexagon socket - stainless steel
UNI 5933 - DIN 7991 - ISO 10642



CONVOTHERM 8010001

Knobs

3241324 BLACK KNOB KIT $\varnothing$ 46 mm

D-shaped hole 6x4.6 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 5009320

2111191

KNOB BLACK $\varnothing$ 41 mm

D-shaped hole 6x4.6 mm
for Convection oven (CONVOTHERM) OD10.10 - OD10.20
OD12.20 - OD20.10 - OD20.20 - OD6.10



CONVOTHERM 6003010

Lamp receptacles and spare parts

3221172 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 96x80 mm



CONVOTHERM 5015003

3221053

GASKET FOR OVEN LAMP RECEPTACLE

dimensions $\varnothing$ 48x38x5 mm
for OVEN



CONVOTHERM

3221173 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 73x58 mm



CONVOTHERM 5015002

3221232

GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 53 mm

thread $\varnothing$ 33 mm - overall height 32 mm



CONVOTHERM 5005017

CONVOTHERM 5005017K

Suitable for:

5049278 GLASS OVEN LAMP RECEPTACLES $\varnothing$ 69 mm
with gasket $\varnothing$ 70x62x6 mm
for Convection oven (CONVOTHERM) OD10.10 - OD10.20
OD12.20 - OD20.10 - OD20.20 - OD6.10 - OS10.10
OS10.20 - OS12.20 - OS20.10 - OS20.20 - OS6.10



CONVOTHERM 5005022K


Suitable for:

5039215 GASKET LAMP HOLDER MADE OF GRAPHITE
 $\varnothing$ external 70 mm - $\varnothing$ internal 62 mm
thickness 6 mm
for Convection oven (CONVOTHERM) - Series OD
Series OS



CONVOTHERM 6005013

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole $\varnothing$ 36 mm
max temperature 300°C



CONVOTHERM

3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V
lamp glass $\varnothing$ 53 mm
mounting hole $\varnothing$ 36 mm
max temperature 300°C
for Convection oven (CONVOTHERM)



CONVOTHERM

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions $\varnothing$ 48x38x5 mm
for OVEN



CONVOTHERM

3221232 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 53 mm
thread $\varnothing$ 33 mm - overall height 32 mm



CONVOTHERM 5005017

CONVOTHERM 5005017K

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



CONVOTHERM 5005040

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



CONVOTHERM 5005016

CONVOTHERM 5005045




Suitable for:

CONVOTHERM



- 3221268 LAMP RECEPTACLE W/LAMP G9 25W 240V**
external dimensions 96x80 mm
max temperature 300°C
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 2618780

CONVOTHERM 5015001

- 3186173 GASKET FOR OVEN LAMP RECEPTACLE**
external dimensions 93x79 mm



- 3421002 LAMP HALOGEN NEUTRAL G9 33W 230V**
temperatura massima 250°C



- 3221382 NEUTRAL HALOGEN LAMP G9 42W 230V**
temperatura massima 250°C



- 3221172 FRAME FOR OVEN LAMP RECEPTACLE**
external dimensions 96x80 mm



CONVOTHERM 5015003

- 3221173 GLASS FOR OVEN LAMP RECEPTACLE**
external dimensions 73x58 mm



CONVOTHERM 5015002

- 5049560 NEUTRAL HALOGEN LAMP G9 25W 240V**
temperatura massima 250°C



- 3186532 PTFE GASKET FOR OVEN LAMP RECEPTACLE**
external dimensions 93x77 mm
for OVEN
for Convection oven gas (CONVOTHERM) OGS6.10



CONVOTHERM 6015018

CONVOTHERM 6015020

- 3186532 PTFE GASKET FOR OVEN LAMP RECEPTACLE**
external dimensions 93x77 mm
for OVEN
for Convection oven gas (CONVOTHERM) OGS6.10



CONVOTHERM 6015018

CONVOTHERM 6015020

Level sensors

3341036 LEVEL PROBE FOR BOILER

long electrode length 160 mm
short electrode length 130 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 5001900K
CONVOTHERM 5056348

CONVOTHERM 5019000

CONVOTHERM 5019000K

3341060 LEVEL PROBE 2 ELECTRODES $\varnothing$ 1/2" M

long electrode length 235 mm
short electrode length 185 mm



CONVOTHERM 5009065

3341061 LEVEL PROBE 2 ELECTRODES $\varnothing$ 1/2" M

long electrode length 155 mm
short electrode length 125 mm



CONVOTHERM 5009062

Microswitches

3240438 MAGNETIC MICROSWITCH E5601V

0.04A 250V - NO contact - head 29x19x6 mm
with cable length 1000 mm



CONVOTHERM

3340131 MICROSWITCH DOOR PIC MS-328/599

with cable length 2000 mm - head 29x19 mm
for Convection oven electric (CONVOTHERM) OEB6.20
OES6.20



CONVOTHERM 2518798

CONVOTHERM 5003075

CONVOTHERM 5013070

9014015 MICROSWITCH MAGNETIC $\varnothing$ 10x33 mm

0.04A 250V - contact NO
with cable length 750 mm



CONVOTHERM 5003079

3240148 MICROSWITCH MAGNET 63x19x11 mm





Suitable for:

CONVOTHERM



Suitable for:

Motors

3340132 MOTOR GASKET KIT

for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 2617295

CONVOTHERM 6015206

3340135

MOTOR GASKET SET


for Convection oven (CONVOTHERM)



CONVOTHERM 5008067

5023581 MOTOR L7BC4D-675 0.32Kw

200-240/346-415V 50Hz
200-254/346-440V 60Hz
1.5/0.87A 1400/1700rpm
for Convection oven (CONVOTHERM)




CONVOTHERM 5008051

CONVOTHERM 5008051K

CONVOTHERM 5008054

5056682 MOTOR L9CW4D2-450 0.4/0.68Kw

220-240/346-415V 50Hz 1420rpm
200-254/346-480V 60Hz 1720rpm
2.1/1.2A
for Convection oven (CONVOTHERM) OS10.10 - OS10.20
OS12.20 - OS20.10 - OS20.20 - OS6.10



CONVOTHERM 5008036K

5038240

FAN ø 355 mm

thickness 114 mm
number of blades 42 - ø foro 13 mm
for Convection oven (CONVOTHERM) OD10.10 - OD20.10
OD6.10 - OS10.10 - OS20.10 - OS6.10



CONVOTHERM 6000056

5038234 FAN ø 405 mm

thickness 115 mm
number of blades 38 - ø foro 14 mm
for Convection oven (CONVOTHERM) OD10.20 - OD12.20
OD20.20 - OS10.20 - OS12.20 - OS20.20



CONVOTHERM 6000068

3340135


MOTOR GASKET SET

for Convection oven (CONVOTHERM)




CONVOTHERM 5008067

5035854 MOTOR L9FGW4D-607 1.15Kw
 220/240V 346/415V 50Hz 1410rpm
 200/254V 346/480V 60Hz 1700rpm
 for Convection oven electric (CONVOTHERM) OEB10.20
 OEB12.20 - OEB20.20 - OES10.20 - OES12.20
 OES20.20
 for Convection oven gas (CONVOTHERM) OGB10.20
 OGB12.20 - OGB20.20 - OGS10.20 - OGS12.20
 OGS20.20



CONVOTHERM 2617287

3240339 FAN ø 405 mm
 thickness 155 mm
 blades number 12 - ø tapered hole 13-17 mm
 for Convection oven electric (CONVOTHERM) OEB10.20
 OEB12.20 - OEB20.20 - OES10.20 - OES12.20
 OES20.20
 for Convection oven gas (CONVOTHERM) OGB10.20
 OGB20.20 - OGS10.20 - OGS20.20



CONVOTHERM 2619959

CONVOTHERM 6010003


3340132 MOTOR GASKET KIT
 for Convection oven electric (CONVOTHERM) OEB10.10
 OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
 OEB6.10 - OEB6.20 - OES10.10 - OES10.20
 OES12.20 - OES20.10 - OES20.20 - OES6.10
 OES6.20
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
 OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
 OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
 OGS6.20



CONVOTHERM 2617295

CONVOTHERM 6015206

5025683 MOTOR L9YZW84D-584
 380/415V 50Hz 0.2/0.86Kw 0.6/1.6A 710/1390rpm
 380/480V 60Hz 0.3/1.1Kw 0.6/1.6A 820/1690rpm
 for Convection oven electric (CONVOTHERM) OEB10.10
 OEB20.10 - OEB6.10 - OEB6.20 - OES10.10
 OES20.10 - OES6.10 - OES6.20
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB20.10 - OGB6.10 - OGB6.20 - OGS10.10
 OGS20.10 - OGS6.10 - OGS6.20



CONVOTHERM 2617283

CONVOTHERM 5018002

CONVOTHERM 5018011

5030657 FAN ø 350 mm
 thickness 110 mm
 number of blades 12 - ø conical hole 13-16 mm
 for Convection oven electric (CONVOTHERM) OEB10.10
 OEB20.10 - OEB6.10 - OEB6.20 - OES10.10
 OES20.10 - OES6.10 - OES6.20
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB20.10 - OGB6.20 - OGS10.10 - OGS20.10
 OGS6.20



CONVOTHERM 2619958

CONVOTHERM 6010001



Suitable for:

CONVOTHERM



Suitable for:

3340132 MOTOR GASKET KIT

for Convection oven electric (CONVOTHERM) OEB10.10

OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20

OEB6.10 - OEB6.20 - OES10.10 - OES10.20

OES12.20 - OES20.10 - OES20.20 - OES6.10

OES6.20

for Convection oven gas (CONVOTHERM) OGB10.10

OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20

OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20

OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10

OGS6.20



CONVOTHERM 2617295

CONVOTHERM 6015206

5047667 MOTOR L9YZW84D-585

200V 50Hz 0.24/0.86Kw 1.3/3.2A 710/1390rpm

200/240V 60Hz 0.3/1.1Kw 1.3/3.6A 820/1690rpm

for Convection oven electric (CONVOTHERM)


Series OES

for Convection oven gas (CONVOTHERM) - Series OGB

Series OGS

for Convection oven electric (CONVOTHERM)

Series OEB



CONVOTHERM 2617282

CONVOTHERM 5018004

CONVOTHERM 5018013

5030657

FAN ø 350 mm

thickness 110 mm

number of blades 12 - ø conical hole 13-16 mm

for Convection oven electric (CONVOTHERM) OEB10.10

OEB20.10 - OEB6.10 - OEB6.20 - OES10.10

OES20.10 - OES6.10 - OES6.20

for Convection oven gas (CONVOTHERM) OGB10.10

OGB20.10 - OGB6.20 - OGS10.10 - OGS20.10

OGS6.20



CONVOTHERM 2619958

CONVOTHERM 6010001

3340132 MOTOR GASKET KIT

for Convection oven electric (CONVOTHERM) OEB10.10

OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20

OEB6.10 - OEB6.20 - OES10.10 - OES10.20

OES12.20 - OES20.10 - OES20.20 - OES6.10

OES6.20

for Convection oven gas (CONVOTHERM) OGB10.10

OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20

OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20

OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10

OGS6.20




CONVOTHERM 2617295

CONVOTHERM 6015206

Suitable for:

5026260 MOTOR L9ZAW64D-449
 380/415V 50Hz 940/1420rpm
 380/480V 60Hz 1120/1720rpm
 P1: 0.26/0.68Kw P2: 0.14/0.4Kw 0.55/1.1A
 for Convection oven (CONVOTHERM)



CONVOTHERM 5008060


CONVOTHERM 5008060K

5038234 FAN ø 405 mm
 thickness 115 mm
 number of blades 38 - ø foro 14 mm
 for Convection oven (CONVOTHERM) OD10.20 - OD12.20
 OD20.20 - OS10.20 - OS12.20 - OS20.20



CONVOTHERM 6000068

5038265 MOTOR L9ZW84D-586
 380/415V 50Hz 0.24/1.2Kw 0.9/2.1A 700/1380rpm
 380/480V 60Hz 0.34/1.5Kw 0.8/2.1A 820/1690rpm
 for Convection oven electric (CONVOTHERM) OEB10.20
 OEB12.20 - OEB20.20 - OES10.20 - OES12.20
 OES20.20
 for Convection oven gas (CONVOTHERM) OGB10.20
 OGB12.20 - OGB20.20 - OGS10.20 - OGS12.20
 OGS20.20



CONVOTHERM 2617285

CONVOTHERM 5018003

CONVOTHERM 5018012

3340132 MOTOR GASKET KIT
 for Convection oven electric (CONVOTHERM) OEB10.10
 OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
 OEB6.10 - OEB6.20 - OES10.10 - OES10.20
 OES12.20 - OES20.10 - OES20.20 - OES6.10
 OES6.20
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
 OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
 OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
 OGS6.20



CONVOTHERM 2617295

CONVOTHERM 6015206

Suitable for:

5038240 FAN ø 355 mm
 thickness 114 mm
 number of blades 42 - ø foro 13 mm
 for Convection oven (CONVOTHERM) OD10.10 - OD20.10
 OD6.10 - OS10.10 - OS20.10 - OS6.10




CONVOTHERM 6000056

3340135 MOTOR GASKET SET
 for Convection oven (CONVOTHERM)



CONVOTHERM 5008067

3240339 FAN ø 405 mm
 thickness 155 mm
 blades number 12 - ø tapered hole 13-17 mm
 for Convection oven electric (CONVOTHERM) OEB10.20
 OEB12.20 - OEB20.20 - OES10.20 - OES12.20
 OES20.20
 for Convection oven gas (CONVOTHERM) OGB10.20
 OGB20.20 - OGS10.20 - OGS20.20



CONVOTHERM 2619959

CONVOTHERM 6010003



Suitable for:

CONVOTHERM



7101079 MOTOR 0.12Kw 230V 50/60Hz
0.8A - 2800/3400rpm - capacitor 5 μ F
for Convection oven electric (CONVOTHERM) OES6.06
OES6.10MINI



CONVOTHERM 2618802

CONVOTHERM 5018053

Suitable for:

7108158 FAN $\varnothing$ 200 mm
thickness 43 mm
number of blades: 45 - hole $\varnothing$ 8.3 mm
for Convection oven electric (CONVOTHERM)
OES6.10MINI
for Convection oven electric (CONVOTHERM) OES6.06



CONVOTHERM 2618803

CONVOTHERM 6010050

Non-return and expansion valves

5039035 VALVE OVEN VENTILATION $\varnothing$ 60x58 mm
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 2608962

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



CONVOTHERM 6005015

5039034 O-RING 06175 RED SILICONE



CONVOTHERM 6005068

5038239 O-RING 06237 RED SILICONE



CONVOTHERM 6005069

5021914 VITON O-RING $\varnothing$ 73x67x4 mm
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 6015000

CONVOTHERM 6015010

Penetration probes

- 7100169 KIT PROBE PENETRATION TCK**
complete with bushing and stuffing gland kit
5 wires - bulb $\varnothing$ 3.5x100 mm
cable length 4000 mm
for Convection oven electric (CONVOTHERM) OS06.10
OS10.10 - OS10.20 - OS12.20 - OS20.10
OS20.20



CONVOTHERM 5002068

CONVOTHERM 5002068K

- 5021849 KIT STUFFING GLAND PENTR.PROBE FASTENING**
for Convection oven (CONVOTHERM)



CONVOTHERM 5002061

- 5021849 KIT STUFFING GLAND PENTR.PROBE FASTENING**
for Convection oven (CONVOTHERM)



CONVOTHERM 5002061

- 3397065 PENETRATION PROBE PT100**
3 wires
probe length 185 mm
silicone cable length 4000 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5002062

CONVOTHERM 5002062K

- 5038511 PLUG SLIDE FOR PROBE PENETRATION**
dimensions 52x12x12 mm
for Convection oven electric (CONVOTHERM) OEB6.10
OES6.10



CONVOTHERM 6015236

- 3397063 PROBE PENETRATION TCK**
5 wires
probe length 190 mm
cable length 3000 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.20



CONVOTHERM 5013001

CONVOTHERM 5013022K

Pilot burners and accessories

- 3020156 PILOT JET $\varnothing$ 0.25 mm**



CONVOTHERM 6006008



Suitable for:

CONVOTHERM



Suitable for:

Potentiometers

5022727 POTENTIOMETER SELECTOR SWITCH

D-shaped pin $\varnothing 6 \times 4.6$ mm - pin length 39 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5009095

Pre-rinse units


3759007 BLACK BRASS SHOWER CASE $\varnothing 1/2"$ M

for equipment washing
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 6005005

3759056 JET SWIRL FOR SHOWER CASE $\varnothing 1/2"$



CONVOTHERM 6005006

CONVOTHERM 6005006K

3359610 BLACK SHOWER CASE ECO $\varnothing 1/2"$ M

with coupling $3/8"$ M $\times 1/2"$ M



CONVOTHERM 6011005

CONVOTHERM 6011010

5054622 HOSE FOR SHOWER HOUSING $\varnothing 1/2"$ FF 165 cm


for Convection oven electric (CONVOTHERM) OEB20.10
OEB20.20 - OES20.10 - OES20.20
for Convection oven gas (CONVOTHERM) OGB20.10
OGB20.20 - OGS20.10 - OGS20.20



CONVOTHERM 7012073


CONVOTHERM 7013073

5033136 HOSE FOR SHOWER HOUSING $\varnothing 1/2"$ FF 205 cm for Convection oven (CONVOTHERM) OD10.10 - OD6.10 OS10.10 - OS6.10



CONVOTHERM 7002070

3759056 JET SWIRL FOR SHOWER CASE $\varnothing 1/2"$



CONVOTHERM 6005006

CONVOTHERM 6005006K



Suitable for:

CONVOTHERM



5049657 SHOWER SUPPORT 97x75/80 mm
depth 52 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 2002042

Pressure gauges

3054033 PRESSURE GAUGE $\varnothing$ 40 mm
fitting $\varnothing$ 1/8" M
scale 0-6 bar
for Convection oven (CONVOTHERM)



CONVOTHERM 6006140

3054030 HOSE-END FITTING FOR PRESSURE GAUGE
couplings external $\varnothing$ 12 mm



3248114 COUPLING 3/4" F 1/2" M



3350028 PRESSURE REDUCER VALVE $\varnothing$ 1/2" FF



3350029 WATER INLET COUPLING
couplings 1/2" M 3/4" M





Suitable for:

CONVOTHERM



Suitable for:

Pressure regulators

5057794 KIT PRESSURE ADJUSTER BRASS

complete with clamps
setting range 0.1-2 bar
hose end fitting $\varnothing$ 10 mm
for Convection oven electric (CONVOTHERM) OEB
Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 2217288

CONVOTHERM 2230017

CONVOTHERM 5001085

CONVOTHERM 5010005

Pressure switches

5062418 KIT PRESSURE SWITCH 0.1-2 BAR 10A 250V

complete with pressure gauge scale 0-4 bar
complete with hose end fitting $\varnothing$ 12 mm
hole of hose end fitting $\varnothing$ 0.50 mm
for Convection oven (CONVOTHERM) OESMINI



CONVOTHERM 2226365

CONVOTHERM 2230013

5033027 KIT PRESSURE SWITCH 0.2-3 BAR 10A 250V

complete with pressure gauge scale 0-4 bar
complete with hose end fitting $\varnothing$ 12 mm
hole of hose end fitting $\varnothing$ 1 mm
for Convection oven electric (CONVOTHERM) OEB20.10
OEB20.20 - OES20.10 - OES20.20
for Convection oven gas (CONVOTHERM) OGB20.10
OGB20.20 - OGS20.20 - OSG20.10



CONVOTHERM 2217335

5049045 KIT PRESSURE SWITCH 0.2-3 BAR 10A 250V

complete with pressure gauge scale 0-4 bar
complete with hose end fitting $\varnothing$ 12 mm
hose end fitting hole $\varnothing$ 0.50 mm
for Convection oven electric (CONVOTHERM) OEB6.06
OEB6.10 - OES6.06 - OES6.10 - 6.10MINI
for Convection oven gas (CONVOTHERM) OGB6.10
OGS6.10



CONVOTHERM 2217332

5035475 PRESSURE SWITCH KIT 0.2-3 BAR 10A 250V

complete with pressure gauge scale 0-4 bar
complete with hose-end fitting
hose-end fitting hole $\varnothing$ 0.60 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB6.20 - OES10.10 - OES10.20
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB6.20 - OGS10.10 - OGS10.20
OGS6.20



CONVOTHERM 2217333



Suitable for:

CONVOTHERM



5021911 PRESSURE SWITCH WATER 0.2-3 BAR
contact capacity 10(2)A 250V
pressure 0.2-3 bar – fitting $\varnothing$ 1/8" M
for Convection oven gas (CONVOTHERM) OSG20.20



CONVOTHERM 5009063

Suitable for:

5057147 PRESSURE SWITCH 0.120/0.090 BAR 6A 250
fitting $\varnothing$ 12 mm
internal thread $\varnothing$ 1/8" F
for Convection oven electric (CONVOTHERM) OEB6.20
OES6.20



CONVOTHERM 2619860

7108892 PRESSURE SWITCH 0.150/0.120 BAR 6A 250
fitting $\varnothing$ 12 mm
internal thread $\varnothing$ 1/8" F
for Convection oven (CONVOTHERM)



CONVOTHERM 2629926

5031422 PRESSURE SWITCH 0.200/0.170 BAR 6A 250
fitting $\varnothing$ 12 mm
internal thread $\varnothing$ 1/8" F
for Convection oven electric (CONVOTHERM)
Series OEB – Series OES
for Convection oven gas (CONVOTHERM) – Series OGB
Series OGS



CONVOTHERM 2619149

CONVOTHERM 5013051

3320222 80 mbar PRESSURE SWITCH KIT
complete with pressure switch hose
6A 250V
for OVEN series OSP
for Convection oven (CONVOTHERM) – Series OSP



CONVOTHERM 2611504

CONVOTHERM 5009055

CONVOTHERM 5013050

Probes

3397087 PROBE TEMPERATURE NTC
connector fitting
probe length 120 mm
cable length with connector 60 mm
with fastening coupling M10x1 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5009050

3397066 PROBE TEMPERATURE PT100
2 wires
probe length 350 mm
silicone cable – length 2500 mm
with fastening coupling M14x1.5 mm



CONVOTHERM 5001023

CONVOTHERM 59052



Suitable for:

CONVOTHERM



Suitable for:

3397086 PROBE TEMPERATURE PT100

2 wires
probe length 30 mm
cable length 3000 mm
with fastening coupling M10x1 mm
for Convection oven electric (CONVOTHERM)
ODP12.20 - ODP20.10 - ODP20.20 - OD10.10
for Convection oven electric (CONVOTHERM) OD6.10P



CONVOTHERM 5009052

3341037 PROBE TEMPERATURE TCK

2 wires - bulb $\varnothing$ 4x26 mm - thread M5
cable length 3000 mm
for Convection oven electric (CONVOTHERM)
OEB10.10 - OEB10.20 - OEB12.20 - OEB20.10
OEB20.20 - OEB6.10 - OEB6.20 - OES10.10
OES10.20 - OES12.20 - OES20.10 - OES20.20
OES6.06 - OES6.10 - OES6.20
for Convection oven gas (CONVOTHERM)
OGB10.10 - OGB10.20 - OGB12.20 - OGB20.10
OGB20.20 - OGB6.10 - OGB6.20 - OGS10.10
OGS10.20 - OGS12.20 - OGS20.10 - OGS20.20
OGS6.10 - OGS6.20
for Convection oven (CONVOTHERM) OEB6.20



CONVOTHERM 5002100

CONVOTHERM 5002100K

3397205 PROBE TEMPERATURE TCK


twin wire
probe length 223 mm
silicone cable length 2120 mm
with fastening coupling M8x1 mm
for Convection oven (CONVOTHERM) - Series OSP



CONVOTHERM 5002102K

5021904 PROBE TEMPERATURE TCK

twin wire
probe length 125 mm - cable length 1500 mm
with fastening coupling $\varnothing$ 1/8" M
for Convection oven gas (CONVOTHERM) OGS20.20



CONVOTHERM 5001015

5021905 PROBE TEMPERATURE TCK

twin wire
probe length 68 mm
cable length 670 mm
with fastening coupling $\varnothing$ 1/8" M
for Convection oven gas (CONVOTHERM) OSG20.20



CONVOTHERM 5001016

7110041 PROBE TEMPERATURE TCK

twin wire
probe length 60 mm
cable length 4000 mm
with fastening coupling M12x1 mm
for Convection oven electric (CONVOTHERM)
Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS
for Convection oven electric (CONVOTHERM)
Series OEB



CONVOTHERM 2219137

CONVOTHERM 5002064

Suitable for:

3397187 TEMPERATURE PROBE SUBMERS.HEAT.ELEM.
2 wires
probe length 147 mm
cable length 1600 mm
for Convection oven electric (CONVOTHERM) OS6.10



CONVOTHERM 5002103

Suitable for:

3397206 TEMPERATURE PROBE TCK
2 wires
probe length 150 mm
cable length 2800 mm
for Convection oven electric (CONVOTHERM) OEB20.20
OES20.20



CONVOTHERM 5002104

Rotary switches

3057118 SELECTOR SWITCH 0-1 POSITIONS
4 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4$, $\varnothing 6$ mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5003022

3057334 SELECTOR SWITCH 0-7 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4.6$ mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5003023

Solenoid valves

3120271 COIL MULLER 220/240V 50/60Hz
max temperature 90°C



CONVOTHERM 5001066

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet $\varnothing 10.5$ mm



CONVOTHERM 5001059

3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

CONVOTHERM



3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



CONVOTHERM 5001080

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%





Suitable for:

CONVOTHERM



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120166 SOLENOID VALVE ELBI TYPE 359 3-WAY 90° 220/240V 50/60Hz - max. temperature 90°C inlet 3/4" - three outlets ø 13.5 mm



CONVOTHERM 5001062

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180° 220/240V 50/60Hz - max temperature 90°C inlet 3/4" - three outlets ø 10.5 mm



CONVOTHERM 5011000

3120021 ADJUSTER FOR INLET ELBI BLACK flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL flow rate 1.2 L/min - tolerance +/- 25%





Suitable for:

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



CONVOTHERM



Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



5062697 SOLENOID VALVE INVENSYS 180°
230V 50/60Hz - max. temperature 90°C
inlet da 3/8" - outlet ø 3/8"
for Convection oven (CONVOTHERM)



CONVOTHERM 5011013

3120542 SOLENOID VALVE INVENSYS 2-WAY 90°
230V 50/60Hz - max temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm
with inlet flow rate adjuster
for Convection oven (CONVOTHERM)



CONVOTHERM 5001056

CONVOTHERM 5001057

Sparking and detection plugs

3020461 KIT SPARKING PLUG REPLACEMENT
ø 11x64 mm
complete with cable length 600 mm
for OVEN OGB/OGS 20.10-OGB/OGS 10.10-OGB/OGS 6.20
OGB/OGS 6.10



CONVOTHERM 2617321

CONVOTHERM 4018002

3020222 ROUND DETECTION PLUG ø 9.5x51 mm
overall length 102 mm
complete with cable length 600 mm and gasket
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 2617320

CONVOTHERM 4018000



Suitable for:

CONVOTHERM



3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



CONVOTHERM 4008104

Suitable for:

5021893 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M M4x1 mm
total length 64 mm
for Convection oven gas (CONVOTHERM)



CONVOTHERM 4008101

3020225 SPARKLING PLUG KIT
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 2617322

CONVOTHERM 4018001

Thermostats


5024232 SINGLE PHASE THERMOSTAT 135°C
with manual reset
capillary length 520 mm - 16A 250V
bulb $\varnothing$ 6x77 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5001026

CONVOTHERM 5001026K

3444783 SINGLE-PHASE THERMOSTAT 135°C
with manual reset
capillary length 900 mm
bulb $\varnothing$ 4x80 mm
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGS10.10 - OGS10.20 - OGS12.20
OGS20.10 - OGS20.20 - OGS6.10 - OGS6.20



CONVOTHERM 5019002

CONVOTHERM 5019004

3444058 SINGLE-PHASE THERMOSTAT 325°C
with manual reset
covered capillary length 1200 mm - 16A 250V
bulb $\varnothing$ 4x120 mm - with stuff.gland coupling M8x1
with tank sealing coupling $\varnothing$ 17 mm



CONVOTHERM 5001031

3444513 SINGLE-PHASE THERMOSTAT 340°C
with automatic reset
capillary length 1160 mm - 16A 250V
bulb $\varnothing$ 3x160 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OES10.10 - OES10.20 - OES12.20 - OES20.10
OES20.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB20.10 - OGB20.20 - OGS10.10
OGS10.20 - OGS20.10 - OGS20.20



CONVOTHERM 5001041


CONVOTHERM 5056329

Suitable for:

Suitable for:

3444671 SINGLE-PHASE THERMOSTAT 340°C
with manual reset
capillary length 1170 mm - 16A 250V
bulb ø 3.1x200 mm
for Convection oven electric (CONVOTHERM) OS10.10
OS10.20 - OS12.20 - OS20.10 - OS20.20 - OS6.10

7103864 THERMOSTAT SINGLE-PHASE 58-258°C
D-shaped pin ø 6x4.6 mm
capillary length covered 1120 mm - 16A 250V
bulb ø 3x201 mm
for Convection oven (CONVOTHERM)



CONVOTHERM 5001029

CONVOTHERM 5001021

CONVOTHERM 5001021K

3444493 THREE-PHASE THERMOSTAT 360°C
with manual reset
capillary length 1500 mm
bulb ø 4x120 mm




CONVOTHERM 2618787

CONVOTHERM 5001039

Timers

3446098 TIMER 90 MINUTES M2
mechanical movement with balance wheel
manually set cycle 90 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C - D-shaped pin ø 6x4.6 mm
for Convection oven (CONVOTHERM)
for Convection oven (CONVOTHERM) HUD10.10

3241174 BLACK KNOB ø 44 mm
D shaft hole 6x4.6 mm




CONVOTHERM 5001003

CONVOTHERM 5001003K

3446244 TIMER 90 MINUTES M2
mechanical movement with outrigger
90 minute manual reset cycle
two-pole with contact capacity 16(4)A 250V
max temperature 125°C - D-shaped pin ø 6x4.6 mm
for Convection oven (CONVOTHERM)

3241174 BLACK KNOB ø 44 mm
D shaft hole 6x4.6 mm



CONVOTHERM 5001001

CONVOTHERM 5001001K



Suitable for:

CONVOTHERM



Suitable for:

Tubing and hoses

5037157 COUPLING PIPE 2 WAY

length 95 mm - external $\varnothing$ 10 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS 6.20 - OGS10.10
OGS10.20 - OGS12.20 - OGS20.10 - OGS20.20
OGS6.10



CONVOTHERM 6014001

5059949 COUPLING PIPE 3 WAY

length 210 mm - external $\varnothing$ 26 mm
for Convection oven (CONVOTHERM) OS10.10 - OS10.20
OS12.20 - OS20.10 - OS20.20 - OS6.10



CONVOTHERM 6005300

5034558 HOSE STEAM OUTLET

$\varnothing$ external 55/37 mm
 $\varnothing$ internal 49/30 mm
length 108 mm
for Convection oven (CONVOTHERM) OS10.10 - OS10.20
OS12.20 - OS20.10 - OS20.20 - OS6.10



CONVOTHERM 6006201

5052878 HOSE STEAM OUTLET

$\varnothing$ external 55/37 mm
 $\varnothing$ internal 49/30 mm
length 167 mm
for Convection oven electric (CONVOTHERM)
Series OEB - Series OES
for Convection oven gas (CONVOTHERM) - Series OGB
Series OGS



CONVOTHERM 6015100

CONVOTHERM 6015100K

5038229 3-WAY PIPE COUPLING


length 195 mm - external $\varnothing$ 10 mm
for Convection oven electric (CONVOTHERM) OEB10.10
OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
OEB6.10 - OEB6.20 - OES10.10 - OES10.20
OES12.20 - OES20.10 - OES20.20 - OES6.10
OES6.20
for Convection oven gas (CONVOTHERM) OGB10.10
OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
OGS6.20



CONVOTHERM 6014000

Vibrating pumps

3331004 VIBRATORY PUMP 46-60/38-54W 208/240V
 50/60Hz
 connections $\varnothing$ 1/8" - $\varnothing$ 7 mm
 PUMP CEME E51210EN19240C8
 for Convection oven electric (CONVOTHERM) OEB10.10
 OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
 OEB6.10 - OEB6.20 - OES10.10 - OES10.20
 OES12.20 - OES20.10 - OES20.20 - OES6.10
 OES6.20
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
 OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
 OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
 OGS6.20



CONVOTHERM 5008011

CONVOTHERM 5008011K

3331003 VIBRATORY PUMP 70W 220/230V 60Hz
 connections $\varnothing$ 7.5 mm - $\varnothing$ 8 mm
 for Convection oven electric (CONVOTHERM) OEB10.10
 OEB10.20 - OEB12.20 - OEB20.10 - OEB20.20
 OEB6.10 - OEB6.20 - OES10.10 - OES10.20
 OES12.20 - OES20.10 - OES20.20 - OES6.10
 OES6.20
 for Convection oven gas (CONVOTHERM) OGB10.10
 OGB10.20 - OGB12.20 - OGB20.10 - OGB20.20
 OGB6.10 - OGB6.20 - OGS10.10 - OGS10.20
 OGS12.20 - OGS20.10 - OGS20.20 - OGS6.10
 OGS6.20



CONVOTHERM 5018028

CONVOTHERM 5018035

Wash arms for ovens

5034172 OVEN WASH ARM 150 mm
 complete with nozzles
 for Convection oven (CONVOTHERM)



CONVOTHERM 2611068

CONVOTHERM 2627250

Water valves

5035379 ANGLED VALVE $\varnothing$ 1/2"MM
 for Convection oven electric (CONVOTHERM)
 Series OEB - OEB10.10 - OEB10.20 - OEB12.20
 OEB20.10 - OEB20.20 - OEB6.10 - OEB6.20
 Series OES - OES10.10 - OES10.20 - OES12.20
 OES20.10 - OES20.20 - OES6.10 - OES6.20
 for Convection oven gas (CONVOTHERM) - Series OGB
 OGB10.10 - OGB10.20 - OGB12.20 - OGB20.10
 OGB20.20 - OGB6.10 - OGB6.20 - Series OGS
 OGS10.10 - OGS10.20 - OGS12.20 - OGS20.10
 OGS20.20 - OGS6.10 - OGS6.20



CONVOTHERM 6014003

CONVOTHERM 6014006

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  <p>LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> |  <p>OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
|  <p>LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com</p> |  <p>LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
|  <p>EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> |  <p>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
|  <p>LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> |  <p>LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
|  <p>LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | |
-
- | | |
|---|---|
|  <p>AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> |  <p>DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
|  <p>AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at</p> |  <p>JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp</p> |
|  <p>BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> |  <p>SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
|  <p>BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> |  <p>TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com</p> |
|  <p>CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz</p> |  <p>USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |