



Spare parts for:

Ovens

Suitable for:

EGO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

EGO



Suitable for:

Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction



EGO 5017071000

EGO 5057071010

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



EGO 5017011000

EGO 5037021000


EGO 5017021000

EGO 5057011000

EGO 5037011000

EGO 5057021010

3350079 ENERGY ADJUSTER
complete with switch
contact capacity 230V 13A
max. temperature 125°C
D-shaped pin ø 6x4.6 mm



EGO 5062021461+.....

EGO 5067021461

Heating elements

3355724 HEATING ELEMENT 1000W 230V
immersed length 450 mm - width 65 mm
flange 70x22 mm



EGO 2434584023

3355366 HEATING ELEMENT 1500W 230V
length 105 mm - width 340 mm
flange 70x22 mm



EGO 2410087310

3755279 HEATING ELEMENT 2000W 230V
external ø 195 mm - overall height 70 mm
flange 70x22 mm



EGO 2041235000

3355055 HEATING ELEMENT 2500W 220V
external ø 190 mm - overall height 93 mm
flange 70x22 mm



EGO 2413881023

3355533 HEATING ELEMENT 2500W 230V
length 125 mm - width 655 mm
flange 70x22 mm



EGO 2410022710

Suitable for:

3355712 HEATING ELEMENT 2500W 230V
length 510 mm - width 140 mm
connections M14x1.5 mm



EGO 2434269023

3755207 HEATING ELEMENT 2500W 230V
external $\varnothing$ 200 mm - overall height 78 mm
flange 100x22 mm



EGO 2410007410


EGO 2410007430

3355531 HEATING ELEMENT 2500W 240V
length 125 mm - width 600 mm
flange 70x22 mm



EGO 2410090510

3455366 HEATING ELEMENT 2500W 240V
length 350 mm - width 405 mm
flange 100x22 mm



EGO 2081214540

3455138 HEATING ELEMENT 2650W 230V
external $\varnothing$ 215 mm - total height 80 mm
flange 70x22 mm



EGO 2413601023

EGO 2413900023

3355701 HEATING ELEMENT 3000W 230V
immersed length 380 mm - width 60 mm
flange 80x28 mm



EGO 2040423030

3355703 HEATING ELEMENT 3000W 400V
immersed length 380 mm - width 60 mm
flange 80x28 mm



EGO 2040423020

3355534 HEATING ELEMENT 3500W 230V
length 125 mm - width 655 mm
flange 70x22 mm



EGO 2410022730

3455097 HEATING ELEMENT 4500W 220/380V
immersion depth 390 mm
flange external $\varnothing$ 63 mm
with O-ring



EGO 2463345000



Suitable for:

EGO



- 3755219 HEATING ELEMENT 500W 230V**
immersed length 295 mm
fitting $\varnothing$ 3/4" - complete with cables



EGO 2080461000

Suitable for:

- 3455094 HEATING ELEMENT 6000W 220V**
internal $\varnothing$ 300 mm - height 60 mm
flange 120x70 mm



EGO 2413593000

- 3355137 HEATING ELEMENT 6000W 230V**
external $\varnothing$ 230 mm - overall height 150 mm
flange 140x22 mm



EGO 2413868023

- 3355702 HEATING ELEMENT 6000W 230V**
immersed length 380 mm - width 60 mm
flange 80x28 mm



EGO 2040423010

- 3355708 HEATING ELEMENT 6000W 230V**
immersed length 350 mm - width 65 mm
flange 80x28 mm - with bulb sheath




EGO 2040440000

- 3455342 HEATING ELEMENT 6000W 230V**
immersed length 350 mm - width 65 mm
flange 80x28 mm - with bulb sheath
complete with thermocouple probe



EGO 2040002100

- 3755206 HEATING ELEMENT 6000W 240V**
external $\varnothing$ 230 mm - height 130 mm
flange 140x25 mm



EGO 2430055310

- 3355704 HEATING ELEMENT 6000W 400V**
immersed length 380 mm - width 60 mm
flange 80x28 mm



EGO 2040423000

- 3355709 HEATING ELEMENT 6000W 400V**
immersed depth 375 mm - width 65 mm
flange 80x28 mm - with bulb sheath



EGO 2040440010

- 3355535 HEATING ELEMENT 7500W 220V**
 $\varnothing$ external 265 mm - overall height 173 mm
flange 140x22 mm



EGO 2413869023



Suitable for:

3455093 HEATING ELEMENT 7500W 220V

external $\varnothing$ 315 mm
flange 120x72 mm



EGO 2413592023

EGO



Suitable for:

3755238 HEATING ELEMENT 8000W 400V

external $\varnothing$ 580 mm - overall height 70 mm
flange 80x45 mm



EGO 2040400000

3355707 HEATING ELEMENT 9000W 230V

immersed length 200 mm
flange 82x82 mm - with bulb sheath



EGO 87202904Q

Knobs

3241363 BLACK KNOB $\varnothing$ 50 mm

D-shaped hole 6x4.6 mm



EGO 0000524083

3444129 BLACK KNOB $\varnothing$ 50 mm

D shaft hole 6x4.6 mm
with symbol
for thermostats and timers



EGO 524413

EGO 8335612010

3241362 BLACK KNOB $\varnothing$ 50 mm 10-120'


D-shaped hole 6x4.6 mm
for timer



EGO

3241359 BLACK KNOB $\varnothing$ 50 mm 5-120'

D-shaped hole 6x4.6 mm
for timer



EGO

3444128 BLACK KNOB $\varnothing$ 50 mm 50-300°C

D-shaped pin $\varnothing$ 6x4.6 mm
for EGO thermostat



EGO 524403

EGO 8335604010

3444187 BLACK KNOB $\varnothing$ 50 mm 50-500°C

D-shaped pin $\varnothing$ 6x4.6 mm
for EGO thermostat



EGO 0000524834

EGO 524834



Suitable for:

EGO



3241055 **FIXING CLIP**
for knob with $\varnothing$ 8 mm hole




EGO 0000607007

EGO 607007

Suitable for:

3241338 **KNOB BLACK $\varnothing$ 42 mm**
D-shaped hole 6x4.6 mm



EGO 0000524060

Rotary switches


3057050 **CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



EGO 0000617079

EGO 617079

3057014 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm
back connection for thermostat



EGO 4922015500

EGO 4941015300

EGO 4941015700


3057019 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



EGO 4914915709

EGO 4922015700

3057026 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm



EGO 4921015501


EGO 4921015600

3057118 **SELECTOR SWITCH 0-1 POSITIONS**
4 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4208400008

3057178 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm




EGO 4942915707

3057226 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4924915846

3059057 **SELECTOR SWITCH 0-1 POSITIONS**
ON-OFF-START
16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4926915769

5030542 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4202900000

3057097 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4623966950

2101527 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4924015000


3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm



EGO 4324232000


EGO 4324432000

3057009 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4924915773

3057038 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4924915736


3057039 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4623966845


EGO 4923966845

3057093 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4924215520

3057138 SELECTOR SWITCH 0-3 POSITIONS
for steam adjustment
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4924915765

3057139 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4204400003




Suitable for:

EGO




3057214 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4924915744

4048719 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4926915782

3057010 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4924915800

3057041 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6



EGO 4926915770

3057135 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4925815703

3057315 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4205000034

5010850 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4925815800

3057148 SELECTOR SWITCH 0-5 POSITIONS
8 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4206000016

3057295 SELECTOR SWITCH 0-5 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4926915792

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm



EGO 4327232000




Suitable for:

EGO




- 3057034 SELECTOR SWITCH 0-7 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4928915751

- 3057334 SELECTOR SWITCH 0-7 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4208000047

- 3057091 SELECTOR SWITCH 0-8 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4929915750

- 3057157 SELECTOR SWITCH 0-8 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




EGO 4200001001

- 7101414 SELECTOR SWITCH 4 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4623866802

- 3057344 SELECTOR SWITCH 5 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



EGO 4147823000

- 3057335 SWITCH 10 POSITIONS**
7 cam - contacts 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



EGO 4929815733

Terminal blocks

- 3247010 2-POLES CERAMIC TERMINAL BLOCK**
dimensions 32x46x15 mm



EGO 3805021000



Suitable for:

EGO



Suitable for:

Thermostats

- 3444253 BIPOLAR THERMOSTAT 340°C**
with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x195 mm
for very old series



EGO 5532562811

- 3444616 BULB CONNECTION M12 HOLE $\varnothing$ 6 mm**
stuffing gland M9x1- washer $\varnothing$ 7.7 mm
gasket $\varnothing$ 7.8 mm - thickness 5 mm



EGO 6706100100


- 3444124 PROTECTION CAP**
for safety thermostat
for THERMOSTAT EGO



EGO 0000525020


EGO 525020

- 5024232 SINGLE PHASE THERMOSTAT 135°C**
with manual reset
capillary length 520 mm - 16A 250V
bulb $\varnothing$ 6x77 mm



EGO 5513529210

- 2111707 SINGLE PHASE THERMOSTAT 175°C**
with automatic reset
capillary length 600 mm - 16A 250V
bulb $\varnothing$ 7,5x30 mm



EGO 5514139800


- 5029092 SINGLE PHASE THERMOSTAT 30-110°C**
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 6x130 mm



EGO 5519024804


EGO 5519026800

- 3444296 SINGLE PHASE THERMOSTAT 55°C**
with automatic reset
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x130 mm - with fitting and olive $\varnothing$ 6 mm
for OVEN boiler




EGO 5519112800

- 3444406 SINGLE-PHASE THERMOSTAT +60+300°C**
D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 230V
bulb $\varnothing$ 4x120 mm - with stuffing gland nut M14x1



EGO 5513254040

3444407 SINGLE-PHASE THERMOSTAT 0-250°C
complete with auxiliary selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 3150 mm - 16A 230V
bulb $\varnothing$ 4x102 mm



EGO 5513649010

Suitable for:

3444410 SINGLE-PHASE THERMOSTAT 0-255°C
D-shaped pin 6x4.6 mm
covered capillary length 1440 mm - 16A 230V
bulb $\varnothing$ 3x160 mm




EGO 5513254020

EGO 5515244010

EGO 5519054804

3444402 SINGLE-PHASE THERMOSTAT 0-300°C
D-shaped pin 6x4.6 mm
covered capillary length 1200 mm - 16A 250V
bulb $\varnothing$ 3x160 mm



EGO 5513253010

3444403 SINGLE-PHASE THERMOSTAT 0-300°C
D-shaped pin 6x4.6 mm
covered capillary length 830 mm - 16A 250V
bulb $\varnothing$ 4x100 mm



EGO 5513052150

3444401 SINGLE-PHASE THERMOSTAT 100-180°C
D-shaped pin 6x4.6 mm
covered capillary length 2420 mm - 16A 250V
bulb $\varnothing$ 6x90 mm - with stuff.gland coupling M9x1




EGO 5513032140

EGO 5513239020

EGO 5513239040

EGO 9755132398


3744009 SINGLE-PHASE THERMOSTAT 100-350°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x75 mm



EGO 5510072060


EGO 5519079201

3444974 SINGLE-PHASE THERMOSTAT 100-615°C
complete with switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb $\varnothing$ 4x230 mm



EGO 5534683010

3443074 SINGLE-PHASE THERMOSTAT 110°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x80 mm - with stuff.gland coupling M9x1



EGO 5513022750



Suitable for:

EGO



3444809 SINGLE-PHASE THERMOSTAT 110°C
with automatic reset
covered capillary length 900 mm
bulb $\varnothing$ 3x220 mm - with stuff.gland coupling M9x1



EGO 5513322100

EGO 5519322805

3444478 SINGLE-PHASE THERMOSTAT 120-400°C
complete with knob and indexed ring nut
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 4x230 mm



EGO 5519082806

3444352 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb $\varnothing$ 6x129 mm




EGO 5510522802

EGO 5510522830

EGO 5519522020

3444783 SINGLE-PHASE THERMOSTAT 135°C
with manual reset
capillary length 900 mm
bulb $\varnothing$ 4x80 mm



EGO 5513529140

3444267 SINGLE-PHASE THERMOSTAT 145°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb $\varnothing$ 6x133 mm



EGO 5510522801

EGO 5519522060

3444295 SINGLE-PHASE THERMOSTAT 145°C
with automatic reset
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x130 mm
for OVEN boiler



EGO 5534122828

EGO 5534122839

3444924 SINGLE-PHASE THERMOSTAT 145°C
with manual reset
covered capillary length 1160 mm - 16A 250V
bulb $\varnothing$ 4x100 mm - w/ stuffing gland fitting M9x1
with complete tank sealing fitting M12x1



EGO 5610523500


3444495 SINGLE-PHASE THERMOSTAT 147°C
with manual reset
covered capillary length 1800 mm - 16A 250V
bulb $\varnothing$ 6x77 mm



EGO 5131995080

EGO 5610539550


3444934 SINGLE-PHASE THERMOSTAT 15-250°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing$ 3x200 mm



EGO 5513243010

Suitable for:

3444431 SINGLE-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 880 mm - 20A 400V
bulb $\varnothing$ 6x85 mm



EGO 5532522852

3744005 SINGLE-PHASE THERMOSTAT 150°C
with manual reset
capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 6x80 mm



EGO 5513524050

3444616 BULB CONNECTION M12 HOLE $\varnothing$ 6 mm
stuffing gland M9x1- washer $\varnothing$ 7.7 mm
gasket $\varnothing$ 7.8 mm - thickness 5 mm




EGO 6706100100

5048196 SINGLE-PHASE THERMOSTAT 157°C
with manual reset
covered capillary length 1400 mm - 16A 250V
bulb $\varnothing$ 6x65 mm



EGO 5610534530

3444415 SINGLE-PHASE THERMOSTAT 176°C
with manual reset
covered capillary length 1450 mm - 16A 380V
bulb $\varnothing$ 4x110 mm - with bulb coupling $\varnothing$ 8.6x32 mm



EGO 5513525010

3444591 SINGLE-PHASE THERMOSTAT 183°C
with manual reset
covered capillary length 1460 mm - 16A 250V
bulb $\varnothing$ 6x61 mm



EGO 5610534510

3444339 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 880 mm - 16A 250V
bulb $\varnothing$ 6x130 mm



EGO 5519022808


3444746 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 3000 mm - 16A 230V
bulb $\varnothing$ 3.1x197 mm



EGO 5513224060

EGO 5513229030

3444758 SINGLE-PHASE THERMOSTAT 30-85°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 850 mm - 16A 230V
bulb $\varnothing$ 6x92 mm



EGO 5513012010



Suitable for:

EGO



3444059 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary 2000 mm - 16A 250V
bulb $\varnothing$ 6x130 mm - gland stuffing fitting M10x1



EGO 5519219819

Suitable for:

3444346 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x130 mm - with stuffing gland fitting M9x1



EGO 5519012801

3444400 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 3x262 mm



EGO 5513214160

3444807 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 2000 mm - 16A 250V
bulb $\varnothing$ 6x130 mm



EGO 5519219810


3444120 SINGLE-PHASE THERMOSTAT 320°C
with manual reset
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x80 mm



EGO 5510562830


EGO 5519562020

3444293 SINGLE-PHASE THERMOSTAT 320°C
with manual reset
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x80 mm - with oval coupling $\varnothing$ 10 mm



EGO 5532562820

3444912 SINGLE-PHASE THERMOSTAT 320°C
with manual reset
covered capillary length 860 mm - 16A 250V
bulb $\varnothing$ 4x100 mm



EGO 5610562500

3444058 SINGLE-PHASE THERMOSTAT 325°C
with manual reset
covered capillary length 1200 mm - 16A 250V
bulb $\varnothing$ 4x120 mm - with stuff.gland coupling M8x1
with tank sealing coupling $\varnothing$ 17 mm



EGO 5532559805

EGO 5532569050

3444460 SINGLE-PHASE THERMOSTAT 330°C
with manual reset
covered capillary length 1230 mm - 16A 250V
bulb $\varnothing$ 3x160 mm



EGO 5513569010

3444266 SINGLE-PHASE THERMOSTAT 338°C
with manual reset
covered capillary length 830 mm - 16A 250V
button bulb $\varnothing$ 14x10 mm




EGO 5510562816

EGO 5510562903

EGO 5532562816

3444417 SINGLE-PHASE THERMOSTAT 340°C
with manual reset
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x145 mm - with stuff.gland coupling M9x1



EGO 5514562803

Suitable for:

3444496 SINGLE-PHASE THERMOSTAT 340°C
with manual reset
covered capillary length 1900 mm - 16A 250V
bulb $\varnothing$ 4x100 mm



EGO 5133995030

EGO 5610569500

3444513 SINGLE-PHASE THERMOSTAT 340°C
with automatic reset
capillary length 1160 mm - 16A 250V
bulb $\varnothing$ 3x160 mm



EGO 5610563500

3444671 SINGLE-PHASE THERMOSTAT 340°C
with manual reset
capillary length 1170 mm - 16A 250V
bulb $\varnothing$ 3.1x200 mm



EGO 5513563020

3444285 SINGLE-PHASE THERMOSTAT 350°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb $\varnothing$ 6x77 mm



EGO 5510562800

EGO 5510562811

EGO 5519562100

EGO 5519562110

3444312 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
capillary length covered 1500 mm - 16A 250V
bulb $\varnothing$ 4x110 mm



EGO 5134955030

EGO 5532572801

EGO 5532574800

EGO 5532574801

EGO 5534955030

3444405 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1170 mm - 16A 250V
bulb $\varnothing$ 4x120 mm - with stuff.gland nut M14x1




EGO 5164945010

EGO 5164945020


EGO 9755325529

3444509 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1170 mm - 16A 250V
button bulb $\varnothing$ 15 mm



EGO 5610573510

3444781 SINGLE-PHASE THERMOSTAT 360°C
with automatic reset
covered capillary length 1170 mm - 16A 230V
bulb $\varnothing$ 4x95 mm - with stuffing gland nut M14x1



EGO 5610573500

3444804 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 860 mm - 16A 250V
button bulb $\varnothing$ 11x10 mm - nut M14x1



EGO 5532572804



Suitable for:

EGO



3444816 SINGLE-PHASE THERMOSTAT 365°C
with manual reset
covered capillary length 1200 mm - 16A 250V
bulb $\varnothing$ 5x70 mm - with stuffing gland nut M9x1




EGO 5610573530

3444907 SINGLE-PHASE THERMOSTAT 365°C
with manual reset
capillary length 850 mm - 16A 250V
bulb $\varnothing$ 3x166 mm



EGO 5513572040

3444936 SINGLE-PHASE THERMOSTAT 365°C
with manual reset
covered capillary length 1800 mm - 16A 250V
bulb $\varnothing$ 3x160 mm




EGO 5513575020

3444337 SINGLE-PHASE THERMOSTAT 45-260°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x226 mm




EGO 5519052808

3444464 SINGLE-PHASE THERMOSTAT 50-100°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 2200 mm - 16A 250V
bulb $\varnothing$ 3x200 mm - with stuff.gland coupling M9x1



EGO 5513229060

3444114 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



EGO 5510052820

EGO 5510052850


EGO 5519032803

EGO 5519043850

EGO 5519052803


EGO 5519059805

3444263 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1250 mm - 16A 250V
bulb $\varnothing$ 3x223 mm - with stuff.gland coupling M8x1
with tank sealing coupling $\varnothing$ 16.5x13 mm




EGO 5519059809

3444413 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 2400 mm - 16A 230V
bulb $\varnothing$ 3x160 mm



EGO 5513254030

3444414 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1430 mm - 16A 230V
bulb $\varnothing$ 3x160 mm - with adapter nipple band M9x1



EGO 5513244010

Suitable for:

3744013 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 2600 mm
bulb $\varnothing$ 3.1x220 mm



EGO 5519049201

3444459 SINGLE-PHASE THERMOSTAT 50-255°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x219 mm - with stuff.gland coupling M10x1



EGO 5519052842

3444434 SINGLE-PHASE THERMOSTAT 50-267°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 950 mm - 16A 250V
bulb $\varnothing$ 3x230 mm



EGO 5519052800

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



EGO 5519059805

EGO 5519059808

EGO 5519259811

3444289 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 3000 mm - 16A 250V
bulb $\varnothing$ 3x210 mm - with adapter nipple band M9x1



EGO 5519052832

EGO 5519256800

3444428 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 870 mm - 16A 250V
bulb $\varnothing$ 3x230 mm - with stuff.gland coupling M10x1



EGO 5519052897

3444455 SINGLE-PHASE THERMOSTAT 50-275°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1400 mm - 16A 250V
bulb $\varnothing$ 3x130 mm



EGO 5519059826

3444429 SINGLE-PHASE THERMOSTAT 50-280°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1270 mm - 16A 250V
bulb $\varnothing$ 3x200 mm



EGO 5517053040

3444440 SINGLE-PHASE THERMOSTAT 50-280°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x200 mm



EGO 5519052805



Suitable for:

EGO



5037893 SINGLE-PHASE THERMOSTAT 50-280°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x140 mm



EGO 5519052823

Suitable for:

3444427 SINGLE-PHASE THERMOSTAT 50-285°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 840 mm - 16A 250V
bulb $\varnothing$ 3x230 mm



EGO 5519052817

3444454 SINGLE-PHASE THERMOSTAT 50-285°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing$ 3x150 mm



EGO 5517052130

EGO 5517059310

3444457 SINGLE-PHASE THERMOSTAT 50-290°C


D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



EGO 5519054801

3444449 SINGLE-PHASE THERMOSTAT 50-295°C

complete with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x219 mm



EGO

EGO 462396888+...

3444432 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



EGO 5519059831

3444488 SINGLE-PHASE THERMOSTAT 50-300°C


complete with knob and knob ring nut $\varnothing$ 60 mm
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 870 mm - 16A 250v
bulb $\varnothing$ 3x225 mm



EGO 5519052861

3444145 SINGLE-PHASE THERMOSTAT 50-310°C


D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 1600 mm - 16A 250V
bulb $\varnothing$ 4x120 mm
for OVEN



EGO 5519064010

EGO 5519064800

3444062 SINGLE-PHASE THERMOSTAT 50-320°C
complete with auxiliary selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



EGO TT52011060

EGO 5519962809

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



EGO 5510062010

EGO 5519052818

EGO 5519062800

3444361 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary 950 mm - 16A 250V
bulb $\varnothing$ 3x160 mm



EGO 5513062040

EGO 5513069500

EGO 5518062050

3444305 SINGLE-PHASE THERMOSTAT 50-500°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 4x230 mm




EGO 5173948130

EGO 5519082802

EGO 6473948160

3444465 SINGLE-PHASE THERMOSTAT 50-85°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 6x70 mm - with stuff.gland coupling M9x1



EGO 5513219310


3444701 SINGLE-PHASE THERMOSTAT 55-250°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1170 mm - 16A 250V
bulb $\varnothing$ 3.1x226 mm - with stuffing gland M9x1



EGO 5510243010

EGO 5519243010

3744072 SINGLE-PHASE THERMOSTAT 60°C
with manual reset
covered capillary length 1500 mm - 16A 250V
button bulb $\varnothing$ 11x28 mm - nut M14x1



EGO 5519314806

5031404 SINGLE-PHASE THERMOSTAT 60-318°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 870 mm - 16A 250V
bulb $\varnothing$ 3x139 mm
for EMMEPI OVEN FE900



EGO 5519062813




Suitable for:

EGO




3444294 SINGLE-PHASE THERMOSTAT 65°C
with automatic reset
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x130 mm
for OVEN capacitor




EGO 5519222811

5025542 SINGLE-PHASE THERMOSTAT 66-310°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1500 mm
double bulb $\varnothing$ 3x120 mm
for EMMEPI OVEN FE900



EGO 5519069859

3444297 SINGLE-PHASE THERMOSTAT 70°C
with automatic reset
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x135 mm
for steam control in OVEN




EGO 5519222810

3444586 SINGLE-PHASE THERMOSTAT 75-450°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 4x228 mm




EGO 5519082805

3444753 SINGLE-PHASE THERMOSTAT 78°C
with automatic reset
covered capillary length 900 mm - 16A 230V
bulb $\varnothing$ 3x230 mm



EGO 5519312801

3744104 SINGLE-PHASE THERMOSTAT 97-190°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 6x90 mm - with stuffing gland fitting M9x1



EGO 5513034120

3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1



EGO 0000270611

EGO 615121

3444621 WASHER FOR CAPILLARY THERMOSTAT
 $\varnothing$ 7.7 mm



EGO 6706101

3786474 GASKET STUFFING GLAND $\varnothing$ 7.8 mm
height 5 mm
for thermostat EGO



EGO 0006706103

EGO 6706103

3444122 STUFFING GLAND FOR THERMOSTAT MILLED M10



EGO 2702130001

EGO 616085

3444621 WASHER FOR CAPILLARY THERMOSTAT ø 7.7 mm



EGO 6706101

3786474 GASKET STUFFING GLAND ø 7.8 mm height 5 mm for thermostat EGO



EGO 0006706103

EGO 6706103

3744140 THERMOSTATO THREE-PHASE 360°C manual reset covered capillary length 1490 mm bulb ø 3x190 mm



EGO 5532574040

40KB677 THERMOSTAT SINGLE PHASE 50-200°C D-shaped pin ø 6x4.6 mm capillary length covered 880 mm - 16A 250V bulb ø 3x158 mm



EGO 5518042010

40K0662 THERMOSTAT SINGLE-PHASE 100-470°C complete with selector switch D-shaped pin ø 6x4.6 mm capillary length covered 1100 mm bulb ø 4x225 mm



EGO 5534683040

7110437 THERMOSTAT SINGLE-PHASE 360°C with manual reset length capillary covered 1200 mm - 16A 250V bulb ø 4x103 mm - with stuffing gland fitting M8x1 with complete tank seal fitting 1/4"



EGO 5610573550

2111653 THERMOSTAT SINGLE-PHASE 55-325°C D-shaped pin ø 6x4.6 mm capillary length 1500 mm double bulb ø 3x120 mm



EGO 5519063805

EGO 5519069858

7103864 THERMOSTAT SINGLE-PHASE 58-258°C D-shaped pin ø 6x4.6 mm capillary length covered 1120 mm - 16A 250V bulb ø 3x201 mm



EGO 5513053180



Suitable for:

EGO



3744160 THERMOSTAT SINGLE-PHASE 71-303°C

D-shaped pin $\varnothing$ 6x4.6 mm
length capillary 1230 mm
double bulb $\varnothing$ 3x127 mm



EGO 5519069802

Suitable for:

40C2983 THERMOSTAT THREE-PHASE 140°C


with manual reset
capillary length covered 890 mm - 20A 380V
bulb $\varnothing$ 6x87 mm



EGO 5532522480

5016372 THERMOSTAT THREE-PHASE 350°C

with manual reset
capillary length covered 1000 mm
bulb $\varnothing$ 6x89 mm



EGO 5532569800

5026626 THERMOSTAT THREE-PHASE 360°C


with manual reset
capillary length covered 1140 mm
button bulb $\varnothing$ 15x8 mm



EGO 5533573070

40M0722 THERMOSTAT THREE-PHASE 50-300°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1440 mm - 16A 400V
bulb $\varnothing$ 6x80 mm



EGO 5534054020

7102869 THERMOSTAT THREE-PHASE 650°C

with manual reset
length capillary 1200 mm - 20A 400V
bulb $\varnothing$ 4x230 mm



EGO 5532583040

2102671 THERMOSTAT TRIPHASE 360°C

with manual reset
capillary length 1780 mm - 16A 400V
bulb $\varnothing$ 4x128 mm



EGO 5534175010

2000134 THERMOSTAT 3-PHASE 50-300°C

D-shaft $\varnothing$ 6x4.6 mm
covered capillary length 800 mm
bulb $\varnothing$ 6x77 mm



EGO 5534052110

3444040 THREE-PHASE THERMOSTAT 100-300°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb $\varnothing$ 6x80 mm




EGO 5534052804

EGO 5534059804

EGO 5534059806

3443072 THREE-PHASE THERMOSTAT 130°C

with manual reset
capillary length 1000 mm
bulb $\varnothing$ 6x80 mm - with adapter nipple band M13x1



EGO 5532522160

EGO 5534059814

3444291 THREE-PHASE THERMOSTAT 132°C
with manual reset
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 6x80 mm - with stuffing gland fitting M9x1
for old series



EGO 5532522120

EGO 5532522810

EGO 5532524020

3444589 THREE-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 1700 mm
bulb $\varnothing$ 6x75 mm



EGO 5532529819

3444770 THREE-PHASE THERMOSTAT 157°C
with manual reset
covered capillary length 900 mm - 16A 230V
bulb $\varnothing$ 6x80 mm



EGO 5532522811

3444959 THREE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 1000 mm
bulb $\varnothing$ 6x90 mm



EGO 5532542010

3444752 THREE-PHASE THERMOSTAT 30-350°C
D-shaped pin 6x4.6 mm
covered capillary length 880 mm - 16A 230V
bulb $\varnothing$ 4x128 mm




EGO 5534062150

3444298 THREE-PHASE THERMOSTAT 337°C
with manual reset
covered capillary length 850 mm - 10A 400V
button bulb $\varnothing$ 14x10 mm



EGO 5532562804

3444025 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length 1200 mm - 10A 400V
bulb $\varnothing$ 6x160 mm



EGO 5531566010

EGO 5531569010

3444333 THREE-PHASE THERMOSTAT 350°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb $\varnothing$ 4x310 mm



EGO 5532562814

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb $\varnothing$ 3x190 mm



EGO 5532562805

EGO 5532562808

2000135 THREE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1710 mm - 10A 400V
bulb $\varnothing$ 4x120 mm



EGO 5532579010




Suitable for:

EGO



3444493 THREE-PHASE THERMOSTAT 360°C
with manual reset
capillary length 1500 mm
bulb $\varnothing$ 4x120 mm




EGO 5532562802

EGO 5532574010

Suitable for:

3444713 THREE-PHASE THERMOSTAT 40-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 380V
bulb $\varnothing$ 3x219 mm



EGO 5534062801


EGO 6303010010

3744063 THREE-PHASE THERMOSTAT 400°C
with manual reset
capillary length 1200 mm - 10A 400V
bulb $\varnothing$ 4x230 mm




EGO 5532573030

3444148 THREE-PHASE THERMOSTAT 50-300°C
complete with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 850 mm - 10A 400V
bulb $\varnothing$ 6x78 mm



EGO 5534052010

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb $\varnothing$ 3x220 mm




EGO 5534052807

EGO 5534052817

EGO 5534059801

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x230 mm



EGO 5534052819

EGO 5534062807

EGO 5534062815

3444452 THREE-PHASE THERMOSTAT 50-450°C
D-shaped pin 6x4.6 mm
capillary length 1200 mm - 10A 400V
bulb $\varnothing$ 4x228 mm




EGO 5534083802

3444044 THREE-PHASE THERMOSTAT 60-260°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb $\varnothing$ 4x130 mm



EGO 5534059805

3444735 THREE-PHASE THERMOSTAT 60-300°C
D-shaped pin 6x4.6 mm
covered capillary length 3000 mm - 16A 230V
bulb ø 6x80 mm



EGO 5534059060


EGO 5534256020

3444038 THREE-PHASE THERMOSTAT 60-320°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb ø 4x130 mm



EGO 5534069804

3444147 THREE-PHASE THERMOSTAT 63-300°C
complete with selector switch
D-shaped pin ø 6x4.6 mm
capillary length covered 1400 mm - 10A 400V
bulb ø 3x220 mm




EGO 5534963817

3444430 3-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 1650 mm - 16A 230V
bulb ø 6x80 mm



EGO 5532529815

3444695 3-PHASE THERMOSTAT 160°C
with manual reset
covered capillary length 890 mm - 10A 400V
bulb ø 6x87 mm - with stuffing gland fitting M10x1



EGO 5532532805


EGO 5532532809

3444927 3-PHASE THERMOSTAT 30-90°C
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb ø 6x170 mm



EGO 5534012210

3744102 3-PHASE THERMOSTAT 300°C
with manual reset
covered capillary length 900 mm - 20A 400V
button bulb ø 14x16 mm



EGO 5532552809

3444290 3-PHASE THERMOSTAT 325°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 3x195 mm - with stuff.gland coupling M9x1




EGO 5532562810

3444446 3-PHASE THERMOSTAT 338°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb ø 6x53 mm - nut coupling M10x1



EGO 5532562847

3444458 3-PHASE THERMOSTAT 350°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb ø 4x120 mm - with stuff.gland coupling M10x1



EGO 5532562807



Suitable for:

EGO




3444937 3-PHASE THERMOSTAT 368°C
with manual reset
covered capillary length 1500 mm - 10A 400V
bulb ø 3x160 mm



EGO 5532574080

Suitable for:

3444926 3-PHASE THERMOSTAT 50-260°C
D-shaped pin ø 6x4.6 mm
capillary length 1550 mm - 10A 400V
bulb ø 6x140 mm - with stuff.gland coupling M9x1
with complete tank sealing coupling M12x1



EGO 5534054201

3444788 3-PHASE THERMOSTAT 500°C
with manual reset
capillary length 900 mm - 10A 400V
bulb ø 4x310 mm



EGO 5532582800

3444952 3-PHASE THERMOSTAT 70-140-200°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 3x260 mm



EGO 5534132070

EGO 5534132201

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  <p>LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> |  <p>OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
|  <p>LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com</p> |  <p>LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
|  <p>EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> |  <p>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch</p> |
|  <p>LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> |  <p>LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
|  <p>LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | |
-
- | | |
|---|---|
|  <p>AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> |  <p>DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
|  <p>AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at</p> |  <p>JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp</p> |
|  <p>BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> |  <p>SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
|  <p>BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> |  <p>TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com</p> |
|  <p>CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz</p> |  <p>USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |