




Spare parts for:

Ovens



Suitable for:

ELECTROLUX PROFESSIONAL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Air regulators

4051774 ADJUSTER AIR
internal $\varnothing$ 23 mm - external $\varnothing$ 26 mm
height 42 mm



ELECTROLUX PROFESSIONAL 051774

3020097 PILOT AERATION REGULATOR
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



ELECTROLUX PROFESSIONAL 057251

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ELECTROLUX PROFESSIONAL 0C1478 ELECTROLUX PROFESSIONAL 0C4106 ELECTROLUX PROFESSIONAL 0C4423 ELECTROLUX PROFESSIONAL 006125
ELECTROLUX PROFESSIONAL 0E2261 ELECTROLUX PROFESSIONAL 002656 ELECTROLUX PROFESSIONAL 002690
ELECTROLUX PROFESSIONAL 058855

3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



3240519 AXIAL MOTOR FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



ELECTROLUX PROFESSIONAL

3240515 AXIAL MOTOR FAN EBM 8556N
230V 50Hz 12W 2800rpm
80x80x38 mm
ball bearing



ELECTROLUX PROFESSIONAL 083528

Ball valves and accessories

3359136 BRACKET FOR ROD



ELECTROLUX PROFESSIONAL 003378

Ball valves and accessories

3359137 DRAIN TAP $\varnothing$ 3/4"FF



ELECTROLUX PROFESSIONAL 056114

3359136 BRACKET FOR ROD



ELECTROLUX PROFESSIONAL 003378

3356067 DRAIN TAP LEVER 200 mm



ELECTROLUX PROFESSIONAL 003377

3356067 DRAIN TAP LEVER 200 mm



ELECTROLUX PROFESSIONAL 003377

3526632 GAS/WATER BALLCOCK VALVE $\varnothing$ 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



ELECTROLUX PROFESSIONAL 0K7222

Bearings

3063123 BEARING 6201 2RSH SKF
external $\varnothing$ 32mm - internal $\varnothing$ 12mm - thickness 10mm




ELECTROLUX PROFESSIONAL 0D7339

3063120 BEARING 6202 2RSH SKF
external $\varnothing$ 35mm - internal $\varnothing$ 15mm - thickness 11mm



ELECTROLUX PROFESSIONAL 0D0035 ELECTROLUX PROFESSIONAL 072751

3063017 BEARING 6203 DDU NSK
external $\varnothing$ 40mm - internal $\varnothing$ 17mm - thickness 12mm



3063121 BEARING 6203 2RSH SKF
external $\varnothing$ 40mm - internal $\varnothing$ 17mm - thickness 12mm



ELECTROLUX PROFESSIONAL 0D0821 ELECTROLUX PROFESSIONAL 0D5458 ELECTROLUX PROFESSIONAL 0KJ007 ELECTROLUX PROFESSIONAL 0D0821 ELECTROLUX PROFESSIONAL 0KJ007 ELECTROLUX PROFESSIONAL 089918
ELECTROLUX PROFESSIONAL 089918



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:


3063122 BEARING 6204 2RSH SKF
external $\varnothing$ 47mm - internal $\varnothing$ 20mm - thickness 14mm



ELECTROLUX PROFESSIONAL 0H2694 ELECTROLUX PROFESSIONAL 0KQ395 ELECTROLUX PROFESSIONAL 045726
ELECTROLUX PROFESSIONAL 065048

Boilers

3024016 STEAM GENERATING BOILER
made of STAINLESS STEEL
sizes 700x280x170 mm



ELECTROLUX PROFESSIONAL 0C5335 ELECTROLUX PROFESSIONAL 002631

3186429 SEALING GASKET 270x112 mm
for boiler



ELECTROLUX PROFESSIONAL 002706

3024017 STEAM GENERATOR PLUG



ELECTROLUX PROFESSIONAL 002692

Bushings

3449284 COUPLING RING
for OVEN



ELECTROLUX PROFESSIONAL 055324

Buzzers

3397301 ALARM BELL AC00206 85x45x25 mm
power 220/240GV



ELECTROLUX PROFESSIONAL 0C7006 ELECTROLUX PROFESSIONAL 055368

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston ø 4 mm for ignition plug



ELECTROLUX PROFESSIONAL 054273

3001016 IGNITION LEAD 1000 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode



ELECTROLUX PROFESSIONAL 002544 ELECTROLUX PROFESSIONAL 006514 ELECTROLUX PROFESSIONAL 058494
ELECTROLUX PROFESSIONAL 059146 ELECTROLUX PROFESSIONAL 059842

3001019 IGNITION LEAD 1000 mm
with faston ø 2.4 mm for ignition
with faston ø 2.4 mm for electrode



ELECTROLUX PROFESSIONAL 005559

4003755 IGNITION LEAD 1000 mm
with faston 3x0.8 mm for ignition
with faston ø 4 mm for plug



ELECTROLUX PROFESSIONAL 003755

3001028 IGNITION LEAD 500 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for sparking plug



ELECTROLUX PROFESSIONAL 059578

3001018 IGNITION LEAD 600 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode



ELECTROLUX PROFESSIONAL 004943

4006023 KIT CABLES FOR PLUG
two ground cables 140 mm
one cable - red silicone 750 mm
one cable - red silicone 850 mm
one ignition cable 720 mm
one ignition cable - 1320 mm



ELECTROLUX PROFESSIONAL 006023

4003082 KIT PLUG CABLES
four ground cables 140 mm
one cable made of red silicone 1200 mm
two red silicone cables 1350 mm
one red silicone cable
two ignition leads 1350 mm
two ignition leads 1700 mm



ELECTROLUX PROFESSIONAL 003082



Suitable for:

Suitable for:

- 3001031 PLUG CABLES KIT**
two grounding cables 100 mm
one red silicone cable 950 mm
one red silicone cable 1200 mm
one ignition cable 1100 mm
one ignition cable 1600 mm



ELECTROLUX PROFESSIONAL 006024

Capacitors, electrical

- 3068016 CAPACITOR μ F 10 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 00J0403 ELECTROLUX PROFESSIONAL 056148

- 3068019 CAPACITOR μ F 12.5 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 037269 ELECTROLUX PROFESSIONAL 047541 ELECTROLUX PROFESSIONAL 047883

- 3068024 CAPACITOR μ F 16 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 0A2914 ELECTROLUX PROFESSIONAL 0C1187 ELECTROLUX PROFESSIONAL 0H6812 ELECTROLUX PROFESSIONAL 0E0174

- 3068002 CAPACITOR μ F 2.5 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



- 3068027 CAPACITOR μ F 20 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 0H1044 ELECTROLUX PROFESSIONAL 047744

- 3068008 CAPACITOR μ F 5 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX PROFESSIONAL 0K9108 ELECTROLUX PROFESSIONAL 037268

- 3068010 CAPACITOR μ F 6.3 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX PROFESSIONAL 049260

- 3068014 CAPACITOR μ F 8 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 049126

Caps

40C1151 CAP BLUE ø 48 mm



ELECTROLUX PROFESSIONAL 0C1151

40C1152 CAP RED ø 48 mm



ELECTROLUX PROFESSIONAL 0C1152

Centrifugal fans

3240743 MOTOR FAN RG128/1300-3612 55W 24V




ELECTROLUX PROFESSIONAL 0C1112

**40C4103 MOTOR FAN RG128/1300-3612-030204
70W 230V 50Hz**



ELECTROLUX PROFESSIONAL 0C4103

3240500 MOTOR FAN 37/43W 220/240V 50/60HZ



ELECTROLUX PROFESSIONAL 002639

Clamps

3449462 HOSE CLAMP 12-20
for pipes ø 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 049888

3449476 HOSE CLAMP 70-90
for pipes ø 70÷90 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 0E1354 ELECTROLUX PROFESSIONAL 0KI583

Contact thermostats

40KL023 CONTACT THERMOSTAT 210°C
with automatic reset



ELECTROLUX PROFESSIONAL 0KL023

3744083 CONTACT THERMOSTAT 250°C 10A 250V
with automatic reset
connection M4



ELECTROLUX PROFESSIONAL 005203



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Contactors

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

3454048 CONTACTOR ABB A9-30-10
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0KJ022 ELECTROLUX PROFESSIONAL 0KQ380 ELECTROLUX PROFESSIONAL 033108

3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



ELECTROLUX PROFESSIONAL 004159

40C7622 CONTACTOR BENEDIKT/JAGER K3-10NA00-40
10A 400V 4Kw - coil 230V 50/60Hz
4 normally open contacts



ELECTROLUX PROFESSIONAL 0C7622

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01
10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 0E3757 ELECTROLUX PROFESSIONAL 0L0285 ELECTROLUX PROFESSIONAL 047048 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995
ELECTROLUX PROFESSIONAL 048825 ELECTROLUX PROFESSIONAL 072319

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 082986 ELECTROLUX PROFESSIONAL 088477

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

Suitable for:

3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10
 14A 400V 5.5Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0E0020 ELECTROLUX PROFESSIONAL 0E1291 ELECTROLUX PROFESSIONAL 0K3968 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995
 ELECTROLUX PROFESSIONAL 0L0360 ELECTROLUX PROFESSIONAL 046994

Suitable for:

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10
 18A 400V 7.5Kw - coil 220/240V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 003598 ELECTROLUX PROFESSIONAL 006879

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

40K3384 CONTACTOR BENEDIKT/JAGER K3-22ND01
 22A 400V 11Kw - coil 220/240V 50Hz 230/264V 60Hz
 3 contact NO
 1 auxiliary contact NC



ELECTROLUX PROFESSIONAL 0H7052 ELECTROLUX PROFESSIONAL 0K3384

4007080 CONTACTOR BENEDIKT/JAGER K3-32A00
 32A 15Kw 400V - coil 220/240V-230/264V 50/60Hz
 3 contacts NO



ELECTROLUX PROFESSIONAL 007080

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

4007104 CONTACTOR BENEDIKT/JAGER K3-40A00
 40A 400V 18.5Kw - coil 220/240V-230/264V 50/60Hz
 3 contacts NO



ELECTROLUX PROFESSIONAL 007104

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995



ELECTROLUX PROFESSIONAL



Suitable for:


3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 003027 ELECTROLUX PROFESSIONAL 004206

Suitable for:

3454022 CONTACTOR LOVATO BF1201A
coil 12A 230V 50/60Hz 5.7Kw
3 normally closed contacts
1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 0KD792

3446506 CONTACTOR LOVATO BF2510A
25A 400V 12.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0K4938 ELECTROLUX PROFESSIONAL 054928

3446552 CONTACTOR LOVATO BG0610A
coil 6A 230V 50/60Hz 2.2Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 086215

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 086169

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 048519 ELECTROLUX PROFESSIONAL 054544 ELECTROLUX PROFESSIONAL 075796

3351098 THERMAL RELAY ABB TA25DU
2.2÷3.1A
1 normally open contact
1 normally closed contact



ELECTROLUX PROFESSIONAL 0D1626

Detergents

3092248 DEGREASER DETERGENT ECOLAB 1 L - 4 PCS
detergent for grills and hot plates
it can be used on hot surfaces
please see the attached documentation for use



ELECTROLUX PROFESSIONAL 0S1195

40S1192 DETERGENT FOR OVENS EXTRA STRONG CLEAN 5L
for cooking chamber cleaning
please see the attached documentation for use



ELECTROLUX PROFESSIONAL 0S1192

Door glasses for oven and accessories

40C0942 GLASS EXTERNAL OVEN DOOR 755x670 mm




ELECTROLUX PROFESSIONAL 0C0942 ELECTROLUX PROFESSIONAL 002646

4004838 LOCK FOR DOOR GLASS ø 33x40 mm
pin head ø 18 mm



ELECTROLUX PROFESSIONAL 004838

4006976 STOP RUBBER DOOR GLASS ø 25 mm



ELECTROLUX PROFESSIONAL 006976

Drip trays for kitchens and ovens

3242046 DOOR CONDENSATION-EXHAUST DEVICE



ELECTROLUX PROFESSIONAL 002648 ELECTROLUX PROFESSIONAL 003773

40C4242 DRIP TRAY 604x78x24 mm



ELECTROLUX PROFESSIONAL 0C4242

40C4298 DRIP TRAY 785x78x24 mm



ELECTROLUX PROFESSIONAL 0C4298



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Electrical gas valves and accessories

3526270 VALVE 820 NOVA EXTENSION
D shaft $\varnothing$ 10x8 mm



ELECTROLUX PROFESSIONAL 004667

3526137 BUTTON FOR ELETTROSIT VALVE 46 mm



ELECTROLUX PROFESSIONAL 053820 ELECTROLUX PROFESSIONAL 053992

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX PROFESSIONAL 0K3020

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX PROFESSIONAL 002452

3526087 ELETTROSIT VALVE $\varnothing$ 3/4"FF
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 24V 50Hz
pilot connection and LOWER thermocouple



ELECTROLUX PROFESSIONAL 054437

3526090 ELETTROSIT VALVE $\varnothing$ 3/4"FF
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



ELECTROLUX PROFESSIONAL 057543

3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm
for switching on/off buttons



ELECTROLUX PROFESSIONAL 051281 ELECTROLUX PROFESSIONAL 055805

3241141 EXTENSION FOR 820 NOVA VALVE
D-shaped pin 10x8 mm
for OVEN- FRYER



ELECTROLUX PROFESSIONAL 059305

Suitable for:

3526066 HONEYWELL VALVE V4400C $\varnothing$ 3/4"FF 220V
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz



ELECTROLUX PROFESSIONAL 057340

3440200 TWIN LEAD THERMOPILE $\varnothing$ 9x65 mm
cable length 580 mm - with coupling M11X1



ELECTROLUX PROFESSIONAL 002607

4006596 VALVE VK4105P HONEYWELL $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting pitch ASA
maximum pressure gas inlet 60 mbar
ambient temperature -15÷60°C
power supply 220/240V 50Hz



ELECTROLUX PROFESSIONAL 006596

3526183 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 60Hz



ELECTROLUX PROFESSIONAL 006182

Suitable for:

3526136 SPRING FOR PUSH-BUTTON



ELECTROLUX PROFESSIONAL 053819

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX PROFESSIONAL 054539 ELECTROLUX PROFESSIONAL 056601

3526079 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz




ELECTROLUX PROFESSIONAL 055446



Suitable for:

Suitable for:

3526361 VALVE 822 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz



ELECTROLUX PROFESSIONAL 059473

3020083 NUT & OLIVE $\varnothing$ 4 mm




ELECTROLUX PROFESSIONAL 052833

3020084 NUT & OLIVE $\varnothing$ 6 mm




ELECTROLUX PROFESSIONAL 052834

3526141 VALVE 830 TANDEM $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



ELECTROLUX PROFESSIONAL 002340 ELECTROLUX PROFESSIONAL 005897

3526140 VALVE 836 TANDEM $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
maximum gas inlet pressure 60 mbar
max. gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min. 2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified



ELECTROLUX PROFESSIONAL 002714

3526012 VALVE 848 SIGMA $\varnothing$ 3/4"MM
inlet $\varnothing$ 3/4" M - outlet $\varnothing$ 3/4" M
maximum gas inlet pressure 60 mbar
outlet pressure range setting
0.5÷12 mbar
room temperature 0÷60°C
power supply 230V 50Hz 2.8VA



ELECTROLUX PROFESSIONAL 0C1057


3526009 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple fitting M9x1
gas max inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
slow ignition



ELECTROLUX PROFESSIONAL 003719

Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA




ELECTROLUX PROFESSIONAL 0E1499 ELECTROLUX PROFESSIONAL 002351

3091017 CONTROL BOX S4560B1006
model HONEYWELL - 220/240V 50Hz 10VA



ELECTROLUX PROFESSIONAL 0C0064

3091026 CONTROL BOX S4560M1010
model HONEYWELL - 220/240V 50Hz 10vA
for 10-20 SHELVES



ELECTROLUX PROFESSIONAL 002641

3526403 CONTROL BOX S4565C1033U
model HONEYWELL- 230V 50/60Hz 4VA
for 6-20 grills



ELECTROLUX PROFESSIONAL 005924

3091012 CONTROL BOX 503 EDF FOR TANDEM
model SIT - 220/240V 50/60Hz 7VA



ELECTROLUX PROFESSIONAL 005898

3091029 CONTROL BOX 537 ABC
SIT model - 220/240V 50/60Hz 12VA
for 6 SHELVES



ELECTROLUX PROFESSIONAL 005908

3091015 CONTROL BOX 577 DBC
model SIT - 220/240V 50/60Hz 20VA



ELECTROLUX PROFESSIONAL 0C1059

40C4260 CONTROL UNIT 579 DBC
SIT model - 220/240V 50/60Hz 12VA



ELECTROLUX PROFESSIONAL 0C4260



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Electronic controllers

3445375 CONTROLLER ELIWELL ID PLUS 902

230V 50/60Hz
1 relay output 8A for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
TTL input for copy card connection
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm



ELECTROLUX PROFESSIONAL 0S0295

3445028 PROBE NTC PVC 4000 mm

temperature field -30°+80°C
bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

3445070 PTC PVC PROBE 1500 mm

2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

3445073 THERMOSTAT EVK411 TCJ

power supply 12Vca/dc 1.5VA
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 16A
alarm buzzer
access to configuration parameters through password - TTL serial port
room temperature 0+60°C
thermocouple TCJ type probe (not included)
connections by screw terminal block
front dimensions 74x32x65 mm
mounting hole 71x29mm



ELECTROLUX PROFESSIONAL 004109 ELECTROLUX PROFESSIONAL 053540

3445109 PROBE TCJ VETROTEX 3000 mm

2-wire probe temperature range 0+600°C
temperature cable max 350°C
error limit $\pm 0.75\%$ below 0°C
response time 30 sec
bulb ø 6x100 mm



ELECTROLUX PROFESSIONAL 004116



Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved




Suitable for:

ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833

Electronic printed-circuit boards

3390232 CIRCUIT BOARD INTERFACE 275x110mm
two D-shaped pins $\varnothing$ 6x4.6 mm



ELECTROLUX PROFESSIONAL 002725

3241676 LOCK NUT FOR KNOB 1/2"




ELECTROLUX PROFESSIONAL 051263

3319297 PUSH-BUTTON EXTENSION
external $\varnothing$ 7 mm
for circuit boards



ELECTROLUX PROFESSIONAL 002670

3390228 CIRCUIT BOARD INTERFACE 450x150mm
D-shaped pin $\varnothing$ 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C0043

3390055 CIRCUIT BOARD USER INTERFACE 210x110 mm
D-shaped pin $\varnothing$ 6x4.6 mm




ELECTROLUX PROFESSIONAL 0C3758 ELECTROLUX PROFESSIONAL 002665

3050159 CONNECTING CABLE FOR PC BOARD
length 1500 mm



ELECTROLUX PROFESSIONAL 002763

40C1071 FEEDER BOARD 120x100 mm



ELECTROLUX PROFESSIONAL 0C1071



ELECTROLUX PROFESSIONAL



Suitable for:

3390054 MOTHERBOARD 335x110 mm



ELECTROLUX PROFESSIONAL 0C3762 ELECTROLUX PROFESSIONAL 006517

Suitable for:

3390075 MOTHERBOARD 335x110 mm



ELECTROLUX PROFESSIONAL 0C3764 ELECTROLUX PROFESSIONAL 006717

3390229 MOTHERBOARD 335x110 mm



3390230 MOTHERBOARD 335x110 mm
230V 50/60Hz



ELECTROLUX PROFESSIONAL 0C3761 ELECTROLUX PROFESSIONAL 004105 ELECTROLUX PROFESSIONAL 006612 ELECTROLUX PROFESSIONAL 0C3757 ELECTROLUX PROFESSIONAL 002684 ELECTROLUX PROFESSIONAL 006715
ELECTROLUX PROFESSIONAL 006716

40C4347 MOTHERBOARD 335x110 mm



4006674 MOTHERBOARD 335x110 mm



ELECTROLUX PROFESSIONAL 0C4347

3390227 MOTHERBOARD 350x140 mm



ELECTROLUX PROFESSIONAL 0C0042

40C3765 PC BOARD INTERFACE 410x110mm



ELECTROLUX PROFESSIONAL 006674

40C0970 PC BOARD DISPLAY 222x134 mm
complete with potentiometer




ELECTROLUX PROFESSIONAL 0C0970

40C0041 PC BOARD INTERFACE 450x150mm
D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C3765 ELECTROLUX PROFESSIONAL 002720

40C3759 PC BOARD PIN 133x110 mm




ELECTROLUX PROFESSIONAL 0C0041

ELECTROLUX PROFESSIONAL 0C3759 ELECTROLUX PROFESSIONAL 002683

Suitable for:

3390231 PIN ELECTRONIC CIRCUIT BOARD 132x110 mm
D-shaped hole $\varnothing$ 6x4.6 mm



ELECTROLUX PROFESSIONAL 002666

Suitable for:

3241676 LOCK NUT FOR KNOB 1/2"



ELECTROLUX PROFESSIONAL 051263

3319297 PUSH-BUTTON EXTENSION
external $\varnothing$ 7 mm
for circuit boards



ELECTROLUX PROFESSIONAL 002670

3390165 POWER SUPPLY ELEC.CIRCUIT BOARD 105x72mm



ELECTROLUX PROFESSIONAL 007047

Energy regulators


3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ELECTROLUX PROFESSIONAL 0A2482 ELECTROLUX PROFESSIONAL 0C1605 ELECTROLUX PROFESSIONAL 0K8611
ELECTROLUX PROFESSIONAL 005270 ELECTROLUX PROFESSIONAL 026861 ELECTROLUX PROFESSIONAL 055016

Fans for motors

3240110 FAN $\varnothing$ 280 mm
thickness 100 mm
total blades 6 - $\varnothing$ hole 9.5 mm



ELECTROLUX PROFESSIONAL 054585 ELECTROLUX PROFESSIONAL 055422

3240289 FAN $\varnothing$ 280 mm
thickness 100 mm
total blades 6 - $\varnothing$ hole 10 mm



ELECTROLUX PROFESSIONAL 0C6462 ELECTROLUX PROFESSIONAL 002754 ELECTROLUX PROFESSIONAL 003560



ELECTROLUX PROFESSIONAL



Suitable for:


3240736 FAN ø 288 mm
thickness 130 mm
total blades 10 - ø hole 10 mm



ELECTROLUX PROFESSIONAL 0C7029 ELECTROLUX PROFESSIONAL 007000

Suitable for:

3240111 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 9.5 mm




ELECTROLUX PROFESSIONAL 053782 ELECTROLUX PROFESSIONAL 054890

3240291 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø via hole 10 mm



ELECTROLUX PROFESSIONAL 0C6461 ELECTROLUX PROFESSIONAL 002617

3240737 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 10 mm




ELECTROLUX PROFESSIONAL 0C8309 ELECTROLUX PROFESSIONAL 002139

3240738 FAN ø 350 mm
height 140 mm
total blades 6 - ø hole 10 mm



ELECTROLUX PROFESSIONAL 0C1129 ELECTROLUX PROFESSIONAL 0C6463

40C6464 FAN ø 380 mm
thickness 170 mm
number of blades 12 - hole ø 10 mm




ELECTROLUX PROFESSIONAL 0C1172 ELECTROLUX PROFESSIONAL 0C6464

3240112 FAN ø 440 mm
thickness 152 mm
total blades 6 - ø hole 9.5 mm




ELECTROLUX PROFESSIONAL 000274 ELECTROLUX PROFESSIONAL 054014 ELECTROLUX PROFESSIONAL 055378 ELECTROLUX PROFESSIONAL 0C8306 ELECTROLUX PROFESSIONAL 002740

3240739 FAN ø 440 mm
height 155 mm
total blades 6 - ø hole 10 mm



3340064 MOTOR FAN ø 145 mm



ELECTROLUX PROFESSIONAL 005221

Feet

3313036 ADJUSTABLE S/STEEL FOOT $\varnothing$ 1" x h 115 mm
with plastic support for tubular foot 40x40 mm
adjustable height 115÷205 mm



ELECTROLUX PROFESSIONAL 032550

3313045 ADJUSTABLE S/STEEL FOOT $\varnothing$ 2" x h 125 mm
with square flange 74x74x2.5 mm
adjustable height 135÷235 mm



ELECTROLUX PROFESSIONAL 048579

3313003 STAINLESS STEEL FOOT $\varnothing$ 2" x h 125 mm
with rectangular flange 100x90 mm



ELECTROLUX PROFESSIONAL 057536

3313001 STAINLESS STEEL FOOT $\varnothing$ 2" HEIGHT 125 mm



ELECTROLUX PROFESSIONAL 053792

Filters

3160347 DRAIN-FILTER STAINLESS STEEL $\varnothing$ 101 mm



ELECTROLUX PROFESSIONAL 0C1740

3160232 DRAIN-FILTER STAINLESS STEEL $\varnothing$ 73 mm



ELECTROLUX PROFESSIONAL 056444

3160234 SUPPORT FOR FILTER



ELECTROLUX PROFESSIONAL 054905

40C1155 FILTER VIBRATION PUMP $\varnothing$ 11x19 mm
 $\varnothing$ hose end fitting 7 mm



ELECTROLUX PROFESSIONAL 0C1155



ELECTROLUX PROFESSIONAL



Suitable for:

3160265 STAINLESS STEEL DRAIN FILTER ø 50 mm



ELECTROLUX PROFESSIONAL 004836

Suitable for:

3160234 SUPPORT FOR FILTER



ELECTROLUX PROFESSIONAL 054905

3160234 SUPPORT FOR FILTER



ELECTROLUX PROFESSIONAL 054905

3160462 WATER FILTER ø 1/2"FF



ELECTROLUX PROFESSIONAL 054450 ELECTROLUX PROFESSIONAL 067392

Fittings

40C1116 COUPLING ø 1/8"M-1/4"F



ELECTROLUX PROFESSIONAL 0C1116

3349589 FITTING
for new series



ELECTROLUX PROFESSIONAL 006453

4057862 FITTING ø 3/4"M-3/4"M BRASS



ELECTROLUX PROFESSIONAL 057862

4007117 FITTING BRASS ø 3/4"M
external pipe ø 30 mm - internal pipe ø 20 mm



ELECTROLUX PROFESSIONAL 007117

40C2313 FITTING CHROME-PLATED ø 3/4"M - ø 3/4"F
internal ø 20 mm - length 61 mm



ELECTROLUX PROFESSIONAL 0C2313

40C4246 KIT PIPE FITTING VIBRATION PUMP
external coupling ø 15 mm
internal coupling ø 10 mm
pipe length 520 mm
side pipe length 220 mm



ELECTROLUX PROFESSIONAL 0C4246

3349625 4-WAY COUPLING $\varnothing$ 1/2" F



ELECTROLUX PROFESSIONAL 007020

Fuses

3049003 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 100mA



ELECTROLUX PROFESSIONAL 086338

3049012 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 800mA



ELECTROLUX PROFESSIONAL 0C2301

40F0031 FUSEHOLDER 10A 500V
mounting hole $\varnothing$ 14.5 mm



ELECTROLUX PROFESSIONAL 0F0031

4058872 HEATING ELEMENT ELECTR. CIRCUITS 100 Ohm
dimensions 35x10x10 mm



ELECTROLUX PROFESSIONAL 058872

3049068 QUICK ACTING FUSE $\varnothing$ 10x38 mm - 10 PCS
500V 1A



ELECTROLUX PROFESSIONAL 048995 ELECTROLUX PROFESSIONAL 048995_10PZ

3049038 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 160mA



ELECTROLUX PROFESSIONAL 002820

3049040 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 250mA



ELECTROLUX PROFESSIONAL 002920

3049041 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 315mA



ELECTROLUX PROFESSIONAL 0W3499 ELECTROLUX PROFESSIONAL 005032 ELECTROLUX PROFESSIONAL 400503



ELECTROLUX PROFESSIONAL



Suitable for:

3049042 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 400mA



Suitable for:

3049044 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 630mA



ELECTROLUX PROFESSIONAL 002750

ELECTROLUX PROFESSIONAL 0W5452 ELECTROLUX PROFESSIONAL 058871

3049046 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 1A



3049049 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 2A



ELECTROLUX PROFESSIONAL 0W5451

ELECTROLUX PROFESSIONAL 0A8438

3049052 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 4A



ELECTROLUX PROFESSIONAL 057783

Gas burners

3023202 AIR ADJUSTER $\varnothing$ 40 mm



ELECTROLUX PROFESSIONAL 054039

3023319 BURNER $\varnothing$ 50x340 mm
overall length 390 mm
made of STAINLESS steel



ELECTROLUX PROFESSIONAL 003709

3023202 AIR ADJUSTER $\varnothing$ 40 mm



ELECTROLUX PROFESSIONAL 054039



ELECTROLUX PROFESSIONAL



Suitable for:

3023344 BURNER $\varnothing$ 60x570 mm
overall length 615 mm
made of STAINLESS steel



ELECTROLUX PROFESSIONAL 004831

Suitable for:

3023202 AIR ADJUSTER $\varnothing$ 40 mm



ELECTROLUX PROFESSIONAL 054039

3023205 GAS BURNER $\varnothing$ 50x475 mm
STAINLESS STEEL



ELECTROLUX PROFESSIONAL 055487

3023202 AIR ADJUSTER $\varnothing$ 40 mm



ELECTROLUX PROFESSIONAL 054039

Gas hoses

3449228 COPPER PIPE 1x4 mm - 25 mt



ELECTROLUX PROFESSIONAL 0C1547

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



ELECTROLUX PROFESSIONAL 046755

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



ELECTROLUX PROFESSIONAL 052127

3449628 COPPER PIPE 1x4 mm - 5 mt



ELECTROLUX PROFESSIONAL 0C1547

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



ELECTROLUX PROFESSIONAL 052127



Suitable for:

3020077 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1



ELECTROLUX PROFESSIONAL



Suitable for:

ELECTROLUX PROFESSIONAL 046755

3449582 **GAS HOSE $\varnothing$ 1/2"FF 1000 mm**
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m³/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



3449584 **GAS HOSE $\varnothing$ 1/2"FF 1500 mm**
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m³/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1005

3449585 **GAS HOSE $\varnothing$ 1/2"FF 2000 mm**
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m³/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1008

3449580 **GAS HOSE $\varnothing$ 1/2"FF 500 mm**
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m³/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1003

3449572 **GAS HOSE $\varnothing$ 1/2"MF 1000 mm**
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m³/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1026

3449574 **GAS HOSE $\varnothing$ 1/2"MF 1500 mm**
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m³/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1006

ELECTROLUX PROFESSIONAL 0S1007

Suitable for:

3449575 GAS HOSE $\varnothing$ 1/2"MF 2000 mm
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m³/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1015

Suitable for:

3449570 GAS HOSE $\varnothing$ 1/2"MF 500 mm
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m³/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1025

Gas taps and accessories

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25




ELECTROLUX PROFESSIONAL 020992

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22




ELECTROLUX PROFESSIONAL 052127

3348034 PIPE FITTING $\varnothing$ 16 mm
thread M24x1.5
for model PEL 23




ELECTROLUX PROFESSIONAL 054816

3348035 PIPE FITTING $\varnothing$ 20 mm
thread M28x1.5
for model PEL 23



ELECTROLUX PROFESSIONAL 054814

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



ELECTROLUX PROFESSIONAL 052125

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817

3348042 PIPE OLIVE $\varnothing$ 20 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 054815



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Gas valves and accessories

4056009 CAP FOR VALVE EUROSIT



ELECTROLUX PROFESSIONAL 056009

Gaskets and seals

4002610 GASKET $\varnothing$ 60x38x7 mm



ELECTROLUX PROFESSIONAL 002610

40C7016 GASKET $\varnothing$ 74x17x12 mm



ELECTROLUX PROFESSIONAL 0C7016 ELECTROLUX PROFESSIONAL 002634

4053829 GASKET $\varnothing$ 86x60x7 mm




ELECTROLUX PROFESSIONAL 053829

4002704 GASKET EXCHANGER 100x100 mm



ELECTROLUX PROFESSIONAL 002704

4005760 GASKET EXCHANGER 74x74 mm



ELECTROLUX PROFESSIONAL 005760

4005754 GASKET EXCHANGER 85x80 mm



ELECTROLUX PROFESSIONAL 005754

4007053 GASKET FOR AIR CONDUCT external dimensions 92x92 mm internal dimensions 51x51 mm



ELECTROLUX PROFESSIONAL 007053


4003990 GASKET FOR COMPLETE LOCK external dimensions 40x34 mm



ELECTROLUX PROFESSIONAL 003990

Suitable for:

40C5834 GASKET FOR HEATING ELEMENT
external dimensions 103x85 mm



ELECTROLUX PROFESSIONAL 0C5834

Suitable for:

4002645 GASKET FOR HINGE 70 mm
profile 15x7 mm



ELECTROLUX PROFESSIONAL 002645

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ELECTROLUX PROFESSIONAL 053816

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS



ELECTROLUX PROFESSIONAL 002626

40C4104 GASKET FOR SPARKING PLUG
external dimensions 65x20 mm




ELECTROLUX PROFESSIONAL 0C4104

3786117 HEAT EXCHANGER GASKET 100x100 mm



ELECTROLUX PROFESSIONAL 003873

3786476 HEAT EXCHANGER GASKET 100x100 mm



ELECTROLUX PROFESSIONAL 002629

3786118 HEAT EXCHANGER GASKET 110x110 mm



ELECTROLUX PROFESSIONAL 003875

3786477 HEAT EXCHANGER GASKET 119x108 mm



ELECTROLUX PROFESSIONAL 002745

3786119 HEAT EXCHANGER GASKET 140x135 mm



ELECTROLUX PROFESSIONAL 003882

3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm



ELECTROLUX PROFESSIONAL 055327

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 057534



ELECTROLUX PROFESSIONAL



Suitable for:

3186099 HEATING ELEMENT GASKET
external dimensions 76x50 mm



ELECTROLUX PROFESSIONAL 053840

Suitable for:

3186187 HEATING ELEMENT GASKET
external dimensions 68x14 mm



ELECTROLUX PROFESSIONAL 0H6665 ELECTROLUX PROFESSIONAL 0K1831

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm



ELECTROLUX PROFESSIONAL 002689

3786478 HEATING ELEMENT GASKET
external dimensions 80x45 mm



ELECTROLUX PROFESSIONAL 003726

4003955 KIT KNOB GASKET - 50 PCS
external $\varnothing$ 16 mm
D-shaped hole 7x5 mm



ELECTROLUX PROFESSIONAL 003955

3186429 SEALING GASKET 270x112 mm
for boiler



ELECTROLUX PROFESSIONAL 002706

Gaskets for oven door

40C0899 GASKET LOWER OVEN DOOR 610 mm
made of silicone elastomer
profile dimensions 60x16 mm
COLOUR: BLACK




ELECTROLUX PROFESSIONAL 0C0899

40C4121 GASKET LOWER OVEN DOOR 660 mm
made of silicone elastomer
profile dimensions 60x16 mm
COLOUR: BLACK



ELECTROLUX PROFESSIONAL 0C4121

4006176 GASKET LOWER OVEN DOOR 660 mm
made of silicone elastomer
profile dimensions 33x24 mm
COLOUR: BLACK



ELECTROLUX PROFESSIONAL 006176


7102035 GASKET LOWER OVEN DOOR 805 mm
made of silicone elastomer
profile dimensions 60x16 mm
COLOUR: BLACK



ELECTROLUX PROFESSIONAL 0C4131

Suitable for:


4005708 GASKET OVEN DOOR 1490x450 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR: BLACK



ELECTROLUX PROFESSIONAL 005708


Suitable for:

4005710 GASKET OVEN DOOR 550x450 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR: BLACK




ELECTROLUX PROFESSIONAL 005710

4005709 GASKET OVEN DOOR 770x450 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR: BLACK




ELECTROLUX PROFESSIONAL 005709

3786544 GASKET OVEN DOOR 955 mm
made of silicone elastomer
profile dimensions 8x4 mm
COLOUR: BLACK



ELECTROLUX PROFESSIONAL 078168

3786124 LOWER GASKET FOR OVEN DOOR 650 mm
made of silicone elastomer
profile dimensions 22x18 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 0H6662

3786123 LOWER OVEN DOOR GASKET 745 mm
made of silicone elastomer
profile dimensions 60x16 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 0C1196

3286022 OVEN DOOR GASKET - 24 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 0H6663

3286014 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED




ELECTROLUX PROFESSIONAL 0H6760

3286042 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL

3286079 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED



ELECTROLUX PROFESSIONAL 0H6760



Suitable for:


3286082 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 0H6663

Suitable for:

3286088 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL

3286013 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED




ELECTROLUX PROFESSIONAL 0H6760

3286021 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 0H6663

3286041 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL

3286040 OVEN DOOR GASKET 013 - 25 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL

3286087 OVEN DOOR GASKET 013 - 3 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL


3286039 OVEN DOOR GASKET 013 - 6 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL

Suitable for:

3186351 OVEN DOOR GASKET 1140 mm
made of silicone elastomer
profile dimensions 18x10 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 054850


Suitable for:

3186358 OVEN DOOR GASKET 1300 mm
made of silicone elastomer
COLOUR BLACK




ELECTROLUX PROFESSIONAL 056480

3186354 OVEN DOOR GASKET 1400x640 mm
snap-in gasket
made of silicone elastomer
profile dimensions 17x17 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 054986

3186410 OVEN DOOR GASKET 1400x640 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 003088 ELECTROLUX PROFESSIONAL 005705

3186425 OVEN DOOR GASKET 1400x650 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 003995 ELECTROLUX PROFESSIONAL 005711

3186480 OVEN DOOR GASKET 1470x480 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for OVEN AOS201G-AOS201E




ELECTROLUX PROFESSIONAL 0C0881 ELECTROLUX PROFESSIONAL 0C1473

3786121 OVEN DOOR GASKET 1475x660 mm
made of silicone elastomer
profile dimensions 31x15 mm
BLACK COLOR



ELECTROLUX PROFESSIONAL 0C1195 ELECTROLUX PROFESSIONAL 0C1889

4005885 OVEN DOOR GASKET 1600 mm
made of silicone elastomer
profile dimensions 17x10 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 005885




ELECTROLUX PROFESSIONAL



Suitable for:


3286002 OVEN DOOR GASKET 2554 - 20 m
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 057396 ELECTROLUX PROFESSIONAL 057656


Suitable for:

3286075 OVEN DOOR GASKET 2554 - 3 m
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 057396 ELECTROLUX PROFESSIONAL 057656

3286001 OVEN DOOR GASKET 2554 - 6 m
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 057396 ELECTROLUX PROFESSIONAL 057656

3786135 OVEN DOOR GASKET 300x260 mm
made of silicone elastomer
with fixing clips
BLACK COLOR



ELECTROLUX PROFESSIONAL 0E3680

3186668 OVEN DOOR GASKET 395x290 mm
stiff gasket
BLACK COLOR



ELECTROLUX PROFESSIONAL 005194

40C4159 OVEN DOOR GASKET 400x310 mm
made of silicone elastomer
with fastening clips
COLOUR BLACK




ELECTROLUX PROFESSIONAL 0C4159

3186478 OVEN DOOR GASKET 500x480 mm
made of silicone elastomer
profile dimensions 31x15 mm
BLACK COLOR




ELECTROLUX PROFESSIONAL 0C1496 ELECTROLUX PROFESSIONAL 006992

3186041 OVEN DOOR GASKET 585x395 mm
snap-in gasket
made of silicone elastomer
profile dimensions 17x17 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 055414

3786126 OVEN DOOR GASKET 610x430 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 005707

3186386 OVEN DOOR GASKET 620x414 mm
made of silicone elastomer
profile dimensions 23x13 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 0H6653

Suitable for:


Suitable for:

3186408 OVEN DOOR GASKET 635x430 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 002828 ELECTROLUX PROFESSIONAL 004226 ELECTROLUX PROFESSIONAL 005713 ELECTROLUX PROFESSIONAL 0H6656

3186385 OVEN DOOR GASKET 699x620 mm
made of silicone elastomer
profile dimensions 23x13 mm
COLOUR BLACK




3186040 OVEN DOOR GASKET 715x645 mm
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 053751

3186043 OVEN DOOR GASKET 720x640 mm
snap-in gasket
made of silicone elastomer
profile dimensions 17x17 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 055315

3786125 OVEN DOOR GASKET 720x640 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 005706

3186088 OVEN DOOR GASKET 730x665 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 004227 ELECTROLUX PROFESSIONAL 005712

3786120 OVEN DOOR GASKET 755x660 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 0C1887

3186483 OVEN DOOR GASKET 760x485 mm
made of silicone elastomer
profile dimensions 31x15 mm
BLACK COLOR




ELECTROLUX PROFESSIONAL 0C1477 ELECTROLUX PROFESSIONAL 007069

5028525 OVEN DOOR GASKET 800x760 mm
made of silicone elastomer
COLOUR BLACK



ELECTROLUX PROFESSIONAL 0LX015

3286036 OVEN GLASS GASKET - 20 mm
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 057866




ELECTROLUX PROFESSIONAL



Suitable for:


3286035 OVEN GLASS GASKET - 9 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 057866


Suitable for:

3186352 OVEN GLASS GASKET 1400 mm
made of silicone elastomer
profile dimensions 22x16 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 055412

3186423 OVEN GLASS GASKET 1500 mm
made of silicone elastomer
profile dimensions 35.5x12.5 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 003680

3186407 OVEN GLASS GASKET 2000 mm
made of silicone elastomer
profile dimensions 20x16 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 002878

3186409 OVEN GLASS GASKET 2010 mm
made of silicone elastomer
profile dimensions 20x16 mm
COLOUR BLACK




ELECTROLUX PROFESSIONAL 003739

3186355 OVEN GLASS GASKET 2200 mm
made of silicone elastomer
profile dimensions 22x16 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL 055314

3286038 OVEN GLASS GASKET 3524 - 20 m
made of silicone elastomer
profile dimensions 7x5 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL

3286037 OVEN GLASS GASKET 3524 - 9 m
made of silicone elastomer
profile dimensions 7x5 mm
COLOUR BLACK



ELECTROLUX PROFESSIONAL

Gastronorm pans

3018002 DRIP TRAY U-PAN GN 1/1 530x325xH40 mm
NON-STICK



ELECTROLUX PROFESSIONAL 0S0871

3018003 DRIP TRAY U-PAN GN 1/1 530x325xH60 mm
NON-STICK



ELECTROLUX PROFESSIONAL 0S0872

Gearmotors

3340140 GEARMOTOR 230V 50Hz 30 SECONDS
pin $\varnothing$ 4 mm
for SMOKE EXHAUST



ELECTROLUX PROFESSIONAL 002696

Glasses

3519009 COMPLETE CHAMBER GLASS
complete with glass and gasket



ELECTROLUX PROFESSIONAL 0C5340 ELECTROLUX PROFESSIONAL 057400

3519001 FRAME 35x35 mm



ELECTROLUX PROFESSIONAL 057382

3519002 GASKET GLASS FRAME



ELECTROLUX PROFESSIONAL 057402

3519002 GASKET GLASS FRAME



ELECTROLUX PROFESSIONAL 057402

3519009 COMPLETE CHAMBER GLASS
complete with glass and gasket



ELECTROLUX PROFESSIONAL 0C5340 ELECTROLUX PROFESSIONAL 057400



Suitable for:

Suitable for:

Glues

3180052 RED HIGH TEMPERATURE SEALER 280 ml
operating temperature $-65+260^{\circ}\text{C}$ with peaks 320°C
for OVEN GASKETS



ELECTROLUX PROFESSIONAL 059611

3180021 THERMAL MASTIC PM8 228 g
thermally conductive paste
operating temperature $-45^{\circ}+105^{\circ}\text{C}$



ELECTROLUX PROFESSIONAL 049196

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ELECTROLUX PROFESSIONAL 057468

3185055 CHROME PLATED GRID GN 2/1 530x650 mm



ELECTROLUX PROFESSIONAL 025020 ELECTROLUX PROFESSIONAL 081883

3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm



ELECTROLUX PROFESSIONAL 003189

Handles

3242674 BOTTOM TIE ROD SHAFT $\varnothing 10 \times 112$ mm
old series



ELECTROLUX PROFESSIONAL 056570

3242084 BUSHING FOR DOOR HANDLE
for OVEN



ELECTROLUX PROFESSIONAL 003994

40C4091 CAP HANDLE $\varnothing 32$ mm



ELECTROLUX PROFESSIONAL 0C4091

3242200 CASE FOR OVEN HANDLE PLATE
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 055059




ELECTROLUX PROFESSIONAL



Suitable for:

3242114 CENTRAL LOCK MECHANISM
for OVEN



ELECTROLUX PROFESSIONAL 006977

Suitable for:

3242213 CENTRAL LOCK MECHANISM



ELECTROLUX PROFESSIONAL 056550

3242451 CLASP $\varnothing$ 3x16 mm
stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87



ELECTROLUX PROFESSIONAL 0H6043 ELECTROLUX PROFESSIONAL 052061 ELECTROLUX PROFESSIONAL 060920 ELECTROLUX PROFESSIONAL 003824

3242113 COMPLETE OVEN DOOR HANDLE
for OVEN series AOS061/101/201/202 ELECTRIC-GAS



ELECTROLUX PROFESSIONAL 006978

3242114 CENTRAL LOCK MECHANISM
for OVEN



ELECTROLUX PROFESSIONAL 006977

3242214 COMPLETE OVEN DOOR HANDLE
for OVEN series FCF-ZCF-ACF ELECT/GAS 20 GRILLS
for OVEN FCV-ACV-ECV-ZCV ELECT/GAS 6-10-20 GRILLS
for OVEN FDV20-FDV40G-FCS201G-FCS202G-FCS201E-FCS202E



ELECTROLUX PROFESSIONAL 0A5320 ELECTROLUX PROFESSIONAL 0F0029 ELECTROLUX PROFESSIONAL 002717 ELECTROLUX PROFESSIONAL 003994
ELECTROLUX PROFESSIONAL 002722

3242215 OVEN DOOR HANDLE DUPLO 6200
for OVEN



ELECTROLUX PROFESSIONAL 002647

3242084 BUSHING FOR DOOR HANDLE
for OVEN



3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm



ELECTROLUX PROFESSIONAL 0K2246 ELECTROLUX PROFESSIONAL 003822



ELECTROLUX PROFESSIONAL



Suitable for:

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm



ELECTROLUX PROFESSIONAL 0K8039 ELECTROLUX PROFESSIONAL 002650

Suitable for:

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN




ELECTROLUX PROFESSIONAL 0H6728

3242452 COMPLETE OVEN DOOR HANDLE



ELECTROLUX PROFESSIONAL 0C1616

3242114 CENTRAL LOCK MECHANISM
for OVEN



ELECTROLUX PROFESSIONAL 006977

3242461 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C2215

3242454 COMPLETE OVEN DOOR HANDLE



ELECTROLUX PROFESSIONAL 0C1588

3242455 DOOR LOCKING MECHANISM
for OVEN



ELECTROLUX PROFESSIONAL 0C1581

3242456 DOOR HANDLE STRIKE SUPPORT
distance between mounting holes 40 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C1583

3242459 STRIKE FOR DOOR HANDLE M8
overall length 34.5 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C1584



ELECTROLUX PROFESSIONAL



Suitable for:

3242738 COMPLETE OVEN DOOR HANDLE
for OVEN series FCF-ECF-ZCF-ACF-NCF 6-10 GRILLS



ELECTROLUX PROFESSIONAL 0F0135

3243266 O-RING 02081 EPDM



ELECTROLUX PROFESSIONAL 052779

40G6450 PIN THREADED M6x32 mm



ELECTROLUX PROFESSIONAL 0G6450 ELECTROLUX PROFESSIONAL 025033

3242205 SPRING F/DOOR HANDLE DIVERter ø 22x30 mm



ELECTROLUX PROFESSIONAL 053757

40C0446 STOP-PLATE FOR OVEN HANDLE
external dimensions 88x42 mm



ELECTROLUX PROFESSIONAL 0C0446

3242450 COMPLETE OVEN DOOR HANDLE 260x30 mm
handle mounting holes distance 122-133 mm



ELECTROLUX PROFESSIONAL 0H6459 ELECTROLUX PROFESSIONAL 0K1669

Suitable for:

3242739 DIVERter FOR DOOR HANDLE 107 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C0447

4003712 PIN FOR OVEN HANDLE M6
dimensions ø 12x71 mm



ELECTROLUX PROFESSIONAL 003712

4053759 SCREW HEXAGON HEAD M5x6
overall length 15 mm



ELECTROLUX PROFESSIONAL 053759

3242206 SPRING FOR DOOR HANDLE 176 mm



ELECTROLUX PROFESSIONAL 054282

4006939 SUPPORT OVEN HANDLE 265x40x33 mm



ELECTROLUX PROFESSIONAL 006939

4003749 COVER INSULATING FOR HANDLE 147 mm



ELECTROLUX PROFESSIONAL 003749



ELECTROLUX PROFESSIONAL



Suitable for:

3242739 DIVERTER FOR DOOR HANDLE 107 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C0447

Suitable for:

3242204 DIVERTER FOR DOOR HANDLE 59 mm
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 053756

3242460 DIVERTER FOR DOOR HANDLE 70 mm
for OVEN



ELECTROLUX PROFESSIONAL 003747

3242202 DOOR HANDLE PUSH-BUTTON
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 053761

3242456 DOOR HANDLE STRIKE SUPPORT
distance between mounting holes 40 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C1583

3242289 DOOR LOCK EXTERNAL FOOT
for OVEN



ELECTROLUX PROFESSIONAL 004104

3242455 DOOR LOCKING MECHANISM
for OVEN



ELECTROLUX PROFESSIONAL 0C1581

4004098 FLANGE DOOR HANDLE 95x40 mm
ø pin 8 mm



ELECTROLUX PROFESSIONAL 004098

3242462 HANDLE BOTTOM TIE ROD ø 10x420 mm



ELECTROLUX PROFESSIONAL 005038

40C4090 HANDLE COMPLETE OVEN DOOR



ELECTROLUX PROFESSIONAL 0C4090

40C4091 CAP HANDLE ø 32 mm



ELECTROLUX PROFESSIONAL 0C4091




ELECTROLUX PROFESSIONAL



Suitable for:

3242749 OVEN DOOR CATCH ASSEMBLY
fastening plate 124x45 mm



ELECTROLUX PROFESSIONAL 0C4477

Suitable for:

40C4237 SUPPORT FOR OVEN DOOR LOCK
fastening plate 124x45 mm



ELECTROLUX PROFESSIONAL 0C4237

40C6569 HANDLE COMPLETE OVEN DOOR



ELECTROLUX PROFESSIONAL 0C6569

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



ELECTROLUX PROFESSIONAL 0C4092

40C6572 HANDLE OVEN DOOR



ELECTROLUX PROFESSIONAL 0C6572

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



ELECTROLUX PROFESSIONAL 0C4092


3242463 HANDLE TOP TIE ROD $\varnothing$ 10x465 mm



ELECTROLUX PROFESSIONAL 005037

ELECTROLUX PROFESSIONAL 0C4477

40C4237 SUPPORT FOR OVEN DOOR LOCK
fastening plate 124x45 mm



ELECTROLUX PROFESSIONAL 0C4237

3242457 KEYWAY FOR DOOR HANDLE PUSH-BUTTON
for OVEN



ELECTROLUX PROFESSIONAL 005624




ELECTROLUX PROFESSIONAL



Suitable for:

3242086 KIT OVEN DOOR HANDLE



ELECTROLUX PROFESSIONAL 0CA138 ELECTROLUX PROFESSIONAL 003826

Suitable for:

3242089 LOCK FOR DOOR HANDLE



ELECTROLUX PROFESSIONAL 056414

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188

RAHRBACH - distance between holes 150 mm
base lenght 185.5x23.5x33.2h mm



3398021

OVEN DOOR CATCH


distance between holes 47 mm
catch distance 27 mm



ELECTROLUX PROFESSIONAL 002278 ELECTROLUX PROFESSIONAL 055510 ELECTROLUX PROFESSIONAL 056459 ELECTROLUX PROFESSIONAL 057414

3242749 OVEN DOOR CATCH ASSEMBLY

fastening plate 124x45 mm



3242737


OVEN DOOR COMPLETE LOCK

length 1320 mm



ELECTROLUX PROFESSIONAL 0C4477

3242211 OVEN DOOR COMPLETE LOCKING KIT



ELECTROLUX PROFESSIONAL 056411

3242213 CENTRAL LOCK MECHANISM



ELECTROLUX PROFESSIONAL 056550

3528066 NUT INOX M26x1.5 mm



ELECTROLUX PROFESSIONAL 056409

ELECTROLUX PROFESSIONAL 005342

3242674

BOTTOM TIE ROD SHAFT $\varnothing$ 10x112 mm

old series



ELECTROLUX PROFESSIONAL 056570

3242089

LOCK FOR DOOR HANDLE



ELECTROLUX PROFESSIONAL 056414

3212014

OVEN HANDLE TOP/BOT.TIE ROD 170 mm

for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ELECTROLUX PROFESSIONAL 056551



ELECTROLUX PROFESSIONAL



Suitable for:

3242088 STRIKE FOR DOOR HANDLE
distance between mounting holes 29 mm



ELECTROLUX PROFESSIONAL 056571

3528067 WASHER 22x12x2 mm



ELECTROLUX PROFESSIONAL 056416

3242201 OVEN DOOR HANDLE
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 053760 ELECTROLUX PROFESSIONAL 055057

3242204 DIVERTER FOR DOOR HANDLE 59 mm
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 053756

3242217 PIN FOR OVEN DOOR HANDLE M6
dimensions $\varnothing$ 12x66 mm
for OVEN



ELECTROLUX PROFESSIONAL 053766

Suitable for:

3242673 TOP TIE ROD SHAFT $\varnothing$ 10x112 mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ELECTROLUX PROFESSIONAL 056552

3242200 CASE FOR OVEN HANDLE PLATE
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 055059

3242202 DOOR HANDLE PUSH-BUTTON
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 053761

3242203 SCREW CAP
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 0C6059 ELECTROLUX PROFESSIONAL 055043 ELECTROLUX PROFESSIONAL 055661
ELECTROLUX PROFESSIONAL 055687



ELECTROLUX PROFESSIONAL



Suitable for:

3242205 SPRING F/DOOR HANDLE DIVERTER ø 22x30 mm



ELECTROLUX PROFESSIONAL 053757

4055044 STOP-PLATE FOR OVEN HANDLE
external dimensions 85x40 mm



ELECTROLUX PROFESSIONAL 055044

3242227 OVEN DOOR HANDLE



ELECTROLUX PROFESSIONAL 025083

3242229 SPRING FOR DOOR HANDLE 70 mm
for OVEN



ELECTROLUX PROFESSIONAL 055558

3242453 OVEN DOOR HANDLE



ELECTROLUX PROFESSIONAL 003683

3242460 DIVERTER FOR DOOR HANDLE 70 mm
for OVEN



ELECTROLUX PROFESSIONAL 003747

Suitable for:

3242206 SPRING FOR DOOR HANDLE 176 mm



ELECTROLUX PROFESSIONAL 054282

3242228 PIN FOR OVEN DOOR HANDLE M5
dimensions ø 10x22 mm
for OVEN



ELECTROLUX PROFESSIONAL 054854

3526137 BUTTON FOR ELETTRISIT VALVE 46 mm



ELECTROLUX PROFESSIONAL 053820 ELECTROLUX PROFESSIONAL 053992

3242457 KEYWAY FOR DOOR HANDLE PUSH-BUTTON
for OVEN



ELECTROLUX PROFESSIONAL 005624



Suitable for:

3243266 O-RING 02081 EPDM



ELECTROLUX PROFESSIONAL 052779

40G6450 PIN THREADED M6x32 mm



ELECTROLUX PROFESSIONAL 0G6450 ELECTROLUX PROFESSIONAL 025033

3242205 SPRING F/DOOR HANDLE DIVERTER ø 22x30 mm



ELECTROLUX PROFESSIONAL 053757

40C0446 STOP-PLATE FOR OVEN HANDLE
external dimensions 88x42 mm



ELECTROLUX PROFESSIONAL 0C0446

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm



ELECTROLUX PROFESSIONAL 003010 ELECTROLUX PROFESSIONAL 053990

3242217 PIN FOR OVEN DOOR HANDLE M6
dimensions ø 12x66 mm
for OVEN



ELECTROLUX PROFESSIONAL 053766

ELECTROLUX PROFESSIONAL



Suitable for:

4003712 PIN FOR OVEN HANDLE M6
dimensions ø 12x71 mm



ELECTROLUX PROFESSIONAL 003712

4053759 SCREW HEXAGON HEAD M5x6
overall length 15 mm



ELECTROLUX PROFESSIONAL 053759

3242206 SPRING FOR DOOR HANDLE 176 mm



ELECTROLUX PROFESSIONAL 054282

4006939 SUPPORT OVEN HANDLE 265x40x33 mm



ELECTROLUX PROFESSIONAL 006939

3526137 BUTTON FOR ELETTROSIT VALVE 46 mm



ELECTROLUX PROFESSIONAL 053820 ELECTROLUX PROFESSIONAL 053992

4053759 SCREW HEXAGON HEAD M5x6
overall length 15 mm



ELECTROLUX PROFESSIONAL 053759



ELECTROLUX PROFESSIONAL



Suitable for:

3242205 SPRING F/DOOR HANDLE DIVERTER ø 22x30 mm



ELECTROLUX PROFESSIONAL 053757

Suitable for:

3242206 SPRING FOR DOOR HANDLE 176 mm



ELECTROLUX PROFESSIONAL 054282

3242215 OVEN DOOR HANDLE DUPLO 6200
for OVEN



ELECTROLUX PROFESSIONAL 002647

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm



ELECTROLUX PROFESSIONAL 0K2246 ELECTROLUX PROFESSIONAL 003822

3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



3242208 PIN FOR OVEN DOOR HANDLE M5
dimensions ø 9x45 mm
for OVEN



ELECTROLUX PROFESSIONAL 056551

3242228 PIN FOR OVEN DOOR HANDLE M5
dimensions ø 10x22 mm
for OVEN



ELECTROLUX PROFESSIONAL 002086

3242217 PIN FOR OVEN DOOR HANDLE M6
dimensions ø 12x66 mm
for OVEN



ELECTROLUX PROFESSIONAL 054854

4003712 PIN FOR OVEN HANDLE M6
dimensions ø 12x71 mm



ELECTROLUX PROFESSIONAL 053766

40G6450 PIN THREADED M6x32 mm



ELECTROLUX PROFESSIONAL 003712

ELECTROLUX PROFESSIONAL 0G6450 ELECTROLUX PROFESSIONAL 025033



ELECTROLUX PROFESSIONAL



Suitable for:

3242181 RIGHTHAND COMPLETE OVEN DOOR HANDLE



ELECTROLUX PROFESSIONAL 0K8322

Suitable for:

3242203 SCREW CAP
for CONVECTION OVEN old series



ELECTROLUX PROFESSIONAL 0C6059 ELECTROLUX PROFESSIONAL 055043 ELECTROLUX PROFESSIONAL 055661
ELECTROLUX PROFESSIONAL 055687

3242205 SPRING F/DOOR HANDLE DIVERTER ø 22x30 mm



ELECTROLUX PROFESSIONAL 053757

3242425 SPRING FOR DOOR HANDLE
external dimensions 54x27 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C6978

3242209 SPRING FOR DOOR HANDLE 123 mm
for OVEN



ELECTROLUX PROFESSIONAL 002088

3242206 SPRING FOR DOOR HANDLE 176 mm



ELECTROLUX PROFESSIONAL 054282

3242229 SPRING FOR DOOR HANDLE 70 mm
for OVEN



ELECTROLUX PROFESSIONAL 055558

3242117 SPRING FOR DOOR HANDLE 97 mm
for OVEN



ELECTROLUX PROFESSIONAL 054560

40C0446 STOP-PLATE FOR OVEN HANDLE
external dimensions 88x42 mm



ELECTROLUX PROFESSIONAL 0C0446

4055044 STOP-PLATE FOR OVEN HANDLE
external dimensions 85x40 mm



ELECTROLUX PROFESSIONAL 055044



ELECTROLUX PROFESSIONAL



Suitable for:

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



ELECTROLUX PROFESSIONAL

Suitable for:

3242088 STRIKE FOR DOOR HANDLE
distance between mounting holes 29 mm



ELECTROLUX PROFESSIONAL 056571

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm



ELECTROLUX PROFESSIONAL 0K8039 ELECTROLUX PROFESSIONAL 002650

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



ELECTROLUX PROFESSIONAL 0H6728

3242461 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C2215

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



ELECTROLUX PROFESSIONAL 0C4092

3242459 STRIKE FOR DOOR HANDLE M8
overall length 34.5 mm
for OVEN



ELECTROLUX PROFESSIONAL 0C1584

40C4237 SUPPORT FOR OVEN DOOR LOCK
fastening plate 124x45 mm



ELECTROLUX PROFESSIONAL 0C4237

4006939 SUPPORT OVEN HANDLE 265x40x33 mm



ELECTROLUX PROFESSIONAL 006939

3242673 TOP TIE ROD SHAFT $\varnothing 10 \times 112$ mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ELECTROLUX PROFESSIONAL 056552


Heat exchangers

4002703 EXCHANGER TOROIDAL
fan slot $\varnothing$ approx. 410 mm



ELECTROLUX PROFESSIONAL 002703

3786476 HEAT EXCHANGER GASKET 100x100 mm



ELECTROLUX PROFESSIONAL 002629

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm



ELECTROLUX PROFESSIONAL 003883

3240745 TOROIDAL EXCHANGER
fan housing $\varnothing$ approx. 410 mm



ELECTROLUX PROFESSIONAL 003881

3786118 HEAT EXCHANGER GASKET 110x110 mm



ELECTROLUX PROFESSIONAL 003875

4002704 GASKET EXCHANGER 100x100 mm



ELECTROLUX PROFESSIONAL 002704

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm



ELECTROLUX PROFESSIONAL 003874

3786117 HEAT EXCHANGER GASKET 100x100 mm



ELECTROLUX PROFESSIONAL 003873

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm



ELECTROLUX PROFESSIONAL 003874



ELECTROLUX PROFESSIONAL



Suitable for:

3786643 **INSULATOR FOR HEAT EXCHANGER**
dimensions 275x155 mm



Suitable for:

ELECTROLUX PROFESSIONAL 003883

3240746 **TOROIDAL EXCHANGER**
fan housing $\varnothing$ approx. 485 mm




3786118 **HEAT EXCHANGER GASKET 110x110 mm**



ELECTROLUX PROFESSIONAL 003884

3786119 **HEAT EXCHANGER GASKET 140x135 mm**



ELECTROLUX PROFESSIONAL 003875

3786479 **INSULATOR FOR HEAT EXCHANGER**
dimensions 291x164 mm



ELECTROLUX PROFESSIONAL 003882

3786643 **INSULATOR FOR HEAT EXCHANGER**
dimensions 275x155 mm



ELECTROLUX PROFESSIONAL 003874

ELECTROLUX PROFESSIONAL 003883

Heating elements

3755572 **BRACKET FOR HEATING ELEMENT**
external $\varnothing$ 90 mm - internal $\varnothing$ 50 mm
thickness 2.5 mm



ELECTROLUX PROFESSIONAL 003362 ELECTROLUX PROFESSIONAL 065558

3755585 **HEATING ELEMENT 1000/1100W 230/240V**
length 340 mm - width 350 mm
flange 80x15 mm



ELECTROLUX PROFESSIONAL 005218

Suitable for:

3355720 HEATING ELEMENT 1000W 220V
immersed length 225 mm - width 60 mm
flange 80x28 mm - with receptacle hole



ELECTROLUX PROFESSIONAL 0H6199

Suitable for:

3355724 HEATING ELEMENT 1000W 230V
immersed length 450 mm - width 65 mm
flange 70x22 mm



ELECTROLUX PROFESSIONAL 0H6195 ELECTROLUX PROFESSIONAL 0K0601

3355056 HEATING ELEMENT 17000W 220/380V
immersed length 470 mm
flange external $\varnothing$ 63 mm
complete with O-RING
complete with cables



ELECTROLUX PROFESSIONAL 056012

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

3455337 HEATING ELEMENT 17000W 220V
immersed depth 575 mm
flange external $\varnothing$ 63 mm
complete with O-RING



ELECTROLUX PROFESSIONAL 058672 ELECTROLUX PROFESSIONAL 058676

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm




ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

3755171 HEATING ELEMENT 17000W 230V
immersed length 590 mm
flange external $\varnothing$ 63 mm
complete with gasket OR $\varnothing$ 57 mm (3186013)



ELECTROLUX PROFESSIONAL 0C5336 ELECTROLUX PROFESSIONAL 058995 ELECTROLUX PROFESSIONAL 059003 ELECTROLUX PROFESSIONAL 003362 ELECTROLUX PROFESSIONAL 065558

3755572 BRACKET FOR HEATING ELEMENT
external $\varnothing$ 90 mm - internal $\varnothing$ 50 mm
thickness 2.5 mm



3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456



ELECTROLUX PROFESSIONAL



Suitable for:

3755573 HEATING ELEMENT 17000W 400V
immersed length 450 mm
flange external $\varnothing$ 72 mm
with bulb sheath



ELECTROLUX PROFESSIONAL 0C5384 ELECTROLUX PROFESSIONAL 007076

Suitable for:

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm




ELECTROLUX PROFESSIONAL 0E5037 ELECTROLUX PROFESSIONAL 007029 ELECTROLUX PROFESSIONAL 047156
ELECTROLUX PROFESSIONAL 049909

40C5840 HEATING ELEMENT 17000W 400V
immersed length 395 mm
flange 105x87 mm
with bulb sheathing



ELECTROLUX PROFESSIONAL 0C5840

40C5834 GASKET FOR HEATING ELEMENT
external dimensions 103x85 mm



ELECTROLUX PROFESSIONAL 0C5834

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



ELECTROLUX PROFESSIONAL 0K4812

3355590 HEATING ELEMENT 2000W 230V
length 325 mm - width 290 mm
flange 40x22 mm



ELECTROLUX PROFESSIONAL 054326

3247036 3-POLE TERMINAL BLOCK
for CONV/ELECTRIC OVEN 4 SHELVES



ELECTROLUX PROFESSIONAL 054331

3355588 HEATING ELEMENT 20000W 380V
for boiler
immersed length 595 mm
flange external $\varnothing$ 63 mm - complete with cable
complete with O-RING



ELECTROLUX PROFESSIONAL 056013

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

Suitable for:

3755177 HEATING ELEMENT 24000W 400V

immersed depth 590 mm
flange external ø 63 mm
with bulb sheath
complete with O-RING




ELECTROLUX PROFESSIONAL 0C5337 ELECTROLUX PROFESSIONAL 002751

Suitable for:

3755572 BRACKET FOR HEATING ELEMENT

external ø 90 mm - internal ø 50 mm
thickness 2.5 mm



ELECTROLUX PROFESSIONAL 003362 ELECTROLUX PROFESSIONAL 065558

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620

ELECTROLUX PROFESSIONAL 069456

40C5841 HEATING ELEMENT 24000W 400V


immersed length 530 mm
flange 105x87 mm
with bulb sheathing



ELECTROLUX PROFESSIONAL 0C5841

40C5834 GASKET FOR HEATING ELEMENT

external dimensions 103x85 mm



ELECTROLUX PROFESSIONAL 0C5834

40C5383 HEATING ELEMENT 24000W 400V SET

immersed length 570 mm
flange external 72 mm
with bulb sheath
complete with O-Ring
for boiler



ELECTROLUX PROFESSIONAL 0C5383 ELECTROLUX PROFESSIONAL 007101

3186014 O-RING GASKET 06225 EPDM ø 67 mm



ELECTROLUX PROFESSIONAL 0E5037 ELECTROLUX PROFESSIONAL 007029 ELECTROLUX PROFESSIONAL 047156

ELECTROLUX PROFESSIONAL 049909

3455285 HEATING ELEMENT 250W 220V

length 240 mm - width 98 mm
height 100 mm - connections M12



ELECTROLUX PROFESSIONAL 0KM985



ELECTROLUX PROFESSIONAL



Suitable for:

3355055 HEATING ELEMENT 2500W 220V
external $\varnothing$ 190 mm - overall height 93 mm
flange 70x22 mm



Suitable for:

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 054317 ELECTROLUX PROFESSIONAL 054843

ELECTROLUX PROFESSIONAL 057534

3355580 HEATING ELEMENT 2500W 230V
inner part length 540 mm - width 350 mm
flange 70x20 mm



3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 056945

ELECTROLUX PROFESSIONAL 057534

3355889 HEATING ELEMENT 2500W 230V
external $\varnothing$ 190 mm - total height 70 mm
flange 70x22 mm



3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 004934

ELECTROLUX PROFESSIONAL 057534

3355722 HEATING ELEMENT 3000W 230V
immersed length 330 mm - width 135 mm
flange 85x30 mm



3186187 HEATING ELEMENT GASKET
external dimensions 68x14 mm



ELECTROLUX PROFESSIONAL 0H6166

ELECTROLUX PROFESSIONAL 0H6665 ELECTROLUX PROFESSIONAL 0K1831


3355723 HEATING ELEMENT 3000W 230V
immersed length 565 mm - width 150 mm
2 flanges 70x22 mm



ELECTROLUX PROFESSIONAL 0H6188

Suitable for:


3755586 HEATING ELEMENT 3200W 400V
external $\varnothing$ 385 mm - total height 70 mm
flange 80x45 mm



ELECTROLUX PROFESSIONAL 0C5362 ELECTROLUX PROFESSIONAL 006984

Suitable for:

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm



ELECTROLUX PROFESSIONAL 002689

3755518 HEATING ELEMENT 3750W 230V
length 535 mm - width 350 mm
overall length 635 mm - flange 76x50 mm



ELECTROLUX PROFESSIONAL 056930

3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm



ELECTROLUX PROFESSIONAL 055327

4002757 HEATING ELEMENT 4500W 230V
length 535 mm - width 350 mm
overall length 635 mm - flange 76x50 mm



ELECTROLUX PROFESSIONAL 002757

3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm




ELECTROLUX PROFESSIONAL 055327

3355718 HEATING ELEMENT 5600W 230V
for boiler
immersed length 270 mm - width 60 mm
flange 80x28 mm




ELECTROLUX PROFESSIONAL 0H6146

3755239 HEATING ELEMENT 5600W 230V
external $\varnothing$ 495 mm - overall height 65 mm
flange 80x45 mm



ELECTROLUX PROFESSIONAL 002688

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm



ELECTROLUX PROFESSIONAL 002689



Suitable for:

3786478 HEATING ELEMENT GASKET
external dimensions 80x45 mm



ELECTROLUX PROFESSIONAL 003726

3355719 HEATING ELEMENT 5600W 380V
immersed length 270 mm - width 60 mm
flange 80x28 mm



ELECTROLUX PROFESSIONAL 0H6164

3355586 HEATING ELEMENT 5666W 230V
external $\varnothing$ 490 mm - overall height 70 mm
flange 80x45 mm



3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm




ELECTROLUX PROFESSIONAL 053839 ELECTROLUX PROFESSIONAL 054620 ELECTROLUX PROFESSIONAL 058196 ELECTROLUX PROFESSIONAL 055327
ELECTROLUX PROFESSIONAL 058197

3755565 HEATING ELEMENT 5670W 400V
external $\varnothing$ 490 mm - total height 75 mm
flange 80x45 mm



3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm



ELECTROLUX PROFESSIONAL 0C5364 ELECTROLUX PROFESSIONAL 007064

3355106 HEATING ELEMENT 6000W 230/400V
for boiler and wash tank
immersed length 350 mm
ext. $\varnothing$ flange 72 mm - with bulb-sheathing
with O-ring gasket $\varnothing$ 67 mm (3186014)
nut (3528232) and washer (3528238) on request



ELECTROLUX PROFESSIONAL 002689

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ELECTROLUX PROFESSIONAL 049898

ELECTROLUX PROFESSIONAL 0E5037 ELECTROLUX PROFESSIONAL 007029 ELECTROLUX PROFESSIONAL 047156
ELECTROLUX PROFESSIONAL 049909

Suitable for:

3355589 HEATING ELEMENT 7900W 230V

for boiler
immersed length 280 mm
flange external ø 63 mm
complete with O-RING



ELECTROLUX PROFESSIONAL 058666

Suitable for:


3186013 O-RING GASKET 06187 EPDM ø 58 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

3455300 HEATING ELEMENT 800/1750W 230V


870/1900W 240V
length 340 mm - width 350 mm
flange 120x25 mm
per FORNO FCF/E4



ELECTROLUX PROFESSIONAL 005205

3355582 HEATING ELEMENT 8000W 230V

length 645 mm - overall height 245 mm
flange 75x50 mm
upon demand nut and washer



ELECTROLUX PROFESSIONAL 054050 ELECTROLUX PROFESSIONAL 054051 ELECTROLUX PROFESSIONAL 056929 ELECTROLUX PROFESSIONAL 053840


3186099 HEATING ELEMENT GASKET

external dimensions 76x50 mm



3355584 HEATING ELEMENT 8000W 380V

length 645 mm - overall height 240 mm
flange 75x50 mm
upon demand nut and washer



ELECTROLUX PROFESSIONAL 055481 ELECTROLUX PROFESSIONAL 056970

3186099 HEATING ELEMENT GASKET

external dimensions 76x50 mm



ELECTROLUX PROFESSIONAL 053840




ELECTROLUX PROFESSIONAL



Suitable for:

3755238 HEATING ELEMENT 8000W 400V
external $\varnothing$ 580 mm - overall height 70 mm
flange 80x45 mm



ELECTROLUX PROFESSIONAL 0A5330 ELECTROLUX PROFESSIONAL 0C5242

3786478 HEATING ELEMENT GASKET
external dimensions 80x45 mm



ELECTROLUX PROFESSIONAL 003726

3755574 HEATING ELEMENT 8000W 400V
external $\varnothing$ 575 mm - overall height 70 mm
flange 80x45 mm



ELECTROLUX PROFESSIONAL 0C1173 ELECTROLUX PROFESSIONAL 0C5365

3755240 HEATING ELEMENT 9000W 230V
immersed depth 290 mm
flange external $\varnothing$ 63 mm
with bulb sheath
complete with O-RING



ELECTROLUX PROFESSIONAL

ELECTROLUX PROFESSIONAL 002835


3755597 HEATING ELEMENT 9000W 400V
immersed length 450 mm
flange external $\varnothing$ 72 mm
with bulb sheath



ELECTROLUX PROFESSIONAL 0C5381 ELECTROLUX PROFESSIONAL 007030


Suitable for:

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm



ELECTROLUX PROFESSIONAL 002689

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm



ELECTROLUX PROFESSIONAL 002689

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ELECTROLUX PROFESSIONAL 0E5037 ELECTROLUX PROFESSIONAL 007029 ELECTROLUX PROFESSIONAL 047156
ELECTROLUX PROFESSIONAL 049909

Suitable for:


40C5839 HEATING ELEMENT 9000W 400V
immersed length 230 mm
flange 105x87 mm
with bulb sheathing



ELECTROLUX PROFESSIONAL 0C5839

Suitable for:

40C5834 GASKET FOR HEATING ELEMENT
external dimensions 103x85 mm



ELECTROLUX PROFESSIONAL 0C5834

Hinges, catches and accessories

3053016 DOOR CATCH FOR HINGE
distance between holes 79 mm - total length 89 mm
h 23 mm



ELECTROLUX PROFESSIONAL 058934

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ELECTROLUX PROFESSIONAL 053096 ELECTROLUX PROFESSIONAL 059227

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



ELECTROLUX PROFESSIONAL 037595 ELECTROLUX PROFESSIONAL 037596

40KB730 DOOR LOCK



ELECTROLUX PROFESSIONAL 0KB730

3053236 HINGE LOWER OVEN DOOR



ELECTROLUX PROFESSIONAL 055316

3053576 HINGE LOWER OVEN DOOR
dimensions 125x50 mm



ELECTROLUX PROFESSIONAL 002652

3053233 HINGE POSITIONER



ELECTROLUX PROFESSIONAL 002653



ELECTROLUX PROFESSIONAL



Suitable for:

4003687 HINGE LOWER OVEN DOOR



ELECTROLUX PROFESSIONAL 003687

Suitable for:

4003991 HINGE LOWER OVEN DOOR



ELECTROLUX PROFESSIONAL 003991

3053233 HINGE POSITIONER



ELECTROLUX PROFESSIONAL 002653

3053577 HINGE UPPER OVEN DOOR
for OVEN 6-10 GRILLS



ELECTROLUX PROFESSIONAL 002651

3053233 HINGE POSITIONER



ELECTROLUX PROFESSIONAL 002653

4003686 HINGE UPPER OVEN DOOR



ELECTROLUX PROFESSIONAL 003686

4003687 HINGE LOWER OVEN DOOR



ELECTROLUX PROFESSIONAL 003687

3053233 HINGE POSITIONER



ELECTROLUX PROFESSIONAL 002653

4005041 HINGE UPPER OVEN DOOR



ELECTROLUX PROFESSIONAL 005041

Suitable for:

3053344 LEFT HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 150 mm



ELECTROLUX PROFESSIONAL 006087

Suitable for:

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



ELECTROLUX PROFESSIONAL 037595 ELECTROLUX PROFESSIONAL 037596

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



ELECTROLUX PROFESSIONAL 0A2004

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ELECTROLUX PROFESSIONAL 053096 ELECTROLUX PROFESSIONAL 059227

3053353 OVEN DOOR BOTTOM HINGE
for OVEN series 10 SHELVES



ELECTROLUX PROFESSIONAL 003721

3053237 OVEN DOOR GLASS BOTTOM HINGE




ELECTROLUX PROFESSIONAL 002875

4002645 GASKET FOR HINGE 70 mm
profile 15x7 mm



ELECTROLUX PROFESSIONAL 002645

3053238 OVEN DOOR GLASS TOP HINGE



ELECTROLUX PROFESSIONAL 002876

4002645 GASKET FOR HINGE 70 mm
profile 15x7 mm



ELECTROLUX PROFESSIONAL 002645



ELECTROLUX PROFESSIONAL



Suitable for:

3053352 OVEN DOOR TOP HINGE
for OVEN series 10-20 SHELVES



ELECTROLUX PROFESSIONAL 003720

3053233 HINGE POSITIONER



ELECTROLUX PROFESSIONAL 002653

4053765 PIN LOWER HINGE $\varnothing$ 8x37 mm
thread MA8



ELECTROLUX PROFESSIONAL 053765

3053345 RIGHT HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 149 mm



ELECTROLUX PROFESSIONAL 006090

3053015 RIGHT/LEFT HINGE FOR OVEN
distance between holes 155 mm - total length 200mm
height 170 mm



ELECTROLUX PROFESSIONAL 056339

Suitable for:

4003991 HINGE LOWER OVEN DOOR



ELECTROLUX PROFESSIONAL 003991

3053353 OVEN DOOR BOTTOM HINGE
for OVEN series 10 SHELVES



ELECTROLUX PROFESSIONAL 003721

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



ELECTROLUX PROFESSIONAL 037595 ELECTROLUX PROFESSIONAL 037596

3053516 RIGHT/LEFT HINGE FOR OVEN
overall length 210 mm - width 21 mm
holes mounting distance 120 mm



ELECTROLUX PROFESSIONAL 005186

Suitable for:

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



ELECTROLUX PROFESSIONAL 0A2005

Suitable for:


3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ELECTROLUX PROFESSIONAL 053096 ELECTROLUX PROFESSIONAL 059227

Hose reels

40C2218 KIT WASH UNIT
with automatic retractor
tube made of silicone ø 13 mm
complete with shower ECO/F



ELECTROLUX PROFESSIONAL 0C2218

40L0454 SHOWER-HOUSING BLACK ø 3/8"F



ELECTROLUX PROFESSIONAL 0L0454

40C1156 WASH-UNIT
with automatic retractor
hose rubber EPDM ø 12 mm
complete with shower ECO/F



ELECTROLUX PROFESSIONAL 0C1156

40L0454 SHOWER-HOUSING BLACK ø 3/8"F



ELECTROLUX PROFESSIONAL 0L0454

40C4248 WASH-UNIT
with automatic retractor
hose silicone ø 13 mm
complete with shower ECO/F



ELECTROLUX PROFESSIONAL 0C4248

40L0454 SHOWER-HOUSING BLACK ø 3/8"F



ELECTROLUX PROFESSIONAL 0L0454




ELECTROLUX PROFESSIONAL



Suitable for:

3359553 WASHING UNIT MINIREEL
stainless steel case aisi 304
with automatic retractor
EPDM hose $\varnothing$ 13 mm
pull-out hose length 160 cm
complete with shower ECO/F
for fixing to any equipment



ELECTROLUX PROFESSIONAL 0T1747 ELECTROLUX PROFESSIONAL 006696

Suitable for:

3359610 BLACK SHOWER CASE ECO $\varnothing$ 1/2" M
with coupling 3/8" M x 1/2" M



ELECTROLUX PROFESSIONAL 003175

Hose-end fittings

3315106 3-WAY HOSE END RUBBER FITTING $\varnothing$ 10 mm



ELECTROLUX PROFESSIONAL 047431

Hydraulic piping

40C5006 PIPE EPDM STEAM $\varnothing$ 29x39 mm 860 mm



ELECTROLUX PROFESSIONAL 0C5006 ELECTROLUX PROFESSIONAL 006252

4003856 PIPE WATER $\varnothing$ 12/10 mm 370 mm



ELECTROLUX PROFESSIONAL 003856

3450621 RUBBER PIPE 110°C. $\varnothing$ 10x16 mm - 5 m
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 16 mm
internal $\varnothing$ 10 mm
for 40 m rolls see 3450651



ELECTROLUX PROFESSIONAL 0C3165 ELECTROLUX PROFESSIONAL 0C4158 ELECTROLUX PROFESSIONAL 002707
ELECTROLUX PROFESSIONAL 086085

Incandescent lamps and neon lamps

2102048 HALOGEN LAMP R7s 160W 230V
length 118 mm



ELECTROLUX PROFESSIONAL 093041

3221068 NEON LAMP FOR OVEN E14 2W 380V
dimensions ø 13x30 mm
for OVEN



ELECTROLUX PROFESSIONAL 0H7037

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
max. temperature 300°C



ELECTROLUX PROFESSIONAL 0H7038

3221639 NEUTRAL HALOGEN LAMP G4 10W 12V
max temperature 300°C



ELECTROLUX PROFESSIONAL 0C4396

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 0C2803 ELECTROLUX PROFESSIONAL 002956 ELECTROLUX PROFESSIONAL 007056 ELECTROLUX PROFESSIONAL 0H7035

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

ELECTROLUX PROFESSIONAL 081696

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2224 ELECTROLUX PROFESSIONAL 058544

3221132 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 004169 ELECTROLUX PROFESSIONAL 058544



ELECTROLUX PROFESSIONAL



Suitable for:

3221164 GREEN INDICATOR LAMP 230V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
dashboard mounting



ELECTROLUX PROFESSIONAL 054150 +054151

Suitable for:

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole $\varnothing$ 6 mm - head $\varnothing$ 7 mm



ELECTROLUX PROFESSIONAL 054151

3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



3221162 GREEN LAMP RECEPTACLE
head $\varnothing$ 14.5 mm - hole $\varnothing$ 10 mm



ELECTROLUX PROFESSIONAL 026456 ELECTROLUX PROFESSIONAL 053148 ELECTROLUX PROFESSIONAL 053154 ELECTROLUX PROFESSIONAL 004896

3221085 INDICATOR LAMP GREEN 230V
 $\varnothing$ head 18 mm - $\varnothing$ hole 12 mm - 120°C



ELECTROLUX PROFESSIONAL 003531

3221014 INDICATOR LAMP ORANGE 230V
mounting hole 30x22 mm - 125°C
universal application



ELECTROLUX PROFESSIONAL 0KM981

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole $\varnothing$ 6 mm - head $\varnothing$ 7 mm



ELECTROLUX PROFESSIONAL 054151

3221097 NEUTRAL INDICATOR LAMP 220V
head $\varnothing$ 8 mm - 120°C



ELECTROLUX PROFESSIONAL 004895 ELECTROLUX PROFESSIONAL 046241 ELECTROLUX PROFESSIONAL 048488
ELECTROLUX PROFESSIONAL 048832

3221112 ORANGE INDICATOR LAMP 220V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
application to the board



ELECTROLUX PROFESSIONAL 053811 +053812

Suitable for:

3221011 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2225

3221033 RED INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2408

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 005215 ELECTROLUX PROFESSIONAL 058522

3221163 ORANGE LAMP RECEPTACLE
head ø 15 mm - hole ø 10 mm



ELECTROLUX PROFESSIONAL 0K1364 ELECTROLUX PROFESSIONAL 004928

3221004 RED INDICATOR LIGHT 400V
head 16x16 mm - hole ø 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 053153

Suitable for:

3221032 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2224 ELECTROLUX PROFESSIONAL 058544

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole ø 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 045272 ELECTROLUX PROFESSIONAL 053149 ELECTROLUX PROFESSIONAL 053155

3221033 RED INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2408

3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole ø 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 026456 ELECTROLUX PROFESSIONAL 053148 ELECTROLUX PROFESSIONAL 053154



Suitable for:

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



Suitable for:

ELECTROLUX PROFESSIONAL 045272 ELECTROLUX PROFESSIONAL 053149 ELECTROLUX PROFESSIONAL 053155

3221358 WHITE LAMP RECEPTACLE
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm



ELECTROLUX PROFESSIONAL 046289

Injectors

3500083 GAS JET M10x1 $\varnothing$ 1.70 mm



ELECTROLUX PROFESSIONAL 054083

3500082 GAS JET M10x1 $\varnothing$ 1.90 mm



ELECTROLUX PROFESSIONAL 054033

3500081 GAS JET M10x1 $\varnothing$ 2.10 mm



ELECTROLUX PROFESSIONAL 056147

3500084 GAS JET M10x1 $\varnothing$ 3.30 mm



ELECTROLUX PROFESSIONAL 055388

3500085 GAS JET M10x1 $\varnothing$ 3.40 mm



ELECTROLUX PROFESSIONAL 054128

40A2141 NOZZLE GAS M10x1 $\varnothing$ 1.65 mm



ELECTROLUX PROFESSIONAL 0A2141

4055459 NOZZLE GAS M10x1 $\varnothing$ 2.15 mm



ELECTROLUX PROFESSIONAL 055459

4056471 NOZZLE GAS M10x1 $\varnothing$ 2.25 mm



ELECTROLUX PROFESSIONAL 056471

4054034 NOZZLE GAS M10x1 ø 3.00 mm



ELECTROLUX PROFESSIONAL 054034


Inlet hoses

3449034 FLEX HOSE ø 3/4" Fp x CFp 1500 mm
EPDM hose covered in stainless steel
hose external ø 17 mm - internal ø 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ELECTROLUX PROFESSIONAL 0S0151 ELECTROLUX PROFESSIONAL 069571

3449035 FLEX HOSE ø 3/4" Fp x CFp 2000 mm
EPDM hose covered in stainless steel
hose external ø 17 mm - hose internal ø 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ELECTROLUX PROFESSIONAL 049540

3449001 INLET ELBOW HOSE ø 3/4" FF 1500 mm
thermoplastic hose ø 10x16 mm
nylon fittings ø 3/4" with gaskets
max temperature 90°C
max pressure 10 bar



3449007 INLET ELBOW HOSE ø 3/4" FF 1500 mm
rubber hose with textile reinforcement ø 13x20 mm
with elbow in thermoplastic material
metal ring nuts 3/4"F
max temperature 90°C
max pressure 15 bar



ELECTROLUX PROFESSIONAL 0C8316 ELECTROLUX PROFESSIONAL 0S0150 ELECTROLUX PROFESSIONAL 053789 ELECTROLUX PROFESSIONAL 0S0153 ELECTROLUX PROFESSIONAL 047605 ELECTROLUX PROFESSIONAL 066463

3449056 INLET ELBOW HOSE ø 3/4" FF 2000 mm
thermoplastic hose ø 13x19 mm
brass fittings ø 3/4"F with gaskets
max temperature 90°C
max pressure 10 bar
with WRAS approval



ELECTROLUX PROFESSIONAL 0L1887 ELECTROLUX PROFESSIONAL 048816

3449003 STRAIGHT ELBOW HOSE ø 3/4" FF 1500 mm
rubber hose with textile reinforcement ø 13x20 mm
with metal ring nuts 3/4"F
max temperature 90°C
max pressure 15 bar



ELECTROLUX PROFESSIONAL 0S0152 ELECTROLUX PROFESSIONAL 060933



Insulators

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm



ELECTROLUX PROFESSIONAL 003874

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm



ELECTROLUX PROFESSIONAL 003883

Interference suppression filters

3160233 INTERFERENCE SUP.FILTER PROCOND411135901



ELECTROLUX PROFESSIONAL 049303

3160099 INTERFERENCE SUPPRES. FILTER F3CF71112
0.47μF



ELECTROLUX PROFESSIONAL 046217

Ironmongery (screws,nuts,washers)

3528010 FLAT WASHER M6
ø internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 0U2043

1528030 MID HEXAGONAL NUT M6
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ELECTROLUX PROFESSIONAL 0K4516

3528066 NUT INOX M26x1.5 mm



ELECTROLUX PROFESSIONAL 056409

1389001 S/STEEL PIN ø 2x20 mm
UNI 1336 - DIN 94 - ISO 1234




ELECTROLUX PROFESSIONAL 0K8898

4053759 SCREW HEXAGON HEAD M5x6
overall length 15 mm



ELECTROLUX PROFESSIONAL 053759

3241201 SCREW NO HEAD WITH HEXAGON SOCKET M4X6
stainless steel - cone end
UNI 5927 - DIN 914 - ISO 4027



ELECTROLUX PROFESSIONAL 046258 ELECTROLUX PROFESSIONAL 047846



ELECTROLUX PROFESSIONAL



Suitable for:

1186504 WASHER FLAT M10
internal/external $\varnothing$ 10.5/20 mm - thickness 2 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 0D0622

Suitable for:


3528067 WASHER 22x12x2 mm



ELECTROLUX PROFESSIONAL 056416


Knobs

3241867 BLACK KNOB $\varnothing$ 55 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A5323

3241675 BLACK KNOB $\varnothing$ 60 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 007044

3241673 KNOB WASHER



ELECTROLUX PROFESSIONAL 002727

3241055 FIXING CLIP
for knob with $\varnothing$ 8 mm hole



ELECTROLUX PROFESSIONAL 025245

3241674 KNOB BUSHING



ELECTROLUX PROFESSIONAL 002662

3241676 LOCK NUT FOR KNOB 1/2"



ELECTROLUX PROFESSIONAL 051263



ELECTROLUX PROFESSIONAL



Suitable for:

3241328 GREY KNOB ø 55 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 056198

Suitable for:

3241055 FIXING CLIP
for knob with ø 8 mm hole




ELECTROLUX PROFESSIONAL 025245

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ELECTROLUX PROFESSIONAL 053816

3241672 GREY KNOB ø 55 mm
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 002672

3241329 GREY KNOB ø 55 mm WITH SILKSCREEN PRINT
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 055026 ELECTROLUX PROFESSIONAL 056222

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm




ELECTROLUX PROFESSIONAL 053816

3241069 GREY KNOB ø 55 mm 0-120°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C3022 ELECTROLUX PROFESSIONAL 003844 ELECTROLUX PROFESSIONAL 075543 ELECTROLUX PROFESSIONAL 053816

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm




3241330 GREY KNOB ø 55 mm 0-120°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 053814 ELECTROLUX PROFESSIONAL 055364 ELECTROLUX PROFESSIONAL 056128 ELECTROLUX PROFESSIONAL 053816

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm





ELECTROLUX PROFESSIONAL



Suitable for:


3241327 GREY KNOB ø 55 mm 50-250°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 053813 ELECTROLUX PROFESSIONAL 056197

Suitable for:

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ELECTROLUX PROFESSIONAL 053816

3241338 KNOB BLACK ø 42 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0E3019

4003743 KNOB BLACK ø 55 mm
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 003743

3241366 KNOB BLACK ø 72 mm 0-120'
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6732

3241365 KNOB BLACK ø 72 mm 50-250°C
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 0H6731

40E3687 KNOB BLACK SILK SCREEN PRINTED ø 46 mm
long pin
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0E3687

3241674 KNOB BUSHING




ELECTROLUX PROFESSIONAL 002662

3241142 KNOB GASKET ø 44 mm



ELECTROLUX PROFESSIONAL 059326

40A5324 KNOB GRAY ø 55 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A5324



ELECTROLUX PROFESSIONAL



Suitable for:

40C1769 KNOB GRAY ø 55 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C1769

Suitable for:

4003762 KNOB GRAY ø 55 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 003762

4056127 KNOB GRAY ø 55 mm SILK SCREEN PRINT
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 055363 ELECTROLUX PROFESSIONAL 056127

40C0966 KNOB SILVER ø 54 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C0966

3241673 KNOB WASHER



ELECTROLUX PROFESSIONAL 002727

3241676 LOCK NUT FOR KNOB 1/2"



ELECTROLUX PROFESSIONAL 051263

Labels for control panels

3399043 BLUE ELECTRONIC PLATE
dimensions 460x160 mm



ELECTROLUX PROFESSIONAL 007057

3399051 CONTROL PLATE ELECTR. BLUE
dimensions 460x160 mm



ELECTROLUX PROFESSIONAL 007058

4002719 PLATE ELECTRONIC BLACK
dimensions 680x110 mm



ELECTROLUX PROFESSIONAL 002719

Lamp receptacles and spare parts

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm



ELECTROLUX PROFESSIONAL 0H2410

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions $\varnothing$ 48x38x5 mm
for OVEN



ELECTROLUX PROFESSIONAL

3221349 GLASS F.OVEN RECEPTACLE LAMP $\varnothing$ 73 mm
thread $\varnothing$ 63 mm - overall height 45 mm




ELECTROLUX PROFESSIONAL 003451 ELECTROLUX PROFESSIONAL 004163

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C



ELECTROLUX PROFESSIONAL 0H6989 ELECTROLUX PROFESSIONAL 0K7522

3520021 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 44 mm



ELECTROLUX PROFESSIONAL 002627

3221404 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 370 mm
mounting hole $\varnothing$ 42 mm



ELECTROLUX PROFESSIONAL 0C1555 ELECTROLUX PROFESSIONAL 006106

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS



ELECTROLUX PROFESSIONAL 002626

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
max. temperature 300°C



ELECTROLUX PROFESSIONAL 0H7038

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



ELECTROLUX PROFESSIONAL 0C2803 ELECTROLUX PROFESSIONAL 002956 ELECTROLUX PROFESSIONAL 007056



ELECTROLUX PROFESSIONAL



Suitable for:

40C4459 LAMP CAP OVEN ø 40 mm
internal ø 13 mm



ELECTROLUX PROFESSIONAL 00C4459

Suitable for:

2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole ø 38 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL 00C5508

3221300 LAMP RECEPTACLE E14 25W 230V
max temperature 300°C



ELECTROLUX PROFESSIONAL 054320

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 0H7035

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

4054318 OVEN LAMP RECEPTACLE GLASS ø 46 mm



ELECTROLUX PROFESSIONAL 054318

3221399 LAMP RECEPTACLE E14 25W 230V
max temperature 300°C




ELECTROLUX PROFESSIONAL 002625

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS




ELECTROLUX PROFESSIONAL 002626

3520021 GLASS FOR OVEN LAMP RECEPTACLE ø 44 mm



ELECTROLUX PROFESSIONAL 002627

3520022 OVEN GLASS FRAME ø 76 mm



ELECTROLUX PROFESSIONAL 002628

Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 0H7035

Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



ELECTROLUX PROFESSIONAL 0H6617 ELECTROLUX PROFESSIONAL 054991

3221649 LAMP RECEPTACLE WITH GLASS E14
WITHOUT BULB
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL 004160

3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass ø 54 mm
mounting hole ø 45 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL 056708

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 0H7035

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass ø 57 mm
mounting hole ø 42 mm
max temperature 300°C
for OVEN



ELECTROLUX PROFESSIONAL

2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole ø 38 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL 0C5508



Suitable for:

ELECTROLUX PROFESSIONAL



3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



Suitable for:

ELECTROLUX PROFESSIONAL 0H7035

3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V
ceramic foot ø 30 mm
external dimensions 75x60 mm
max. temperature 300°C




ELECTROLUX PROFESSIONAL 0K3363

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 0H7035

ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL 004160

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN




ELECTROLUX PROFESSIONAL 0H7035

ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

Suitable for:


5035079 LAMP RECEPTACLE WITH LAMP G9 40W 230V
external dimensions 96x80 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL 003956

Suitable for:

3520022 OVEN GLASS FRAME ø 76 mm



ELECTROLUX PROFESSIONAL 002628

4054318 OVEN LAMP RECEPTACLE GLASS ø 46 mm



ELECTROLUX PROFESSIONAL 054318

4007055 RECEPTACLE F/HALOGEN LAMP G4 20W 12V
wire connection length 2400 mm
mounting hole ø 42 mm



ELECTROLUX PROFESSIONAL 007055

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS



ELECTROLUX PROFESSIONAL 002626

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
max. temperature 300°C



ELECTROLUX PROFESSIONAL 0H7038

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



ELECTROLUX PROFESSIONAL 0C2803 ELECTROLUX PROFESSIONAL 002956 ELECTROLUX PROFESSIONAL 007056

40E3681 RECEPTACLE WITH LAMP E14 15W 230V
glass for lamp ø 42 mm
mounting hole ø 38 mm
maximum temperature 300°C



ELECTROLUX PROFESSIONAL 0E3681

2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole ø 38 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL 0C5508



Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 0H7035



Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
external dimensions 140x75 mm



ELECTROLUX PROFESSIONAL 055022

Leak detektors for gas

3394009 GAS LEAK FINDER SE151NM
for natural gas and lpg leaks finding.
standard 4 batteries 1.5V power supply
battery life 7 hours of continuous working
with imitation leather case
calibration is reached through sensitivity adjustm
in no polluting gas air so that
the buzzer gives one pulse every second.
As soon as the sensor is in a polluted
environment the pulses frequency
increases.



ELECTROLUX PROFESSIONAL 0S2023

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz



ELECTROLUX PROFESSIONAL 055458

3341003 LEVEL PROBE ø 1/4"M-110 mm



ELECTROLUX PROFESSIONAL 056449



ELECTROLUX PROFESSIONAL



Suitable for:

3341002 LEVEL PROBE $\varnothing$ 1/4"M-114.5 mm



ELECTROLUX PROFESSIONAL 0C1086 ELECTROLUX PROFESSIONAL 055346

3391037 LEVEL PROBE SPACER



ELECTROLUX PROFESSIONAL 055347

3341026 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz



ELECTROLUX PROFESSIONAL 088196

Suitable for:

3341001 LEVEL PROBE $\varnothing$ 1/4"M-155 mm



ELECTROLUX PROFESSIONAL 0C1055 ELECTROLUX PROFESSIONAL 0C1105 ELECTROLUX PROFESSIONAL 053909

3391038 LEVEL PROBE SPACER



ELECTROLUX PROFESSIONAL 055435

3341038 LEVEL ADJUSTER RL30/3ES/11
24V 50/60Hz



ELECTROLUX PROFESSIONAL 053913

Level sensors

4007033 LEVEL PROBE $\varnothing$ 1/4"M-104 mm



ELECTROLUX PROFESSIONAL 007033

3341002 LEVEL PROBE $\varnothing$ 1/4"M-114.5 mm



ELECTROLUX PROFESSIONAL 0C1086 ELECTROLUX PROFESSIONAL 055346

3341019 LEVEL PROBE $\varnothing$ 1/4"M-122 mm



ELECTROLUX PROFESSIONAL 0A2838

3341003 LEVEL PROBE $\varnothing$ 1/4"M-110 mm



ELECTROLUX PROFESSIONAL 056449

3391037 LEVEL PROBE SPACER



ELECTROLUX PROFESSIONAL 055347



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

3391038 LEVEL PROBE SPACER



ELECTROLUX PROFESSIONAL 055435

3341033 LEVEL PROBE $\varnothing$ 1/4"M-139 mm



ELECTROLUX PROFESSIONAL 003878

3341001 LEVEL PROBE $\varnothing$ 1/4"M-155 mm



ELECTROLUX PROFESSIONAL 0C1055 ELECTROLUX PROFESSIONAL 0C1105 ELECTROLUX PROFESSIONAL 053909 ELECTROLUX PROFESSIONAL 005879

4005766 LEVEL PROBE $\varnothing$ 1/4"M-61 mm



ELECTROLUX PROFESSIONAL 005766

3341034 LEVEL PROBE 77 mm



ELECTROLUX PROFESSIONAL 002632

4005765 PROBE LEVEL $\varnothing$ 1/4"M-51 mm



ELECTROLUX PROFESSIONAL 005765

3391038 LEVEL PROBE SPACER



ELECTROLUX PROFESSIONAL 055435

3341072 LEVEL PROBE $\varnothing$ 1/4"M-240 mm



3341032 SPACER FOR PROBE 16 mm



ELECTROLUX PROFESSIONAL 002633

3341032 SPACER FOR PROBE 16 mm



ELECTROLUX PROFESSIONAL 002633



Suitable for:

3397173 WATER LEVEL PROBE 125 mm



ELECTROLUX PROFESSIONAL 002694

3391038 LEVEL PROBE SPACER



ELECTROLUX PROFESSIONAL 055435

Suitable for:

3391037 LEVEL PROBE SPACER



ELECTROLUX PROFESSIONAL 055347

Magnet groups

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

3182005 MAGNETIC UNIT SIT
ø head 19 mm - ø end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ELECTROLUX PROFESSIONAL 056588

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ELECTROLUX PROFESSIONAL 056589

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V



ELECTROLUX PROFESSIONAL 002785 ELECTROLUX PROFESSIONAL 046063

3803071 MICROSWITCH DOOR 16A 250V
per HBR/G e ZBR/G SERIE 800



ELECTROLUX PROFESSIONAL 058926



ELECTROLUX PROFESSIONAL



Suitable for:

3240407 MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ELECTROLUX PROFESSIONAL 069484

Suitable for:

3240148 MICROSWITCH MAGNET 63x19x11 mm



ELECTROLUX PROFESSIONAL 049627

3240469 MICROSWITCH MAGNETIC E710-1B

50VA 250V - NO contact - head 50x19 mm



ELECTROLUX PROFESSIONAL 049621

3240148 MICROSWITCH MAGNET 63x19x11 mm



ELECTROLUX PROFESSIONAL 049627

3240406 MICROSWITCH 10(4)A 250V



ELECTROLUX PROFESSIONAL 0H6597

3240410 MICROSWITCH 16(4)A 250V



ELECTROLUX PROFESSIONAL

3240123 MICROSWITCH 16A 250V



ELECTROLUX PROFESSIONAL 0K1505

3240820 MICROSWITCH 16A 250V



ELECTROLUX PROFESSIONAL 0E0209 ELECTROLUX PROFESSIONAL 0KB678 ELECTROLUX PROFESSIONAL 004904 ELECTROLUX PROFESSIONAL 047487
ELECTROLUX PROFESSIONAL 046286 ELECTROLUX PROFESSIONAL 047485 ELECTROLUX PROFESSIONAL 053671

3240152 BUSHING FOR MICROSWITCH





Suitable for:

3240473 GASKET FOR BUSHING




ELECTROLUX PROFESSIONAL 047490

3240153 ROD FOR MICROSWITCH



ELECTROLUX PROFESSIONAL 047488

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm




ELECTROLUX PROFESSIONAL 045404 ELECTROLUX PROFESSIONAL 45404

ELECTROLUX PROFESSIONAL



Suitable for:

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ELECTROLUX PROFESSIONAL 045404 ELECTROLUX PROFESSIONAL 45404

3240154 SPRING FOR MICROSWITCH ROD



ELECTROLUX PROFESSIONAL 047489

Motors

4006670 FLANGE FOR MOTOR SHAFT
external $\varnothing$ 74 mm - internal $\varnothing$ 22 mm - thickness 1




ELECTROLUX PROFESSIONAL 006670

3340063 MOTOR FAN 24/28W 220/240V 50/60Hz



ELECTROLUX PROFESSIONAL 005202

4058730 FLANGE MOTOR
external $\varnothing$ 230 mm - internal flange $\varnothing$ 20 mm
height 2.5 mm



ELECTROLUX PROFESSIONAL 0058730

3340064 MOTOR FAN $\varnothing$ 145 mm



ELECTROLUX PROFESSIONAL 005221




Suitable for:

Suitable for:

3240907 MOTOR FLANGE


external $\varnothing$ 270 mm - flange internal $\varnothing$ 16 mm
height 3.5 mm



ELECTROLUX PROFESSIONAL 058957

3240742 MOTOR LM/FB100L 4/6 0.75/0.22Kw 230V


50/60Hz - 2.4/1.0A - 955/1460rpm
capacitor 16 μ F



ELECTROLUX PROFESSIONAL 0C1171 ELECTROLUX PROFESSIONAL 0C6563

40C6464 FAN $\varnothing$ 380 mm

thickness 170 mm
number of blades 12 - hole $\varnothing$ 10 mm



ELECTROLUX PROFESSIONAL 0C1172 ELECTROLUX PROFESSIONAL 0C6464

3240290 MAIN SHAFT SEALING GASKET


external $\varnothing$ 38mm - internal $\varnothing$ 16mm - thickness 17mm



ELECTROLUX PROFESSIONAL 002699

4005748 MOTOR LM/FB80 4/6 0.06/0.19Kw 230V

50/60Hz - 0.7/1.5A - 930/1110/1380/1700rpm
capacitor 12.5 μ F



ELECTROLUX PROFESSIONAL 005748

3240738 FAN $\varnothing$ 350 mm

height 140 mm
total blades 6 - $\varnothing$ hole 10 mm



ELECTROLUX PROFESSIONAL 0C1129 ELECTROLUX PROFESSIONAL 0C6463

4006670 FLANGE FOR MOTOR SHAFT

external $\varnothing$ 74 mm - internal $\varnothing$ 22 mm - thickness 1



ELECTROLUX PROFESSIONAL 006670

3786008 O-RING 04112 BROWN VITON


for coffee group upper piston



ELECTROLUX PROFESSIONAL 002873

3240289 FAN $\varnothing$ 280 mm

thickness 100 mm
total blades 6 - $\varnothing$ hole 10 mm



ELECTROLUX PROFESSIONAL 0C6462 ELECTROLUX PROFESSIONAL 002754 ELECTROLUX PROFESSIONAL 003560



ELECTROLUX PROFESSIONAL



Suitable for:

4006670 FLANGE FOR MOTOR SHAFT
external $\varnothing$ 74 mm - internal $\varnothing$ 22 mm - thickness 1



ELECTROLUX PROFESSIONAL 006670

Suitable for:

3240290 MAIN SHAFT SEALING GASKET
external $\varnothing$ 38mm - internal $\varnothing$ 16mm - thickness 17mm




ELECTROLUX PROFESSIONAL 002699

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston




ELECTROLUX PROFESSIONAL 002873

3240287 MOTOR LM/FB80 4/6 0.11/0.35Kw 230V
50/60Hz - 1.3/2.7A - 900/1400rpm
capacitor 16 μ F



ELECTROLUX PROFESSIONAL 002748

3240111 FAN $\varnothing$ 350 mm
thickness 135 mm
total blades 6 - $\varnothing$ hole 9.5 mm




ELECTROLUX PROFESSIONAL 053782 ELECTROLUX PROFESSIONAL 054890

3240291 FAN $\varnothing$ 350 mm
thickness 135 mm
total blades 6 - $\varnothing$ via hole 10 mm



3240737 FAN $\varnothing$ 350 mm
thickness 135 mm
total blades 6 - $\varnothing$ hole 10 mm




ELECTROLUX PROFESSIONAL 0C6461 ELECTROLUX PROFESSIONAL 002617

3240112 FAN $\varnothing$ 440 mm
thickness 152 mm
total blades 6 - $\varnothing$ hole 9.5 mm



3240739 FAN $\varnothing$ 440 mm
height 155 mm
total blades 6 - $\varnothing$ hole 10 mm




ELECTROLUX PROFESSIONAL 000274 ELECTROLUX PROFESSIONAL 054014 ELECTROLUX PROFESSIONAL 055378 ELECTROLUX PROFESSIONAL 0C8306 ELECTROLUX PROFESSIONAL 002740



Suitable for:

4006670 FLANGE FOR MOTOR SHAFT
external $\varnothing$ 74 mm - internal $\varnothing$ 22 mm - thickness 1




ELECTROLUX PROFESSIONAL 006670

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ELECTROLUX PROFESSIONAL 002873

3240740 MOTOR LM/FB80 4/6 0.19/0.06Kw 230V
50/60Hz - 1.5/0.7A - 930/1380rpm
capacitor 12.5 μ F



ELECTROLUX PROFESSIONAL 002698 ELECTROLUX PROFESSIONAL 005028

3240291 FAN $\varnothing$ 350 mm
thickness 135 mm
total blades 6 - $\varnothing$ via hole 10 mm



ELECTROLUX PROFESSIONAL 0C6461 ELECTROLUX PROFESSIONAL 002617

3240739 FAN $\varnothing$ 440 mm
height 155 mm
total blades 6 - $\varnothing$ hole 10 mm



ELECTROLUX PROFESSIONAL 0C8306 ELECTROLUX PROFESSIONAL 002740

ELECTROLUX PROFESSIONAL



Suitable for:

3240290 MAIN SHAFT SEALING GASKET
external $\varnothing$ 38mm - internal $\varnothing$ 16mm - thickness 17mm




ELECTROLUX PROFESSIONAL 002699

3240289 FAN $\varnothing$ 280 mm
thickness 100 mm
total blades 6 - $\varnothing$ hole 10 mm



ELECTROLUX PROFESSIONAL 0C6462 ELECTROLUX PROFESSIONAL 002754 ELECTROLUX PROFESSIONAL 003560

3240737 FAN $\varnothing$ 350 mm
thickness 135 mm
total blades 6 - $\varnothing$ hole 10 mm



ELECTROLUX PROFESSIONAL 0C8309 ELECTROLUX PROFESSIONAL 002139

4006670 FLANGE FOR MOTOR SHAFT
external $\varnothing$ 74 mm - internal $\varnothing$ 22 mm - thickness 1



ELECTROLUX PROFESSIONAL 006670



ELECTROLUX PROFESSIONAL



Suitable for:

3240290 MAIN SHAFT SEALING GASKET
external $\varnothing$ 38mm - internal $\varnothing$ 16mm - thickness 17mm



ELECTROLUX PROFESSIONAL 002699


Suitable for:

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ELECTROLUX PROFESSIONAL 002873

3240741 MOTOR LM/FB80 4/6 0.19/0.06Kw 230V
50/60Hz - 1.6/0.75A - 890/1385rpm
capacitor 12.5 μ F



ELECTROLUX PROFESSIONAL 006998

3240736 FAN $\varnothing$ 288 mm
thickness 130 mm
total blades 10 - $\varnothing$ hole 10 mm




ELECTROLUX PROFESSIONAL 0C7029 ELECTROLUX PROFESSIONAL 007000

3240738 FAN $\varnothing$ 350 mm
height 140 mm
total blades 6 - $\varnothing$ hole 10 mm



ELECTROLUX PROFESSIONAL 0C1129 ELECTROLUX PROFESSIONAL 0C6463

4006670 FLANGE FOR MOTOR SHAFT
external $\varnothing$ 74 mm - internal $\varnothing$ 22 mm - thickness 1



ELECTROLUX PROFESSIONAL 006670

3240290 MAIN SHAFT SEALING GASKET
external $\varnothing$ 38mm - internal $\varnothing$ 16mm - thickness 17mm




ELECTROLUX PROFESSIONAL 002699

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ELECTROLUX PROFESSIONAL 002873

3240262 MOTOR LM80/4 0.19Kw 230V 50/60Hz
1.3A - 1450/1750rpm



ELECTROLUX PROFESSIONAL 0F0007 ELECTROLUX PROFESSIONAL 002616 ELECTROLUX PROFESSIONAL 005750 ELECTROLUX PROFESSIONAL 0C6462 ELECTROLUX PROFESSIONAL 002754 ELECTROLUX PROFESSIONAL 003560


3240289 FAN $\varnothing$ 280 mm
thickness 100 mm
total blades 6 - $\varnothing$ hole 10 mm






Suitable for:

3240111 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 9.5 mm



ELECTROLUX PROFESSIONAL 053782 ELECTROLUX PROFESSIONAL 054890

3240737 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 10 mm



ELECTROLUX PROFESSIONAL 0C8309 ELECTROLUX PROFESSIONAL 002139

3240739 FAN ø 440 mm
height 155 mm
total blades 6 - ø hole 10 mm




ELECTROLUX PROFESSIONAL 0C8306 ELECTROLUX PROFESSIONAL 002740

3240290 MAIN SHAFT SEALING GASKET
external ø 38mm - internal ø 16mm - thickness 17mm



ELECTROLUX PROFESSIONAL 002699

3240261 MOTOR LM80/4 0.35Kw 230V 50/60Hz
2.7A - 1400/1700rpm - capacitor 16 µf
for 10 GRILLS versions



ELECTROLUX PROFESSIONAL 002739




Suitable for:

3240291 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø via hole 10 mm



ELECTROLUX PROFESSIONAL 0C6461 ELECTROLUX PROFESSIONAL 002617

3240112 FAN ø 440 mm
thickness 152 mm
total blades 6 - ø hole 9.5 mm



ELECTROLUX PROFESSIONAL 000274 ELECTROLUX PROFESSIONAL 054014 ELECTROLUX PROFESSIONAL 055378

4006670 FLANGE FOR MOTOR SHAFT
external ø 74 mm - internal ø 22 mm - thickness 1




ELECTROLUX PROFESSIONAL 006670

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ELECTROLUX PROFESSIONAL 002873

3240111 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 9.5 mm



ELECTROLUX PROFESSIONAL 053782 ELECTROLUX PROFESSIONAL 054890



ELECTROLUX PROFESSIONAL



Suitable for:


3240291 **FAN ø 350 mm**
thickness 135 mm
total blades 6 - ø via hole 10 mm



ELECTROLUX PROFESSIONAL 0C6461 ELECTROLUX PROFESSIONAL 002617

Suitable for:

3240737 **FAN ø 350 mm**
thickness 135 mm
total blades 6 - ø hole 10 mm




ELECTROLUX PROFESSIONAL 0C8309 ELECTROLUX PROFESSIONAL 002139

3240112 **FAN ø 440 mm**
thickness 152 mm
total blades 6 - ø hole 9.5 mm




ELECTROLUX PROFESSIONAL 000274 ELECTROLUX PROFESSIONAL 054014 ELECTROLUX PROFESSIONAL 055378

3240739 **FAN ø 440 mm**
height 155 mm
total blades 6 - ø hole 10 mm



ELECTROLUX PROFESSIONAL 0C8306 ELECTROLUX PROFESSIONAL 002740

4006670 **FLANGE FOR MOTOR SHAFT**
external ø 74 mm - internal ø 22 mm - thickness 1



ELECTROLUX PROFESSIONAL 006670

3240290 **MAIN SHAFT SEALING GASKET**
external ø 38mm - internal ø 16mm - thickness 17mm



ELECTROLUX PROFESSIONAL 002699

3786008 **O-RING 04112 BROWN VITON**
for coffee group upper piston




ELECTROLUX PROFESSIONAL 002873

3240115 **MOTOR L7ZAW4D-099 0.245Kw**
230/415V 50/60Hz



ELECTROLUX PROFESSIONAL 0H6929

3240295 **MOTOR SPACER**
threads M6-M8
overall height 47 mm



ELECTROLUX PROFESSIONAL 054830 ELECTROLUX PROFESSIONAL 058731



ELECTROLUX PROFESSIONAL



Suitable for:


3240263 MOTOR WITH FAN 38W 220V 50Hz
fan ø 153 mm



ELECTROLUX PROFESSIONAL 054842

Suitable for:

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm




ELECTROLUX PROFESSIONAL 0A2010 ELECTROLUX PROFESSIONAL 004933 ELECTROLUX PROFESSIONAL 031484
ELECTROLUX PROFESSIONAL 054314

3240744 MOTOR WITH FAN 50W 220/230V 50Hz
fan ø 80 mm




ELECTROLUX PROFESSIONAL 0KB666

3240015 MOTOR 1052.1400 0.1Kw 220V 50Hz
1A 1400rpm - capacitor 4 µf




ELECTROLUX PROFESSIONAL 054829

3240110 FAN ø 280 mm
thickness 100 mm
total blades 6 - ø hole 9.5 mm




ELECTROLUX PROFESSIONAL 054585 ELECTROLUX PROFESSIONAL 055422

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm




ELECTROLUX PROFESSIONAL 054830 ELECTROLUX PROFESSIONAL 058731

3240016 MOTOR 1052.2500 0.19Kw 220/380V 50Hz
1.4/0.9A 1400rpm



ELECTROLUX PROFESSIONAL 054836

3240111 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 9.5 mm



ELECTROLUX PROFESSIONAL 053782 ELECTROLUX PROFESSIONAL 054890




Suitable for:

3391040 MOTOR BASE




ELECTROLUX PROFESSIONAL 058729

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm




ELECTROLUX PROFESSIONAL 054830 ELECTROLUX PROFESSIONAL 058731

3240019 MOTOR 1053.2500 0.35Kw 220/380V 50Hz
1.8/1.04A 1400rpm




ELECTROLUX PROFESSIONAL 054837 ELECTROLUX PROFESSIONAL 058607

4058730 FLANGE MOTOR
external $\varnothing$ 230 mm - internal flange $\varnothing$ 20 mm
height 2.5 mm



ELECTROLUX PROFESSIONAL 058730

3240715 MOTOR 1092.2330 0.1Kw 220V 50Hz
0.9A 1350rpm - capacitor 4 μ f



ELECTROLUX PROFESSIONAL 058587

ELECTROLUX PROFESSIONAL




Suitable for:

3240907 MOTOR FLANGE
external $\varnothing$ 270 mm - flange internal $\varnothing$ 16 mm
height 3.5 mm




ELECTROLUX PROFESSIONAL 058957

3240112 FAN $\varnothing$ 440 mm
thickness 152 mm
total blades 6 - $\varnothing$ hole 9.5 mm




ELECTROLUX PROFESSIONAL 000274 ELECTROLUX PROFESSIONAL 054014 ELECTROLUX PROFESSIONAL 055378

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm



ELECTROLUX PROFESSIONAL 054830 ELECTROLUX PROFESSIONAL 058731

3240110 FAN $\varnothing$ 280 mm
thickness 100 mm
total blades 6 - $\varnothing$ hole 9.5 mm



ELECTROLUX PROFESSIONAL 054585 ELECTROLUX PROFESSIONAL 055422



ELECTROLUX PROFESSIONAL




Suitable for:

3391040 MOTOR BASE




ELECTROLUX PROFESSIONAL 058729

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm



ELECTROLUX PROFESSIONAL 054830 ELECTROLUX PROFESSIONAL 058731

4058667 MOTOR 1092.5440 0.19Kw 220-240/380-415V
50Hz 1/0.58A 1350rpm




ELECTROLUX PROFESSIONAL 058667

3391040 MOTOR BASE



ELECTROLUX PROFESSIONAL 058729

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm



ELECTROLUX PROFESSIONAL 054830 ELECTROLUX PROFESSIONAL 058731


Suitable for:

3240907 MOTOR FLANGE
external $\varnothing$ 270 mm - flange internal $\varnothing$ 16 mm
height 3.5 mm



ELECTROLUX PROFESSIONAL 058957

3240111 FAN $\varnothing$ 350 mm
thickness 135 mm
total blades 6 - $\varnothing$ hole 9.5 mm



ELECTROLUX PROFESSIONAL 053782 ELECTROLUX PROFESSIONAL 054890


3240907 MOTOR FLANGE
external $\varnothing$ 270 mm - flange internal $\varnothing$ 16 mm
height 3.5 mm



ELECTROLUX PROFESSIONAL 058957

Suitable for:

40C5287 **MOTOR 1096A2350 0.240/0.310Kw 230V**
50/60Hz - 1.1/1.4A - 1400/1700rpm
capacitor 8 µF - with thermic protection



ELECTROLUX PROFESSIONAL 0C5287

3240738 **FAN ø 350 mm**
height 140 mm
total blades 6 - ø hole 10 mm



ELECTROLUX PROFESSIONAL 0C1129 ELECTROLUX PROFESSIONAL 0C6463

3240290 **MAIN SHAFT SEALING GASKET**
external ø 38mm - internal ø 16mm - thickness 17mm



ELECTROLUX PROFESSIONAL 002699

3240017 **MOTOR 110.4.370M 0.37Kw 230V 50/60Hz**
2.7A 1400rpm - capacitor 10 µF
(old type)



ELECTROLUX PROFESSIONAL 057970


Suitable for:

3240736 **FAN ø 288 mm**
thickness 130 mm
total blades 10 - ø hole 10 mm



ELECTROLUX PROFESSIONAL 0C7029 ELECTROLUX PROFESSIONAL 007000

40C6464 **FAN ø 380 mm**
thickness 170 mm
number of blades 12 - hole ø 10 mm



ELECTROLUX PROFESSIONAL 0C1172 ELECTROLUX PROFESSIONAL 0C6464

3786008 **O-RING 04112 BROWN VITON**
for coffee group upper piston



ELECTROLUX PROFESSIONAL 002873

Non-return and expansion valves

4007008 **KIT NON-RETURN VALVE ø 37 mm**
complete with coupling
sphere-shaped - outlet ø 12 mm
plastic nut



ELECTROLUX PROFESSIONAL 007008

40C1117 **NON-RETURN VALVE ø 10 mm**



ELECTROLUX PROFESSIONAL 0C1117



Suitable for:

Suitable for:

40C2312 NON-RETURN VALVE ø 20 mm



ELECTROLUX PROFESSIONAL 0C2312

1526503 NON-RETURN VALVE ø 40 mm
ballcock - outlets ø 12 mm
stainless steel cap



1186805 O-RING 0115 EPDM



ELECTROLUX PROFESSIONAL 0L1892 ELECTROLUX PROFESSIONAL 005762 ELECTROLUX PROFESSIONAL 049332 ELECTROLUX PROFESSIONAL 067292

Nozzles for humidifier

4053800 NOZZLE INJECTION ø 15/12.5x10 mm



ELECTROLUX PROFESSIONAL 053800

Outlet solenoid valves and accessories

3525014 BOILER MOTOR DRAIN VALVE
230V 50/60Hz 2.5W
fittings ø 1"FF DN25



ELECTROLUX PROFESSIONAL 005026

3525021 VALVE BOILER DRAIN MOTORIZED
230V 50/60Hz 2.5W
fittings ø 3/4"FF DN20



ELECTROLUX PROFESSIONAL 0C0882 ELECTROLUX PROFESSIONAL 002713

5068963 VALVE BOILER DRAIN MOTORIZED
230V 50/60Hz 3W
fittings ø 3/4"FF DN20



ELECTROLUX PROFESSIONAL 0C5518

OR and ORM gaskets

1186230 O-RING GASKET 0164 EPDM



ELECTROLUX PROFESSIONAL 068799

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

3186014 O-RING GASKET 06225 EPDM ø 67 mm



ELECTROLUX PROFESSIONAL 0E5037 ELECTROLUX PROFESSIONAL 007029 ELECTROLUX PROFESSIONAL 047156 ELECTROLUX PROFESSIONAL 053809
ELECTROLUX PROFESSIONAL 049909

3160044 O-RING 03187 EPDM



3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ELECTROLUX PROFESSIONAL 002873

Penetration probes

7106284 PENETRATION PROBE
13 wires - coupling and faston connection
probe length 107 mm
inner chamber cable length 1700 mm
external chamber cable length 450 mm



ELECTROLUX PROFESSIONAL 0C3964 ELECTROLUX PROFESSIONAL 0C6616

3397195 PENETRATION PROBE PT 1000
2 wires - faston connection
bulb ø 4x150 mm
cable length 1560 mm



ELECTROLUX PROFESSIONAL 006192

3397010 PENETRATION PROBE PT100
2 wires - connector fitting
probe length 185 mm
compartment internal cable length 900 mm
compartment external cable length 1550 mm



ELECTROLUX PROFESSIONAL 055472

3397013 PENETRATION PROBE PT100
2 wires - faston connection
probe length 160 mm
chamber internal cable length 1200 mm
chamber external cable length 1850 mm



ELECTROLUX PROFESSIONAL 002821



ELECTROLUX PROFESSIONAL



Suitable for:


3397015 PENETRATION PROBE PT100
2 wires - faston fitting
probe length 140 mm
compartment internal cable length 1000 mm
compartment external cable length 1550 mm



ELECTROLUX PROFESSIONAL 003094 ELECTROLUX PROFESSIONAL 003853

Suitable for:

3397012 PENETRATION PROBE PT1000
2 wires - faston fitting
probe length 140 mm
compartment internal cable length 530 mm
compartment external cable length 1550 mm



ELECTROLUX PROFESSIONAL 002673

3397209 PENETRATION PROBE TCK
13 wires - connector fitting
probe length 95 mm
chamber internal cable length 1500 mm
chamber external cable length 950 mm



ELECTROLUX PROFESSIONAL 0C1164

3397210 PENETRATION PROBE TCK
13 wires - connector fitting
probe length 95 mm
chamber internal cable length 1500 mm
chamber external cable length 950 mm
from serial number 250



ELECTROLUX PROFESSIONAL 006982

40C0972 PENETRATION PROBE TCK
complete with 3 auxiliary connectors
3 wires - connector fitting
probe length 95 mm
external chamber cable length 1555 mm
external chamber cable length 1040 mm



ELECTROLUX PROFESSIONAL 0C0972

40C1213 PENETRATION PROBE TCK
13 wires - connector fitting
probe length 95 mm
chamber internal cable length 1050 mm
chamber external cable length 1800 mm



ELECTROLUX PROFESSIONAL 0C1213

40C1404 PENETRATION PROBE TCK
13 wires - connector fitting
probe length 98 mm
chamber internal cable length 1850 mm
chamber external cable length 1290 mm



ELECTROLUX PROFESSIONAL 0C1404

40C4240 PENETRATION PROBE TCK
13 wires - connector fitting
probe length 98 mm
internal chamber cable length 1550 mm
external chamber cable length 600 mm



ELECTROLUX PROFESSIONAL 0C4240

Suitable for:

40C4241 PENETRATION PROBE TCK
 3 wires - connector fitting
 probe length 98 mm
 internal chamber cable length 1555 mm
 external chamber cable length 600 mm



ELECTROLUX PROFESSIONAL 0C4241

Suitable for:

40C6573 PENETRATION PROBE TCK
 3 wires - connector fitting
 probe length 95 mm
 chamber internal cable length 1750 mm
 chamber external cable length 800 mm



ELECTROLUX PROFESSIONAL 0C6573

40C6574 PENETRATION PROBE TCK
 13 wires - connector fitting
 probe length 95 mm
 chamber internal cable length 1700 mm
 chamber external cable length 800 mm



ELECTROLUX PROFESSIONAL 0C6574

3397100 PROBE PENETRATION PT1000
 2 wires - faston connection
 probe length 140 mm
 chamber internal cable 950 mm
 chamber external cable 1500 mm



ELECTROLUX PROFESSIONAL 006174

Pilot burners and accessories

3020144 BRASS NUT M15x1



ELECTROLUX PROFESSIONAL 020997

3020145 CASING INJECTOR BURNER
 nozzle thread M15x1 mm



ELECTROLUX PROFESSIONAL 020988 ELECTROLUX PROFESSIONAL 051948

3020144 BRASS NUT M15x1



ELECTROLUX PROFESSIONAL 020997

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ELECTROLUX PROFESSIONAL 057960

3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
 thread M10x1



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3020541 NOZZLE FOR PILOT BURNER 0.35 mm

3020083 NUT & OLIVE ø 4 mm



ELECTROLUX PROFESSIONAL

ELECTROLUX PROFESSIONAL 052833

3020084 NUT & OLIVE ø 6 mm

3020114 OLIVE FOR PIPE ø 6 mm



ELECTROLUX PROFESSIONAL 052834

ELECTROLUX PROFESSIONAL 003863

3020082 OLIVE FOR 12 mm ø PIPE

3020111 OLIVE FOR 4 mm ø PIPE



ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 054979 ELECTROLUX PROFESSIONAL 053665

3020081 OLIVE FOR 6 mm ø PIPE

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



ELECTROLUX PROFESSIONAL 053666

ELECTROLUX PROFESSIONAL 006725

3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle ø 0.35 mm
with 3 position bracket

3020054 PILOT JET ø 0.20 mm



ELECTROLUX PROFESSIONAL 050812 ELECTROLUX PROFESSIONAL 058329

ELECTROLUX PROFESSIONAL 056799

3020055 PILOT JET ø 0.35 mm

3020077 PIPE FITTING ø 4 mm
thread M10x1



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797 ELECTROLUX PROFESSIONAL 046755




ELECTROLUX PROFESSIONAL



Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ELECTROLUX PROFESSIONAL 003859

Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



ELECTROLUX PROFESSIONAL 000488 ELECTROLUX PROFESSIONAL 051565 ELECTROLUX PROFESSIONAL 051977
ELECTROLUX PROFESSIONAL 056754

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELECTROLUX PROFESSIONAL 0A2473 ELECTROLUX PROFESSIONAL 052610 ELECTROLUX PROFESSIONAL 056720
ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380 ELECTROLUX PROFESSIONAL 059988

3020201 PILOT GAS JET $\varnothing$ 0.14 mm



ELECTROLUX PROFESSIONAL 059216

3020044 PILOT GAS JET $\varnothing$ 0.20 mm




ELECTROLUX PROFESSIONAL 054037 ELECTROLUX PROFESSIONAL 054286

3020202 PILOT GAS JET $\varnothing$ 0.27 mm



ELECTROLUX PROFESSIONAL 059215

3020043 PILOT GAS JET $\varnothing$ 0.36 mm



ELECTROLUX PROFESSIONAL 003626

3020045 PILOT GAS JET $\varnothing$ 0.50 mm



ELECTROLUX PROFESSIONAL 054038

3020054 PILOT JET $\varnothing$ 0.20 mm



ELECTROLUX PROFESSIONAL 056799



ELECTROLUX PROFESSIONAL



Suitable for:


3020156 PILOT JET ø 0.25 mm



ELECTROLUX PROFESSIONAL 058330

Suitable for:

3020157 PILOT JET ø 0.25 mm



ELECTROLUX PROFESSIONAL 054593

3020040 PILOT JET ø 0.30 mm



ELECTROLUX PROFESSIONAL 053667 ELECTROLUX PROFESSIONAL 057388

3020055 PILOT JET ø 0.35 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797

3020041 PILOT JET ø 0.41 mm



ELECTROLUX PROFESSIONAL 053670

3020187 PILOT NOZZLE ø 0.51 mm



ELECTROLUX PROFESSIONAL 053668

3020113 PILOT OLIVE FOR PIPE ø 4 mm



ELECTROLUX PROFESSIONAL 059161

3020106 PILOT WITH 0.25 mm ø JET



ELECTROLUX PROFESSIONAL 052281

3020107 PILOT WITH 0.35 mm ø JET



ELECTROLUX PROFESSIONAL 052686

**3020077 PIPE FITTING ø 4 mm
thread M10x1**



ELECTROLUX PROFESSIONAL 046755

**3020078 PIPE FITTING ø 6 mm
thread M10x1**



ELECTROLUX PROFESSIONAL 003859

Suitable for:

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



ELECTROLUX PROFESSIONAL 059379

Suitable for:

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 051565 ELECTROLUX PROFESSIONAL 051977
ELECTROLUX PROFESSIONAL 056754

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



ELECTROLUX PROFESSIONAL 054032

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ELECTROLUX PROFESSIONAL 057960

3020111 OLIVE FOR 4 mm ø PIPE



ELECTROLUX PROFESSIONAL 053665

3020044 PILOT GAS JET ø 0.20 mm



ELECTROLUX PROFESSIONAL 054037 ELECTROLUX PROFESSIONAL 054286

3020045 PILOT GAS JET ø 0.50 mm



ELECTROLUX PROFESSIONAL 054038

3020077 PIPE FITTING ø 4 mm
thread M10x1



ELECTROLUX PROFESSIONAL 046755

3020078 PIPE FITTING ø 6 mm
thread M10x1



ELECTROLUX PROFESSIONAL 003859

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 051565 ELECTROLUX PROFESSIONAL 051977
ELECTROLUX PROFESSIONAL 056754



ELECTROLUX PROFESSIONAL



Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F

Suitable for:



ELECTROLUX PROFESSIONAL 0A2473 ELECTROLUX PROFESSIONAL 052610 ELECTROLUX PROFESSIONAL 056720
ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380 ELECTROLUX PROFESSIONAL 059988

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



3020054 PILOT JET $\varnothing$ 0.20 mm



ELECTROLUX PROFESSIONAL 0C0494 ELECTROLUX PROFESSIONAL 050813 ELECTROLUX PROFESSIONAL 051624 ELECTROLUX PROFESSIONAL 056799
ELECTROLUX PROFESSIONAL 051976 ELECTROLUX PROFESSIONAL 054335 ELECTROLUX PROFESSIONAL 057737
ELECTROLUX PROFESSIONAL 058329

3020055 PILOT JET $\varnothing$ 0.35 mm



3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797 ELECTROLUX PROFESSIONAL 046755

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



ELECTROLUX PROFESSIONAL 003859

ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 051565 ELECTROLUX PROFESSIONAL 051977
ELECTROLUX PROFESSIONAL 056754



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELECTROLUX PROFESSIONAL 0A2473 ELECTROLUX PROFESSIONAL 052610 ELECTROLUX PROFESSIONAL 056720
ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380 ELECTROLUX PROFESSIONAL 059988

3020103 THREE-POSITION BRACKET



ELECTROLUX PROFESSIONAL 005618

Potentiometers

3057322 SELECTOR SWITCH COMPLETE WITH CABLE
D-shaped pin 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C0974

Pre-rinse units

3359610 BLACK SHOWER CASE ECO $\varnothing$ 1/2" M
with coupling 3/8" M x 1/2" M



ELECTROLUX PROFESSIONAL 003175

40L0454 SHOWER-HOUSING BLACK $\varnothing$ 3/8" F



ELECTROLUX PROFESSIONAL 0L0454

3359605 WHITE SHOWER HEAD NEW $\varnothing$ 1/2" F



ELECTROLUX PROFESSIONAL 003167



Suitable for:

Suitable for:

Pressure gauges

3245010 PRESSURE GAUGE ø 52 mm
fitting ø 1/4"M
scale 0-6 bar



ELECTROLUX PROFESSIONAL 058941

40K8198 PRESSURE GAUGE ø 62 mm
coupling ø 1/4"M
scale 0-1.60 bar



ELECTROLUX PROFESSIONAL 0K8198

Pressure regulators

3350028 PRESSURE REDUCER VALVE ø 1/2"FF



ELECTROLUX PROFESSIONAL 002678

Pressure switches

3320051 ADJUSTABLE PRESSURE SWITCH ø 1/4"M
operating pressure regulation 5-20 mbar
differential 3 mbar
contact capacity 16(4)A 250V
max operating temperature 85°C



ELECTROLUX PROFESSIONAL 002635

3320056 PRESSURE SWITCH HONEYWELL C6065A12752
pressure 0.4-10 mbar
enabling ON switching



ELECTROLUX PROFESSIONAL 002640 ELECTROLUX PROFESSIONAL 003772

40C1126 PRESSURE SWITCH WATER 0.2-6 BAR
NC 16A 250V - NO 9A 250V
fitting ø 15 mm



ELECTROLUX PROFESSIONAL 0C1126

40C6217 PRESSURE SWITCH 0.2-3 BAR
contact capacity 10(2)A 250V
pressure 0.2-3 bar - fitting ø 8 mm



ELECTROLUX PROFESSIONAL 0C6217

4006536 PRESSURE SWITCH 0.80/0.60 BAR 1.5A 250V



ELECTROLUX PROFESSIONAL 006536

Probes

4002701 BUSHING FOR TEMPERATURE PROBE
external $\varnothing$ 11 mm - internal $\varnothing$ 4.3 mm
length 22.4 mm



ELECTROLUX PROFESSIONAL 0002701

3397131 LAMBDA PROBE
bulb $\varnothing$ 12 mm - total length 85 mm



ELECTROLUX PROFESSIONAL 006465 ELECTROLUX PROFESSIONAL 006995

3445109 PROBE TCJ VETROTEX 3000 mm
2-wire probe temperature range 0+600°C
temperature cable max 350°C
error limit $\pm 0.75\%$ below 0°C
response time 30 sec
bulb $\varnothing$ 6x100 mm



3397085 PROBE TEMPERATURE PT100
2 wires - for low temperature
probe length 120 mm
cable length 2000 mm



ELECTROLUX PROFESSIONAL 004116

3397028 PROBE TEMPERATURE TCK
3 wires - eyelet-faston connection
bulb $\varnothing$ 4x70 mm
cable length 920 mm



ELECTROLUX PROFESSIONAL 0H6491

3397207 PROBE TEMPERATURE TCK
3 wires - eyelet-faston connection
bulb $\varnothing$ 4x70 mm
cable length 570 mm



ELECTROLUX PROFESSIONAL 0C0325

3397208 PROBE TEMPERATURE TCK
3 wires - loop connection
bulb $\varnothing$ 4x70 mm
cable length 1180 mm



ELECTROLUX PROFESSIONAL 0C0324 ELECTROLUX PROFESSIONAL 0C6538

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb $\varnothing$ 6x40 mm



ELECTROLUX PROFESSIONAL 0C6539

ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583



ELECTROLUX PROFESSIONAL



Suitable for:

3440147 **SENSOR THERMOCOUPLE 100 mm FOR "UL"**
terminal block fitting



ELECTROLUX PROFESSIONAL 003439

Suitable for:

3397027 **TEMPERATURE PROBE PT100**
2 wires - connector fitting
bulb $\varnothing$ 4x60 mm
cable length 1300 mm



ELECTROLUX PROFESSIONAL 058669

3397080 **TEMPERATURE PROBE PT1000**
2 wires - faston connection
probe length 275 mm
cable length 1800 mm



ELECTROLUX PROFESSIONAL 0C5342 ELECTROLUX PROFESSIONAL 002615


4002701 **BUSHING FOR TEMPERATURE PROBE**
external $\varnothing$ 11 mm - internal $\varnothing$ 4.3 mm
length 22.4 mm



ELECTROLUX PROFESSIONAL 002701

Relays

3351037 **POWER RELAY FINDER 40.52.8.230.0000**
230V 50/60Hz - 2 exchange contacts 8A



ELECTROLUX PROFESSIONAL 0E5849

3351901 **POWER RELAY FINDER 60.62.8.230.0000**
230V 50/60Hz
2 exchange contacts 10A



ELECTROLUX PROFESSIONAL 0D0013 ELECTROLUX PROFESSIONAL 058857 ELECTROLUX PROFESSIONAL 069882
ELECTROLUX PROFESSIONAL 083215

3351021 **POWER RELAY FINDER 62.82.8.230.0000**
230V 50/60Hz
2 exchange contacts 16A



ELECTROLUX PROFESSIONAL 0PE302

3351008 **POWER RELAY FINDER 62.83.8.230.0000**
230V 50/60Hz
3 exchange contacts 16A



ELECTROLUX PROFESSIONAL 0A9596 ELECTROLUX PROFESSIONAL 005033 ELECTROLUX PROFESSIONAL 005034
ELECTROLUX PROFESSIONAL 088197

3351602 **POWER RELAY FINDER 65.31.8.230.0300**
230V 50/60Hz
1 contact NO 30A



ELECTROLUX PROFESSIONAL 085647

1351021 **POWER-RELAY OMRON G7L-2A-TUB**
230V 50Hz
2 contacts NO 25A




ELECTROLUX PROFESSIONAL 088267

Suitable for:

Suitable for:

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A

1351009 RELAY TP3250 16A 230V 50Hz




ELECTROLUX PROFESSIONAL 056446 ELECTROLUX PROFESSIONAL 056466 ELECTROLUX PROFESSIONAL 056510 ELECTROLUX PROFESSIONAL 0H6544
ELECTROLUX PROFESSIONAL 085296 ELECTROLUX PROFESSIONAL 086214

Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.


3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm
back connection for thermostat



ELECTROLUX PROFESSIONAL 0A2205 ELECTROLUX PROFESSIONAL 0KT779 ELECTROLUX PROFESSIONAL 006712 ELECTROLUX PROFESSIONAL 026945
ELECTROLUX PROFESSIONAL 054376

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm


3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A2227 ELECTROLUX PROFESSIONAL 003142

ELECTROLUX PROFESSIONAL 054375


3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm



ELECTROLUX PROFESSIONAL 032677

3059057 SELECTOR SWITCH 0-1 POSITIONS
ON-OFF-START
16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm



ELECTROLUX PROFESSIONAL 048271

ELECTROLUX PROFESSIONAL 046360




ELECTROLUX PROFESSIONAL



Suitable for:

3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm



ELECTROLUX PROFESSIONAL 029147


Suitable for:

3057009 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




ELECTROLUX PROFESSIONAL 057934

3057039 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




ELECTROLUX PROFESSIONAL 054324

3057093 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




ELECTROLUX PROFESSIONAL 0H6602

4048719 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




ELECTROLUX PROFESSIONAL 048719

3057010 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




ELECTROLUX PROFESSIONAL 057934

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm




ELECTROLUX PROFESSIONAL 0A2022 ELECTROLUX PROFESSIONAL 0K4922

3057136 SELECTOR SWITCH 0-6 POSITIONS
5 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6
for OVEN 6-10-20 SHELVES




ELECTROLUX PROFESSIONAL 002661

3057034 SELECTOR SWITCH 0-7 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



ELECTROLUX PROFESSIONAL 055017


3057111 SELECTOR SWITCH 4 POSITIONS
5 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6387

Suitable for:


3057116 SELECTOR SWITCH 4 POSITIONS
14 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4.6$ mm



ELECTROLUX PROFESSIONAL 0H6101


Suitable for:

40E3697 SELECTOR SWITCH 6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4.6$ mm



ELECTROLUX PROFESSIONAL 0E3697

40C6245 SELECTOR SWITCH 8 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4.6$ mm



ELECTROLUX PROFESSIONAL 0C6245

Solenoid valves

4058946 ADJUSTER FLOW RATE $\varnothing 0.50$ mm



ELECTROLUX PROFESSIONAL 058946

3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

40C6225 ASSEMBLY WATER OUTLET COMPLETE
complete with 2 solenoid valves 230V 50/60Hz
inlet $\varnothing 3/4"$ M - outlets $\varnothing 15/12$ mm
side outlets $\varnothing 8$ mm



ELECTROLUX PROFESSIONAL 0C6225 ELECTROLUX PROFESSIONAL 0C6374

40C6406 ASSEMBLY WATER OUTLET COMPLETE
complete with 1 solenoid valve 230V 50/60Hz
inlet $\varnothing 3/4"$ M - outlets $\varnothing 15/12$ mm
side outlets $\varnothing 8$ mm



ELECTROLUX PROFESSIONAL 0C6406 ELECTROLUX PROFESSIONAL 0C8663

4002728 FLOW RATE ADJUSTER $\varnothing 1.80$ mm



ELECTROLUX PROFESSIONAL 002728



ELECTROLUX PROFESSIONAL



Suitable for:

3120292 FLOWRATE ADJUSTER ø 0.60 mm



ELECTROLUX PROFESSIONAL 002091

Suitable for:

40A5325 FLOWRATE ADJUSTER ø 2.00 mm



ELECTROLUX PROFESSIONAL 0A5325

40C6370 MANIFOLD ASSEMBLY WATER OUTLET

inlet ø 3/4" M - outlet ø 15.5 mm
side outlets ø 8 mm



ELECTROLUX PROFESSIONAL 0C6370

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°

220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 0A2064 ELECTROLUX PROFESSIONAL 0KM766 ELECTROLUX PROFESSIONAL 002613
ELECTROLUX PROFESSIONAL 047531 ELECTROLUX PROFESSIONAL 055350

3120104 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°

220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ELECTROLUX PROFESSIONAL 048817 ELECTROLUX PROFESSIONAL 049626 ELECTROLUX PROFESSIONAL 088194

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°

220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 002753 ELECTROLUX PROFESSIONAL 047756 ELECTROLUX PROFESSIONAL 048894
ELECTROLUX PROFESSIONAL 055132 ELECTROLUX PROFESSIONAL 086014

3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°

24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 058996

3120006 SOLEN. VALVE ELBI TYPE 339 2 WAY 90°

220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ELECTROLUX PROFESSIONAL 055444 ELECTROLUX PROFESSIONAL 056872

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°


220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ELECTROLUX PROFESSIONAL 0K5389 ELECTROLUX PROFESSIONAL 045631 ELECTROLUX PROFESSIONAL 046427 ELECTROLUX PROFESSIONAL 046796 ELECTROLUX PROFESSIONAL 048180
ELECTROLUX PROFESSIONAL 047536 ELECTROLUX PROFESSIONAL 069463

3120507 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°

24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



Suitable for:

3120008 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm




ELECTROLUX PROFESSIONAL 047529 ELECTROLUX PROFESSIONAL 047532 ELECTROLUX PROFESSIONAL 048178 ELECTROLUX PROFESSIONAL 0H2513 ELECTROLUX PROFESSIONAL 0L0175
ELECTROLUX PROFESSIONAL 048898 ELECTROLUX PROFESSIONAL 069179

Suitable for:

3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ELECTROLUX PROFESSIONAL 072282

3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm




ELECTROLUX PROFESSIONAL 0E5070

3120010 SOLEN. VALVE ELBI TYPE 352 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm




ELECTROLUX PROFESSIONAL 049056

3120011 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ELECTROLUX PROFESSIONAL 069262 ELECTROLUX PROFESSIONAL 072364

3120514 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ELECTROLUX PROFESSIONAL 0KZ810

3120404 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm




ELECTROLUX PROFESSIONAL 0C0688 ELECTROLUX PROFESSIONAL 0C4984 ELECTROLUX PROFESSIONAL 056350

3120255 SOLEN. VALVE T&P 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with red adjuster 0.5 L/min



ELECTROLUX PROFESSIONAL 047579

3120407 SOLEN. VALVE T&P 2 WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ELECTROLUX PROFESSIONAL 0M2265



ELECTROLUX PROFESSIONAL



Suitable for:


3120406 SOLEN. VALVE T&P 2 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ELECTROLUX PROFESSIONAL 069295

Suitable for:

4007017 SOLENOID VALVE CEME 230V 50Hz
588 - connections with hose-end fitting
with coil 5536 13.5VA 230VAC 50Hz



ELECTROLUX PROFESSIONAL 007017

3120013 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



ELECTROLUX PROFESSIONAL 047539 ELECTROLUX PROFESSIONAL 047540 ELECTROLUX PROFESSIONAL 049077 ELECTROLUX PROFESSIONAL 0E0330 ELECTROLUX PROFESSIONAL 047538 ELECTROLUX PROFESSIONAL 069464
ELECTROLUX PROFESSIONAL 069296

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



3120550 SOLENOID VALVE INVENSYS 1 WAY 180°
240V 50/60Hz 6W - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 0C3254

40C5515 SOLENOID VALVE INVENSYS 1 WAY 180°
230V 50/60Hz 6W - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm
outlet with white adjuster



ELECTROLUX PROFESSIONAL 0C5515

40C5516 SOLENOID VALVE INVENSYS 2-WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with white adjuster
1 outlet with brown adjuster



ELECTROLUX PROFESSIONAL 0C5516

40C5517 SOLENOID VALVE INVENSYS 2-WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with white adjuster
1 outlet with black adjuster



ELECTROLUX PROFESSIONAL 0C5517

40C1934 SOLENOID VALVE INVENSYS 3-WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm
1 outlet with blue adjuster
1 outlet with white adjuster



ELECTROLUX PROFESSIONAL 0C1934 ELECTROLUX PROFESSIONAL 002859

3120261 SOLENOID VALVE MULLER 1-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 0G2196



ELECTROLUX PROFESSIONAL



Suitable for:

40C1148 SOLENOID VALVE ODE ø 1/2"FF 230V
for water - NC
maximum temperature 90°C
maximum differential pressure 16 bar
coil ODE 8W 230/240V 50/60Hz



ELECTROLUX PROFESSIONAL 0C1148

Suitable for:

4002712 SOLENOID VALVE T&P 3-WAY 90°
230V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm
1 outlet with light blue adapter 1 L/min
1 outlet with red adapter 0.25 L/min



ELECTROLUX PROFESSIONAL 002712

40F0001 SOLENOID VALVE 230V ø 12 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - three outlets ø 12 mm
with 1 yellow flow rate adjuster
with 1 red flow rate adjuster



ELECTROLUX PROFESSIONAL 0F0001

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



ELECTROLUX PROFESSIONAL 0A2073 ELECTROLUX PROFESSIONAL 003376 ELECTROLUX PROFESSIONAL 004240
ELECTROLUX PROFESSIONAL 051884 ELECTROLUX PROFESSIONAL 053647

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



ELECTROLUX PROFESSIONAL 0A2097 ELECTROLUX PROFESSIONAL 0K9979 ELECTROLUX PROFESSIONAL 0M0476
ELECTROLUX PROFESSIONAL 003214 ELECTROLUX PROFESSIONAL 004248 ELECTROLUX PROFESSIONAL 054134

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



ELECTROLUX PROFESSIONAL 003552 ELECTROLUX PROFESSIONAL 004251 ELECTROLUX PROFESSIONAL 054141



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Sparking and detection plugs

- 3020180 BOILER FLAME SPARKLING PLUG $\varnothing$ 9.5x110 mm**
overall length 130 mm
complete with silicone covered cable 1100 mm



ELECTROLUX PROFESSIONAL 0C1137

- 3020185 BURNER FLAME DETECTION PLUG**
 $\varnothing$ 9x54 mm - overall length 104 mm
complete with covered cable length 500 mm



ELECTROLUX PROFESSIONAL 0C1049

- 3020178 BURNER FLAME SPARKLING PLUG**
 $\varnothing$ 9.5x54 mm - overall length 95 mm
complete with silicone covered cable 500 mm



ELECTROLUX PROFESSIONAL 0C1134 ELECTROLUX PROFESSIONAL 0C1771

- 3020186 FLAME DETECTION PLUG $\varnothing$ 9x95 mm**
overall length 130 mm
complete with covered cable length 830 mm




ELECTROLUX PROFESSIONAL 0C1068

- 40C4462 KIT SPARKING AND DETECTION PLUG**
 $\varnothing$ 9x90 mm - overall length 120-130 mm
1 -440 mm long cable - 2 -380 mm long cables



ELECTROLUX PROFESSIONAL 0C4462

- 7102151 ROUND DETECTION PLUG $\varnothing$ 9x40 mm**
overall length 75 mm
complete with silicone coated cables 670 mm
for OVEN FCV/G6-ECV/G6-ZCV/G6-ACV/G6-RCV061G2-
FCS061G




ELECTROLUX PROFESSIONAL 005910

- 3020203 ROUND DETECTION PLUG $\varnothing$ 9x60 mm**
overall length 137 mm



ELECTROLUX PROFESSIONAL 002343

- 3020206 ROUND DETECTOR ELECTRODE $\varnothing$ 9.5x60 mm**
overall length 109 mm



ELECTROLUX PROFESSIONAL 002638

- 3020205 ROUND IGNITION ELECTRODE $\varnothing$ 9.5x60 mm**
overall length 90 mm



ELECTROLUX PROFESSIONAL 002637

- 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm**
male faston M4x1 mm
total length 65 mm



ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 051565 ELECTROLUX PROFESSIONAL 051977
ELECTROLUX PROFESSIONAL 056754



Suitable for:

3020164 **ROUND SPARKING PLUG** $\varnothing$ 9.5x60 mm
overall length 104 mm



ELECTROLUX PROFESSIONAL 0H6803

Suitable for:

3020204 **ROUND SPARKING PLUG** $\varnothing$ 9x60 mm
overall length 96 mm



ELECTROLUX PROFESSIONAL 002344

40C4461 **SPARKING AND DETECTION PLUG KIT**
 $\varnothing$ 9.5x90 mm - overall length 130-140 mm
1 cable 440 mm long - 2 cables 240 mm long
for OVEN FCZ061G-FCZ101G-EJN061G-EJN101G-RDR061G-
RDR101G-AOS061G-AOS101G-AOS062G



ELECTROLUX PROFESSIONAL 0C4461

4005920 **SPARKING PLUG** $\varnothing$ 9x46 mm
overall length 85 mm
complete with covered cable - length 700 mm



ELECTROLUX PROFESSIONAL 005920

3020060 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL 0A2473 ELECTROLUX PROFESSIONAL 052610 ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380 ELECTROLUX PROFESSIONAL 059988

40C5273 **SPARKING PLUG ROUND** $\varnothing$ 9x90 mm
overall length 111 mm



ELECTROLUX PROFESSIONAL 0C5273

Supports

3391037 **LEVEL PROBE SPACER**



ELECTROLUX PROFESSIONAL 055347

3391038 **LEVEL PROBE SPACER**




ELECTROLUX PROFESSIONAL 055435



Suitable for:


Suitable for:

3391040 MOTOR BASE



ELECTROLUX PROFESSIONAL 058729

4004390 PIN MA5 length 34 mm



ELECTROLUX PROFESSIONAL 004390

4003225 SPACER $\varnothing$ 16 mm internal $\varnothing$ 6 mm - thickness 3 mm



ELECTROLUX PROFESSIONAL 003225

4003225 SPACER $\varnothing$ 16 mm internal $\varnothing$ 6 mm - thickness 3 mm



ELECTROLUX PROFESSIONAL 003225

4002958 SPACER MA6x43 mm



ELECTROLUX PROFESSIONAL 002958

4003225 SPACER $\varnothing$ 16 mm internal $\varnothing$ 6 mm - thickness 3 mm



ELECTROLUX PROFESSIONAL 003225

3391035 TRAY SUPPORT



ELECTROLUX PROFESSIONAL 031970

Switches

3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK
mounting hole $\varnothing$ 25 mm



ELECTROLUX PROFESSIONAL 053978 ELECTROLUX PROFESSIONAL 058274

3319151 SWITCH PROTECTION CAP
 $\varnothing$ external 34 mm
for push-buttons with mounting hole $\varnothing$ 25 mm



ELECTROLUX PROFESSIONAL 053979

4058808 CHANGE-OVER SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V
with indicator lamp and push-button cover
silk screen printing I – II
max. temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 058808

3319014 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V
with indicator lamp and switch cover
"fan" symbol screenprinted
max temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 054552

3319297 PUSH-BUTTON EXTENSION
external $\varnothing$ 7 mm
for circuit boards



ELECTROLUX PROFESSIONAL 002670

3319270 PUSH-BUTTON 1-POLE RED 3A 250V
with protection cap
mounting hole $\varnothing$ 17 mm



ELECTROLUX PROFESSIONAL 002418

3319160 PUSH-BUTTON 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
"ignition" silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 056717

3319011 PUSH-BUTTON 2-POLE RED 16A 250V
16(4)A 250V - max. temperature 120°C
NC
with indicator lamp and push-button cap
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 054547 ELECTROLUX PROFESSIONAL 055014



ELECTROLUX PROFESSIONAL



Suitable for:


3319151 SWITCH PROTECTION CAP
ø external 34 mm
for push-buttons with mounting hole ø 25 mm



ELECTROLUX PROFESSIONAL 053979

Suitable for:

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



ELECTROLUX PROFESSIONAL 053810

3319928 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - mounting hole ø 25 mm



ELECTROLUX PROFESSIONAL 054518

3319151 SWITCH PROTECTION CAP
ø external 34 mm
for push-buttons with mounting hole ø 25 mm




ELECTROLUX PROFESSIONAL 053979

3319944 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 056703

3319013 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print I - II



ELECTROLUX PROFESSIONAL 053837

Tangential and radial fans

3526150 FAN TANGENTIAL 180 mm LH
25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C




ELECTROLUX PROFESSIONAL 0A2272 ELECTROLUX PROFESSIONAL 0A3008

3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT
230V 50/60Hz - ø 45 mm
operating temperature -30°+135°C



ELECTROLUX PROFESSIONAL 081795

3526966 TANGENTIAL FAN 300 mm LH
26W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



ELECTROLUX PROFESSIONAL 083737

Telethermometers

- 3441024 TELETHERMOMETER BLACK $\varnothing$ 52 mm 50-350°C**
metal body
covered capillary length 1500 mm
bulb $\varnothing$ 6x30 mm



ELECTROLUX PROFESSIONAL 053808 ELECTROLUX PROFESSIONAL 056383

- 3441026 TELETHERMOMETER BLACK $\varnothing$ 60 mm 50-350°C**
metal body
capillary length 1500 mm
bulb $\varnothing$ 4x104 mm



ELECTROLUX PROFESSIONAL 057622 ELECTROLUX PROFESSIONAL 058081

- 3441025 TELETHERMOMETER WHITE $\varnothing$ 52 mm 50-350°C**
metal body
capillary length 1500 mm
bulb $\varnothing$ 4x120 mm



ELECTROLUX PROFESSIONAL 052987


Terminal blocks

- 3247006 TERMINAL BLOCK 2-POLE CERAMIC**
for cable max. 10 mmq
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ELECTROLUX PROFESSIONAL 053805

- 4058608 TERMINAL BLOCK 5 POLE DIN SLIDEWAY 110 mm**
with fuse



ELECTROLUX PROFESSIONAL 058608

- 4059794 TERMINAL BLOCK 5-POLE DIN SLIDEWAY 90 mm**
with fuse



ELECTROLUX PROFESSIONAL 059794

- 3247015 12-POLE PLASTIC TERMINAL BLOCK**
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



ELECTROLUX PROFESSIONAL 0W3543



ELECTROLUX PROFESSIONAL



Suitable for:

3247036 3-POLE TERMINAL BLOCK
for CONV/ELECTRIC OVEN 4 SHELVES



ELECTROLUX PROFESSIONAL 054331

Suitable for:

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX PROFESSIONAL 046357

3247005 4-POLE CERAMIC TERMINAL BLOCK
for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ELECTROLUX PROFESSIONAL 054042

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX PROFESSIONAL 005420 ELECTROLUX PROFESSIONAL 046347 ELECTROLUX PROFESSIONAL 058613
ELECTROLUX PROFESSIONAL 088165

Thermocouples and accessories

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



ELECTROLUX PROFESSIONAL 002784 ELECTROLUX PROFESSIONAL 003528 ELECTROLUX PROFESSIONAL 056914 ELECTROLUX PROFESSIONAL 056574

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



ELECTROLUX PROFESSIONAL 058503

3440015 INTERRUPTION CONNECTOR M9x1




ELECTROLUX PROFESSIONAL 005687

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ELECTROLUX PROFESSIONAL 0M0893



Suitable for:

3440045 THERMOCOUPLE ASA SIT 150 cm



ELECTROLUX PROFESSIONAL 056715

Suitable for:

3440042 THERMOCOUPLE ASA SIT 85 cm



ELECTROLUX PROFESSIONAL 057343

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



ELECTROLUX PROFESSIONAL 055032

3440047 THERMOCOUPLE M8X1 75 cm



ELECTROLUX PROFESSIONAL 054102 ELECTROLUX PROFESSIONAL 054103 ELECTROLUX PROFESSIONAL 054104
ELECTROLUX PROFESSIONAL 058332

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



ELECTROLUX PROFESSIONAL 054102 ELECTROLUX PROFESSIONAL 054103 ELECTROLUX PROFESSIONAL 054104
ELECTROLUX PROFESSIONAL 058332

3440133 THERMOCOUPLE SIT M10x1 100 cm



ELECTROLUX PROFESSIONAL 0A2161

3440135 THERMOCOUPLE SIT M10x1 150 cm




ELECTROLUX PROFESSIONAL 0H6252

3440126 THERMOCOUPLE SIT M10x1 75 cm



ELECTROLUX PROFESSIONAL 0H6251 ELECTROLUX PROFESSIONAL 0H6253

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1



ELECTROLUX PROFESSIONAL 0U2960

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



ELECTROLUX PROFESSIONAL 0U2960

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1



ELECTROLUX PROFESSIONAL 0U2960



ELECTROLUX PROFESSIONAL



Suitable for:

3440031 THERMOCOUPLE SIT M8x1 120 cm



ELECTROLUX PROFESSIONAL 0K5730

Suitable for:

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0K5730

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0K5730

3440032 THERMOCOUPLE SIT M8x1 150 cm



ELECTROLUX PROFESSIONAL 0G2023

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0G2023

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0G2023

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 050235

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



ELECTROLUX PROFESSIONAL 050235

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 050235

3440028 THERMOCOUPLE SIT M8x1 60 cm



ELECTROLUX PROFESSIONAL 050856

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ELECTROLUX PROFESSIONAL 050856



ELECTROLUX PROFESSIONAL



Suitable for:

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ELECTROLUX PROFESSIONAL 050856

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



ELECTROLUX PROFESSIONAL 0K5688

3440029 THERMOCOUPLE SIT M8x1 85 cm



ELECTROLUX PROFESSIONAL 0G2906

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0G2906

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELECTROLUX PROFESSIONAL 027036 ELECTROLUX PROFESSIONAL 027350 ELECTROLUX PROFESSIONAL 053043 ELECTROLUX PROFESSIONAL LF-344 0061

3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1



ELECTROLUX PROFESSIONAL

Suitable for:

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 0K5688 ELECTROLUX PROFESSIONAL 055106

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 0K5688 ELECTROLUX PROFESSIONAL 055106

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0G2906

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 052163

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL LF-344 0061



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3440037 THERMOCOUPLE SIT M9x1 100 cm.

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELECTROLUX PROFESSIONAL 027036 ELECTROLUX PROFESSIONAL 027350 ELECTROLUX PROFESSIONAL 053043 ELECTROLUX PROFESSIONAL 027036 ELECTROLUX PROFESSIONAL 027350 ELECTROLUX PROFESSIONAL 053043

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0K3464 ELECTROLUX PROFESSIONAL 020094

ELECTROLUX PROFESSIONAL 0K3464 ELECTROLUX PROFESSIONAL 020094

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



ELECTROLUX PROFESSIONAL 0K3464 ELECTROLUX PROFESSIONAL 020094

ELECTROLUX PROFESSIONAL

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELECTROLUX PROFESSIONAL 059064

ELECTROLUX PROFESSIONAL 059064

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 059064

ELECTROLUX PROFESSIONAL 020756

3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 020756

ELECTROLUX PROFESSIONAL 020756



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ELECTROLUX PROFESSIONAL 025204 ELECTROLUX PROFESSIONAL 027317

ELECTROLUX PROFESSIONAL 025204 ELECTROLUX PROFESSIONAL 027317

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 025204 ELECTROLUX PROFESSIONAL 027317

ELECTROLUX PROFESSIONAL 025677 ELECTROLUX PROFESSIONAL 026273

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 025677 ELECTROLUX PROFESSIONAL 026273

ELECTROLUX PROFESSIONAL 025677 ELECTROLUX PROFESSIONAL 026273

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX PROFESSIONAL 025031

ELECTROLUX PROFESSIONAL 052814 ELECTROLUX PROFESSIONAL 058386

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 028982

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 028982

ELECTROLUX PROFESSIONAL 028982



ELECTROLUX PROFESSIONAL



Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.



ELECTROLUX PROFESSIONAL 052814 ELECTROLUX PROFESSIONAL 058386

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX PROFESSIONAL 052814 ELECTROLUX PROFESSIONAL 058386

3440009 THERMOCOUPLE SIT M9X1 100 cm M8x1



ELECTROLUX PROFESSIONAL 052163

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
GIUNTO M8x1**



ELECTROLUX PROFESSIONAL 052163

3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm



ELECTROLUX PROFESSIONAL 051119

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm



ELECTROLUX PROFESSIONAL 0M0893

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ELECTROLUX PROFESSIONAL 0M0893

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



ELECTROLUX PROFESSIONAL 004942

3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



ELECTROLUX PROFESSIONAL 057781

**3440277 THERMOCOUPLE UNIV. M9x1 120 cm M6x0.75
kit with 5 milled components**



ELECTROLUX PROFESSIONAL 0S0056

**3440077 THERMOCOUPLE UNIV. M9x1 90 cm M6x0.75
kit with 5 milled components**



ELECTROLUX PROFESSIONAL 0S0055

Thermostats

3444253 BIPOLAR THERMOSTAT 340°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 3x195 mm
for very old series




ELECTROLUX PROFESSIONAL 058222

3444124 PROTECTION CAP
for safety thermostat
for THERMOSTAT EGO



ELECTROLUX PROFESSIONAL 0A2187

3444410 SINGLE-PHASE THERMOSTAT 0-255°C
D-shaped pin 6x4.6 mm
covered capillary length 1440 mm - 16A 230V
bulb ø 3x160 mm




ELECTROLUX PROFESSIONAL 0H6241

3444352 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb ø 6x129 mm




ELECTROLUX PROFESSIONAL 004912

3444415 SINGLE-PHASE THERMOSTAT 176°C
with manual reset
covered capillary length 1450 mm - 16A 380V
bulb ø 4x110 mm - with bulb coupling ø 8.6x32 mm



ELECTROLUX PROFESSIONAL 0H6141

3444266 SINGLE-PHASE THERMOSTAT 338°C
with manual reset
covered capillary length 830 mm - 16A 250V
button bulb ø 14x10 mm




ELECTROLUX PROFESSIONAL 002730

3444312 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
capillary length covered 1500 mm - 16A 250V
bulb ø 4x110 mm



ELECTROLUX PROFESSIONAL 003594 ELECTROLUX PROFESSIONAL 053980 ELECTROLUX PROFESSIONAL 057442 ELECTROLUX PROFESSIONAL 0K0646 ELECTROLUX PROFESSIONAL 0K0674

3444413 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin 6x4.6 mm
covered capillary length 2400 mm - 16A 230V
bulb ø 3x160 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



ELECTROLUX PROFESSIONAL 029918 ELECTROLUX PROFESSIONAL 057937

Suitable for:

3444429 SINGLE-PHASE THERMOSTAT 50-280°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1270 mm - 16A 250V
bulb $\varnothing$ 3x200 mm



ELECTROLUX PROFESSIONAL 005207

3444457 SINGLE-PHASE THERMOSTAT 50-290°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



ELECTROLUX PROFESSIONAL 054323

3444432 SINGLE-PHASE THERMOSTAT 50-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



ELECTROLUX PROFESSIONAL 056384

3444305 SINGLE-PHASE THERMOSTAT 50-500°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 4x230 mm



ELECTROLUX PROFESSIONAL 056701

3444753 SINGLE-PHASE THERMOSTAT 78°C
with automatic reset
covered capillary length 900 mm - 16A 230V
bulb $\varnothing$ 3x230 mm



ELECTROLUX PROFESSIONAL 055367

3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1



ELECTROLUX PROFESSIONAL 027061

3744140 THERMOSTATO THREE-PHASE 360°C
manual reset
covered capillary length 1490 mm
bulb $\varnothing$ 3x190 mm



ELECTROLUX PROFESSIONAL

40KB677 THERMOSTAT SINGLE PHASE 50-200°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 880 mm - 16A 250V
bulb $\varnothing$ 3x158 mm



ELECTROLUX PROFESSIONAL 0KB677

40K0662 THERMOSTAT SINGLE-PHASE 100-470°C
complete with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 1100 mm
bulb $\varnothing$ 4x225 mm



ELECTROLUX PROFESSIONAL 0K0662

Suitable for:

40C2983 THERMOSTAT THREE-PHASE 140°C
with manual reset
capillary length covered 890 mm - 20A 380V
bulb ø 6x87 mm



ELECTROLUX PROFESSIONAL 0C2983

Suitable for:

40M0722 THERMOSTAT THREE-PHASE 50-300°C
D-shaped pin ø 6x4.6 mm
capillary length 1440 mm - 16A 400V
bulb ø 6x80 mm



ELECTROLUX PROFESSIONAL 0M0722

3444040 THREE-PHASE THERMOSTAT 100-300°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb ø 6x80 mm




ELECTROLUX PROFESSIONAL 052916

3444589 THREE-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 1700 mm
bulb ø 6x75 mm



ELECTROLUX PROFESSIONAL 0C1147

3444025 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length 1200 mm - 10A 400V
bulb ø 6x160 mm




ELECTROLUX PROFESSIONAL 051454 ELECTROLUX PROFESSIONAL 051643

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb ø 3x190 mm




ELECTROLUX PROFESSIONAL 0H6134 ELECTROLUX PROFESSIONAL 004919

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb ø 3x220 mm




ELECTROLUX PROFESSIONAL 004917 ELECTROLUX PROFESSIONAL 059235

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb ø 3x230 mm



ELECTROLUX PROFESSIONAL 0A2206 ELECTROLUX PROFESSIONAL 0A2236

3444044 THREE-PHASE THERMOSTAT 60-260°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb ø 4x130 mm



ELECTROLUX PROFESSIONAL 051362

3444038 THREE-PHASE THERMOSTAT 60-320°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb ø 4x130 mm



ELECTROLUX PROFESSIONAL 052099




ELECTROLUX PROFESSIONAL



Suitable for:

3444430 3-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 1650 mm - 16A 230V
bulb Ø 6x80 mm



ELECTROLUX PROFESSIONAL 002711

Suitable for:


3444446 3-PHASE THERMOSTAT 338°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb Ø 6x53 mm - nut coupling M10x1



ELECTROLUX PROFESSIONAL 007042


Timers

7105527 KIT TIMER 14000F3 2 CAMS 230V
complete with bracket
50/60Hz
120 minute cycle - D-shaped pin Ø 6x4.6 mm




ELECTROLUX PROFESSIONAL 008755 ELECTROLUX PROFESSIONAL 003833

3446070 TIMER P205 2 CAMS 230V 50/60Hz
cycle 144 minutes - D-shaped pin Ø 6x4.6 mm




ELECTROLUX PROFESSIONAL 005366

3446010 TIMER P345 2 CAMS 230V 50/60Hz
cycle 30 minutes - D-shaped pin Ø 6x4.6 mm
for old series




ELECTROLUX PROFESSIONAL 045909

3446001 TIMER 120 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin Ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 003432 ELECTROLUX PROFESSIONAL 029920 ELECTROLUX PROFESSIONAL 053817
ELECTROLUX PROFESSIONAL 057936

3446004 TIMER 120 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin Ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 003431

3446095 TIMER 120 MINUTES CR5 M230
manually set mechanical timer
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 120°C
D-shaped pin Ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6118

Suitable for:


40C6345 **TIMER 120 MINUTES TM1**
 mechanical timer with buzzer
 manual loading cycle 120 minutes
 contact capacity 16(4)A 250V
 max. temperature 125°C
 D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C6345

Suitable for:

3446016 **TIMER 1806726 24V**
 electromechanical multiscale timer
 programmable time range 6h-60"-6"-60 seconds-6 seconds
 white dial dimensions 72x72 mm
 power supply 24V 50/60Hz
 2 poles with contact capacity 6(4)A 250V
 max room temperature -10+55°C
 connection with 8-pin socket (included)



ELECTROLUX PROFESSIONAL 053917

3446094 **TIMER 60 MINUTES CR5 M229**
 manually set mechanical timer
 manually set cycle 60 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 120°C
 D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6117

Transformers

4007045 **TRANSFORMER 230V/12-24V 60-40VA**
 primary voltage 230V 50/60Hz
 secondary voltage 12-24V 60-40VA
 ambient temperature 0÷60°C
 screw terminal block



ELECTROLUX PROFESSIONAL 007045

3445110 **TRANSFORMER 230V/12V 3VA**
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
 ELECTROLUX PROFESSIONAL 083833



Suitable for:


ELECTROLUX PROFESSIONAL



Suitable for:

Vibrating pumps

- 40C5371 KIT VIBRATORY PUMP 46-60W/38-54W**
208/240V 50/60Hz
complete with brackets and gaskets
connections $\varnothing$ 6.5 mm - $\varnothing$ 7 mm
PUMP CEME E51220EN19240C8



ELECTROLUX PROFESSIONAL 0CA120 ELECTROLUX PROFESSIONAL 0C2341 ELECTROLUX PROFESSIONAL 0C5371

ELECTROLUX PROFESSIONAL 0C9067 ELECTROLUX PROFESSIONAL 007018

Wash arms for ovens

- 40C5103 FITTING SLIDEWAY WASH-ARM**
connection $\varnothing$ 24 mm - outlet external $\varnothing$ 10 mm
internal outlet $\varnothing$ 6 mm



ELECTROLUX PROFESSIONAL 0C5103

- 40C5293 KIT SLIDEWAY FITTING WASHARM**
complete with bushing and 2 seeger rings
connection $\varnothing$ 24 mm - external outlet $\varnothing$ 10 mm
internal outlet $\varnothing$ 6 mm



ELECTROLUX PROFESSIONAL 0C4197 ELECTROLUX PROFESSIONAL 0C5293

- 4007012 PIPE HUMIDIFIER BENT $\varnothing$ 10x205 mm**
thread M14x1 mm



ELECTROLUX PROFESSIONAL 007012

- 40C8317 WASH-ARM OVEN 420 mm**



ELECTROLUX PROFESSIONAL 0C5503 ELECTROLUX PROFESSIONAL 0C8317 ELECTROLUX PROFESSIONAL 007010

Washing showers for ovens

- 3359416 COMPLETE OVEN WASH SHOWER SET**
flow rate 11 L/min at 4 bar
with stainless steel hose $\varnothing$ 1/2" FF 2000 mm
with shower support



ELECTROLUX PROFESSIONAL 0S0323

- 3359614 STAINLESS STEEL HOSE $\varnothing$ 1/2" FF 150 cm**
stainless steel 18/10 double braid
with transparent PVC coating
nickel-plated brass coupling $\varnothing$ 1/2"F



ELECTROLUX PROFESSIONAL 0S0348

3359606 WHITE SPRAY CUP WITH FILTER



ELECTROLUX PROFESSIONAL 003164

Water purification filters

3010617 CARTRIDGE PURITY C 500 for water treatment for TECHNICAL purposes



ELECTROLUX PROFESSIONAL 0S1056

3010601 PURITY CLEAN EXTRA 1200 for water treatment for TECHNICAL purposes water softener ideal for DISHWASHERS specific for HOT WATER adjustable bypass capacity at 10°dH 5000 L flow rate 300 L/h max. pressure 6 bar min. pressure 2 bar operating temperature 4°C/60°C loss of pressure at 0.45 bar flow rate dimensions: height 550 mm - ø 255 mm weight: empty 18 Kg - full 24 Kg fittings: inlet ø 1" M - outlet ø 3/4" M horizontal or vertical mounting



ELECTROLUX PROFESSIONAL 0S0803

3010600 PURITY CLEAN 1200 for water treatment for TECHNICAL purposes water softener ideal for DISHWASHERS specific for HOT WATER capacity 10°KH 12000 L flow rate 300 L/h max. pressure 6 bar min. pressure 2 bar operating temperature 4°C/60°C loss of pressure at 0.45 bar flow rate dimensions: height 550 mm - ø 255 mm weight: empty 18 Kg - full 24 Kg fittings: inlet ø 1" M - outlet ø 3/4" M horizontal or vertical mounting



ELECTROLUX PROFESSIONAL 0S0801

3010604 PURITY ST 1200 water softener ideal for COFFEE MACHINES-DISPENSER OVENS - ICE MAKERS adjustable bypass capacity 10°KH 13187 L flow rate 200 L/h max. pressure 6.9 bar min. pressure 2 bar operating temperature 4°C/30°C loss of pressure at 1.05 bar flow rate dimensions: height 550 mm - ø 288 mm weight: empty 18 Kg - full 24 Kg fittings: inlet ø 3/8" M - outlet ø 3/8" M horizontal or vertical mounting



ELECTROLUX PROFESSIONAL 0S0682



Water softeners and accessories

- 3010061 MANUAL WATER SOFTENER 12 L ø 3/4"**
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 12 L
connections 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt)1.5 Kg



ELECTROLUX PROFESSIONAL 0S0330

- 3010102 MANUAL WATER SOFTENER 12 L ø 3/4"**
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 12 L
connection 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt)1.5 Kg
inlet water maximum temperature 60°C



ELECTROLUX PROFESSIONAL 0S0330

- 3010063 MANUAL WATER SOFTENER 20 L ø 3/4"**
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 20 L
connections 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt)3 Kg



ELECTROLUX PROFESSIONAL 0S0329

- 3010104 MANUAL WATER SOFTENER 20 L ø 3/4"**
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 20 L
connection 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt)3 Kg
inlet water maximum temperature 60°C



ELECTROLUX PROFESSIONAL 860430

- 3010060 MANUAL WATER SOFTENER 8 L ø 3/4"**
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 8 L
connections 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg



ELECTROLUX PROFESSIONAL 0C1903

- 3010101 MANUAL WATER SOFTENER 8 L ø 3/4"**
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 8 L
connection 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg
inlet water maximum temperature 60°C



ELECTROLUX PROFESSIONAL 0C1903

Suitable for:

Suitable for:

3010094 WATER SOFTENER "MATIC 12" 12 L Ø 3/4"
 for water treatment for TECHNICAL purposes
 AUTOTROL chronometric head 255/460TC
 230V 50Hz
 time controller mod.460TC (weekly)
 operating temperature $2^{\circ} \div 35^{\circ}\text{C}$
 cylinder capacity 11.8 L - resin content 8 L
 salt container 30 Kg
 regeneration salt(NaCl-table salt) 1.5 Kg
 inlet/outlet connections Ø 3/4"F
 dimensions: width 260 mm - depth 480 mm
 height without head 435 - overall height 650 mm
 We always recommend to use a mechanical filter
 before the softener, in order to remove
 impurities from water



ELECTROLUX PROFESSIONAL 0S0332

3010074 WATER SOFTENER "MATIC 8" 8 L Ø 3/4"
 for water treatment for TECHNICAL purposes
 AUTOTROL chronometric head 255/460TC
 230V 50Hz
 time controller mod.460TC (weekly)
 operating temperature $2^{\circ} \div 35^{\circ}\text{C}$
 cylinder capacity 8.5 L - resin content 5.4 L
 salt container 20 Kg
 regeneration salt(NaCl-table salt) 1 Kg
 inlet/outlet connections Ø 3/4"F
 dimensions: width 200 mm - depth 430 mm
 height without head 335 - overall height 550 mm
 We always recommend to use a mechanical filter
 before the softener, in order to remove
 impurities from water



ELECTROLUX PROFESSIONAL 0S0716

Watertight seals and rings

3240290 MAIN SHAFT SEALING GASKET
 external Ø 38mm - internal Ø 16mm - thickness 17mm



ELECTROLUX PROFESSIONAL 002699

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com |  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com | |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com |
|  CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz |  USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us |