




Spare parts for:

Ovens



Suitable for:

ELIWELL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221725





Suitable for:

ELIWELL

Suitable for:



Electronic controllers

3445375 CONTROLLER ELIWELL ID PLUS 902

230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



- | | | |
|-----------------------|-----------------------|-----------------------|
| ELIWELL EW11D10XB4780 | ELIWELL IC11C10MHD700 | ELIWELL IC11C10XCD700 |
| ELIWELL IC11C10XHD700 | ELIWELL IC11C00TCA700 | ELIWELL IC11C00TCD700 |
| ELIWELL IC11C00TCF700 | ELIWELL IC11C00TCH700 | ELIWELL IC11C00THA700 |
| ELIWELL IC11C00THD700 | ELIWELL IC11D10XCD700 | ELIWELL IC11D00TCA700 |
| ELIWELL IC11D00TCD700 | ELIWELL IC11D00THA700 | ELIWELL IC11D00THD700 |
| ELIWELL IC16C00TCA700 | ELIWELL IC16C00TCD700 | ELIWELL IC16D00TCA700 |
| ELIWELL IC16D00TCD700 | ELIWELL IC16D00THA700 | ELIWELL IC16D00THF700 |
| ELIWELL IC17C00TCA700 | ELIWELL IDP11D0700000 | ELIWELL T1B1CCC300 |

3394322 THERMOSTAT EWPC800/H PT100

power supply 220V
 ON-OFF control with one actuation point only
 1 changeover relay output 8(3)A 250V
 2 types of temperature alarms to be programmed
 ambient temperature -5+65°C
 type of probe PT100 (not included)
 connections by screw terminal block
 front dimensions 72x72x98 mm



ELIWELL T2B1CPH700

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ELIWELL EWTMC3

ELIWELL TF111173

3445111 TRANSFORMER 24V/12V 3VA

primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0÷60°C
 screw terminal block
 IMQ approved



ELIWELL EWTMC3

ELIWELL TF111115

Suitable for:

2112002 THERMOSTAT ICPLUS902 PT100/TCJ/TCK
 power supply 12/24V
 thermostat's setting range -150+1350°C
 ON-OFF control with one actuation point only
 1 changeover relay output 8(4)A 250V
 ambient temperature -5+55°C
 type of probe PT100-TCJ-TCK (not included)
 connections by screw terminal block
 front dimensions 76x37x64 mm
 mounting hole 71x29 mm



ELIWELL ICP11J0450000
 ELIWELL IC912/HPT10024V

ELIWELL IC11J00THD400

ELIWELL IC11P00THD400

Suitable for:

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



ELIWELL SN300000

ELIWELL TCOT3M

3445326 THERMOSTAT ICPLUS915 PT100/TCJ/TCK
 power supply 230V
 thermostat setting range -150+1350°C
 ON-OFF control with two actuation points
 2 changeover relay outputs 8(4)A 250V
 room temperature -5+55°C
 probe type PT100-TCJ-TCK (not included)
 connections by screw terminal block
 front dimensions 78x37x64 mm
 mounting hole 71x29 mm



ELIWELL ICP22J1750000

ELIWELL IC11J10XHD700

ELIWELL IC11P00THD700


3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



ELIWELL SN300000

ELIWELL TCOT3M

3397140 THERMOCOUPLE TEMPER.PROBE TCK
 2 wires - temperature -40+1150°C
 bulb \varnothing 6x140 mm - cable length 3000 mm



ELIWELL SN400011

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ELIWELL EWTM3

ELIWELL TF111173



Suitable for:

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0÷60°C
 screw terminal block
 IMQ approved



ELIWELL EWTM3

ELIWELL TF111115

ELIWELL



Suitable for:

3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK
 power supply 12V
 thermostat setting range -150+1350°C
 ON-OFF control with two actuation points
 2 exchange relay outputs 8(4)A 250V
 room temperature -5+55°C
 probe type PT100-TCJ-TCK (not included)
 connections by screwed terminal block
 front dimension 78x37x64 mm
 mounting hole 71x29 mm



ELIWELL ICP22J1350000

ELIWELL IC11J10XHD300

ELIWELL IC11J00THD300

ELIWELL IC11P10XHD300

ELIWELL IC11P00THD300

ELIWELL T1B1CPH300

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit ±0.75% below 0°C
 response time 30 sec
 bulb ø 6x100 mm



ELIWELL SN300000

ELIWELL TCOT3M

3397140 THERMOCOUPLE TEMPER. PROBE TCK
 2 wires - temperature -40+1150°C
 bulb ø 6x140 mm - cable length 3000 mm



ELIWELL SN400011

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0÷60°C
 screw terminal block
 IMQ approved



ELIWELL EWTM3

ELIWELL TF111115

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ELIWELL EWTM3

ELIWELL TF111173



Probes

3445157 PROBE NTC PVC 1500 mm
 temperature range $-30^{\circ}+80^{\circ}\text{C}$
 bulb \varnothing 6x40 mm



ELIWELL SN8P0A1500

3445117 PROBE PT100 VETROTEX 3000 mm
 3-wire probe temperature range $0+350^{\circ}\text{C}$
 bulb \varnothing 6x100 mm



ELIWELL SN200009

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range $0+600^{\circ}\text{C}$
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



ELIWELL SN300000

ELIWELL TC0T3M

3397093 PROBE THERMOCOUPLE TCJ
 twin wire - temperature $0-250^{\circ}\text{C}$
 probe length 100 mm
 cable length 950 mm



ELIWELL SN300017

3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range $-30+80^{\circ}\text{C}$
 bulb \varnothing 6x40 mm



ELIWELL SN7P0A1500

3445107 PTC PVC PROBE 3000 mm
 2-wire probe temperature range $-30+80^{\circ}\text{C}$
 bulb \varnothing 6x40 mm



ELIWELL SN7P0A3000

3397101 TEMPERATURE PROBE TCJ
 2 wires
 bulb \varnothing 6x100 mm
 vetrotex cable length 900 mm



ELIWELL

5050575 THERMOCOUPLE PROBE TCJ
 2 wires
 probe length 100 mm - \varnothing probe 6 mm
 cable length 1500 mm



ELIWELL LF-3445014

ELIWELL

3397140 THERMOCOUPLE TEMPER.PROBE TCK
 2 wires - temperature $-40+1150^{\circ}\text{C}$
 bulb \varnothing 6x140 mm - cable length 3000 mm



ELIWELL SN400011



Suitable for:


ELIWELL



Suitable for:

Timers

- 3446090 TIMER 120 MINUTES MS65**
manually set mechanical timer
manual position possible
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 100°C
D-shaped pin \varnothing 6x4.6 mm



ELIWELL LM1848C80217

Transformers

- 3445110 TRANSFORMER 230V/12V 3VA**
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ELIWELL EWTM3

ELIWELL TF111173

- 3445111 TRANSFORMER 24V/12V 3VA**
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved





















ELIWELL EWTM3

ELIWELL TF111115

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us