




Spare parts for:

Ovens



Suitable for:

FOEMM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

FOEMM



Suitable for:

Cables for piezo igniters

- 3001002 IGNITION LEAD 1000 mm**
with faston 6.35x0.8 mm for ignition
with faston $\varnothing$ 4 mm for ignition plug



FOEMM 05000080350

Electrical gas valves and accessories

- 3526090 ELETROSIT VALVE $\varnothing$ 3/4"FF**
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



FOEMM 05150036150

- 3526063 VALVE V4600C HONEYWELL $\varnothing$ 1/2"FF**
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 220V 50Hz



FOEMM 05750107300

Energy regulators


- 3350026 ENERGY ADJUSTER**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



FOEMM 05050204750

Gaskets for oven door

- 3286018 OVEN GASKET 2455 - 25 m**
made of silicone elastomer
profile dimensions 16.4x7.5 mm
COLOUR BLACK
for Convection oven (FOEMM)



FOEMM 305150024240

- 3286081 OVEN GASKET 2455 - 3 m**
made of silicone elastomer
profile dimensions 16.4x7.5 mm
COLOUR BLACK
for Convection oven (FOEMM)



FOEMM 305150024240

- 3286017 OVEN GASKET 2455 - 6 m**
made of silicone elastomer
profile dimensions 16.4x7.5 mm
COLOUR BLACK
for Convection oven (FOEMM)



FOEMM 305150024240

Hinges, catches and accessories

- 3053003 DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm



FOEMM

- 3053007 LEFTHAND DOOR HINGE FOR OVEN**
distance between holes 175 mm - overall length 205
height 160 mm



FOEMM 05010001201

- 3053003 DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm



FOEMM



Suitable for:

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



FOEMM 05010001101

Suitable for:

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



FOEMM

Indicator lights

3221012 INDICATOR LAMP GREEN 230V
mounting hole 30x22 mm - 125°C
universal application



FOEMM 05000096150

Knobs

3241055 FIXING CLIP
for knob with $\varnothing$ 8 mm hole



FOEMM 00000022001

Lamp receptacles and spare parts

3221187 LAMP RECEPTACLE HARDENED GLASS $\varnothing$ 87 mm



FOEMM 305150045240

Motors

3240027 MOTOR 1005.2530 0.33HP 220/380V 50Hz
1.2/0.7A - 900rpm
distance between holes 185 mm



FOEMM 05159903950



Pilot burners and accessories

3020054 PILOT JET ø 0.20 mm



FOEMM 0977030

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 3 positions bracket



FOEMM 05000010100

FOEMM 05000027300

3020054 PILOT JET ø 0.20 mm



FOEMM 0977030

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.




FOEMM 305150320700

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft ø 6x4.6 mm




FOEMM 05150320550

3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle ø 6x4.6 mm



FOEMM 305010078050

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft ø 6x4.6 mm



FOEMM 05010076150



Suitable for:

FOEMM



Suitable for:

Sparking and detection plugs

- 3001003** **ROUND SPARKING PLUG $\varnothing$ 7x44 mm**
male faston M4x1 mm
total length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450

Switches

- 3319019** **SWTCH 2-POLE RED 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator lamp - mounting hole 22x30 mm



FOEMM 05000078750

FOEMM 305000046250

Telethermometers

- 3441026** **TELETHERMOMETER BLACK $\varnothing$ 60 mm 50-350°C**
metal body
capillary length 1500 mm
bulb $\varnothing$ 4x104 mm



FOEMM 05159905800

- 3441027** **TELETHERMOMETER WHITE $\varnothing$ 60 mm 50-350°C**
metal body
capillary length 1500 mm
bulb $\varnothing$ 4x105 mm



FOEMM 05159905700

- 3441029** **TELETHERMOMETER WHITE 56x25 mm 50-350°C**
plastic body
capillary length 1000 mm
bulb $\varnothing$ 6x25 mm



FOEMM 05150015150

Thermocouples and accessories

3440030 THERMOCOUPLE SIT M8x1 100 cm



FOEMM 05150065800

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



FOEMM 05150065800

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



FOEMM 05150065800

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



FOEMM 05019906700

FOEMM 05050103900

3440037 THERMOCOUPLE SIT M9x1 100 cm.



FOEMM 05019906700

FOEMM 05050103900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



FOEMM 05019906700

FOEMM 05050103900

3440038 THERMOCOUPLE SIT M9x1 120 cm



FOEMM 05000097100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



FOEMM 05000097100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



FOEMM 05000097100

3440039 THERMOCOUPLE SIT M9x1 150 cm



FOEMM 05000026900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



FOEMM 05000026900



Suitable for:

FOEMM



Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



FOEMM 05000026900

3440033 THERMOCOUPLE SIT M9x1 32 cm



FOEMM 05021300200

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



FOEMM 05021300200

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



FOEMM 05021300200

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



FOEMM 05000010200

FOEMM 05019906600

3440036 THERMOCOUPLE SIT M9x1 85 cm.



FOEMM 05000010200

FOEMM 05019906600

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS




FOEMM 05000010200

FOEMM 05019906600

Thermostats

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x230 mm



FOEMM 05000087350

Timers

- 3446005 BLACK KNOB ABS 38x38 mm**
D-shaped hole $\varnothing$ 6x4.6 mm
for timer



FOEMM 305000040540

- 3446008 TIMER 30 MINUTES**
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
30 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



FOEMM 305000080050

- 3446005 BLACK KNOB ABS 38x38 mm**
D-shaped hole $\varnothing$ 6x4.6 mm
for timer



FOEMM 305000040540

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  <p>LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> |  <p>OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
|  <p>LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com</p> |  <p>LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
|  <p>EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> |  <p>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch</p> |
|  <p>LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> |  <p>LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
|  <p>LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | |
-
- | | |
|---|---|
|  <p>AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> |  <p>DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
|  <p>AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at</p> |  <p>JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp</p> |
|  <p>BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> |  <p>SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
|  <p>BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> |  <p>TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com</p> |
|  <p>CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz</p> |  <p>USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |