




Spare parts for:

Ovens



Suitable for:

GICO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221805





Suitable for:

GICO



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



GICO 607008

3240519 AXIAL MOTOR FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



GICO

Buzzers

3397301 ALARM BELL AC00206 85x45x25 mm
power 220/240GV



GICO 623002

3397117 ALARM WITH CARD
dimensions 45x48 mm



GICO 293202320

Cables for piezo igniters

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GICO 5509080


3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



GICO 5509040

Contactors

5000853 CONTACTOR AEG LS05400
4Kw 400V - coil 230V 50/60Hz
4 contacts NO



GICO 53002420904

GICO 66300010

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



GICO 6300240600



Electrical gas valves and accessories

3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



GICO 43300012

GICO 433012224

GICO 790202500

3440200 TWIN LEAD THERMOPILE \varnothing 9x65 mm
 cable length 580 mm - with coupling M11X1




GICO 434010580

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 100 mbar
 room temperature 0 ÷ 60°C
 power supply 220V 50Hz



GICO 43330001


3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3 ÷ 50 mbar
 room temperature 0 ÷ 60°C
 power supply 230V 50Hz



GICO 433012

Electronic boxes

3526402 CONTROL BOX S4560A1008
 model HONEYWELL - 220/240V 50Hz 10VA



GICO 43331001

3526182 CONTROL BOX S4565A2092
 model HONEYWELL - 220/240V 50/60Hz 4VA



GICO 293203200



Suitable for:

GICO



Suitable for:

Electronic controllers

3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000

power supply 12Vca/dc 1.5VA
 thermostat setting range 99+600°C
 ON-OFF control with one actuation point
 1 exchange relay output 6(3)A 250V
 inbuilt alarm buzzer
 access to configuration parameters through password
 serial port for data exchange
 room temperature 0+60°C
 PTC/NTC/PT100/PT1000 type probe (not included)
 connections by screwed terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29 mm



GICO 629601

5047675 THERMOSTAT SCL202L PT1000

power supply 230Vac
 thermostat setting range -40+350°C
 ON-OFF control with one actuation point only
 2 changeover relay outputs 8(3)A 250V
 serial port for data exchange
 ambient temperature -10+50°C
 kind of probe PT1000 (not included)
 connections by screw terminal block
 front dimensions 75x33x63 mm
 mounting hole 71x29 mm
 for Convection oven (GICO)



GICO 629602

5019348 PENETRATION PROBE PT1000

2 wires - faston connection
 probe length 100 mm
 cable length 2000 mm
 for Convection oven (GICO)



GICO 293204010

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



GICO 539205

GICO 539206

GICO 539209

Gaskets for oven door

3286004 OVEN DOOR GASKET - 24 m
made of silicone elastomer
profile dimensions 25.6x11 mm
BLACK COLOR
for Convection oven (GICO)



GICO 284201490
GICO 293200500
GICO 684201490

GICO 284204130
GICO 293201230

GICO 284204230
GICO 293201400

3286076 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 25.6x11 mm
BLACK COLOUR
for Convection oven (GICO)



GICO 284201490
GICO 293200500
GICO 684201490

GICO 284204130
GICO 293201230

GICO 284204230
GICO 293201400

3286003 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 25.6x11 mm
BLACK COLOR
for Convection oven (GICO)



GICO 284201490
GICO 293200500
GICO 684201490

GICO 284204130
GICO 293201230

GICO 284204230
GICO 293201400

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



GICO 793108350

Handles

5055828 KIT HANDLE COMPLETE OVEN DOOR
for Convection oven (GICO)



GICO A00321

3242051 OVEN DOOR HANDLE 176x28 mm
handle mounting holes distance 121 mm
for OVEN



GICO 419506186



Suitable for:

GICO



Suitable for:

Heating elements

3355430 HEATING ELEMENT 10500W 230V
 immersed length 590 mm
 flange external \varnothing 72 mm
 with bulb sheath \varnothing 6 mm
 complete with O-RING
 upon demand nut and washer
 for boiler
 per FORNO 10-20 GRIGLIE
 for Convection oven electric (GICO)



GICO 293200360

3355428 HEATING ELEMENT 2000W 240V
 external \varnothing 190 mm - overall height 90 mm
 flange 70x22 mm



GICO 238200212

GICO 284201560

GICO 296201860

3355429 HEATING ELEMENT 7500W 230/400V
 immersed length 390 mm
 flange external \varnothing 72 mm
 with bulb sheath \varnothing 6 mm
 complete with O-RING
 upon demand nut and washer
 for boiler
 for Convection oven electric (GICO)



GICO 293200760

Incandescent lamps and neon lamps

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
 max. temperature 300°C



GICO 6242122001

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



GICO A00409

3221117 GREEN INDICATOR LAMP 400V
 head \varnothing 18 mm - hole \varnothing 12 mm - 150°C
 for Convection oven (GICO)



GICO 5229054

Suitable for:

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



GICO 6229044

Suitable for:

3221194 GREEN NEON INDICATOR LAMP 220V
 \varnothing head 9 mm



GICO 6229046

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



GICO 6229045

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



GICO A00410

3221116 ORANGE INDICATOR LAMP 400V
head \varnothing 18 mm - hole \varnothing 12 mm - max 150°C
for Convection oven (GICO)



GICO 5229052

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



GICO 6229043

Knobs

3241038 GREY KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for COOKING RANGE series 110



GICO 766100000

GICO 790106610

GICO 790109350

GICO 790119450

5010804 KNOB BLACK \varnothing 52 mm
D-shaped hole 6x4.6 mm
for Convection oven (GICO)



GICO A00250

GICO 284200070

GICO 293202250

Lamp receptacles and spare parts

3221115 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 130 mm



GICO 6242122002

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



GICO 6242122001



Suitable for:

GICO



Suitable for:

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for OVEN



GICO 6230001

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz



GICO 639624051

Level sensors

3341020 LEVEL PROBE ø 1/4"M-220 mm
for versions 5-7-10-20 shelves
for Convection oven (GICO)



GICO 639314125

Microswitches

3240196 MAGNETIC MICROSWITCH E5201V
0.04A 250V - NO contact - head 40x13x8 mm
with cable length 1400 mm



GICO 695001

3240410 MICROSWITCH 16(4)A 250V




GICO 522583131



Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



GICO 507005

GICO 507007

5027230 MOTOR 1071.3250 0.25HP 200/240V
50/60Hz 1.6A 1400/1700rpm - capacitor 5 μ F
for Convection oven (GICO)



GICO 293200840

3240117 MOTOR 1571.1600 0.25HP 220/240V 50Hz
1.2A 2800rpm - capacitor 5 μ F
shaft \varnothing 12x77 mm



GICO 284204340

GICO 684202570

Outlet solenoid valves and accessories

3525026 BOILER MOTOR DRAIN VALVE TCN
230V 50/60Hz 5A
fittings \varnothing 1/2"FF



GICO 6441001

GICO 6441002

Penetration probes

5019348 PENETRATION PROBE PT1000
2 wires - faston connection
probe length 100 mm
cable length 2000 mm
for Convection oven (GICO)



GICO 293204010



Suitable for:

GICO



Suitable for:

Pilot burners and accessories

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



GICO 43701035

3020201 PILOT GAS JET \varnothing 0.14 mm



GICO

3020042 PILOT GAS JET \varnothing 0.19 mm



GICO 43702019

3020043 PILOT GAS JET \varnothing 0.36 mm



GICO 43702036

3020449 PILOT GAS JET \varnothing 0.54 mm




GICO 43702027

3020054 PILOT JET \varnothing 0.20 mm



GICO 43700001

3020157 PILOT JET \varnothing 0.25 mm



GICO 43701025

3020040 PILOT JET \varnothing 0.30 mm



GICO 43703030

3020055 PILOT JET \varnothing 0.35 mm



GICO 43700002

3020041 PILOT JET \varnothing 0.41 mm



GICO 43701041

3020187 PILOT NOZZLE \varnothing 0.51 mm



GICO 43703051

Suitable for:

Suitable for:

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



GICO 790200900

3020043 PILOT GAS JET ø 0.36 mm



GICO 43702036

3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GICO A00283


3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 3 positions bracket



GICO A00132

GICO 436006

3020042 PILOT GAS JET ø 0.19 mm



GICO 43702019

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3020054 PILOT JET ø 0.20 mm



GICO 4370001



Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



GICO 4370002

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

GICO



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

Potentiometers

3057314 SELECTOR SWITCH ENCODER COMPLETE W/CABLE
D-shaped pin 6x4.6 mm
for Convection oven electric (GICO) FM10-ED
FM10-ED/2C
for Convection oven gas (GICO) FM120-GD/2



GICO 293203970

Probes

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



GICO A00317



Rotary switches


3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



GICO 5200995

GICO 5200996

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



GICO 00423


GICO 52004115

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



GICO 52002115


3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm



GICO 00410


GICO 52002432

3057010 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4. \varnothing 6 mm



GICO 620044924

5010850 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (GICO)



GICO 62051824

Solenoid valves

3120004 SOLEN. VALVE ELBITYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



GICO 53943410240

GICO 63943410240

3120504 SOLEN. VALVE ELBITYPE 319 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



GICO

3120005 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



GICO 53943410240

3120505 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



GICO LF-3120530



Suitable for:


3120511 SOLEN. VALVE ELBITYPE 350 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



GICO

Suitable for:

3120512 SOLEN. VALVE ELBITYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



GICO

3120408 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



GICO

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



GICO 539613240

GICO 539613242

Sparking and detection plugs

3020219 ROUND DETECTION PLUG ø 7x55 mm
overall length 92 mm
for Convection oven gas (GICO)



GICO 793305360

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020220 SPARKING PLUG ROUND ø 7x55 mm
overall length 82 mm
for Convection oven (GICO)



GICO 793305370



Switches

- 3319151 SWITCH PROTECTION CAP**
 ø external 34 mm
 for push-buttons with mounting hole ø 25 mm



GICO 55463001

- 3319928 SWITCH 2-POLE GREEN 16A 250V**
 16(4)A 250V - max. temperature 120°C
 with indicator light - mounting hole ø 25 mm



GICO 5209201

GICO 52221025

- 3319151 SWITCH PROTECTION CAP**
 ø external 34 mm
 for push-buttons with mounting hole ø 25 mm



GICO 55463001

Telethermometers

- 3441027 TELETHERMOMETER WHITE ø 60 mm 50-350°C**
 metal body
 capillary length 1500 mm
 bulb ø 4x105 mm



GICO 4251103552

Terminal blocks

- 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



GICO 652502



Suitable for:

GICO



Suitable for:

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



GICO 434009100

GICO 4343103

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



GICO A00425

GICO 4343106

GICO 434099045

GICO 4343102

3440064 NUT FOR THERMOCOUPLE M8x1



GICO

3440030 THERMOCOUPLE SIT M8x1 100 cm



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



GICO A00426

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1



GICO A00270

GICO 434008100


3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



GICO A00270

GICO 434008100

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1



GICO A00270

GICO 434008100

3440032 THERMOCOUPLE SIT M8x1 150 cm



GICO A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS




GICO A00201

Suitable for:

Suitable for:

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201


3440028 THERMOCOUPLE SIT M8x1 60 cm



GICO A00016

GICO 434008060

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016

GICO 434008060

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016

GICO 434008060

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
GIUNTO M8x1**



GICO A00017

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



GICO A00017

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
GIUNTO M8x1**



GICO A00017

3440033 THERMOCOUPLE SIT M9x1 32 cm



GICO 434010100

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100



Suitable for:

Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GICO

GICO LF-3440034

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO LF-3440034

GICO 434209075

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO 434209075

GICO 434209075

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1**



GICO 434009175

GICO A00022

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1**



GICO A00022

GICO A00022

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GICO 434009175

GICO 434009175



Thermostatic gas valves


3345018 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb ø 6x75 mm
 capillary length 1200 mm
 D-shaped pin ø 8x6.5 mm



GICO 435219

Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-615°C
 complete with switch
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1100 mm - 16A 250V
 bulb ø 4x230 mm



GICO 53401100615

3444267 SINGLE-PHASE THERMOSTAT 145°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb ø 6x133 mm



GICO 6340004014500

3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb ø 6x80 mm



GICO 6340004032001

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb ø 3x220 mm



GICO 53401005270

GICO 63401005270

3744140 TERMOSTATO THREE-PHASE 360°C
 manual reset
 covered capillary length 1490 mm
 bulb ø 3x190 mm



GICO

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length coated 950 mm - 10A 400V
 bulb ø 3x190 mm



GICO 53403000350



Suitable for:


GICO



Suitable for:

3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



GICO 00402

GICO 270200341

GICO 53402705320

GICO 53403050300

Timers

3446001 TIMER 120 MINUTES


complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



GICO 63511120

3446002 TIMER 120 MINUTES


complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



GICO 63510120

3446219 TIMER 120 MINUTES MS65 SET

with bracket
manually set mechanical timer
manually set cycle 120 minutes
contact capacity 16(4)A 250V 50Hz
max temperature 100°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (GICO) FM10-EM/C
FM10-EM/D - FM10-EM/N - FM10-EM/S - FM5-ES/C
FM5-ES/D - FM5-ES/N - FM5-ES/S - FM7-EM/C
FM7-EM/D - FM7-EM/N - FM7-EM/S



GICO 293202310



Suitable for:

GICO



Suitable for:

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved





















GICO 639603

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us