




Spare parts for:

**Ovens**



Suitable for:

**HOBART**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# HOBART



Suitable for:

## Bearings

**3063142 BEARING 6007-2RS1 SKF**  
external  $\varnothing$  62 mm - internal  $\varnothing$  35 mm - thickness 14



HOBART BB-15-36

**3063121 BEARING 6203 2RS1 SKF**  
external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 12mm



HOBART 603273

## Capacitors, electrical

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



HOBART 226568-8

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



HOBART 226568-9

**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



HOBART 00-226568-014

HOBART 226568-14

## Contactors

**3057272 AUXILIARY CONTACT**  
6A  
1 normally closed contact  
1 normally open auxiliary contact  
for Convection oven electric (HOBART) CSL06E  
CSL10E



HOBART 845257-1

**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



HOBART RTFOC00466




Suitable for:

# HOBART



- 3454014 CONTACTOR SCHNEIDER CA2KN407M7**  
coil 10A 220V 50/60Hz 8Kw  
4 normally open contacts  
no auxiliary contact  
for Convection oven electric (HOBART) CSL10E



HOBART 153276-1


## Drain pumps

- 3122327 DRAIN ELECTRIC PUMP 40W 240V 50Hz**  
inlet external  $\varnothing$  24 mm - output external  $\varnothing$  23 mm



HOBART E130105

- 3122402 DRAIN ELECTRO-PUMP 80W 230V 50Hz**  
inlet external  $\varnothing$  24 mm - outlet external  $\varnothing$  24 mm



HOBART 01-297682-1

HOBART 165653-1

HOBART 883993-1

## Electronic printed-circuit boards


- 5062525 BOARD FOR MOTOR INVERSION 70x60 mm**  
complete with cable



HOBART M1235012

HOBART 895401-16

- 5035630 PC BOARD FOR MOTOR 128x100 mm**



HOBART

- 3390353 PCB KEYBOARD 335x100 mm**  
SERSA n° 980310a



HOBART 309438



Suitable for:

# HOBART

Suitable for:



## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



HOBART 301200

## Gaskets and seals

### 3786633 GLASS SEALING GASKET $\varnothing$ 98x61x7 mm



HOBART 366557

### 3786603 HEATING ELEMENT GASKET external $\varnothing$ 68 mm - internal $\varnothing$ 58 mm



HOBART 366461

### 3786371 SHUTTER GASKET external $\varnothing$ 80 mm for Convection oven electric (HOBART) CSL06E CSL10E



HOBART 844617


## Gaskets for oven door

### 7102192 JOINT DE PORTE 620 x 740 mm per forno



HOBART H366562

### 3786318 OVEN DOOR GASKET made of silicone elastomer profile dimensions 11x7 mm COLOUR GREY SOLD PER METRE for Convection oven (HOBART)



HOBART 492455



# HOBART




Suitable for:

Suitable for:

**5014799 OVEN DOOR GASKET 2000 mm**  
made of silicone elastomer  
profile dimensions 18x12 mm  
COLOUR BLACK  
for Convection oven (HOBART)  
for Convection oven (HOBART) CSM0611

**5027581 OVEN DOOR GASKET 2500 mm**  
made of silicone elastomer  
profile dimensions 18x12 mm  
COLOUR BLACK  
for Convection oven (HOBART)





HOBART 492439

HOBART 845052

HOBART 492466

**3786602 OVEN DOOR LOWER GASKET 1000 mm**  
adhesive - profile dimensions 7x5 mm  
COLOUR RED

**3786317 OVEN DOOR PORTHOLE GASKET**  
made of silicone elastomer  
profile dimensions 10x10 mm  
COLOUR BLACK  
SOLD PER METRE



HOBART 366350

HOBART 845320-1

**5053774 OVEN GLASS GASKET 3900 mm**  
made of silicone elastomer  
COLOUR BLACK  
for Convection oven (HOBART)  
for Convection oven gas (HOBART) CSD2013G




HOBART 491759

## Handles

**3242235 COMPLETE OVEN DOOR HANDLE**  
for Convection oven (HOBART) HFEI061D

**3242598 DOOR LOCK COMPLETE FITTING**  
complete with micro switch  
for Convection oven electric (HOBART)  
CSL06E - CSL10E



HOBART 160912

HOBART 03811C



Suitable for:

# HOBART



Suitable for:

## 3242599 OVEN DOOR HANDLE

complete with gasket  
length 520x130 mm



HOBART POIG301

## Heating elements

## 3455145 HEATING ELEMENT 1500W 240V

length 295 mm - width 100 mm  
oval flange 50x25 mm



HOBART 233848-2

## 3355530 HEATING ELEMENT 7500W 230V

immersed length 300 mm  
flange external  $\varnothing$  72 mm  
with bulb sheath  
complete with O-ring gasket  
for Convection oven (HOBART) ENV-CH - ENV-ID  
HFED - HFEI  
for Convection oven electric (HOBART)  
HFEI101D



HOBART 1235430

## 3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



HOBART 67500-118

HOBART 67500-16

## 3455196 HEATING ELEMENT 8000W 230V

external  $\varnothing$  315 mm - internal  $\varnothing$  300 mm  
overall height 195 mm - connections M12x1 mm  
for Convection oven electric (HOBART)  
CSL06E - CSM0611IE - CSM0611N  
for Convection oven (HOBART)  
CSM0612LAE



HOBART 845265-3



Suitable for:

Suitable for:

**3455144 HEATING ELEMENT 8000W 240V**  
 immersed depth 300 mm  
 flange 62x62 mm - mounting distance 45 mm  
 for BOILER  
 for BOURGEOIS GAS OVENS 10-20 shelves  
 for Convection oven electric (HOBART)  
 CSD1012E

**3186290 O-RING 04187 EPDM**



HOBART 322158-2  
 HOBART 845370-1



HOBART 322158-3

HOBART 322158-4

HOBART 276903-21

**3455151 HEATING ELEMENT 9000W 240V**  
 external  $\varnothing$  475 mm - internal  $\varnothing$  455 mm  
 overall height 220 mm - connections M12x1 mm  
 for Convection oven electric (HOBART) CSL10E  
 CSM1011IE - CSM1011N - CSM1012IE - CSM1012N  
 CSM2021IE - CSM2021N

**3455185 HEATING ELEMENT 9000W 240V**  
 external  $\varnothing$  410 mm - internal  $\varnothing$  390 mm  
 overall height 200 mm - connections M12x1 mm  
 for Convection oven electric (HOBART) CSL10E  
 CSM1011IE - CSM1011N - CSM1021IE - CSM1021N  
 CSM2021 - CSM2021N



HOBART 845265-2

HOBART 845265-2

## Incandescent lamps and neon lamps

**3221638 LAMP HALOGEN NEUTRAL OSRAM G4 20W 12V**  
 max temperature 300°C

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
 max. temperature 300°C



HOBART 1235342

HOBART 844952

**3221479 11W NEON LAMP FOR OVEN**  
 for Convection oven electric (HOBART) CS1012E  
 for Convection oven gas (HOBART) CSD1013G  
 CSD2013G - CS1012G - CS1013G - CS2012G  
 CS2013G



HOBART 491761-1



Suitable for:

# HOBART



Suitable for:

## Indicator lights

- 3221097 NEUTRAL INDICATOR LAMP 220V**  
head ø 8 mm - 120°C



HOBART E216006

## Ironmongery (screws,nuts,washers)

- 3528010 FLAT WASHER M6**  
ø internal/external 6,4/12 mm - thickness 1,6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



HOBART 602286

- 3241201 SCREW NO HEAD WITH HEXAGON SOCKET M4X6**  
stainless steel - cone end  
UNI 5927 - DIN 914 - ISO 4027



HOBART VA-261-1

- 1186504 WASHER FLAT M10**  
internal/external ø 10.5/20 mm - thickness 2 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



HOBART 602288

## Lamp receptacles and spare parts

- 3221115 HALOGEN LAMP RECEPTACLE G4 20W 12V**  
wire connection length 130 mm  
for Convection oven electric (HOBART) CSL06E



HOBART 494045

- 3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 300°C



HOBART 844952

## Microswitches

- 3240189 MICRO SWITCH M1DX20 10A 250V**



HOBART 1700340

HOBART 300682



## Motors

### 3340005 FAN MOTOR 50W 230V 50Hz

TYPE G2S170-AA06-51  
0.28A - 1900rpm  
ø fan 170 mm  
for Convection oven electric (HOBART) CSL0423E  
CSL0423EK - CSL0523E - CSL0523EK - CSL423E  
CSL423EK



HOBART 494069

### 3240984 MOTOR L7ZAW4D-189 0.26Kw

220-240V/380-415V 50HZ 0.26Kw 1.2/0.7A 1440rpm  
tapered axle ø 13.5-17 mm  
rod length 67 mm  
for Convection oven electric (HOBART)  
CSM0610E - CSM1011E



HOBART 150443-54

### 3340058 MOTOR 1079GA2350 0.185Kw 230V 50/60Hz

1A - 1400/1680rpm - capacitor 5 µF  
for Convection oven (HOBART)  
CS2012E




HOBART 844955-01

HOBART 844955-1

HOBART 895462

### 3786370 MAIN SHAFT SEALING GASKET

external ø 40mm - internal ø 17mm - thickness 7mm  
for Convection oven electric (HOBART) CSL06E  
CSL10E - CSM0611E - CSM0611N - CSM1011E  
CSM1011N - CSM1021E - CSM1021N



HOBART 322190-1

## OR and ORM gaskets

### 3186013 O-RING GASKET 06187 EPDM ø 58 mm



HOBART E456002  
HOBART 67500-81

HOBART JOTO1249

HOBART 067500-81

### 3186014 O-RING GASKET 06225 EPDM ø 67 mm



HOBART 67500-118

HOBART 67500-16

### 3186290 O-RING 04187 EPDM



HOBART 276903-21



Suitable for:

# HOBART



Suitable for:

## Pilot burners and accessories

**3020112 OLIVE FOR 6 mm ø PIPE**



HOBART T310275

HOBART 310275

## Probes

**3397154 TEMPERATURE PROBE**  
2 wires - bulb ø 4x86 mm  
cable length 1300 mm



HOBART 301461

## Relays

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A



HOBART 900073

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A



HOBART 371450-10

HOBART 37145010

**3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A



HOBART 139321-354

HOBART 139321-395

## Rotary switches

**3057050 CONNECTING BRACKET 28x21x16 mm**  
distance between hooking brackets 27 mm  
f/connection between selector switch and thermost.



HOBART 300177

HOBART 905109



## Solenoid valves

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



HOBART 371450-21

HOBART 775742-2

**3120163 SOLENOID VALVE MULLER 1-WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



HOBART 324207-01


HOBART 324207-1

**3120164 SOLENOID VALVE MULLER 2-WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 13.5 mm



HOBART 324208-1

**3120540 SOLENOID VALVE 230V ø 10 mm**  
solen.valve 180° - 230V 6W 50/60Hz - max 90°C  
inlet 3/4" - two outlets ø 10 mm



HOBART ROB2000

## Spark generators

**3181003 SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz



HOBART T308488

HOBART 308467

HOBART 308488

## Switches

**3319617 DOUBLE CONTACT SWITCH 16A 250V**



HOBART E226071

HOBART 139321-455



Suitable for:

# HOBART




Suitable for:

## Thermostatic gas valves

### 3345018 THERMOSTATIC TAP 25ST

operating temperature 100-300°C  
connections M16x1.5 mm  
thermocouple connection M9x1  
bulb ø 6x75 mm  
capillary length 1200 mm  
D-shaped pin ø 8x6.5 mm




HOBART 310137

## Thermostats

### 3444974 SINGLE-PHASE THERMOSTAT 100-615°C

complete with switch  
D-shaped pin ø 6x4.6 mm  
covered capillary length 1100 mm - 16A 250V  
bulb ø 4x230 mm



HOBART 301034

### 3444953 SINGLE-PHASE THERMOSTAT 220°C


with manual reset  
capillary length 1800 mm - 16A 250V  
bulb ø 3x130 mm  
for Convection oven electric (HOBART) CSD0612ET  
CSD1012ET - CSL06E - CSL10E - CSM2011IE  
CSM2011N - CSM2021IE - CSM2021N - CS1013G  
for Convection oven gas (HOBART) CSD1013G  
CSD2013G - CS2013G



HOBART 154344

### 3444912 SINGLE-PHASE THERMOSTAT 320°C


with manual reset  
covered capillary length 860 mm - 16A 250V  
bulb ø 4x100 mm



HOBART 301066

### 3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin ø 6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb ø 3x220 mm



HOBART

### 3444959 THREE-PHASE THERMOSTAT 220°C

with manual reset  
capillary length 1000 mm  
bulb ø 6x90 mm



HOBART 301061

### 3444926 3-PHASE THERMOSTAT 50-260°C

D-shaped pin ø 6x4.6 mm  
capillary length 1550 mm - 10A 400V  
bulb ø 6x140 mm - with stuff.gland coupling M9x1  
with complete tank sealing coupling M12x1



HOBART 301052



## Timers

### 3446182 TIMER 120 MINUTES C53

manually set mechanical timer  
manually set cycle 120 minutes  
single pole  
1 normally open contact  
1 normally closed contact  
contact capacity 16(4)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4,6 mm  
for Convection oven electric (HOBART)  
CSL06E - CSL10E - CSM0611E - CSM0611N - CSM1011IE  
CSM1011N - CSM1021IE - CSM1021N - CSM2011IE  
CSM2011N - CSM2021IE - CSM2021N




HOBART 845384

## Watertight seals and rings

### 3786370 MAIN SHAFT SEALING GASKET

external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 7mm  
for Convection oven electric (HOBART) CSL06E  
CSL10E - CSM0611IE - CSM0611N - CSM1011IE  
CSM1011N - CSM1021IE - CSM1021N



HOBART 322190-1

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>LF SpA HEADQUARTERS</b><br/>via Voltri, 80 - 47522 Cesena (FC) ITALY<br/>Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10<br/><a href="http://www.lfircambi724.it">www.lfircambi724.it</a> - <a href="http://www.lfircambi724.mobi">www.lfircambi724.mobi</a><br/><a href="mailto:info@lfircambi.it">info@lfircambi.it</a><br/>Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55<br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:export@lfspareparts.com">export@lfspareparts.com</a></p> |  <p><b>OOO LF RUSSIAN FEDERATION</b><br/>Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow<br/>Tel./Fax +7 495 725 26 53<br/><a href="http://www.lfspareparts724.ru">www.lfspareparts724.ru</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:info@lfspareparts.ru">info@lfspareparts.ru</a></p>                                                                                      |
|  <p><b>LF SpA HOUSEHOLD COMPONENTS DIVISION</b><br/>Via Padriciano, 34149 Trieste - Italia - AREA Science Park<br/>Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48<br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:info@lfspareparts.com">info@lfspareparts.com</a></p>                                                                                                                                                                                                                                   |  <p><b>LF Repuestos Horeca S.L.U. SPAIN</b><br/>Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe<br/>Tel. +34 91 477 91 00<br/>Fax +34 91 477 90 81<br/><a href="http://www.lfrepuestos-horeca724.es">www.lfrepuestos-horeca724.es</a><br/><a href="http://www.lfrepuestos724.mobi">www.lfrepuestos724.mobi</a><br/><a href="mailto:info@lfrepuestos.es">info@lfrepuestos.es</a></p>                                  |
|  <p><b>EPGC Sas FRANCE</b><br/>13, Rue des Forts - 59960 Neuville en Ferrain<br/>Tel. +33 (0)3 20 25 06 21<br/>Fax +33 (0)3 20 25 34 12<br/><a href="http://www.epgc.com">www.epgc.com</a><br/><a href="http://www.epgc724.mobi">www.epgc724.mobi</a><br/><a href="mailto:epgc@epgc.com">epgc@epgc.com</a></p>                                                                                                                                                                                                                                                                                                                 |  <p><b>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND</b><br/>Sennweidstrasse, 45 - CH-6312 Steinhausen<br/>Tel. +41 (0)41 760 15 80-1<br/>Fax +41 (0)41 760 15 85<br/><a href="http://www.lfersatzteile724.ch">www.lfersatzteile724.ch</a><br/><a href="http://www.lfersatzteilech724.mobi">www.lfersatzteilech724.mobi</a><br/><a href="mailto:info@lfersatzteile.ch">info@lfersatzteile.ch</a></p>                         |
|  <p><b>LF GmbH GERMANY</b><br/>Junkersstrasse, 3 - D-82178 Puchheim - München<br/>Tel. +49 89 89 45 78 66<br/>Fax +49 89 89 45 78 88<br/><a href="http://www.lfersatzteile724.de">www.lfersatzteile724.de</a><br/><a href="http://www.lfersatzteile724.mobi">www.lfersatzteile724.mobi</a><br/><a href="mailto:info@lfersatzteile.de">info@lfersatzteile.de</a></p>                                                                                                                                                                                                                                                            |  <p><b>LF Spare Parts Ltd. UNITED KINGDOM</b><br/>A10a Lakeside Business Park, Broadway Lane<br/>South Cerney, Gloucestershire GL7 5XL<br/>Tel. +44 (0)1285 86 16 25<br/>Fax +44 (0)1285 86 39 49<br/><a href="http://www.lfspareparts724.co.uk">www.lfspareparts724.co.uk</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:info@lfspareparts.co.uk">info@lfspareparts.co.uk</a></p> |
|  <p><b>LF China REPUBLIC OF CHINA</b><br/>Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.<br/>Minhang Dist. - 201103 Shanghai<br/>Tel. +86 (0)21 33 53 66 31<br/>Fax +86 (0)21 33 53 66 32<br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:china@lfspareparts.com">china@lfspareparts.com</a></p>                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
- 
- |                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>AUSTRALIA AND NEW ZEALAND</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:andrea.calvio@lfspareparts.com">andrea.calvio@lfspareparts.com</a></p> |  <p><b>DENMARK</b><br/><a href="http://www.lfspareparts724.dk">www.lfspareparts724.dk</a><br/><a href="mailto:michael.leth@lfspareparts.com">michael.leth@lfspareparts.com</a></p>                                                                                                 |
|  <p><b>AUSTRIA</b><br/><a href="http://www.lfersatzteile724.at">www.lfersatzteile724.at</a><br/><a href="mailto:info@lfersatzteile.at">info@lfersatzteile.at</a></p>                                     |  <p><b>JAPAN</b><br/><a href="http://www.lfspareparts724.jp">www.lfspareparts724.jp</a><br/><a href="mailto:hiroshi.ukai@lfspareparts.jp">hiroshi.ukai@lfspareparts.jp</a></p>                                                                                                     |
|  <p><b>BALKAN COUNTRIES</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:matija.ramov@lfspareparts.com">matija.ramov@lfspareparts.com</a></p>            |  <p><b>SOUTH KOREA</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:fabio.doni@lfspareparts.com">fabio.doni@lfspareparts.com</a></p>                                                                                               |
|  <p><b>BALTIC COUNTRIES</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:inara.silina@lfspareparts.com">inara.silina@lfspareparts.com</a></p>            |  <p><b>TURKEY</b><br/><a href="http://www.lfyedekparca724.com">www.lfyedekparca724.com</a><br/><a href="mailto:basar.ergun@lfyedekparca.com">basar.ergun@lfyedekparca.com</a></p>                                                                                                  |
|  <p><b>CENTRAL AND EASTERN EUROPE</b><br/><a href="http://www.lfspareparts724.cz">www.lfspareparts724.cz</a><br/><a href="mailto:jiri.kremla@lfspareparts.cz">jiri.kremla@lfspareparts.cz</a></p>        |  <p><b>USA AND CANADA</b><br/><a href="http://www.lfspareparts724.us">www.lfspareparts724.us</a><br/><a href="mailto:sauro.dallaglio@lfspareparts.us">sauro.dallaglio@lfspareparts.us</a><br/><a href="mailto:howard.truitt@lfspareparts.us">howard.truitt@lfspareparts.us</a></p> |